# **CASIO**

## About This Manual



 Depending on the model of your watch, display text appears either as dark figures on a light background or light figures on a dark background. All sample displays in this manual are shown using dark figures on a light because of the statement of th background. Button operations are indicated using the letters shown

in the illustration. In the initiatiation: Each section of this manual provides you with the information you need to perform operations in each mode. Further details and technical information can be found in the "Reference" section.

E-1

E-3

E-5

E-7

Note that the product illustrations in this manual are intended for reference only, and so the actual product may appear somewhat different than depicted by an illustration.

# Contents

General Guide	E-6
Timekeeping	E-8
World Time	E-13
Stopwatch	E-15
Countdown Timer	E-17
Alarms	E-19
Illumination	E-24
Reference	E-26
Specifications	E-29

E-2

## Procedure Lookup

I he following is a handy reference list of all the operational procedures contained in this manual.	
To set the time and date E-	-9
To toggle the Timekeeping Mode time between DST and Standard Time E-1	2
To view the time in another city code E-1	3
To toggle a city code time between Standard Time and Daylight Saving Time	14
To measure times with the stopwatch E-1	6
To use the countdown timer E-1	7
To set the countdown start time E-1	8
To set an alarm time E-2	20
To test the alarm E-2	21
To turn an alarm on and off E-2	22
To turn the Hourly Time Signal on and off E-2	23
E-4	

To illuminate the display	E-25
To specify the illumination duration	E-25
To turn the button operation tone on and off	E-26

**General Guide** 



E-6

# Timekeeping

PM indicator Dav of week Day (A) **10:58**50 6 D Seconds Hour : Minutes

Use the Timekeeping Mode to set and view the current time and date

# Read this before you set the time and date ! The time signlayed in the Timekeeping Mode and World Time Mode are linked. Because of this, make sure you select a city code for your Home City (the city where you normally use the watch) before you set the time and date. To view the current Home City code setting, press (a) while in the Timekeeping Mode.

For full information on city codes, see the "City Code Table" at the back of this manual.

To set the time and date



3. When the setting you want to change is flashing, use (D) and (B) to change it as described below.

Screen	To do this:	Do this:
50	Reset the seconds to 00	Press D.
TYO	Change the city code	Use (D) (east) and (B) (west).
۵۶ 🚱	Toggle between Daylight Saving Time (III) and Standard Time (III)	Press D.
' 10:58	Change the hour or minutes	Use (D) (+) and (B) (-).
12 H	Toggle between 12-hour (1로 H) and 24-hour (군부 H) timekeeping	Press D.
6.30 51 05	Change the year, month, or day	Use () (+) and () (-).

See "Daylight Saving Time (DST)" (page E-12) for details about the DST setting.

Press (b) to exit the setting screen current count is in the range of 30 to 59 causes the minutes to be increased by 1. In the range of 00 to 29, the seconds are reset to 60 without changing the minutes.

F-10

# Daylight Saving Time (DST)

Daylight Saving Time (summer time) advances the time setting by one hour from Standard Time. Remember that not all countries or even local areas use Daylight Saving Time.

# To toggle the Timekeeping Mode time between DST and Standard Time 1. In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting



Press (© twice to display the DST setting screen.
 Press (© to toggle between Daylight Saving Time (##) and Standard Time (#F).

A Press (a) to exit the setting screen.
The DST indicator is displayed on the Timekeeping Mode and Alarm Mode screen while Daylight Saving Time is tureed on the setting screen. turned on

E-12

### To toggle a city code time between Standard Time and Daylight Saving Time



- Between Standard Time and Daylight Saving Time
   In the World Time Mode, use () and (B) to display the city code (time zone) whose Standard Time/Daylight Saving Time setting you want to change.
   Hold down (A) for about one second to toggle between Daylight Saving Time (DST indicator displayed) and Standard Time (DST indicator not displayed).
   The DST indicator is on the display whenever you display a city code for which Daylight Saving Time is turned on.
   Note that the DST/Standard Time setting affects only the currently displayed city code. Other city codes are not affected.

not affected.

In the World Time Mode, you can switch the city code you currently have selected as your Timekeeping Mode Home City between Standard Time and DST. The setting you select in the World Time Mode will also be applied in the Timekeeping Mode.

E-14

### To measure times with the stopwatch



E-16

• Press D while a countdown operation is in progress to pause it. Press D again to resume the countdown.

To completely stop a countdown operation, first pause it (by pressing <sup>(D)</sup>), and then press <sup>(B)</sup>. This returns the countdown time to its starting value.

#### To set the countdown start time



- 1. In the Countdown Timer Mode, hold down (A) until the B
  - In the Countdown Timer Mode, hold down (A) until the hours of the countdown start time start to flash, which indicates the setting screen.
     Press (C) to move the flashing between the hours and minutes.
     While a setting is flashing, use (D) (+) or (B) (-) to
  - change it.To set the starting value of the countdown time to 24 4. Press (A) to exit the setting screen.
- Alarms



You can set five independent Daily Alarms. When an You can set five independent Daily Alarms. When an alarm is turned on, the alarm tone sounds when the alarm time is reached. One of the alarms is a snooze alarm, while the other four are one-time alarms. You can turn on an Hourly Time Signal that causes the watch to beep twice every hour on the hour. • There are six screens in the Alarm Mode. Four are for one time elemen (indicated by suppress from Oct efforts)

I here are six screens in the Alarm Mode. Four are for one-time alarms (indicated by numbers from  $\overline{n}_{L} - 1$ through  $\overline{n}_{L} - 4$ ), one is for a snooze alarm (indicated by  $\overline{s} N \overline{s}$ ), and one is for the Hourly Time Signal (indicated by  $\overline{s} I \overline{c}$ ). All of the operations in this section are performed in the Alarm Mode, which you enter by pressing  $\bigcirc$  (page  $\overline{c}$ )

E-7).



• With the 12-hour format, the P (PM) indicator appears to the left of the hour digits for

- applied in all modes.
- The year can be set in the range of 2000 to 2099.
- The watch's built-in full automatic calendar makes allowances for different month
- The watch's built and leap years. Once you set the date, there should be no reason to change it except after you have the watch's battery replaced.
  The day of the week is automatically displayed in accordance with the date (year, month, and day) settings.

F-11

# World Time



World Time shows the current time in 48 cities (29 time zones) around the world.
All of the operations in this section are performed in the World Time Mode, which you enter by pressing ©

(page E-6).

To view the time in another city code In the World Time Mode, press (i) (eastward) and (ii) (westward) to scroll through the available city codes. Current time in the zone of the selected city code Holding down either button scrolls at high speed

- Floring down einfer button scroils at high speed.
   For full information about city codes, see the "City Code Table" at the back of this manual.
   If the current time shown for a city is wrong, check your Timekeeping Mode time and Home City code settings and make the necessary changes.

E-13

## Stopwatch



- The stopwatch lets you measure elapsed time, split mes, and two finishes. The display range of the stopwatch is 59 minutes, 59.99 seconds. The stopwatch continues to run, restarting from zero
- The stopwatch tool init best of unit, restarting non-zero after it reaches its limit, until you stop it.
   The stopwatch measurement operation continues even if you exit the Stopwatch Mode.
   Exiting the Stopwatch Mode while a split time is frozen on the display clears the split time and returns to elapsed time measurement.
- All of the operations in this section are performed in the Stopwatch Mode, which you enter by pressing (©) (page E-7).

### E-15

# **Countdown Timer**



The countdown timer can be set within a range of one minute to 24 hours. An alarm sounds when the countdown reaches zero. The countdown operation continues even if you exit the

All of the operations in this section are performed in the Countdown Timer Mode, which you enter by pressing © (page E-7).

#### To use the countdown timer

Minutes

Press (1) while in the Countdown Timer Mode to start the countdown timer. • When the end of the countdown is reached, the alarm sounds for 10 seconds or until you stop it by pressing any button. The countdown time is automatically reset to its starting value after the alarm stops.





1. In the Alarm Mode, use D and B to scroll through the alarm screens until the one whose time you want to set is displayed.



To set a one-time alarm, display one of the screens indicated by an alarm number from AL - 1 through AL - 4. To set the snooze alarm, display the screen indicated by SNZ.

The snooze alarm repeats every five minutes.

The shock adam repeats every memory and induces.
 After you select an alarm, hold down (a) until the hour setting of the alarm time starts to flash, which indicates the setting screen.
 This operation turns on the alarm automatically.

## F-20

#### To turn an alarm on and off



- Snoze alam indicator Snoze alam indicator Alam on indicator I. In the Alarm Mode, use (i) and (i) to select an alarm. 2. Press (a) to toggle it on (i) to togglayed) and off (i) f displayed). Turning on a one-time alarm (i) L 1 through (i) L 4) displayes the alarm on indicator on its Alarm Mode screen. Turning on the snoze alarm (i) to alarm (i) the alarm on indicator and snoze alarm (i) the alarm
  - Mode snooze alarm screen. In all modes, the alarm on indicator is shown for any

alarm that is currently turned on. • The alarm on indicator flashes while the alarm is The another indicator hashes while the attain is sounding.
The snoze alarm indicator flashes during the 5-minute

intervals between alarms

E-22

#### Illumination



#### This watch has an EL (electro-luminescent) panel that auses the entire display to glow for easy re ading in the dark

#### Illumination Precautions

- The electro-luminescent panel that provides illumination loses power after very long use. Illumination may be hard to see when viewed under direct sunlight.
- The watch may emit an audible sound whenever the display is illuminated. This is due to vibration of the EL panel used for illumination, and does not indicate malfunction. malfunction. • Illumination automatically turns off whenever an alarm
- sounds.Frequent use of illumination runs down the battery.

#### Reference

E-24

This section contains more detailed and technical information about watch operation. It also contains important precautions and notes about the various features and functions of this watch.

#### **Button Operation Tone**



The button operation tone sounds any time you press one of the watch's buttons. You can turn the button operation tone on or off as desired. • Even if you turn off the button operation tone, the alarm, Hourly Time Signal, and Countdown Timer Mode alarm all operate normally.

To turn the button operation tone on and off In any mode (except when a setting screen is on the display), hold down (© to toggle the button operation tone on (MUTE indicator not displayed) and off (MUTE indicator displayed).

E-26

#### Initial Screens

When you enter the World Time or Alarm Mode, the data you were viewing when you last exited the mode appears first.

#### World Time

- The seconds count of the World Time is synchronized with the seconds count of the
- The seconds count of the world time is synchronized with the seconds count of time keeping Mode.
   All World Time Mode times are calculated from the current Home City time in the Timekeeping Mode using UTC time differential values.
   The UTC differential is a value that indicates the time difference between a
- The OTC dimension is a value that indicates the time dimension between a reference point in Greenwich, England and the time zone where a city is located.
   The letters "UTC" is the abbreviation for "Coordinated Universal Time", which is the world-wide scientific standard of timekeeping. It is based upon carefully maintained atomic (cesium) clocks that keep time accurately to within microseconds. Leap seconds are added or subtracted as necessary to keep UTC in sync with the Earth's rotation. rotation.

- 3. Press (C) to move the flashing between the hour and minute settings.
- 6. These () to result the least mig between the four and the

#### Alarm Operation

- Alarm Operation The alarm sounds at the preset time for about 10 seconds, regardless of the mode the watch is in. In the case of the snooze alarm, the alarm operation is performed a total of seven times, every five minutes, or until you turn the alarm off (page E-22). To stop the alarm tone after it starts to sound, press any button. Performing any one of the following operations during a 5-minute interval between snooze alarms cancels the current snooze alarm operation. Displaying the Timekeeping Mode setting screen (page E-9) Displaying the snooze alarm setting screen (page E-20)

#### To test the alarm

In the Alarm Mode, hold down (D) to sound the alarm

F-21

**CASIO** 

#### To turn the Hourly Time Signal on and off

- 1. In the Alarm Mode, use (D) and (B) to select the Hourly Hourly time signal on indicator
- :**00**0n D

On/Off statu:

 In the Alarm Mode, Use Q) and (B) to select the Hot Time Signal (S I G).
 Press (A) to toggle it on ((If displayed) and off ((If displayed)).
 The Hourly Time Signal on indicator is shown on the display in all modes while the Hourly Time Signal is turned to a turned on.



### To illuminate the display

Non-minute transmitter and the set of the

#### cify the illumination duration



1. In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting



3. Press (A) to exit the setting screen

E-25

- Holding down (C) to turn the button operation tone on or off also causes the watch's
- The MUTE indicator is displayed in all modes when the button operation tone is
- turned off.

# Auto Return Features

- Auto return reatures If you leave the watch in the Alarm Mode for two or three minutes without performing any operation, it automatically changes to the Timekeeping Mode. If you leave a screen with flashing digits or a cursor on the display for two or three minutes without performing any operation, the watch automatically saves any settings you have made up to that point and exits the setting screen.

# Scrolling

The (B) and (D) buttons are used in various modes and setting screens to scroll through data on the display. In most cases, holding down these buttons during a scroll operation scrolls at high speed.

E-27

## Specifications

Accuracy at normal temperature: ±30 seconds a month Timekeeping: Hour, minutes, seconds, a.m./p.m. (P), day, day of the week Time format: 12-hour and 24-hour

- Calendar system: Full Auto-calendar pre-programmed from the year 2000 to 2099 Other: Home City code (can be assigned one of 48 city codes); Daylight Saving Time (summer time)/Standard Time
- World Time: 48 cities (29 time zones)
- Other: Daylight Saving Time/Standard Time
- Stopwatch

# Measuring unit: 1/100 second

- Measuring capacity: 59'59.99" Measuring modes: Elapsed time, split time, two finishes
- Countdown Timer

Measuring unit: 1 second Input range: 1 minute to 24 hours (1-minute increments and 1-hour increments)

# F-28

**CASIO**®

Alarms: 5 daily alarms (4 one-time alarms: 1 snooze alarm); Hourly Time Signal Illumination: EL Back(light (electro-luminescent panel); Selectable illumination duration

duration Other: Button operation tone on/off Battery: One lithium battery (Type: CR1616) Approximately 3 years on type CR1616 (assuming alarm operation 10 seconds per day, and one illumination operation 1.5 seconds per day)



E-30

# City Code Table

City Code	City	UTC Offset/ GMT Differential
PPG	Pago Pago	-11
HNL	Honolulu	-10
ANC	Anchorage	-9
YVR	Vancouver	
SFO	San Francisco	-8
LAX	Los Angeles	1
DEN	Denver	-7
MEX	Mexico City	6
CHI	Chicago	] -0
MIA	Miami	-5
NYC	New York	] = 0
CCS*	Caracas	-4
YYT	St. Johns	-3.5
RIO	Rio De Janeiro	-3
RAI	Praia	-1
L-2		

0	

City Code	City	UTC Offset/ GMT Differential
LIS	Lisbon	0
LON	London	7 0
BCN	Barcelona	
PAR	Paris	]
MIL	Milan	+1
ROM	Rome	]
BER	Berlin	]
ATH	Athens	
JNB	Johannesburg	]
IST	Istanbul	+2
CAI	Cairo	]
JRS	Jerusalem	]
MOW	Moscow	+3
JED	Jeddah	+3
THR	Tehran	+3.5

City Code	City	UTC Offset/ GMT Differential
DXB	Dubai	+4
KBL	Kabul	+4.5
KHI	Karachi	+5
MLE	Male	+5
DEL	Delhi	+5.5
DAC	Dhaka	+6
RGN	Yangon	+6.5
BKK	Bangkok	+7
SIN	Singapore	
HKG	Hong Kong	+8
BJS	Beijing	
SEL	Seoul	+9
TYO	Tokyo	+9
ADL	Adelaide	+9.5
GUM	Guam	+10
SYD	Sydney	+10

City Code	City	UTC Offset/ GMT Differential
NOU	Noumea	+11
WLG	Wellington	+12

Based on data as of December 2010.
 The rules governing global times (UTC offset and GMT differential) and summer time are determined by each individual country.
 In December 2007, Venezuela changed its offset from -4 to -4.5. Note, however, that this watch displays an offset of -4 (the old offset) for the CCS (Caracas, Venezuela) city code.

L-3