

EPSON

Transparency Unit


for use with EPSON Scanners

B813021/B813022


This transparency unit is a high-quality device developed to enable Epson Scanner owners to scan transparencies and slides. By installing this unit on your Epson scanner, you can scan transparencies and slides beautifully, in full color. Also, it is not necessary to remove this unit if you wish to return to scanning normal reflective (paper) documents.

Unpacking the Unit


When you first open the package, make sure that all the following items are included and that none has been damaged during shipping. Contact your Epson dealer if any item is missing or damaged.




Transparency Unit




User's Guide



Reflective Document Mat



Screws (2)





Transparency Document Guide



Removing the Shipping Screw

To prevent damage during shipping a shipping screw is attached to the transparency unit. Make sure this screw is removed according to the following steps before you attempt to use this unit.

1. Turn the unit so the glass side faces up.
2. Remove the screw from the position shown below.



3. Insert the screw you just removed into the storage-hole in the position shown.




- Note:**
- Keep the shipping screw in a safe place; you will need it if you should need to transport the scanner. When transporting the scanner, you should remove the transparency unit and reattach the shipping screw.
 - If the unit's lamp assembly is not in its initial position, you cannot attach the shipping screw. If this happens, reattach the unit to the scanner, close the unit, and turn the scanner on; the unit's lamp assembly then returns to its initial position. Then turn off the scanner and remove the transparency unit.


Installing the Transparency Unit on the Scanner

Follow the steps below to install the transparency unit on the scanner.

1. Make sure the scanner's power switch is turned off and remove the power cable from the scanner.
2. Remove the document cover from the scanner.
3. The scanner comes with two mounting screws attached; slide the mounting slots on the transparency unit forward underneath these two screws.




4. Use a coin to tighten the two screws and secure the transparency unit.




5. Close the transparency unit.

6. Connect the transparency unit's connector to the option connector on the scanner.



Transparency Document Guide and Reflective Document Mat

A transparency document guide and reflective document mat are included with this unit. Use as necessary.



Positioning Transparencies

You can scan the transparency types shown below:


Document type Transparency documents (including slide film) in color or monochrome

Scanning size Up to 5 x 5 inches (127 x 127 mm)

- Note:**
- Wipe the glass of the transparency unit, the scanner's document table, and the narrow window near the mounting bracket before scanning transparencies.
 - Your scanner software automatically handles the operation of the transparency unit.

Position transparency documents according to the steps below.

1. Open the transparency unit.
2. Place the transparency document guide on the scanner's document table.
3. Using the transparency document guide, place the transparency document face down on the scanner's glass document table. Align the transparency document with the upper right-hand corner of the transparency document guide.



4. Close the unit. If the reflective document mat is in place, remove it from the transparency unit.


Note: Make sure the unit is completely closed. If it is not closed, an option error results and you cannot scan the document.

Scanning Normal (Reflective) Documents


When you return to scanning normal reflective documents, you should always insert the reflective document mat included with this unit. Also, make sure you remove the transparency document guide from the scanners document table.

Insert the reflective document mat as described below.

1. Open the transparency unit.
2. Insert the reflective document mat.



3. Position the reflective document and close the unit.



To remove the reflective document mat, lift up on the mat and pull it out of the transparency unit.