

HEAVY-DUTY %" ELECTRIC DRILL MODEL H2787 INSTRUCTION MANUAL



COPYRIGHT © NOVEMBER, 2001 BY GRIZZLY INDUSTRIAL, INC.
1821 VALENCIA ST., BELLINGHAM, WA 98227
WARNING: NO PORTION OF THIS MANUAL MAY BE REPRODUCED IN ANY SHAPE
OR FORM WITHOUT THE WRITTEN APPROVAL OF GRIZZLY INDUSTRIAL, INC.
PRINTED IN CHINA



Some dust created by power sanding, sawing, grinding, drilling, and other construction activities contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Some examples of these chemical are:

- Lead from lead-based paints.
- Crystalline silica from bricks, cement and other masonry products.
- Arsenic and chromium from chemically-treated lumber.

Your risk from these exposures varies, depending on how often you do this type of work. To reduce your exposure to these chemicals: Work in a well ventilated area, and work with approved safety equipment, such as those dust masks that are specially designed to filter out microscopic particles.

SAFETY

AWARNING

For Your Own Safety Read Instruction Manual **Before Operating This Equipment**

The purpose of safety symbols is to attract your attention to possible hazardous conditions. This manual uses a series of symbols and signal words which are intended to convey the level of importance of the safety messages. The progression of symbols is described below. Remember that safety messages by themselves do not eliminate danger and are not a substitute for proper accident prevention measures.

▲DANGER

Indicates an imminently hazardous situation which, if not avoided, WILL result in death or serious injury.

AWARNING **A**CAUTION

Indicates a potentially hazardous situation which, if not avoided, COULD result in death or serious injury.

Indicates a potentially hazardous situation which, if not avoided, MAY result in minor or moderate injury. It may also be used to alert against unsafe practices.

NOTICE This symbol is used to alert the user to useful information about proper operation of the equipment.

AWARNING

Safety Instructions For Power Tools

- **KEEP ALL SAFETY DEVICES IN** PLACE and in working order.
- 2. **REMOVE ADJUSTING KEYS AND** WRENCHES. Form habit of checking to see that keys and adjusting wrenches are removed from tool before operation.
- KEEP WORK AREA CLEAN. Cluttered areas and benches invite accidents.
- DO NOT USE IN DANGEROUS **ENVIRONMENT**. Do not use power tools in damp or wet locations, or where any flammable or noxious fumes may exist. Keep work area well lighted.

- **KEEP CHILDREN AND VISITORS** AWAY. All children and visitors should be kept a safe distance from work area.
- MAKE WORKSHOP CHILD PROOF with padlocks, master switches, or by removing starter keys.
- DO NOT FORCE TOOL. It will do the job better and safer at the rate for which it was designed.
- USE THE RIGHT TOOL. Do not force tool or attachment to do a job for which it was not designed.
- DO NOT USE UNDER THE INFLU-**ENCE OF DRUGS OR ALCOHOL.**

AWARNING

Safety Instructions For Power Tools

10. USE PROPER EXTENSION CORD for the tool. Make sure your extension cord is in good condition. Conductor size should be in accordance with the chart below. The amperage rating should be listed on the motor or tool nameplate. An undersized cord will cause a drop in line voltage resulting in loss of power and overheating. Your extension cord must also contain a ground wire and plug pin. Always repair or replace extension cords if they become damaged.

Minimum Gauge for Extension Cords

AMP	LENGTH				
RATING	25ft	50ft	100ft		
0-6	18	16	16		
7-10	18	16	14		
11-12	16	16	14		
13-16	14	12	12		
17-20	12	12	10		
21-30	10	10	No		

- 11. WEAR PROPER APPAREL. Do not wear loose clothing, gloves, neckties, rings, bracelets, or other jewelry which may get caught in moving parts. Non-slip footwear is recommended. Wear protective hair covering to contain long hair.
- 12. ALWAYS USE SAFETY GLASSES.
 Also use face or dust mask if cutting operation is dusty. Everyday eyeglasses only have impact resistant lenses, they are NOT safety glasses.
- 13. SECURE WORK. Use clamps or a vise to hold work when practical. It is safer than using your hand and frees both hands to operate tool.
- **14. DO NOT OVERREACH.** Keep proper footing and balance at all times.

- 15. MAINTAIN TOOLS WITH CARE.
 Keep tools sharp and clean for best
 and safest performance. Follow
 instructions for lubricating and
 changing accessories.
- **16. DISCONNECT TOOLS** before servicing and changing accessories.
- 17. REDUCE THE RISK OF UNINTEN-TIONAL STARTING. Make sure switch is in off position before plugging in.
- 18. USE THE RECOMMENDED ACCESSORIES. Consult the owner's manual for recommended accessories. The use of improper accessories may cause risk of injury.
- 19. CHECK DAMAGED PARTS. Before further use of the tool, a guard or other part that is damaged should be carefully checked to determine that it will operate properly and perform its intended function. Check for alignment of moving parts, binding of moving parts, breakage of parts, mounting, and any other conditions that may affect its operation. A guard or other part that is damaged should be properly repaired or replaced.
- 20. NEVER LEAVE TOOL RUNNING UNATTENDED. Turn the power off, and do not leave tool until it comes to a complete stop.
- 21. NEVER ALLOW UNTRAINED USERS TO RUN THIS TOOL WHILE UNSUPERVISED.
- 22. IF YOU ARE UNSURE OF THE INTENDED OPERATION, STOP USING THE TOOL. Seek formal training or research books or magazines that specialize in power tools.

INTRODUCTION

Commentary

We are proud to offer the Grizzly Model H2787 Heavy-Duty 5%" Electric Drill. The Model H2787 is part of a growing Grizzly family of fine power tools. When used according to the guidelines set forth in this manual, you can expect years of trouble-free, enjoyable operation and proof of Grizzly's commitment to customer satisfaction.

The Model H2787 is a powerful electric drill capable of boring through wood, metal and plastics. This double insulated, 6 Amp, ¾ H.P. drill features a #2 Morse Taper socket, so it can accept Morse Taper drill bits for those really big jobs. This drill also includes a drill chuck arbor and ½" - ¾" drill chuck, chuck key, drift wedge, extra carbon brushes and auxiliary support handle.

We are pleased to provide this manual with the Model H2787. It was written to encourage safety considerations and guide you through general operating procedures and maintenance. It represents our effort to produce the best documentation possible.

The specifications, details, and photographs in this manual represent the Model H2787 as supplied when the manual was prepared. However, owing to Grizzly's policy of continuous improvement, changes may be made at any time with no obligation on the part of Grizzly. If you have any comments regarding this manual, please write to us at the address below:

Grizzly Industrial, Inc.

c/o Technical Documentation
P.O. Box 2069


Bellingham, WA 98227-2069

Most importantly, we stand behind our tools. If you have any service questions or parts requests, please call or write us at the location listed below.

Grizzly Industrial, Inc. 1203 Lycoming Mall Circle Muncy, PA 17756 Phone: (570) 546-9663 Fax: (800) 438-5901

E-Mail: techsupport@grizzly.com Web Site: http://www.grizzly.com

AWARNING



Read the manual before assembly and operation. Become familiar with this tool, its safety instructions, and its operation before beginning any work. Serious personal injury may result if safety or operational information is not understood or followed.

ACAUTION

No list of safety guidelines can be complete. Every shop environment is different. Always consider safety first, as it applies to your individual working conditions. Use this and other machinery with caution and respect. Failure to do so could result in serious personal injury, damage to equipment or poor work results.

MAINTENANCE

Guidelines and Tips

Regular periodic maintenance on your Model H2787 Heavy-Duty %" Electric Drill will ensure its optimum performance. Make a habit of inspecting your drill each time you use it.

Avoid overloading the drill. Always use sharpened drill bits. Do not apply excessive pressure to the drill while using. If the speed drops abnormally, decrease pressure immediately. If the bit stops abruptly or becomes blocked, release the trigger at once.

Ensure the safety of the workplace.

Clear the work area of all parts and debris that may cause injury by flying objects. Securely fix the object to be drilled or fastened in a vise or otherwise clamp to avoid injury. Do not attempt to hold workpiece by hand.

Inspect the drill before use. Run the drill before using to ensure all parts are running smoothly and there are no abnormal sounds or sparks. If any defect is found, have unit serviced.

Know your work site. Only drill as deep as necessary. Check behind walls for wires, other electrical hazards, or plumbing.

Maintenance

Continuous use of a worn or damaged bit will not only decrease working efficiency, but also overload the motor, so the bit must be frequently checked. Replace the bit if it is worn or damaged.

Periodically check all screws to be sure they are tight. If any screw is loose, tighten immediately.

Regularly clean your drill and make sure that no dust or grime builds up in the motor ventilation holes. If these holes become blocked, the motor will wear down faster than necessary. A good way to clean ventilation holes is to blow them out with compressed air. Just be sure to wear safety glasses when you do this.

A damp cloth is ideal for cleaning the drill body. Avoid excessive moisture, especially in areas around the ventilation holes. Also, avoid the use of solvents while cleaning the drill body. Solvents may damage the plastic.

Store tool in a dry place when not in use. Moisture exposed to the internal parts of the drill may cause electrical problems.

Finally, leave lubrication and repair to qualified service professionals. This will ensure that you get years of faithful service from your Grizzly Heavy-Duty 5%" Electric Drill.

NOTES

WARRANTY AND RETURNS

Grizzly Industrial, Inc. warrants every product it sells for a period of **1 year** to the original purchaser from the date of purchase. This warranty does not apply to defects due directly or indirectly to misuse, abuse, negligence, accidents, repairs or alterations or lack of maintenance. This is Grizzly's sole written warranty and any and all warranties that may be implied by law, including any merchantability or fitness, for any particular purpose, are hereby limited to the duration of this written warranty. We do not warrant or represent that the merchandise complies with the provisions of any law or acts unless the manufacturer so warrants. In no event shall Grizzly's liability under this warranty exceed the purchase price paid for the product and any legal actions brought against Grizzly shall be tried in the State of Washington, County of Whatcom.

We shall in no event be liable for death, injuries to persons or property or for incidental, contingent, special, or consequential damages arising from the use of our products.

To take advantage of this warranty, contact us by mail or phone and give us all the details. We will then issue you a "Return Number," which must be clearly posted on the outside as well as the inside of the carton. We will not accept any item back without this number. Proof of purchase must accompany the merchandise.

The manufacturers reserve the right to change specifications at any time because they constantly strive to achieve better quality equipment. We make every effort to ensure that our products meet high quality and durability standards and we hope you never need to use this warranty.

Please feel free to write or call us if you have any questions about the machine or the manual.

> Grizzly Industrial, Inc. 1203 Lycoming Mall Circle Muncy, PA 17756 Phone: (570) 546-9663 Fax: (800) 438-5901

E-Mail: techsupport@grizzly.com

Web Site: http://www.grizzly.com

Thank you again for your business and continued support. We hope to serve you again soon.

WARRANTY CARD

Na	me			
Str	eet			
Cit	у	State	Zip	
Ph	one Number	E-Mail		FAX
The	following information		ısis. It will be used	for marketing purposes to help
1. F	How did you learn abo Advertisement Catalog World Wide Web	out us?	9. How many of Grizzly? 10. Which portable Check all that a	the machines checked above are /hand held power tools do you own?
-	What is your annual he \$20,000-\$29,999 \$30,000-\$39,999 \$40,000-\$49,999 \$50,000-\$59,999	ousehold income? \$60,000-\$69,999 \$70,000-\$79,999 \$80,000-\$89,999 \$90,000 +	Belt SandeBiscuit JoinCircular SaDetail SandeDrill/DriverMiter SawOther	erPalm Sander wPortable Planer derSaber SawReciprocating SawRouter
3. V - -	What is your age grou 20-29 30-39 40-49	p? 50-59 60-69 70 +	11. What machine Industrial to car	es/supplies would you like Grizzly rry?
_	How long have you be 0 - 2 Years 2 - 8 Years	en a woodworker? 8 - 20 Years 20+ Years		
5. F 	How would you rank yo Simple Intermediate	our woodworking skills? Advanced Master Craftsman	12. What new ac Industrial to car	cessories would you like Grizzly rry?
	Check all that apply. Air Compressor Band Saw Drill Press Drum Sander Dust Collector Spindle Sander Table Saw Mortiser Horiz.Boring Machi Vacuum Veneer Pr		and supplies fro	our purchase represents good value?
	low many of your wo	odworking machines are	Yes	
th	nat apply. 1"x42" Belt Sander 5" - 8" Drill Press 8" Table Saw	Mini Lathe8" - 10" BandsawDisc/Belt Sander rMini Jointer	ence for Grizzly never use namYes 17.Comments:	w us to use your name as a refer- or customers in your area? Note: We nes more than three times. No

Send a Grizzly Catalog to a friend:

Name			
Street			
City	State	Zip	

FOLD ALONG DOTTED LINE



GRIZZLY INDUSTRIAL, INC. P.O. BOX 2069 BELLINGHAM, WA 98227-2069

TAPE ALONG EDGES--PLEASE DO NOT STAPLE