

DEV9108-37

Dual Gradient Prefilter Cartridge

20" x 4" Big Bowl Prefilter Cartridge

DGD-5005-20 Cartridge: DEV9108-37

BENEFITS

Dual Gradient prefilter cartridge design allows up to three times the dirt-holding capacity of similar size sediment cartridges

Reduces dirt and other particles down to 5 microns in size

Extends the life of primary filter cartridges

Fits 20" x 4" Bog Bowl Housings

INSTALLATION TIPS	OPERATION TIPS	A P P L I C A T I O N / S I Z I N G
Choose a mounting location suitable to support the full weight of the system when operating	Replace cartridge once dirt loading capacity is reached	For foodservice applications requiring prefiltration
	Temp. Range: 40-1450F (4.4-62.80C)	High sediment areas
		5 Micron Rating (Nominal)

Dual Gradient Prefilter Cartridge

SPECIFICATIONS

Overall Dimensions: 20" H x 4.23" Diameter

The contaminants or other substances removed or reduced by this system are not necessarily in your water. Do not use with water that is microbiologically unsafe or of unknown quality with out adequate disinfection before or after the system.



WARRANTY

Everpure water treatment systems (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase. Everpure replaceable elements (filter cartridges and water treatment cartridges) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase. See printed warranty for details. Everpure will provide a copy of the warranty upon request.

Worldwide Headquarters: EVERPURE, LLC 1040 Muirfield Drive Hanover Park, Illinois 60133 Toll Free (800) 323-7873 Tel (630) 307-3000 Fax (630) 307 - 3030 http://www.everpure.com

In Europe: Pentair Water Belgium B.V./B.A. Industriepark Wolfstee Toekomstlaan 30 B-2200 Herentals BELGIUM TEL: +32.(0).14.283.500

FAX: +32.(o).14.283.505

In Japan: Hashimoto MN Bldg. 7F 3-25-1 Hashimoto Sagamihara-Shi Kanagawa 229 - 1103 JAPAN TEL: 81.(0)42.775.3011 FAX: 81.(0)42.775.3015