

COMMON FEATURES

- Ideal for mobile use
- Suitable for extracting dust and solid particles and non-inflammable fluids
- Optimum noise damping
- Optimum utilisation of container volume through compact construction
- High power motor with separate cooling circuit
- Sturdy and washable pleated filter
- Automatic shutoff that is disconnected while absorbing the suction flow as soon as the maximum filling height of the container is reached
- Paper filter bag as accessory
- Shock resistant plastic container
- Stable
- Movable on attached wheels and castors
- Option to wind up the cable
- Practical accessory case and storage area



AS 1200



ASA 1202

1200 Watt Multi-Purpose Vacuum Cleaner AS 1200

1200 Watt Multi-Purpose Vacuum Cleaner ASA 1202

Special advantages

- Integrated socket with automatic start mechanism
- Suction hose with swivel joint

Comparative device characteristics

	AS 1200	ASA 1202
Air output (at fan)	60 l/s	60 l/s
Vacuum pressure	171 hPa (mbar) / 17.1 kpa	171 hPa (mbar) / 17.1 kpa
Filter surface	2.950 cm ²	2.950 cm ²
Rated input power	1.200 W	1.200 W
Container volume	20 l	32 l
Suction hose		
- Diameter	35 mm	35 mm
- Length	1,75 m	2,5 m
Weight	5 kg	7 kg

Standard equipment

AS 1200	ASA 1202
Suction hose (Ø 35 mm, 1.75 m long), 2 suction pipes, grouting nozzle, multi-purpose nozzle with universal insert	Suction hose (Ø 35 mm, 2.5 m long), 2 suction pipes, pipe holder, grouting nozzle, suction nozzle (120 mm wide), multi-purpose nozzle with universal insert

Type
Order no.

AS 1200
6.01200

ASA 1202
6.01202 ■

SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS

COMMON FEATURES

- Suitable for extracting dust and solid particles and non-inflammable fluids
- Optimum noise damping
- Two pleated filters suitable for dust class M, transmittance < 0.5 %
- Easier and quicker filter change
- Fully automatic electromagnetic vibration device
- Long filter service life and large cleaning intervals
- Soft start for careful treatment of the motor blower
- Automatic trailing mechanism for emptying the suction hose completely
- Anti-static basic configuration (anti-static hose as accessory)
- Automatic shutoff that is disconnected while absorbing the suction flow as soon as the maximum filling height of the container is reached
- Paper filter bag as accessory
- Stable
- Movable on attached wheels and castors
- Integrated socket with automatic start mechanism



ASR 2025



ASR 2050

	1200 Watt Multi-Purpose Vacuum Cleaner ASR 2025	1200 Watt Multi-Purpose Vacuum Cleaner ASR 2050
Special advantages		•
▪ Extra large wheels		
Comparative device characteristics		
Air output (at fan)	61 l/s	61 l/s
Vacuum pressure	248 hPa (mbar) / 24.8 kpa	248 hPa (mbar) / 24.8 kpa
Filter surface	8.600 cm ²	8.600 cm ²
Rated input power	1.200 W	1.200 W
Container volume	25 l	50 l
Suction hose		
- Diameter	35 mm	35 mm
- Length	2,5 m	3,5 m
Weight	11 kg	16 kg
Standard equipment	Suction hose (Ø 35 mm, 2,5 m long), handle adapter, 2 suction pipes, grouting nozzle, universal nozzle, paper filter bag	Suction hose (Ø 35 mm, 3,5 m long), handle adapter, 2 suction pipes, grouting nozzle, universal nozzle, paper filter bag
Type	ASR 2025	ASR 2050
Order no.	6.02022 ■	6.02033

COMMON FEATURES

- Suitable for extracting dust and solid particles and non-inflammable fluids
- Suitable for extracting hazardous dust particles of dust class M (MAK values > 0.1 mg/m³)
- Minimum volume flow adjustable
- Automatic control of air speed
- Optimum noise damping
- Two pleated filters suitable for dust class M, transmittance < 0.5 %
- Easier and quicker filter change
- Electro-magnetic vibration device
- Long filter service life and large cleaning intervals
- Soft start for careful treatment of the motor blower

- Automatic trailing mechanism for emptying the suction hose completely
- Anti-static basic configuration (anti-static hose as accessory)
- Fill level indicator
- Automatic shutoff that is disconnected while absorbing the suction flow as soon as the maximum filling height of the container is reached
- Paper filter bag as accessory
- Stable
- Movable on attached wheels and castors
- Extra large wheels
- Integrated socket with automatic start mechanism



SHR 2050 M



The special extractor wood 2050 M is suited to capture dangerous and health endangering dusts of the dust classification M.

Pleated filter and filter bag

	Order no.
Paper filter bag, 20-litre Suitable for: AS 1200, ASA 1201 Packing unit: 5	6.31754
Paper filter bag, 50-litre ■ For connecting filter bag 31349 to the multi-purpose vacuum cleaner ASR 1250, you require the filter bag holder 31347 Suitable for: ASA 9050, ASR 1250, SHO 1150 Packing unit: 5	6.31349
Holder for paper filter bags 31349 Suitable for: ASR 1250 Packing unit: 1	6.31347
Paper filter bag, 25-litre Suitable for: ASA 2025, ASR 2025 Packing unit: 5	6.31935
Paper filter bag, 50-litre Suitable for: ASR 2050, SHR 2050 M Packing unit: 5	6.31936
Paper filter bag, 32-litre Suitable for: ASA 1202 Packing unit: 5	6.31757
Polyester prefilter ■ Prevents the pleated filter from becoming clogged with dirt and dust Suitable for: AS 1200, ASA 1201, ASA 1202 Packing unit: 1	6.31967
Pleated filter ■ Dust class M Suitable for: AS 1200, ASA 1201, ASA 1202 Packing unit: 1	6.31753
Paper filter cassettes ■ Dust class M Suitable for: ASA 2025, ASR 2025, ASR 2050, SHR 2050 M Packing unit: 2	6.31933
Polyester filter cassettes ■ Also suitable for absorbing graphite/toner and wet absorption Suitable for: ASA 2025, ASR 2025, ASR 2050, SHR 2050 M Packing unit: 2	6.31934

1200 Watt Special Wood Suction Unit SHR 2050 M	
Comparative device characteristics	
Air output (at fan)	61 l/s
Vacuum pressure	248 hPa (mbar) / 24.8 kPa
Filter surface	8.600 cm ²
Rated input power	1.200 W
Container volume	50 l
Suction hose	
- Diameter	35 mm
- Length	3,5 m
Weight	16 kg
Standard equipment	Suction hose (Ø 35 mm, 3.5 m long), handle adapter, 2 suction pipes, grouting nozzle, universal nozzle, paper filter bag
Type	SHR 2050 M
Order no.	6.02044

SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS

Which extraction option for which electrical tool?

Cordless circular saw
KSAP 18
Multi sander
FMS 200 Intec
Triangular base-plate sander
DSE 300 Intec
Disc sanders
SXE 400
FSX 200 Intec
Sanders
FSR 200 Intec, SR 20-23
Belt sander
Ba E 1075

with adapter 6.24996

Angle grinders
Ø 180/230 mm

with cutting guard
6.31166/6.31167



All circular saws
Jig saw
STE 105, STEB 105,
STE 135, STEB 135
All planers
Paint remover
LF 724
Disc sanders
SXE 425 TurboTec,
SXE 450 TurboTec
Sanders
Sr 356, Sr E 357,
Sr 358, Sr E 359
All routers

Cordless circular saw
KSAP 18
Multi sander
FMS 200 Intec
Triangular base-plate sander
DSE 300 Intec
Disc sanders
SXE 400
FSX 200 Intec
Sanders
FSR 200 Intec, SR 20-23

with adapter 6.24996

All circular saws
All jig saws
All planers
Paint remover
LF 724
Disc sanders
SXE 425 TurboTec,
SXE 450 TurboTec
Sanders
Sr 356, Sr E 357,
Sr 358, Sr E 359
Belt sander
Ba E 1075
All routers

Wall chaser
MFE 30, MFX 65

Angle grinders
Ø 115/125 mm

with cutting guard
6.31165



with rubber nozzle
6.30324

Cordless circular saw
KSAP 18
All circular saws
All jig saws
All planers
Paint remover
LF 724
Triangular base-plate sander
DSE 300 Intec
Disc sanders
SXE 425 TurboTec,
SXE 450 TurboTec,
SX E 400
Sanders
FSX 200 Intec, SR 20-23,
Sr 356, Sr E 357,
Sr 358, Sr E 359
Belt sander
Ba E 1075

Triangular base-plate sander
DSE 300 Intec
Disc sanders
SXE 425 TurboTec,
SXE 450 TurboTec,
SX E 400
Sanders
FSX 200 Intec, SR 20-23,
Sr 356, Sr E 357,
Sr 358, Sr E 359
Belt sander
Ba E 1075

All impact drills, rotary hammers, combination hammers and multihammers with 43-mm spindle collar

With dust extraction set 6.31600 and suction unit 6.31591



Suction hose¹⁾
Ø 35 mm



Suction hose¹⁾
Ø 35 mm

with connector
6.30898



Suction hose 4 m
6.30344
Ø 35 mm



Suction hose
6.31938
Ø 27 mm



Suction hose
6.31939
Ø 27 mm



Suction hose
6.31592
Ø 19 mm

with connector
6.30316



Suction hose¹⁾
Ø 35 mm



Suction hose 6.30312
Ø 58 mm

All accessory components with connection Ø 35 mm
See pages 221/222

All accessory components with connection Ø 58 mm
See page 223

¹⁾ Included with all-purpose vacuum cleaner (except AS 1200)

ACCESSORIES FOR CONNECTION Ø 35 MM

Hoses		Order no.
①	 <p>Suction hose With connector Ø 58 mm for bayonet fitting and rubber connector (internal Ø 30 mm, outside Ø 35 mm) Connector Ø: 58/35 mm Hose length: 3,5 m Suction hose Ø: 27 mm</p>	6.31938
②	 <p>Suction hose</p> <ul style="list-style-type: none"> Antistatic suction hose (Metabo electrical tools have no basic antistatic equipment) For bayonet fitting With swivel joint <p>With connector Ø 58 mm for rubber connector (internal Ø 30 mm, outer Ø 35 mm) Connector Ø: 58/35 mm Hose length: 3,5 m Suction hose Ø: 27 mm</p>	6.31939
③	 <p>Suction hose</p> <ul style="list-style-type: none"> With swivel joint Standard equipment for As 1200 <p>With Ø 58 mm connector and Ø 35 mm rubber connector Connector Ø: 58/35 mm Hose length: 1,75 m Suction hose Ø: 35 mm</p>	6.31751
④	 <p>Suction hose</p> <ul style="list-style-type: none"> For bayonet fitting, if extraction is performed at two points (e.g. suction connection of table sawing machines and extraction nozzle of the protective cover) With swivel joint <p>With Ø 58 mm and Ø 35 mm connectors (for bayonet fitting) Connector Ø: 58/35 mm Hose length: 1,75 m Suction hose Ø: 35 mm</p>	6.30318
⑤	 <p>Suction hose</p> <ul style="list-style-type: none"> With swivel joint Standard equipment for ASA 1202 and ASR 2025 <p>With Ø 58 mm connector and Ø 35 mm rubber connector Connector Ø: 58/35 mm Hose length: 2,5 m Suction hose Ø: 35 mm</p>	6.31752
⑥	 <p>Suction hose</p> <ul style="list-style-type: none"> With swivel joint Standard equipment for SHR 2050 M <p>With Ø 58 mm connector and Ø 35 mm rubber connector Connector Ø: 58/35 mm Hose length: 3,5 m Suction hose Ø: 35 mm</p>	6.31362



Adapter		Order no.
⑦	 <p>Handle adapter</p> <ul style="list-style-type: none"> As handle, for attaching between the suction hoses and the suction pipes Standard equipment for ASR 2025, ASR 2050 and SHR 2050 M 	6.30317

Suction pipes		Order no.
⑧	 <p>Chromium-plated suction pipes Diameter: 35 mm Length: 0,4 m Packing unit: 2</p>	6.31363
⑨	 <p>Plastic suction pipes Diameter: 35 mm Length: 0,4 m Packing unit: 2 Standard equipment for AS 1200, ASA 1202, ASR 2025, ASR 2050 and SHR 2050 M</p>	6.30314

SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS


Nozzles			Order no.
⑩		Suction nozzle Standard equipment for ASA 1202 Width: 120 mm	6.30320
⑪		universal nozzle Reversible Width: 300 mm	6.30322
⑫		Floor nozzle Also suitable for sucking up liquids With brush head and rubber head. Width: 370 mm	6.30329
⑬		Floor nozzle Metal version Width: 450 mm	6.31940
⑭		Universal brush Width: 40 mm Length: 120 mm	6.30244
⑮		Upholstery brush Width: 40 mm Length: 60 mm	6.30245
⑯		grouting nozzle Standard equipment for AS 1200, ASA 1202, ASR 2025, ASR 2050 and SHR 2050 M Length: 200 mm	6.30323
⑰		Heating-element suction brush For fitting on the grouting nozzle 6.30323	6.30246
⑱		Rubber nozzle Length: 200 mm	6.30324
⑲		Flat nozzle Flat nozzle made of oil-resistant rubber Width: 100 mm	6.31942

⑳		Multi-purpose nozzle with 3 inserts for vacuuming carpets, flat surfaces and for sucking up liquids standard equipment for AS 1200, ASA 1201 and ASA 1202 Width: 270 mm	6.30328
---	-----------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------


Accessories			Order no.
㉑		Adapter 35/58 mm ■ For connecting the suction hoses with connector Ø 35 mm to an extraction nozzle Ø 58 mm	6.30316
㉒		Adapter ■ For connecting the suction hose with connector Ø 35 mm to an extraction nozzle Ø 30 mm	6.24996
㉓		Bayonet adapter ■ For bayonet fitting of suction hoses with Ø 35 mm connector (without bayonet fitting connector) in electrical tools with Ø 35 mm extraction nozzle	6.30898
㉔		Suction hose Connector Ø: 35/30 mm Hose length: 5 m Suction hose Ø: 19 mm	6.31592
㉕		Connector ■ For connecting suction hose 6.31592 (Ø 30/35 mm connection) to a household vacuum cleaner	6.31593



ACCESSORIES FOR CONNECTION Ø 58 MM



Accessories		Order no.
26	Suction hose Connector Ø: 58/58 mm Hose length: 3 m Suction hose Ø: 58 mm	6.30312
27	Y-piece With Ø 58 mm connector and two Ø 58 mm openings for use in the Metabo multi-purpose vacuum cleaners and the special purpose vacuum cleaner	6.30897
28	Connecting sleeve ■ For joining two suction hoses with connector Ø 58 mm	6.31365
29	Plastic suction pipes Diameter: 58 mm Length: 0,4 m Packing unit: 2	6.30867
30	Coarse-dirt nozzle Type: Coarse-dirt nozzle	6.30869
31	Floor nozzle Type: Floor nozzle Width: 360 mm	6.30868
32	Floor nozzle Type: Floor nozzle Width: 450 mm	6.31941
33	Grouting nozzle Type: Grouting nozzle Length: 160 mm	6.30870
34	Reducing sleeve Connector Ø: 58/35 mm	6.31364



Metabo all-purpose suction unit ASR 2025 and ASR 2050 and the special suction unit SHR 2050 M can be equipped with the practical Metadepot. (see page 224).

SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS

THE METADEPOT

Metabo all-purpose vacuum cleaners ASR 2025 and ASR 2050 and the special suction unit SHR 2050 M can be equipped with the handy Metadepot. In addition to holders for extension pipes and cables, you can above all combine the Metabox system with the vacuum cleaner. This means that you can simply combine different

Metaboxes for machines, tools or accessories with the Metadepot on the vacuum cleaner and connect them firmly. This means you have all the required tools and materials and you do not have to make any unnecessary extra journeys to the work site. It doesn't get more practical than that! A true professional package.

Accessories	
	Order no.
 <p>Metadepot</p> <ul style="list-style-type: none"> For practical storage of pipes, cables and accessories Allows you to combine it with the Metabox-System 	6.31937

	Order no.
 <p>Extraction set electrical tools</p> <ul style="list-style-type: none"> Comprising grouting nozzle, suction brush, suction nozzle (120 mm wide), hose (Ø 27 mm, 3.5 m long), and Metabox II 	6.31944

METABOXES

- Extremely robust, unbreakable boxes with a wide carrying handle
- Carefully thought-out organisation system within the box...
 - ensures that the correct accessory is always with the right tool
 - special inserts for storing accessories and small parts... and transferring them from box to box
 - boxes can be stacked and connected
 - well-structured, clearly arranged storage system, for the workshop, the car, anywhere
- Numerous possible uses, with individually configurable foam inserts (accessories)
- The Metabox stays in shape – even at extreme temperatures (-40° to +90°C)
- No protruding parts, and thus no danger of getting caught up, e.g. on building sites
- Compatible with other system cases from manufacturers such as Festool and Mafell

METABOXES FOR MACHINES

<p>Metabox I</p>  <p>Dimensions: 395 x 295 x 105 mm</p>

	Order no.
For SB 660, SBE 660, SBE 705, SBE 750, SBE 850, SBE 1010 Plus	6.23598
For SbE 655/2, SbE 680/2, SbE 751/2 Impuls, SbE 800 Impuls, SbE 808 Contact, SbE 1000/2 Signal	6.24611
For Bh E 20 SR, Bh E 24 SR, Bh E 24 Contact, Bh E 6011, Bh E 6021, Bh E 6021 Contact, Bh E 6024, Bh E 6024 Contact, Bh E 6028 Signal	6.24639
For ST 50 Pendix, STE 70, STE 80 Quick, STE 100 Plus, STE 135 Plus, STEB 135 Plus	6.24630
Empty Metabox without insert	6.24630

<p>Metabox II</p>  <p>Dimensions: 395 x 295 x 157,5 mm</p>

	Order no.
For all Metabo angle grinders to date with discs of 115 mm or 125 mm diameter	6.24616
For W 8-100, W 8-115, W 8-115 Quick, W 8-125, W 8-125 Quick, W 9-125 Quick, W 11-125 Quick, W 11-125 Quick, W 7-100, W 7-115, W 7-125, W 7-115 Quick, W 7-125 Quick, WE 9-125 Quick	6.24623
Empty Metabox without insert	6.24631

Metabox III



Dimensions: 395 x 295 x 210 mm

	Order no.
For SX E 450 Duo, SX E 425 XL	6.24619
Empty Metabox without insert	6.24632

Metabox IV



Dimensions: 395 x 295 x 315 mm

	Order no.
For KS 54, KSE 55 Plus, KS 66	6.24595
For KS 66 Plus, KSE 68 Plus	6.24597
For Of E 1229 Signal	6.24620
Empty Metabox without insert	6.24633



METABOX WITH ACCESSORY INSERTS

With small part boxes



	Order no.
Metabox I	6.24621
<ul style="list-style-type: none"> ■ The perfect small parts and accessories store ■ With removable small part boxes 	

With foam partition insert



	Order no.
Metabox I	6.24622
<ul style="list-style-type: none"> ■ With breakouts to fit any shape ■ With 3-piece foam partition insert 	

SAWS

SPECIAL-PURPOSE MACHINES

SYSTEMATIC ORGANISATION

GARDEN

WOOD-PROCESSING TECHNOLOGY

WATER-/PUMP TECHNOLOGY

WELDING TECHNOLOGY

COMPRESSED AIR SYSTEMS