


User Guide

BT SYNERGY 4100



Welcome...

to your BT Synergy 4100 Digital Cordless Telephone



- Copy the whole phonebook or individual entries to and from your mobile phone SIM card.
- Send and receive text messages*.
- Caller Display lets you see who's calling and your phone stores details of the last 50 callers in a Calls list*.
- With Call Waiting*, when you are on a call a soft beep alerts you to another waiting call.
- Register up to 5 handsets to the base without the need for additional wiring.
- Digital call quality with a range of up to 300 metres outdoors and up to 50 metres indoors (in ideal conditions).

Please note that this equipment is not designed for making emergency telephone calls when the power fails. Alternative arrangements should be made for access to emergency services.



You must subscribe to your network provider's Caller Display or Call Waiting service for these features to work. A quarterly fee may be payable.

This User Guide provides you with all the information you need to get the most from your phone.

Before you make your first call you will need to set up your phone. Follow the simple instructions in 'Getting Started', on the next few pages.

Need help?

If you have any problems setting up or using your BT Synergy 4100 please contact the Helpline on 0870 605 8047 or email bt.helpdesk@suncorptech.com. Alternatively, you may find the answer in 'Help' at the back of this guide.

Got everything?

- BT Synergy 4000 handset
- BT Synergy 4100 base
- 2 x AAA NiMH rechargeable batteries
- Base mains power adaptor (item code 032763)
- BT Synergy telephone line cord

IMPORTANT Only use the telephone line cord supplied

If you have purchased a BT Synergy 4100 multiple pack you will also have the following items for each handset:

- BT Synergy
 4000 additional
 handset
- BT Synergy 4000 charger
- 2 x AAA NiMH rechargeable batteries
- Mains power supply for charger (item code 032765)

In this guide

Getting started	Paging
Location	255 Name and number phonebook 21
Setting up7	Store a name and number
Setting up for multiple packs 8	View/check details for an entry22
	Dial an entry22
Getting to know your phone	Edit a name and number23
Handset buttons10	Delete a name and number23
Handset display icons11	Copy an entry to another handset 24
Base buttons and LEDs12	Copy the entire phonebook to another
Navigating the menus	handset
Character map13	Copy to or from a SIM card26
Menu map	Access code
	Change the SIM code28
Using the phone	
Switch the handset power on/off15	Handset settings
Make an external call	Handset ringer volume29
Preparatory dialling	Handset ringer melody29
End a call	Handset earpiece volume30
Receive a call	Auto answer31
Earpiece volume16	Handset name
Secrecy	Display language
Handsfree	Warning tones
Redial the last number called 18	
Redial a number from the redial list18	Base settings
Copy a number from the redial list 19	Base ringer volume34
Delete a redial number19	Base ringer melody34
Delete all redial numbers20	PIN code
Keypad lock	Dial mode

Postoro default settings 76	Writing tips for standard toxt ontry
Restore default settings	Writing tips for standard text entry50
Default settings	Receiving and reading text messages51
	Read, edit, send texts stored in
Date and time settings	the outbox54
Set the time38	Service Centre numbers
Set the date	Adding or changing Service
Set the alarm	Centre numbers
Silence the alarm	Select a Send Service Centre number57
	Message alert beeps58
BT Calling Features	User Areas
Caller Display40	Set a user area59
Call list	How callers send a text to a user area .60
View and dial from the Calls list 40	Open a user area
Copy a Calls list number	Edit a user area61
to the phonebook41	Delete a user area
Delete a Calls list number42	Check the list of sub addresses62
Delete the whole Calls list42	Check the common box sub address63
Call Waiting	Change auto save setting64
Voice Mail/Message Waiting44	3
	Using additional handsets
Text Messaging	Registering your handset
Subscribe to the text messaging	Select a base
service	De-register a handset67
Cost of the fixed line service45	Internal calls
Send a text message46	Transferring calls
Entering text	3-Way Call
Standard text entry50	,

6 In this guide

Help
General information
Replacing the handset batteries 76
Safety information
Cleaning
Environmental
Product disposal instructions
Guarantee
Returning your phone
How many telephones can I have?78
R&TTE79
Declaration of Conformance79
Connecting to a switchboard80
Inserting a pause
Recall80

Getting started

Location


You need to place your BT Synergy 4100 within 2 metres of the mains power socket and telephone socket so that the cables will reach.

Make sure it is at least 1 metre away from other electrical appliances to avoid interference.

Your BT Synergy 4100 works by sending radio signals between the handset and base. The strength of the signal depends on where you site the base. Putting it as high as possible ensures the best signal.

Setting up

 Push the mains power cord into the underside of the base until you hear it click into place and connect the other end into the mains power wall socket. The green Power/In use light comes on.



WARNING

Do not place your BT Synergy 4100 in the bathroom or other humid areas.

Handset range

The BT Synergy 4100 has a range of up to 300 metres outdoors when there is a clear line of sight between the base and handset. Any obstruction between the base and handset will reduce the range significantly. With the base indoors and handset either indoors or outdoors, the range will normally be up to 50 metres. Thick stone walls can severely affect the range.

Signal strength

The **Y** icon on your handset indicates when you are in range.

When you move out of range of the base, the out of range tone will sound every minute. This tone is repeated until you move back into range.

IMPORTANT

The base station must be plugged into the mains power socket at all times. Do not connect the telephone line until the handset is fully charged. Only use the power and telephone cables supplied with the product.

Which socket?



Line Telephone line socket

8 Getting started

If you have purchased a multiple handset pack, you should use the mains power adaptor with the clear connector for the base. The power adaptor(s) with the red connector is for the chargers(s).

The red Charging light stays on even when the batteries are fully charged.

Talk/Standby time

In ideal conditions, fully charged handset batteries should give up to 10 hours talk time or up to 100 hours standby time on a single charge. The base must remain plugged in to the mains and switched on at all times.

Note that new batteries do not reach full capacity until they have been in normal use for several days.

Battery low warning

If the symbol flashes in the display and you hear a warning beep every 10-15 seconds, you will need to recharge the handset before you can use it again.

During charging, the symbol will scroll in the display.

Rechargeable batteries are already fitted in your handset. To activate the batteries, pull the plastic tab away from the bottom of the handset as shown.



- 3. Place the handset on the base to charge for at least 24 hours. The red Charging light comes on. When the handset is fully charged the display shows the symbol.
- After 24 hours, plug one end of the telephone line cord into the socket marked \(\frac{\text{Line}}{1} \) on the underside of the base and the other end into the telephone wall socket.

Only use the telephone line cord supplied.


Setting up for multiple packs

If you have purchased a BT Synergy 4100 multiple pack, you will also need to follow the instructions shown below to prepare any additional handsets and chargers for use.

For each additional handset and charger:

 Connect the power adaptor with the red connector to the charger and switch on.

Getting started



- Rechargeable batteries are already fitted in your handset. To activate the batteries, pull the plastic tab away from the bottom of the handset as shown previously.
- 3. Place the handset on the charger and charge for at least 24 hours. The red charging light will come on.

Your BT Synergy 4100 additional handset comes preregistered to the base. The handset number will be shown on the display.

Your BT Synergy 4100 is ready for use.

Battery performance


To keep your batteries in the best condition, leave the handset off the base for a few hours at a time.

Running the batteries right down at least once a week will help them last as long as possible.


The charge capacity of rechargeable batteries will reduce with time as they wear out, giving the handset less talk/standby time. Eventually they will need to be replaced. New batteries are available from the BT Synergy 4100 Helpline on 0870 605 8047. For instructions on how to install new batteries, see page 75.

After charging your handset for the first time, subsequent charging time is about 6–8 hours a day. Batteries and handset may become warm during charging. This is normal.

Getting to know your phone



Handset display icons – These are the symbols you will see on your handset's screen.



Battery levels

Shows handset battery status. Scrolls when the handset is charging in the base.

[Phonebook

Select icon to view the phonebook.

Calls list*

Flashes to indicate new Calls list entries.

Envelope Envelope

Flashes to indicate new text messages in the Inbox.

₩ Range

Displayed in standby mode to indicate handset is in range of the base. Flashes if you go out of range.

□ Keypad lock

Displayed when the keypad is locked.

Ext Handset Ext

Displayed when an external call is being received or in progress.

Handset Int

Displayed when an internal call is being received or in progress.

Handsfree Speaker

Displayed when in handsfree mode.


Alarm Bell

Displayed when an alarm is

^{*} For these features to work you must subscribe to your Network Provider's Caller Display* and/or Call Waiting* service. A quarterly fee may be payable.

12 Getting to know your phone

Base buttons and LEDs



Navigating the menus

Your BT Synergy 4100 has an easy to use menu system. Each menu has a list of options, which you can see on the menu map on the following page.

When the handset is switched on and in standby:

- Press or to open the main menu then press or repeatedly to scroll to the menu option you want.
- 2. Press the **OK** option button to select a menu option or the **Back** option button to go back to the previous screen.

Character map

The following table shows you where each letter and punctuation character can be found. This will be helpful when storing a name in the phonebook, see page 21.

Button Upper case Low	er case Button	Upper case	Lower case
3 DEF3ÉΔΦ def3 4 GHI4ΓI ghi4 5 JKL5Λ jkl5Λ	Räååæç èé i	PQRS7ΠΨΣ TUV8Ü0 WXYZ9E 0!?i¿&§ *.,"':;+-=<> #0[[{} \\~^	pqrs7B tuv8úü wxyz9 0!?i¿&§ *.,"':;+-=<> #0[[{} \]~^



Option buttons

Press to select the option displayed on the screen.

Exit or go back one level in the menu

Press to go back one level.

Press and hold to return t standby.

If no buttons are pressed for 30 seconds, the handset reverts to standby automatically.

14 Getting to know your phone

Menu map

TXT Menu

Write Message Inbox Outbox

TXT Settings -

Server number Server Activation Sub Address

Checking Message Alert Common Box

Sub Address User Boxes Settings Send Option Save Handset Settings

Handset Ringer Volume Handset Ringer Melody Handset Ear Volume Auto Answer Handset Name

Language Warning Tones Base Settings
Base Ringer Volume

Base Ringer Melody PIN Code Dial Mode Restore Settings Date & Time Settings Set Date

Set Time Set Alarm Registration

Register Base Select Base De-Register Handset

Phonebook menu

No entries stored:



Phonebook menu

Add entry - Copy from SIM* - Access Code

Entries stored:



Phonebook menu

 $Add\ entry-Show\ Details-Edit\ Entry-Delete\ Entry-Copy\ Entry-Copy\ Phonebook-SIM\ Copy^*-Access\ Code-SIM\ code^*-Add\ entry-Copy\ Phonebook-SIM\ code^*-Add\ entry-Copy\ entry-C$

^{*} To be able to use this feature, you must ensure that your mobile phone SIM card is inserted into the SIM reader slot on your BT Synergy 4100.

Switch the handset power on/off

Press and hold to switch off.

Press to switch back on.

Make an external call

- 1. Lift the handset and press \P . The \P ^{Ext} icon is displayed.
- When you hear the dialling tone, dial the telephone number you want.

Preparatory dialling

- 1. Enter the number first. If you make a mistake, press *y* to delete the last digit.
- 2. Press 📞 to dial.

End a call

1. Press 🎉.

Or

Place the handset back on the base/charger.

When you make a call, the Calls light on the handset comes on and the In Use light on the base flashes.

Call timer

Your handset will automatically time the duration of all external calls. The handset display shows the call duration both during and for a few seconds after your call.

Press to delete any incorrect digits

The $\mbox{\ensuremath{\mbox{$\Psi$}}}$ symbol on the display indicates when you are in range of the base. If the symbol flashes and you hear a warning beep, you are out of range and will need to move closer to the base.

Caller Display

If you have subscribed to your network's Caller Display service, the caller's number (or name if stored in the phonebook) is displayed. See page 40 for more information.

Auto answer

As long as you have auto answer set to ON you can just pick the handset up off the base/charger to answer a call. If you have switched it off, you will need to press . Auto answer ON is the default settina.

Receive a call

When you receive a call, the phone rings and the Calls light on the handset flashes. The Lext or Line symbol flashes in the display to let you know if it is an external or internal call

1. If your handset is on the base, pick it up to answer the call.

0r

If your handset is off the base, press .



Earpiece volume

During a call you can adjust the volume of the earpiece/handset receiver.

1. Press or to increase or decrease the volume.

As you increase or decrease the volume, the boxes on the display show the volume level.

■■■■ Maximum volume

Mid volume

Minimum volume

Secrecy

During a call, you can talk to someone nearby without your caller hearing.

- Select Sec option. Secrecy On appears in the display and your caller cannot hear you.
- 2. Select **Off** option to return to your caller.

Handsfree

Handsfree lets you talk to your caller without holding the handset. It also enables other people in the room to listen to your conversation over the loudspeaker.

Make a call in handsfree

- 1. Dial the number then press .
- 2. Press again. The dicon is displayed and you hear your call over the loudspeaker.
- 3. Press \mathcal{D} to end the call.

Answer a call in handsfree

When the phone rings:

1. Press Ltwice. The call is transferred to the loudspeaker.

During a handsfree call, press or to change the volume.

To switch handsfree off and return to the handset at any time, press

Switch to handsfree during a call

During a call:

- 1. Press . The call is transferred to the loudspeaker.
- 2. Press 🥒 to end the call.

Redial

The last 20 telephone numbers called are saved to a redial list. You can then select any of the numbers to redial, delete or copy to the phonebook.

Redial the last number called

1. Press , wait for the dialling tone then press . The last number you called is displayed and dialled.

Redial a number from the redial list

- 1. Press . The last number called is displayed.
- Use or to scroll through the redial list to the number you want.
- 3. Press 📞 to redial.

If the number is stored in the Directory and a name/number match is found, the name will be displayed instead.

Redial numbers can be up to 32 digits long.

Copy a number from the redial list to the phonebook

- 1. Press . The last number called is displayed.
- 2. Use or to scroll to the number you want then select the Copy option. Enter Name is displayed.
- Enter a name using the keypad (as shown on page 21) then select the OK option. Enter Number is displayed.
- Edit the number if you need to, then select the OK option to confirm.
- The ringer melody options are displayed. Use or to scroll through the options. When you hear the melody you want, select the Save option to confirm. Display shows Entry Saved.
- 6. Press and hold \mathcal{D} to exit and return to standby.

Delete a redial number

- 1. Press . The last number called is displayed.
- 2. Use or to scroll to the number you want then select the **Del** option. Delete Entry? is displayed.
- Select the **Del** option to confirm. Entry Deleted is displayed.
- 4. Press and hold \mathcal{D} to exit and return to standby.

Press \mathcal{J} to delete any unwanted digits and then enter new ones using the keypad.

You will not be able to copy a number to the phonebook if the phonebook is already full. If you try to, the display will show Directors Full. You will need to delete a number in the phonebook first, see page 23.

The copy option will not be presented if the redial number already appears in the phonebook.

If you decide not to delete, select Save option.

If you press any button while the keypad lock is on, the display will show Press Unlock then for 3 seconds and then return to standby.

IMPORTANT

If the keypad is locked you will NOT be able to dial the emergency numbers 999 and 112.

Delete all redial numbers

- 1. Press . The last number called is displayed.
- Press and hold the Del option for 3 seconds. Clear Dialled Calls? is displayed.
- Select the **Del** option to confirm. Redial List Deleted is displayed.

Keypad lock

You can lock the keypad so that it cannot be used accidentally while carrying it around.

To lock the keypad:

1. Press , then press . The display shows the result of the symbol .

To unlock the keypad:

 Select the UNLOCK option then press . The display will return to standby.

Paging

You can alert a handset user that they are wanted or locate a missing handset.

- 1. Press on the base. The paged handset(s) rings
- 2. Press to stop the paging ring

Or

Press any button on the handset.

255 Name and number phonebook

You can store up to 255 names and numbers in the phonebook. Names can be up to 13 characters long and numbers up to 24 digits. You can also select different ring tones for phonebook entries.

Store a name and number

- 1. Select the 😭 option.
- When storing the first entry: Add Entry is highlighted, press OK to select.

When storing further entries: press **Opt** to display Add Entry, then press **OK** to select.

- Enter Name is displayed. Enter the name using the keypad.
- 4. Select **OK** option to confirm. Enter Number is displayed.
- 5. Enter the telephone number using the keypad.

Paging calls cannot be answered by a handset.

The paging ring will stop automatically after 30 seconds if no button is pressed and your handset will return to standby.

Entering names

There is a character map on page 13 to help you when entering names.

Use the keypad letters to enter names, e.g. to store TOM:

Press 8 once to enter T.

Press 6 three times to enter 0.

Press 6 once to enter M.

Writing tips

Press *p* to delete the last character or digit.

Select **A-a** option to switch between upper and lower case.

Press **1** to insert a space.

Use **①**, **1**, ***** and ***** for other punctuation characters, see page 13 for full character map.

You MUST enter a name and a number, otherwise the display will show Error.

Entering numbers

Make sure you enter the full telephone number including the dialling code if you subscribe to a Caller Display service and want the name of your caller displayed instead of the number

To enter a pause in a phonebook number, press and a P will be displayed. For more information on pauses, see page 80.

The ringer melody option means that when you receive a call from a number stored in your phonebook the ringtone you choose will be played.

To assign a ringtone to a specific caller you must subscribe to a Caller Display Service from your network provider. For more information, see page 40.

To search alphabetically

Press the relevant keypad button, e.g. for TOM, press 8 then scroll through the entries under T.

- 6. Select **OK** option to confirm.
- The ringer melody options are displayed. Use or to scroll through and hear a sample of each melody.
 When you hear the melody you want, press Save to confirm. Display shows Entry Saved.
- 8. Press and hold 20 to exit and return to standby.

View/check details for an entry

- Select the 1 option. The phonebook entry you used last is displayed.
- Use or word to scroll and find the entry you want or search alphabetically.
- Select Opt then press or to display Show Details and select OK.

All the details for this entry are displayed: the name, the number, and the selected ringer melody.

Dial an entry

- Select the option. The phonebook entry you used last is displayed.
- Use or was to scroll and find the entry you want or search alphabetically.
- 3. Press **t** to dial the displayed number.

Edit a name and number

- 2. Use a or to scroll and find the entry you want to edit or search alphabetically character.
- Select Opt, then use or to display Edit Entry and select OK.
- 4. Edit Name and the name are displayed. Use 20 to delete any incorrect characters, then enter new ones using the keypad and select **OK** to confirm. Edit Number is displayed.
- 5. Use 27 to delete any incorrect digits, then enter new ones using the keypad and select **OK** to confirm.
- The ringer melody options are displayed. Use or to scroll through the options. When you hear the melody you want, press Save to confirm. Display shows Entry Saved.
- 7. Press *and hold* to exit and return to standby.

Delete a name and number

 Select the option. The phonebook entry you used last is displayed.

To search alphabetically

Press the relevant keypad button, e.g. for TOM, press 8 then scroll through the entries under T.

If you decide not to delete, select the **Save** option.

To search alphabetically

Press the relevant keypad button, e.g. for TOM, press 8 then scroll through the entries under T.

- 2. Use or to scroll and find the entry you want to edit or search alphabetically.
- Select Opt, then use or to display Delete Entry and select OK.
- Delete Entry? and the entry details are displayed.
 Select Del to delete, Entry deleted is displayed.

Copy an entry to another handset

When you have more than one handset registered to your BT Synergy 4100 base, you can use this feature to copy entries between handsets.

- 1. Select the ੑੑੑੑ**1** option. The phonebook entry you used last is displayed.
- 2. Use or to scroll to the entry you want to copy (or search alphabetically).
- 3. Select **Opt**, then use or to display Copy Entry and select **OK**.
- Using the keypad, enter the number of the handset you want to copy to and select **OK**.

The display shows Please Wait then Copying to Handset X (where X is the selected handset).

At the receiving handset the display shows Copy Entry? select OK to confirm. The display then shows Copying From Handset X. When copying is complete the new entry will be displayed in the phonebook list.

6. At the original handset a beep will confirm the entry has been copied.

Press and hold \mathcal{J}_{a} to exit and return to standby.

Copy the entire phonebook to another handset

When you have more than one handset registered to your BT Synergy 4100 base, you can use this feature to copy the entire phonebook from one handset to another. This will save you having to copy each entry over manually.

- Use or to scroll to the entry you want to copy (or search alphabetically).
- Select Opt, then use or to display Copy Phonebook and select OK.
- Using the keypad, enter the number of the handset you want to copy to and select OK.

The display shows Please Wait then Copying to Handset X (where X is the selected handset).

Problems copying numbers

If you try to copy a phonebook entry to another handset and the other handset is switched off, out of range, or the number of the handset you have entered is unavailable, you will hear the error tone.

If you try to copy the entire phonebook to another handset and the other handset is switched off, out of range, or the number of the handset you have entered is unavailable, Copy Phonebook Fail will be displayed.

Stored ringer melodies you have assigned to phonebook entries are specific to the BT Synergy 4100 and will therefore not be copied to another type of handset.

Please note that you cannot remove the SIM tray from the base completely.

SIM copy/write is to and from one handset. To transfer entries to other handsets after SIM copy it is best to use the copy entry or copy phonebook command in the phonebook menu.

 At the receiving handset the display shows Replace Phonebook? select OK to confirm.

The display then shows Copying From Handset X. Each entry will then be copied in turn.

At the original handset a beep will confirm when all entries have been copied.

Press and hold **2** to exit and return to standby.

Copy to or from a SIM card

With the 'SIM copy' feature you can copy entries from SIM Card to phonebook or from phonebook to SIM card. So within minutes, you can have all your mobile contacts saved onto your landline phone for quick and easy dialling.

- Insert the SIM card into the SIM READER slot on the side of the base.
- 3. Select **Opt**, then use or to to display SIM Copy and select **OK**.
- 4. Use or to display either Copy from SIM or Copy to SIM and select OK.

5. The display will show Please Wait while it checks your SIM card, followed by one of the below results:

Copying will be displayed, followed by the entry name if copying an entry or by % checked if reading a blank SIM entry until copying is completed. Once complete the number of entries copied will be displayed. If the phonebook is full, Directory Full will be displayed.

Or

Please Insert SIM Card will be displayed, if you have not already inserted the SIM card into the base. Insert the SIM card now and follow the above instructions.

 Ωr

SIM card PIN code: will be displayed if your SIM card is PIN protected. Enter your SIM PIN code and press **OK**. If the correct code is entered, copying will begin as detailed above. If the incorrect PIN is entered, Incorrect SIM Card PIN is displayed and the display will return to the PIN entry screen. If you enter the incorrect PIN a second time (including attempts made on other devices), SIM PIN Error is displayed and the display will return to the phonebook menu.

Please ensure that you have copied your mobile phone phonebook to the SIM successfully.

If you do not know your SIM card PIN code or if you lock the SIM, please contact your mobile phone/SIM provider.

You only have two attempts to enter your PIN code correctly. You will not be able to try a third time as this could risk locking the SIM. You will need to insert the SIM back into another device, i.e. your mobile and enter the PIN correctly before trying to copy to your BT Synergy again.

The PIN number will be displayed as asterisks for security reasons.

If your BT Synergy 4100 is connected to a switchboard, you may need to enter an access code in the dialling sequence to be able to connect to the outside line.

The access code will not be used when you dial the number yourself (rather than for example from the phonebook) to allow you to make calls to other switchboard extensions.

SIM Country Code

These settings control the conversion of numbers from mobile format which may include +44 and may have the 0 removed from the area code. You should not normally need to alter these settings if you are using your BT Synergy 4100 in the UK and your mobile to call UK numbers. If this is not the case, then please call the BT Synergy 4100 Helpline for assistance on 0870 605 8047.

Access code

- 1. Select 😭 option.
- 2. Use or to select Access code and press OK.
- 3. On and Off are displayed as options. Either, select On to activate prefix dialling. Code: is displayed. Enter the prefix you require, e.g. 9 and select OK. You will hear a confirmation beep and the display will return to the phonebook menu. Or, select Off to deactivate prefix dialling. The display will return to the phonebook menu.

Change the SIM Code

- Select [1] option. The phonebook entry you used last is displayed.
- Select Opt, then use or to display SIM Code and select OK.
- Use or to select either Country Code, National Code or International Code and select OK.
- Using the keypad, enter the dialling code and select Save. You hear a confirmation beep.
- 5. Press *and hold* to exit and return to standby.

Handset settings

Handset ringer volume

The handset has 6 ringer volume settings: Off and 1–5 where, 1=low and 5=high. The default setting is 5.

- 1. Press or until Handset Settings is displayed then select the **OK** option.
- 2. Handset Rinser Volume is displayed, select **OK** option.
- 3. Press or to display either External Volume or Internal Volume then select the **OK** option.
- 4. The current setting is highlighted. Press or to highlight the volume you require.
- Select the **OK** option and you will hear a confirmation tone.
- 6. Press and hold 20 to exit and return to standby.

Handset ringer melody

The handset has 15 ringer melodies to choose from, 5 standard and 10 polyphonic.

- 1. Press or until Handset Settings is displayed then select the **OK** option.
- 2. Press or wuntil Handset Ringer Melody is displayed then select the **OK** option.

You will hear a sample ring for all settings (except Off).

Handset settings 30

You will hear a sample ring on each button press.

- 3. Use or to choose between External Melody or Internal Melody then select the **OK** option.
- 4. The current melody is highlighted and played. Press or to highlight the melody you want.



- 5. Select the **OK** option and you will hear a confirmation tone.
- 6. Press and hold D to exit and return to standby.

Handset earpiece volume

The handset has 5 earpiece volume settings. The default setting is 3.

- 1. Press or will until Handset Settings is displayed then select the **OK** option.
- 2. Press or will until Handset Ear Volume is displayed then select the **OK** option.
- 3. Press or to select the volume you want and select the **OK** option to confirm.
- 4. Press and hold \mathcal{L} to exit and return to standby.

Auto answer

If you set Auto Answer to ON, when you receive an incoming call and the handset is in the base, you can pick it up to answer the call. You do not need to press .

- 1. Press or until Handset Settings is displayed then select the **OK** option.
- Press n or until Auto Answer is displayed then select either the On or Off option and you will hear a confirmation tone.
- 3. Press *and hold* to exit and return to standby.

Handset name

You can give your handset a personalised name to personalise if you are using more than one handset. The maximum number of characters is 10.

- Press or until Handset Settings is displayed then select the OK option.
- Press or until Handset Name is displayed then select the OK option.
- 3. Press **1** to delete unwanted characters and enter a new name using the keypad.

32 Handset settings

- Select the **OK** option and you will hear a confirmation tone.
- 5. Press and hold \mathcal{D} to exit and return to standby.

Display language

You can change the language that is shown on your handset display. The available languages include English, Français, Deutsch, Italiano and Espanol.

- Press or until Handset Settings is displayed then select the OK option.
- 2. Press or until Language is displayed then select the **OK** option.
- 3. Press or to select the language you want.
- 4. Select **OK** option and you will hear a confirmation tone.
- 5. Press and hold \mathcal{D}_{a} to exit and return to standby.

Warning tones

Your BT Synergy 4100 allows you to set beeps/warning tones to alert you to various situations.

You can set a confirmation beep to sound each time a keypad button is pressed and you can set a warning beep

to sound when the batteries are low or when your handset goes out of range.

- Press or until Handset Settings is displayed then select OK option.
- 2. Press or until Warning Tones is displayed then select **OK** option.
- 3. Press or to select either Key Tones, Low Battery Tone or Out Of Range Tone.
- With the warning tone you want displayed, select either the On or Off option and you will hear a confirmation tone.
- 5. Press and hold 20 to exit and return to standby.

If you switch the handset key tones off, you will not hear any confirmation tones when altering settings.

Base settings

You will hear a sample ring for all settings (except Off).

You will hear a sample ring on each button press.

Base ringer volume

The base has 6 ringer volume settings: Off or 1 to 5. The default setting is 5.

- Press or until Base Settings is displayed then select the OK option.
- 2. Base Ringer Volume is displayed, select **OK** option.
- 3. Press or to highlight the volume you require.
- 4. Select the **OK** option and you will hear a confirmation tone.
- 5. Press and hold \mathcal{D}_{a} to exit and return to standby.

Base ringer melody

The base has 5 ringer melodies to choose from.

- Press or until Base Settings is displayed then select the OK option.
- 2. Press or until Base Ringer Melody is displayed then select the **OK** option.
- 3. The current melody is highlighted and played. Press are or to highlight the melody you want.
- 4. Select the **OK** option and you will hear a confirmation tone.
- 5. Press *and hold* to exit and return to standby.

PIN code

Your BT Synergy 4100 has a security PIN code which you will need to change some of the base settings. The default setting is 0000. You may want to change this to prevent unauthorised changes to your settings.

- 1. Press or wuntil Base Settings is displayed then select the **OK** option.
- 2. Press or until PIN Code is displayed then select the **OK** option.
- PIN Code? is displayed. Enter the current 4 digit PIN code and select the OK option.
- 4. New PIN? is displayed. Enter a new 4 digit PIN code and select the **OK** option.
- 5. Confirm PIN? is displayed. Re-enter the new PIN code and select the **OK** option. You will hear a confirmation beep.
- 6. Press *and hold* to exit and return to standby.

Dial mode

Your BT Synergy 4100 is pre-set to Tone dialling (Tone/Time Break). If required you can change this setting, the dial mode options are Tone/Time Break, Tone/Earth or Pulse/Earth.

For security when you enter each digit of the PIN code it will be displayed as a *.

36 Base settings

- Press or until Base Settings is displayed then select the OK option.
- Press or until Dial Mode is displayed then select the OK option.
- 3. Press or to highlight the dial mode you want.
- 4. Select the **OK** option and you will hear a confirmation tone.
- 5. Press *and hold* to exit and return to standby.

Restore default settings

You can restore your BT Synergy 4100 to its default (original) settings. Please note this will delete your phonebook, redial and calls list.

- Press or until Base Settings is displayed then select the OK option.
- Press or until Restore Settings is displayed then select the OK option.
- PIN Code? is displayed. Enter your 4 digit PIN code and select the OK option. The handset power switches off and the base beeps. The handset will then switch itself back on and show the standby display.

If you are registered to more than one base and you try to restore the default settings, you may need to re-select the base you wish to use.

Default settings

Handset Name BT SYNERGY Low Battery Tone ON Out of Range Tone ON **Key Tones** ON Auto Answer ON Handset Internal Ringer Melody 1 Handset Internal Ringer Volume 5 Handset External Ringer Melody 1 Handset External Ringer Volume 5 Earpiece Volume 3 Handset Language English Directory **Empty** Calls List Empty Redial List **Empty** Base Ringer Volume 5 Base Ringer Melody 1 PIN code 0000 Pause 3 Seconds Dial Mode Tone/TBR Key Lock OFF Recall 100ms Alarm OFF Date and Time Jan 1st, 12:01 SMS Incoming SC Number 1 0800 58752 SMS Outgoing SC Number 1 1470P1709400 SMS Incoming SC Number 2 **Empty** SMS Outgoing SC Number 2 **Empty** SMS Common Box Sub Address

Date and time settings

If you subscribe to a Caller Display Service from your network provider the time will be set when you receive your first call.

Set the time

- Press or until Date & Time Settings is displayed then select OK option.
- Press or until Set Time is displayed, select the OK option. The first digit is highlighted.
- 3. Enter the current time in 24-hour format, e.g. for 9:24pm press 2, 1, 2, 4, then select the **OK** option. You will hear a confirmation tone.
- 4. Press and hold 20 to exit and return to standby.

Set the date

- Press or until Date & Time Settings is displayed then select OK option.
- Set Date is displayed, select **OK** option. The first digit is highlighted.
- Enter the current date (dd/mm/yy) e.g. for 15th February 2006, press 1, 5, 0, 2, 0, 6, then select OK option. You will hear a confirmation tone.
- 4. Press and hold 💆 to exit and return to standby.

Set the alarm

You can use your BT Synergy 4100 as an alarm clock.

- 1. Press or until Date & Time Settings is displayed then select **OK** option.
- 2. Press or until Set Alarm is displayed. Select the **On** option to set an alarm. The first digit is highlighted.
- 3. Enter the time you want the alarm to sound in 24-hour format, e.g. for 07:30am, press 0, 7, 3, 0 then select the **OK** option.
- 4. Press or to select an alarm melody, then select the **OK** option.
- 5. Press or to select Once or On Daily, then select the OK option. You will hear a confirmation tone.
- 6. Press and hold \mathcal{D} to exit and return to standby.

Silence the alarm

1. Press the **STOP** option button.

Select Once for a one-off alarm, or select On Daily if you want the alarm to ring daily at the set time.

BT Calling Features

To ensure that the caller's name is displayed, make sure you have stored the full number, including the dialling code in the phonebook.

IMPORTANT

To use Caller Display you must first subscribe to the service from your network provider. A quarterly fee may be payable. For more information on BT Calling Features call BT free on 0800 800 150.

It may take a couple of seconds for the display to show the telephone number or name for an incoming call. The display will initially display External Call followed by the number.

Your BT Synergy 4100 can display numbers up to 20 digits and names up to 13 characters.

If a caller has withheld their number, Withheld will be displayed.

Caller Display

If you have subscribed to a Caller Display Service, you will be able to see your caller's number on your handset display (provided it is not withheld) prior to answering the call.

If your caller's name and number are stored in the phonebook and a name/number match is found, you will see the caller's name on the display instead.

Calls list

The Calls list holds up to 50 telephone numbers (includes Received and Missed Calls) and they are stored in the order they were received. The caller's details are stored in the Calls list whether you answered the call or not. If a call is received when the list is full, the oldest entry will be deleted automatically.

When a new call is received in the Calls list the a icon will flash on the display and the calls counter above the icon shows how many new calls you have received.

View and dial from the Calls list

1. Select the option. The most recently received number or name is displayed. New is displayed when a call is new (has not yet been viewed).

- 2. Use or to scroll through the list.
- 3. To dial a displayed number, press . The number will be dialled automatically and the display will show Diallins.

Or, Press and hold 20 to exit and return to standby.

When all new calls have been viewed New will disappear and the call counter will show the total amount of old calls received.

Copy a Calls list number to the phonebook

- Select the option. The most recently received number or name will be shown.
- 2. Use or to scroll through the list to the number you want.
- 3. Select the Copy option, Enter Name is displayed.
- Enter a name using the keypad, then select the OK option.
- 5. Edit Number is displayed. Select the **OK** option to confirm.
- 6. The ringer melody options are displayed, use or to scroll through the options. You will hear a sample of each melody, when you hear the one you want select the Save option to confirm. Display shows Entry Saved.
- 7. Press *and hold* to exit and return to standby.

If the number is unavailable, Unavailable will be displayed.

If the call is from an international number, International will be displayed.

If the call is from the operator, Operator will be displayed.

If the call is from a payphone, Payphone will be displayed.

If the call is from a ringback request, Ringback will be displayed.

See 'Entering names' and 'Writing tips' on page 21.

If you need to edit the number, use I to delete any unwanted digits, then enter new ones using the keypad.

42 BT Calling Features

Delete a Calls list number

- Select the option. The most recently received number or name will be shown.
- 2. Use or to scroll through the list to the number you want.
- 3. Select the **Del** option. Delete Entry? is displayed.
- Select the **Del** option again to confirm. Entry Deleted is displayed and then the next entry in the Calls list.
- 5. Press and hold 2 to exit and return to standby.

Delete the whole Calls list

- 1. Select the **a** option. The most recently received number or name will be shown.
- Select and hold the Del option for 2 seconds. Clear Calls List? is displayed.
- Select the Del option again to confirm. Calls List Deleted is displayed and then the standby screen.

If you decide not to delete, select the **Save** option.

If you decide not to delete, select the **Save** option.

Call Waiting

With Call Waiting, during a call, if another caller is trying to reach you, you will hear a soft beep every 5 seconds.

If you have also subscribed to a Caller Display Service, the caller's number (or name if stored in the Directory) will be shown on the display for 20 seconds, after this time the display will return to your first caller's details.

Instead of the engaged tone, the second caller will hear an announcement to hold as you are aware that they are waiting.

To use Call Waiting

To answer the second call, without disconnecting from your first caller:

- 1. Press . The first caller will be put on hold.
- Press again to return to the first caller, and then
 press it each time you want to switch between the two
 callers.

To disconnect the first call and take the waiting call:

- 1. Press to end the call with the first caller. The handset will then ring.
- Press and continue your conversation with the second caller.

IMPORTANT

To use Call Waiting you must first subscribe to the service from your network provider. A quarterly fee is payable.

For more information on BT Calling Features call BT free on 0800 800 150.

The Call Waiting beep is not audible to the person you are speaking to.

44 BT Calling Features

Voice Mail/Message Waiting

If you are connected to a compatible switchboard/PBX and you have new voice messages waiting, the symbol will flash in the display to alert you.

You can see the date and time the call was received and the number for your voice mail server provider when you view the Calls list (see page 40). While viewing the number in the Calls list, press to dial the server number and then follow the instructions given to access your messages.

Welcome to the BT text messaging Service on your BT Synergy 4100. Your BT Synergy 4100 can send and receive text messages from participating mobile networks and compatible landline telephones in the UK.

The fixed line text service is provided under BT's terms and conditions for telephone service. These can be found by visiting the BT.com website at: http://www.bt.com/terms/tor.htm

Subscribe to the text messaging service

When you send your first text message from your BT Synergy 4100 you will automatically be registered for the service.

On receipt of your first text through the service, the system will send you a welcome text message back.

You may also register by sending the word 'Register' to 00000 upon which you will receive a confirmation message.

Cost of the fixed line service

There is no subscription charge (other than the subscription to Caller Display). Visit the BT.com website (www.bt.com) to find out how much it costs to send a text message (depends upon your call package).

IMPORTANT

You must subscribe to your Network Provider's Caller Display service so that you can use text messaging and you must not withold your telephone number. A quarterly fee may be payable, please contact your network provider for more details.

You may also send messages to landline phones that are NOT text compatible. Messages to noncompatible lines will be connected to voice text and delivered in spoken words to the telephone as a call. Please note that the conversion can translate common abbreviations and smileys etc, but to ensure maximum clarity of message delivery, abbreviations etc should be used sparingly.

Two text phones connected to the same phone line

Text messages cannot be received if two text messaging products are plugged into the same telephone line, e.g. two text phones. One device must be unplugged or have receive text disabled (please refer to the product documentation) to enable incoming text messages on the other device.

At any time, press **Back** to go back to the previous screen, or press and hold to cancel and return to standby.

For more information on personal user boxes (sub-addresses), see page 58.

Select the **Clear** option to delete incorrect characters.

Use or to move the cursor through the text, if you want to insert/delete text.

For help with entering text, see page 21.

In the middle of the display, above the middle option button the number of remaining characters is displayed.

Send a text message

- Press or TXT Menu is displayed. Select the OK option.
- If you have set up personal user areas, press or
 to highlight the user area you want and press OK.
 Enter your sub-address PIN code and press OK.

If you have not set up any user areas continue to point 3.

- 3. Write Message is displayed. Select the **OK** option.
- 4. Use the keypad to write your message then select **Opt**.
- 5. You can now use a or to scroll and choose from the following options:

Send to - Select OK.

Either enter the number you want to send to using the keypad and select **OK**.

Or, select \square to open the phonebook and scroll \square or to search for the name you want and select **OK**.

Or, select to open the Calls list and scroll or or to search for the name/number you want and select **OK**.

Select **OK** again to confirm and view the sending mode options:

Press or to select Text, Fax or E-Mail and select **OK**.

Additionally, you can select **Opt** to display further sending options:

Press or to display Save and select **OK**.

Press or to select 0n or 0ff and select **OK**.

Add Symbols – use to insert a punctuation symbol into a text message.

Select **OK** to display the choice of symbols. Scroll or to the symbol you want and select **OK**. The symbol is added to your text at the cursor.

Insert number – use to insert a number into a text message. Numbers can be inserted from the phonebook or calls list by pressing the button next to the relevant icon.

Select **OK**. Enter the number using the keypad and select **OK**. The number is added to your text at the cursor.

Save – to save a message in the Outbox for sending later.

Select **OK**. Message Saved is displayed.

Save – will save to outbox so messages can be sent/completed later.

If the text is unsuccessful, the message Unable to send will be displayed.

In order to send and receive text messages you must not withhold your number. On most networks if you normally withhold your number the 1470 prefix presents your number for you.

Receiving a call while writing a text

If you are writing a text and you receive a call the text will be lost.

Messages stored without a number are saved messages that have not been sent.

* Maximum number of messages across Inbox and Outbox and Drafts is 50. Delete – to delete a message.

Select **OK**. Delete Message? is displayed.

Select **Del** to delete, Message Deleted is displayed.

 ${\it Or}$ select Save to cancel deletion and Message Saved is displayed.

 When sending a message, the display shows Sending Message, then Sending TXT during transmission and if the message is sent successfully Message Sent.

Sent messages are stored in the Outbox

Your BT Synergy 4100's outbox is like a redial list. It holds a copy of the latest sent messages, up to a maximum of 50*. Each message has details of the number where the message was sent, the time and the date it was sent.

Saved messages are stored in the Outbox

If you save a message to complete and/or send later it will be stored in the outbox. Messages that have not been sent, will not show a telephone number with the message details.

Received messages are stored in the Inbox

Your BT Synergy 4100 can store up to 50* messages.

Entering text

A single text can be up to 160 characters. The number of characters still available to use is shown in the top left corner of the display as you enter each character.

For sentence case, select Abc

For upper case, select ABC

For lower case, select abc

To enter numbers, press *and hold* the relevant number button until the number appears or press the button until the number appears, e.g. to enter 3, press four times

If there is a problem sending a message the display shows Message Sending Failed and the handset returns to standby. If you open the Outbox the message is marked! as it is not sent. Your BT Synergy 4100 will have 2 further attempts at sending your message at 10 minute intervals. If the message fails to be sent on the third attempt the message Sending Error will be displayed alongside the message in the Outbox (replacing the time and date).

If another handset is on the line when you try to send a text message, you will see Line in Use and the message will be stored in the Outbox with the message Not Sent. When the line becomes available your BT Synergy 4100 will attempt to send the message again.

When writing a message, if no keypad button is pressed for 30 seconds the display will return to idle and the message will not be sent.

* Maximum number of messages across Inbox and Outbox is 50.

See page 13 for the complete character map.

Symbol Table

¿i§°

Standard text entry

With standard text entry you can enter a word by pressing each letter button a number of times to display the character you want on the screen. For example, to write the word "Hello", press 4 twice, 3 twice, 5 three times, 5 three times and 6 three times.

Writing tips for standard text entry

- 1. If you make a mistake, press **Clear** to delete the last character or digit to the left of the cursor.
- 2. Press or to move the cursor. Characters/digits are entered to the left of the cursor.
- 3. Press and release 0 to insert a space.
- 4. Press 1 three times to add a smiley.
- Press and hold as a shortcut to the 'Add Symbols table' table, then use or to highlight the symbol you want and select OK to insert it into your message.
- 6. To enter a number, press *and hold* the required number button until the number is displayed.
- The cursor automatically moves to the right after a couple of seconds. So when the next letter is on the

same button as the one you have just entered, wait for the cursor to move to the right before trying to enter it.

Receiving and reading text messages

When you receive a new text message, the $\ \ \ \ \ \$ symbol flashes in the display and you will hear the new message alert beeps (provided the alert beeps are set to on).

- Press or TXT Menu is displayed. Select the OK option.
- 2. Press or until Inbox is displayed. Select the OK option.
- If you have set up personal user areas, press or
 to highlight the user area you want and select the
 OK option. Enter your sub-address PIN code and press
 OK.

If you have not set up any user areas continue to point 4.

4. The first ten characters of the newest message are displayed first.

To view the full details for this message select the OK option.

You will not be able to receive text messages until you have first sent a message. The first message sent registers you with the text service.

For more information on personal user boxes (sub-addresses), see page 58.

If a message has not been viewed before, the M symbol will be displayed to the left of the message.

0r

To view the details for another message, press or to scroll and highlight the message you want and then select the **OK** option.

For each message, you will see:

- The sender's name (if the sender's details are stored in your phonebook and a name/number match is found), otherwise you will see the sender's number.
- The date and time the message was sent.
- The full message.

Use or to move through the message.

Select Back to return to the message list.

5. When viewing a message:

Select **Del** to delete the displayed message. **Delete** Message? is displayed. Select **Del** to delete or **Save** to cancel deletion.

Or

Select **Opt**, then use or to scroll and select any of the following options:

Reply – to write and send a reply.

Select **OK**. Enter your message using the keypad, then select **Opt**. Send is displayed, select **OK**. The sender's number will be displayed. Select **OK** again to confirm.

Forward – to forward the message to another number.

Select **OK**. The message is displayed. Select **Opt**, Send to is displayed, select **OK**.

Either enter the number you want to send to using the keypad or select a number from the phonebook or Calls list and select **OK**. Select **OK** again to confirm. Press or to select the send mode and select **OK**. The message will be sent.

Dial Number - to ring the number.

Select **OK**. The number is displayed, select **OK** again to confirm.

Save number - to save number to the phonebook.

Select **OK**. Enter a name for the entry and select **OK**. The number is displayed, select **OK**. Press or to select a ringer melody and select **OK**. Entry Saved is displayed.

Delete All – to delete all messages in the Inbox.

Select **OK**. Delete All messages? is displayed. Select **Del** to delete or **Save** to cancel deletion.

6. Press and hold \mathcal{J}_{a} to exit and return to standby.

If you want to edit the message before forwarding, use **Clear** to delete characters and enter new ones using the keypad.

If the number is already stored in the phonebook, this option will not be displayed.

To edit the number, use \mathcal{L} to delete digits and enter new ones using the keypad.

Read, edit, send or delete texts stored in the Outbox

- Press or TXT Menu is displayed. Select the OK option.
- Press or until Outbox is displayed. Select the OK option.
- If you have set up personal user areas, press or to highlight the user area you want and select the OK option. Enter your sub-address PIN code and press OK.

If you have not set up any user areas continue to point 4.

4. Press or to highlight the message you want and select the **OK** option.

The message details are displayed.

5. When viewing a message:

Select **Del** to delete the displayed message. Delete Message? is displayed. Select **Del** to delete or **Save** to cancel deletion.

Or

Select **Opt**, then use or to scroll and select any of the following options:

For more information on personal user boxes (sub-addresses), see page 58.

Send to is displayed, select OK.

Either enter the number you want to send to using the keypad or select a number from the phonebook or Calls list and select **OK**. Select **OK** again to confirm. Press or to select the send mode and select **OK**. The message will be sent.

Edit Text is displayed, select **OK**.

The message is displayed. Edit the text using the keypad. Use **Clear** to delete incorrect chartacters/digits. When the text is ready to send, select **Opt** to display Send to and follow the instructions shown above.

Delete All – to delete all messages in the Outbox.

Select **OK**. Delete All messages? is displayed. Select **Del** to delete or **Save** to cancel deletion.

6. Press and hold 20 to exit and return to standby.

Service Centre numbers

To send and receive text messages you need the telephone number of your Network's text Centre. If you accidentally delete the Incoming or Outgoing Service Centre numbers you will need to re-enter them in order for your text Service to work.

You can enter up to 4 Service Centre numbers.

The Incoming Service number is: **080058752**.

The Outgoing Service number is: 1470P1709400.

Adding or changing Service Centre numbers

- 1. Press or TXT Menu is displayed. Select the **OK** option.
- Press or until TXT Settings is displayed. Select the OK option.
- Press or until Setting Server number is displayed. Select the OK option.
- 4. Use or to highlight the Server you want and select the **OK** option.
- Use or to highlight Incoming or Outgoing and select the OK option.
- The currently saved number is displayed. If necessary, press to delete the existing service centre number and enter the new one, then select the **OK** option to confirm.
- 7. Press *and hold* to exit and return to standby.

If you have more than one 'Server Centre' stored on your BT Synergy 4100 you will need to select which one you want to use for sending (see next section).

Select a Send Service Centre number

If you have more than one Service Centre stored on your BT Synergy 4100 you will need to select the one you want to use for sending. Your BT Synergy 4100 is pre-set to send using Server Centre 1. All messages sent will go via the selected provider.

- Press or TXT Menu is displayed. Select the OK option.
- 2. Press or until TXT Settings is displayed. Select the **OK** option.
- Press or until Server Activation is displayed.
 Select the OK option.
- 4. Press or to select the number for the server you want to activate and select the **OK** option.
- Press or to select Outsoins and select the OK option.
- 6. Press and hold \mathcal{D} to exit and return to standby.

Message alert beeps

When you receive a text message, the message alert beeps will sound. These beeps can be switched on or off.

- 1. Press or TXT Menu is displayed. Select the OK option.
- Press or until TXT Settings is displayed.
 Select the OK option.
- Press or until Message Alert is displayed.
 Select the OK option.
- Press or to select 0n or 0ff and select the OK option to confirm.
- 5. Press *and hold* to exit and return to standby.

User Areas

Your BT Synergy 4100 is pre-set to make all text messages available to every user, with all messages sent from and received at a 'Common Box'.

To keep your messages private, you can set up to 4 PIN protected personal user areas (sub-addresses). Each personal user area has its own Inbox and Outbox which are only accessible when the correct PIN is entered.

If you set-up personal user boxes you must tell people your user area number. They must put the relevant user area number at the end of your telephone number when they send you a text message. If they do not include the user area number, the messages will be stored in the Common box and will be accessible to all users of your BT Synergy 4100.

Set a user area

- 1. Press or TXT Menu is displayed. Select the OK option.
- Press or until TXT Settings is displayed.
 Select the OK option.
- 3. Press or until User Boxes Settings is displayed. Select the **OK** option.
- Press ♠ or ♥ to highlight the User Box (1 4) you want and select the Edit option.
- Name is displayed, select OK. Enter the name you want, e.g. Kate, and select OK.
- 6. Password is displayed, select **OK**.
- Enter a 4-digit password and select OK. Re-enter the password to confirm and select OK.
- 8. Sub address is displayed, select **OK**.
- Enter a sub address number which is not already in use and press OK, then press Save.
- 10. Press *and hold* to exit and return to standby.

If you later edit the user box name, password or sub address, after making the changes you must also select **Save** from the Box Setup screen to activate the new settings.

How callers send a text to a user area

When your caller sends a text, by simply adding your 1-digit sub-address number on the end of your telephone number, the text will automatically be stored in your personal user area.

Open a user area

When you want to read, write and send text messages, you must open your user area first.

- 1. Press or TXT Menu is displayed. Select **OK**.
- 2. Press or to select your user area from the list displayed and select **OK**.
- 3. If you have set a PIN protection, enter your 4-digit PIN and select **OK**.
- You can now read, write, send and delete your messages as normal.

Use **Clear** to delete any incorrect characters/digits.

Edit a user area

- 1. Press or TXT Menu is displayed. Select **OK**.
- Press or until TXT Settings is displayed.
 Select OK.
- Press or until User Boxes Settings is displayed. Select the OK option.
- 4. Press or to highlight the name of the User area (e.g. John) you want and select the **Edit** option.
- 5. Enter the 4-digit password for this user box and select **OK**.
- Name is displayed, select OK. Enter the new name you want, e.g. Kate, and select OK.
- 7. Password is displayed, select **OK**.
- Enter a 4-digit password and select OK. Re-enter the password to confirm and select OK.
- 9. Sub address is displayed, select OK.
- 10. Enter a sub address number which is not already in use and press **OK**, then press **Save**.
- 11. Press and hold 20 to exit and return to standby.

Delete a user area

- 1. Press or TXT Menu is displayed. Select **OK** .
- Press or until TXT Settings is displayed.
 Select OK.
- Press or until User Boxes Settings is displayed. Select the OK option.
- Press ♠ or ♥ to highlight the User area (1 4) you want and select the Del option.
- 5. Enter the 4 digit password for this user box and select **OK**.
- 6. Select **Del** to confirm and User Box Deleted is displayed.

Or, select **Save** to cancel deletion and User Box Saved is displayed.

7. Press and hold \mathcal{D} to exit and return to standby.

Check the list of sub addresses

To see a list of the sub-addresses currently in use:

- 1. Press or TXT Menu is displayed. Select **OK** .
- Press or until TXT Settings is displayed.
 Select OK.
- Press or until Sub Address Checkins is displayed. Select OK.

- A list of all stored sub-addresses is displayed, select the OK option.
- 5. Press and hold 20 to exit and return to standby.

Check the common box sub address

To check the sub-address number for the Common Box:

- 1. Press or TXT Menu is displayed. Select **OK**.
- Press or until TXT Settings is displayed.
 Select OK.
- Press or until Common Box Sub Address is displayed. Select the OK option.
- The current code for the Common Box is displayed.
 Enter a new code for the box and select OK.
- 5. Press and hold 20 to exit and return to standby.

If the Common Box sub-address is currently being used to send/receive messages, 9 will be displayed.

Send option settings

Change the auto save setting

- 1. Press or TXT Menu is displayed. Select **OK**.
- Press or until TXT Settings is displayed.
 Select OK.
- Press or until Send option Save is displayed.
 Select the OK option.
- Press or to display either Save Sent Message ON or Save Sent Message OFF and select OK.
- 5. Press *and hold* to exit and return to standby.

Save – will save a text message to the outbox to be sent/completed later.

Using additional handsets

You can use up to five BT Synergy 4000 handsets with your BT Synergy 4100 base to extend your phone system without needing to install extension sockets for each new phone.

Your BT Synergy 4000 handset can also be registered to up to 3 other bases. You can then select the base you would prefer to use.

If you have purchased a BT Synergy 4100 multiple pack any additional handsets come pre-registered to the base.

If you have purchased an additional handset separately you must register it to your BT Synergy 4100 base before it can be used.

Registering your handset

At the base:

1. Press and hold for 10 seconds, until you hear a beep, then release it.

At the handset:

- Press or until Registration is displayed, then select the OK option.
- Register Base is displayed select the **OK** option to confirm

You must charge your additional handset for 24 hours before registering it.

66 Using additional handsets

The BT Synergy default base PIN is 0000, see page 35.

4. Use the keypad to enter the number of the base you want to register to (1 - 4), then select the **OK** option.

The display shows, e.g. Search for Base 2 (for base 2) and the Ψ icon flashes.

5. Enter your 4 digit PIN, then select the **OK** option.

When the base is located, your handset display will be updated with the handset number for the selected base.

Select a base

If your BT Synergy 4000 handset is registered to more than one base, you can select which base to use. Alternatively, if you select Auto your handset will automatically select the base with the best reception.

- Press or until Registration is displayed, then select the OK option.
- Press or until Select Base is displayed, then select the OK option.
- Press or to select a base (1 4 or Auto) then select the OK option.
- 4. Press and hold \mathcal{D}_{a} to exit and return to standby.

De-register a handset

- Press or until Resistration is displayed, then select the OK option.
- Press or until De-Register Handset is displayed, then select the OK option.
- 3. Enter your 4 digit PIN, then select the **OK** option.
- Press ♠ or ♥ to select a handset (1 5) then select the OK option.

Once de-registered the display on the de-registered handset will flash Handset Not Registered.

Internal calls

If you have more than one handset registered to the base, you can make internal calls between two handsets.

- Press Int, Internal Call to Handset is displayed.
- Press the handset number (1-5) you want to call then select the OK option.

At the called handset, the Int symbol flashes and the calling handsets number is displayed.

The user can press **\(\)** to answer the call.

3. Press \mathcal{D}_{a} to end the call.

You cannot de-register the handset you are using.

The BT Synergy default base PIN is 0000, see page 35.

68 Using additional handsets

If you want to cancel the call transfer, press **2**.

If the call is not answered at the called handset within 100 seconds, it will be transferred back to the original handset.

Transferring calls

You can transfer an external call to another handset registered to the base.

During your call:

- Press and hold
 R. Your external caller will be put on hold and will hear a tone. Transfer To Handset is displayed.
- Enter the internal handset number that you want to transfer the call to and then select the **OK** option. The called handset will ring and the display shows Internal Call Handset X.

At the called handset, the user can press to answer the call.

3. Press to complete the transfer and end the call at the original handset.

3-Way Call

You can hold a 3-way conference call between 2 internal handsets and 1 external handset.

During your call:

 Press and hold
 R. Your external caller will be put on hold and will hear a tone. Transfer To Handset is displayed.

- 2. Enter the internal handset number that you want to hold the 3-way call with, then select the **OK** option.
- 3. When the internal handset user answers, select the **Con** option to begin the 3-way call.
- 4. Press 2 to finish the 3-way call.

Help

Phone does not work

- Have you installed the batteries correctly? See page 76.
- Check that the mains power is correctly connected.

No dial tone

- Is the telephone cord of the base plugged into the phone socket?
- Check that the mains power is correctly connected.
- Only use the telephone cord supplied with the phone.

Cannot dial out or receive calls

- Check that the mains power is correctly connected.
- The batteries may need recharging.
- Has there been a power cut? If so, place the handset back on the base for 10 seconds and try again. If it still does not work disconnect the batteries and mains power for 10 minutes, then reconnect and try again.
- Check that the telephone line is working correctly and that you have a dial tone.
 Try disconnecting the line cord, then reconnect it and try again.

You have a dial tone, but the phone will not dial out

- You may need to change the dial mode from tone to pulse, see page 35.
- If you are connected to a switchboard, check whether you need to dial an access code.

Handset does not ring

- The ringer volume may be switched off, see page 29.
- Check that the mains power is correctly connected.
- Make sure the handset is registered to the base, see page 65.

No display

- · The batteries may be flat, dead or incorrectly inserted.
- Recharge or replace the batteries.

Yicon flashes

- Is the handset registered correctly to the base, see page 65.
- Check that the mains power is correctly connected.
- · Check that the handset is within range of the base.

icon flashes

• The batteries are low, place the handset on the base/charger to recharge.

icon not scrolling

- · Try cleaning the charging contacts.
- Check that the mains power is correctly connected.

You hear the busy tone when you press \P

- Make sure the handset is in range of the base.
- Another handset registered to your BT Synergy 4100 base may be on the line.

No Caller Display number/name displayed

- Have you subscribed to a Caller Display service from your network provider, see page 40.
- The caller may have withheld their number.
- An exact name/number match was not found in your phonebook. Check that you have stored the full STD dialling code.

72 Help

Cannot register a handset to a base

- You can register a total of 5 handsets to your BT Synergy 4100 base and you can register your BT Synergy 4100 handset to up to 4 bases. Check that you have not exceeded the limits.
- Check that you have entered the correct PIN number (default PIN 0000).
- Check that you are at least one metre away from other electrical equipment to avoid interference when registering.

Base unit does not ring, but the lights are on

- Have you connected the telephone line correctly?
- Is the base ringer set to off?
- You may have a faulty line or socket. Try using another socket or line. Call BT on 151 if you still experience problems.

Base charging light not working

- Try cleaning the charging contacts on the base.
- Check that the mains power is correctly connected.

Buzzing noise on my phone or on other electrical equipment nearby

Sometimes your BT Synergy 4100 can interfere with other electrical equipment if it is
placed too close. It is recommended that you place your BT Synergy 4100 at least one
metre away from electrical appliances or metal obstructions to avoid any risk of
interference.

Customer Helpline

If you are still experiencing difficulties please call the BT Synergy Helpline on 0870 605 8047 or email bt.helpdesk@suncorptech.com.

Possible problems with text messaging

Text messages cannot be sent and screen displays Message Sending Failed

- The base station power supply or telephone line cord might not be properly connected.
 Check that the base station power supply is plugged into the mains socket and switched on and that the telephone is plugged into the telephone wall socket.
- There might be a fault on the line. Check your telephone line is working properly.
- You might have deleted the server number in error. See page 55-57 for instructions on how to enter the number.

Cannot send text

Check service centre number is correct including 1470P prefix (this is for BT lines. If you
have another network provider please check the prefix number with them). In order to
send and receive text messages you must not withhold your number. If you normally
withhold your number the 1470 prefix presents your number for you.

Cannot receive text

- You will not be able to receive text messages until you have first sent a message. The first
 message sent registers you with the text service.
- More than one text messaging product is plugged into the line. Remove other products.
- Check service centre number is correct.
- Ensure you have subscribed to a Caller Display service and that it is active. You can
 check this by noting if your phone displays your caller's number when you receive an
 incoming call.
- If you are using personal user areas please ensure you have given people your user area number and that they are entering it to the end of your telephone number when sending you a text message.

74 Help

Text has previously been sent and received but you are now only receiving voice spoken text messages, from number 0845 6021111.

This may be due to your line being de-registered at the text service centre. All you need
to do is text RESET and send it to 00000. You will receive a confirmation message back.
This assumes that your Caller Display service is active and working on your line.
Messages sent to 00000 are free.

Further help and advice for text queries on BT lines:

- BT Residential customers call 151, choose option 2, when prompted by the Fault Management Service select option 2, enter your phone number on the handset and wait to speak to a customer adviser.
- BT Business Customers call 152, choose option 2, when prompted by the Fault
 Management Service select option 2, enter your phone number on the handset and wait
 to speak to a customer adviser.
- For other telephone service providers please contact their customer services.

General sales enquiries

- BT Residential lines call 150. BT Business lines call 152.
- For non BT line customers, call 0800 800 150 (residential) or 0800 800 152 (business).
- Additional handsets are available from the Helpdesk on 0870 605 8047.

Billing enquiries

• Refer to the telephone number shown on your telephone bill.

Other functions and services available from the text messaging service

 By sending the following commands to the BT text self administration facility you can control functions and capabilities in your text phone and the way messages are handled.

- 1. Press or TXT Menu is displayed. Select the **OK** option.
- 2. Write Message is displayed. Select the **OK** option.
- 3. Use the keypad to type in the following commands (depending upon what you want to do):
 - - Turns off the opt out option.
 - Turns on permanent voice text message delivery to your phone.

 All incoming text is delivered as voice text.
- # 2 # Turns off permanent voice text message delivery.
- 4. Select Opt. Send To is displayed, select OK.
- 5. Enter 00000 and select OK.
- 6. Text is highlighted, select **OK**. The display shows Sending Message.

If you are sending a message from a fixed line phone to another fixed line phone

If you are sending a message from a fixed line phone and require a status report

- * 3 # Will allow a status report to be sent back to youwhen you have sent a message to confirm delivery.
- Place * 0 # at the start of your text message. Write the message and send it.
 You will receive a reply text back to your phone giving the status report for that message.

You keep hearing an error beep

 You have pressed the wrong button in a sequence. Check the prompts in the display or refer to instructions in this user guide.

General information

IMPORTANT

This equipment is not designed for making emergency telephone call when the power fails. Alternative arrangements should be made for access to emergency services.

This product is intended for connection to analogue public switched telephone networks and private switchboards in the United Kingdom.

Replacing the handset batteries

After a time, you may find that the handset batteries are running out of charge more quickly. This is a standard sign of wear and the batteries will need replacing.

- 1. Push the battery compartment cover in the direction the arrow shows and lift off.
- Take out the old batteries and replace with 2 new AAA NiMH batteries.
- Push the battery compartment cover back on until it clicks into place.

New batteries should be rechargeable: Nickel Metal Hydride (NiMH), size AAA, capacity 750mAh.

Spare rechargeable batteries are available from the BT Synergy Helpline 0870 605 8047.

WARNING

Do not immerse batteries in water or throw them into a fire, or dispose of them with ordinary domestic refuse.

BT accepts no responsibility for damage caused to your BT Synergy 4100 by using any other types of batteries.

Safety information

- Only use the power supply suitable for the BT Synergy 4100 range. Using an unauthorised power supply will invalidate your guarantee and may damage the telephone. The item code for the base mains power supply is 032763. If you have purchased a multiple pack the item code for the charger mains power supply is 032765.
- Use only the approved rechargeable batteries supplied. Spare rechargeable batteries are available from the BT Synergy Helpline on 0870 605 8047.
- Do not open the handset (except to replace the handset batteries) or the base. This could expose you to high voltages or other risks. Contact the Helpline on 0870 605 8047 for all repairs.
- If the keylock is switched on, it is NOT possible to make calls, including to the emergency numbers (999/112).
- Radio signal transmitted between the handset and base may cause interference to hearing aids.
- It is recommended that advice from a qualified expert be sought before using this product in the vicinity of emergency/intensive care medical equipment.
- It is recommended that if you have a pacemaker fitted you check with a medical expert before using this product.
- Your product may interfere with other electrical equipment, e.g. TV and radio sets, clock/alarms and computers if placed too close.

It is recommended that you place your product at least one metre away from such appliances to minimise any risk of interference.

 Never dispose of batteries in a fire. There is a serious risk of explosion and/or the release of highly toxic chemicals.

Cleaning

• Clean the handset and base (or charger) with a damp (not wet) cloth, or an anti-static wipe. Never use household polish as this will damage the product. Never use a dry cloth as this may cause a static shock.

Environmental

- Do not expose to direct sunlight.
- The handset may become warm when the batteries are being charged or during prolonged periods of use. This is normal. However, we recommend that to avoid damage you do not place the product on antique/veneered wood.
- Do not stand your product on carpets or other surfaces which generate fibres, or place it in locations preventing the free flow of air over its surfaces.
- Do not submerge any part of your product in water and do not use it in damp or humid conditions, such as bathrooms.
- Do not expose your product to fire, explosive or other hazardous conditions.
- There is a slight chance your phone could be damaged by an electrical storm. We recommend

that you unplug the power and telephone line cord during an electrical storm.

Product disposal instructions



- The symbol shown here and on the product means that the product is classed as Electrical or Electronic Equipment and should not be disposed with other household or commercial waste at the end of its working life.
- The Waste of Electrical and Electronic Equipment (WEEE) Directive (2002/96/EC) has been put in place to recycle products using best available recovery and recycling techniques to minimise the impact on the environment, treat any hazardous substances and avoid the increasing landfill.

Product disposal instructions for residential users

 When you have no further use for it. please remove any batteries and dispose of them and the product as per your local authority's recycling processes. For more information please contact your local authority or the retailer where the product was purchased.

Product disposal instructions for business users

 Business users should contact their suppliers and check the terms and conditions of the purchase contract and ensure that this product is not mixed with other commercial waste for disposal.

78 General information

Guarantee

Your BT Synergy 4100 is guaranteed for a period of 12 months from the date of purchase.

Subject to the terms listed below, the guarantee will provide for the repair of, or at BT's or its agent's discretion, the option to replace the BT Synergy 4100 or any component thereof, (other than batteries), which is identified as faulty or below standard, or as a result of inferior workmanship or materials. Products over 28 days old from the date of purchase may be replaced with a refurbished or repaired product.

The conditions of this guarantee are:

- The guarantee shall only apply to defects that occur within the 12 month guarantee period.
- Proof of purchase is provided.
- The equipment is returned to BT or its agent as instructed.
- This guarantee does not cover any faults or defects caused by accidents, misuse, fair wear and tear, neglect, tampering with the equipment, or any attempt at adjustment or repair other than through approved agents.
- This guarantee does not affect your statutory rights.

Within the 12 month guarantee period:

Prior to returning your product, please read the Help section beginning on page 70 or contact the Helpline on 0870 6058047 or email bt.helpdesk@suncorptech.com for assistance.

In the unlikely event of a defect occurring, please follow the Helpline's instructions for replacement or repair.

Outside of the 12 month guarantee period:

- If your product needs repair after the guarantee period has ended, the repair must meet the approval requirements for connection to the telephone network.
- We recommend that you contact BT's approved repair agent Helpdesk Solutions on 0870 204 5029 or a local gualified repairer.

Returning your phone

If the Helpline is unable to remedy your problem they will ask you to return the product. Where possible, pack the product in its original packaging. Please remember to include all parts, including the line cords, power supply units and the original batteries. (Please note that we cannot take responsibility for goods damaged in transit.) Please obtain and keep proof of posting from the Post Office.

Technical information

How many telephones can I have?

 All items of telephone equipment have a Ringer Equivalence Number (REN), which is used to calculate the number of items which may be connected to any one telephone line. Your BT Synergy 4100 has a REN of 1. A total REN of 4 is allowed. If the total REN of 4 is exceeded, the telephones may not ring. With different telephone types there is no guarantee of ringing, even when the RFN is less than 4

Any additional handsets and chargers that you register have a REN of 0.

Only use approved base mains power supply, item code: 032763.

If you have purchased a BT Synergy 4100 multiple pack, the item code for the charger mains power supply is 032765.

Only use approved batteries.

These products are available from the BT Synergy Helpline on 0870 605 8047.

R&TTE

This product is intended for use within the UK for connection to the public telephone network and compatible switchboards.

This equipment complies with the essential requirements for the Radio Equipment and Telecommunications Terminal Equipment Directive 1999/5/EC.

For your records

Date of purchase:

Place of purchase:

Serial number:

For guarantee purposes proof of purchase is required so please keep your receipt.

Declaration of Conformance

Hereby, Suncorp Technologies declares that this BT Synergy 4100 is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

The Declaration of Conformance for the BT Synergy 4100 is published on the website:

http://www.suncorptech.com/bt

80 General information

Connecting to a switchboard

This product is intended for use within the UK for connection to the public telephone network and compatible switchboards, which support tone and pulse dialling and timed break recall. If in doubt please consult your service provider.

Inserting a pause

With some switchboards, after dialling the access code you may have to wait for a moment while the switchboard picks up an outside line so you will need to enter a pause in the dialling sequence.

Press to insert a pause (P) before entering the telephone number.

You may also need to enter a pause when storing international numbers or charge card numbers.

Recall

You may need to use the recall function if you are connected to a switchboard/PBX (Private Branch Exchange), contact your PBX supplier for further information. The recall function is set to timed break recall and is also used for BT Calling Feature.

Synergy 4100 – Issue 5 – Edition 1 – 18.01.07 – 7993

Synergy 4100 – Issue 5 – Edition 1 – 18.01.07 – 7993

Synergy 4100 – Issue 5 – Edition 1 – 18.01.07 – 7993

Visit us at www.bt.com



Offices worldwide

The telecommunications services described in this publication are subject to availability and may be modified from time to time. Services and equipment are provided subject to British Telecommunications plc's respective standard conditions of contract. Nothing in this publication forms any part of any contract.

© British Telecommunications plc 2007. Registered Office: 81 Newgate Street, London EC1A 7AJ. Registered in England No. 1800000. BT Synergy 4100 Issue 5 (01/07) 1 Designed and produced by The Art & Design Partnership Ltd. Printed in China

