



Your telephone has a range of : 50m indoors - 350m outdoors.


Installing another KALA 200 handset


The 🏲 symbol on the display indicates that the handset is connected on the base station.

You can register up to 4 handsets with your base station (See Page 10 Programming options). Additional handsets do not require additional telephone connections but do need a power supply adaptor. The reference of Additional Kala 200 handsets is TD 6830.









Phonebook access (see description of the phonebook Page 6) Press the "Friends" or "Family" phonebook key to access the chosen phonebook. Note: only phonebooks containing entries can be accessed (otherwise, you have a beep error). Pressing a second time while scrolling will exit the phonebook.

\*Caller identification service: This function is available if you have subscribed to your operator's Caller identification service. The network sends the caller's number to your telephone. If this number is stored in the Family or Friends phonebook, the corresponding icon will appear and the relevant melody will sound after the second ring (see Pages 6 and 8).

#### Placing a call on hold and transferring a call

Press the "internal call" key to place a call on hold, during which the person calling will hear music. Press the "internal call" key to transfer a call (this option is only available if you have more than one handset). All the handsets on the base station will then be called. There is no need to wait for the call receiver to pick up before hanging up (by pressing the "talk" key).



#### **USING THE PHONEBOOKS**

You have access to two phonebooks, each containing 10 files (name and numbers).

You can use these phonebooks to make calls and identify incoming calls if you have subscribed to the Caller identification (see Page 5).

When your receive an incoming call and the caller's number is stored in one of the phonebook, the corresponding or icon will be displayed and the associated melody will play after the second ring if you have subscibed to the Caller identification service.

#### **Caller identification service:**

The Caller identification function is available if you have subscribed to the Caller identification service.

If you have subscribed to the Caller identification service, the screen will show the caller's number during the call. The name will be displayed if it is stored in one of the phonebooks (see Page 8).

If you wish to know who is calling before you pick up, you can assign a specific melody to the caller; (see Page 10, Programming

#### Accessing and exiting the phonebook

Press or to access the phonebook. Press the same icon to exit the phonebook.

#### Accessing and selecting phonebook files



#### Storing numbers in a phonebook

8 TUV

(·1)

Each entry is made up of a name (maximum 10 characters) and a telephone number (maximum 25 characters). To store an entry:

- 1. Enter the phone number, or have it displayed using one of the lists (see Page 8 Incoming call log or list of redial numbers).
- 2. Press the key of the desired phonebook ( or ( or
- 3. After the beep, enter the name (see How to obtain the characters\*) and press the key to validate.

A validation beep sounds which indicates you go back to idle mode.

If your country uses local prefixes, you will need to include these codes in your phonebook entries to ensure the Caller identification service works correctly.

#### Calling from a phonebook

Each phonebook can contain 10 names. Names are listed in alphabetical order.

#### Changing a phonebook entry

Only the phone number can be changed.



### Deleting an entry from the phonebook




#### Selecting the ringer type

You have the possibility to change the pre-recorded melody of the Friends and Family phonebooks (see page 9 How to program your phone). See also the programming example in the programming rules.







#### **Example:**

To enter the name "Patrick": press once for the letter "P" press (2) once for the letter "A" press once for the letter "T"

press three times for the letter "R"

press three times for the letter "I"

press three times for the letter "I"

press (F) twice for the letter "K"

If you make a mistake, simply press (C) to delete



#### USING THE ANSWERING MACHINE (TAM)

#### The answering machine is activated by default.

You can record up to 6 minutes of top quality messages or 9 minutes of standard quality messages (see Page 10, Programming options, to learn how to change the telephone answering machine recording quality.)




The key ("answering machine" key) is located on the back of the handset.

#### Activating/Deactivating the answering machine



This key is backlit. Press this key to listen to your messages. A blinking key indicates receipt of an unread message. Once you have listened to your messages, press this key again to quit the answering machine function.




#### Accessing the answering machine

Press the key to access the machine. The number of messages, the day of the week and the time will be displayed. The telephone will vocally state the number of messages received and play the message(s) recorded.

#### Listening to messages on your answering machine



#### Deleting messages from your answering machine



#### Listening to your recorded message

Press the following keys to listen to the pre-recorded message



## Saving/Changing the recorded message

You can personalise your recorded message. However, if you do so, you will be unable to retrieve the



#### Recording an internal message

Using this function, you can leave a local message for your family members.



When the answering machine is active, callers can leave messages. If you wish to screen your calls, you can listen to the person leaving the message by pressing (see Page 5). Press again to increase the volume. Press this key to deactivate the loudspeaker. To interrupt the message and take the call, press ( key again to deactivate this function.


#### Remote control of the answering machine

You can access to your answering machine via a simple telephone call.


The 4-digit remote access "RC code" is found on the bottom of the base station of the telephone. This can be personalised using the programming options (see Page 10 Programming options).

On a handset that has the \* key (or using a voice dial telephone):

• To remotely activate the answering machine



• To remotely deactivate the answering machine



#### • To remotely access the answering machine

- 2. Enter the remote access code.
- 3. The system will announce the number of messages received and read recorded messages. Use the telephone keys to consult your messages.

#### Remotely reading messages

Once connected to your answering machine, use the following keys:

| Key      | Function   |
|----------|--|
| twice    | go to the beginning of the previous message      |
| 3<br>DEF | go to the beginning of the next message and play |
| (MNO)    | delete the message being read                    |

4. Hang up to end the access session.

# 8

#### USING THE LIST OF REDIAL NUMBERS AND INCOMING CALL LOG

#### List of numbers to redial

#### Pressing the following keys to access or exit the lists:

is used to access the redial list - a list of the last 5 numbers called, from the latest to the oldest. Each new entry deletes the oldest entry. You can use this function to automatically redial a caller's number


Accessing the list of last numbers dialled (redial list)


Use the key to access the list of last numbers dialled (you will hear a beep if there are no

Use the same key to exit the list.

#### Consulting the list







#### Entering a number into the phonebook





#### Call log

The call log contains the last 10 external calls received, starting with the most recent. If you have subscribed to the Caller identification service (see Page 5), you will be able to store number or name in the log (according to the information provided by the network).

#### Caller identification service:


Subscription to your operator's Caller identification service enables the caller's name and number to be stored directly in the incoming call log if registered with your operator's network.

### Accessing the log

Use the key to access the log. Use the same key to exit the log.

#### Consulting the log


You will only be able to access the information shown on the screens below if you have subscribed to the Caller identification service.



(\*) This function depends on the network.

(\*\*) Unlisted numbers, withheld caller id and calls from abroad

#### Calling a number from the log




#### Deleting a number from the log



#### Entering a number stored in a list into one of the phonebooks







#### **HOW TO PROGRAM YOUR PHONE**

To access the programming icons, press the (R) key.



5 icons are displayed on the screen.

- Programming icons:


   on: programming mode (consultation) or during a modification
- off: normal mode
- flashing: options can be selected

- Answering machine settings
- S Volume and melody settings
- 1 To register the handset with another base
- f Other programming option settings
- Earpiece volume settings

To select one of the icons, use the key and and then validate your choice by pressing the wextern the terms and the validate your choice by pressing the wextern the terms are the terms and the validate your choice by pressing the wextern the terms are the terms and the validate your choice by pressing the terms are the ter

#### For instance: how to change the melody.


Press the key, press once then press



Use level 1/4 to select the melody volume. Scroll through the different volume settings using the  $\bigcirc$  and  $\stackrel{\mathfrak{F}}{\underset{\mathbb{R}}{\longrightarrow}}$  keys. The default setting is "+++" (3).

Note: the screen will show the default or selected value. If registering an additional handset, you will need to enter the RC code (4-figure access code) shown on the bottom of the base station (see Page 10). Enter 4 figures when "0000" is displayed (and the scroll arrows have disappeared).

## To go to level 2/4: change melody type, press the ( key.



To select the "DISCO" melody, press to validate. If you wish to select the "RAIN" melody, press to choose the melody and press ( to validate



You can also select a melody specific to the Friends phonebook 🍪 from the 7 melodies available. Press ( when you have selected the melody. The melody will sound after the second ring. This function is only available if you have subscribed to the operator's Caller identification service.



You can select a specific melody for the Family phonebook if from the 7 available. Press if then once you have chosen the melody.



Press to exit the programming options.

## 10

#### PROGRAMMING OPTIONS

Press (\*) to enter the programming options. Enter the following functions by pressing once or several times. Enter the programming options on page 9 for more details.

#### Answering machine programming options

|  | OK OK | Function<br>number | Programmable functions  | Select   | Default<br>value       |
|--|-------|--------------------|---|--|------------------------|
|  |       | 1/5                | Modifies the system day   | List: 1 (Monday) to 7 (Sunday)                       | 1                      |
|  | 1x    | 2/5                | Modifies the system time  | Type value (00:00 to 23:59)                          | 00:00                  |
|  | 2x    | 3/5                | Selects number of rings<br>before machine picks up              | List: 2, 3, 4, 5, toll <sup>(2)</sup>                | Toll <sup>(2)</sup>    |
|  | 3x    | 4/5                | Modifies remote control code <sup>(1)</sup> (to show a default) | Type value (0000 to 9999)                            | RC code <sup>(1)</sup> |
|  | 4x    | 5/5                | Modifies telephone answering machine recording quality          | List: ****A (top quality), **** B (standard quality) | Α                      |

- 1. RC code: 4-figure access code found on the bottom the base station that allows you to register an additional handset (see the user manual for the additional handset).
- 2. Toll Saver: the Toll Saver allows you to check to see if you have any messages remotely without activating the telephone. If you have messages, the machine will activate after 3 rings. If not, the telephone will ring  $5\,$ times, giving you time to hang up before the connection is made.
- 3. Remote access code: you will be asked to give this code to access the answering machine remotely. By default, this is the RC code, though you can personalise it.

#### **PROGRAMMING OPTIONS (CONT'D)**

| 7               | Melody programming options           |  |                     |                  |  |
|-----------------|--------------------------------------|--|---------------------|------------------|--|
| Function number |                                      | Programmable<br>functions                        | Select              | Default<br>value |  |
|                 | 1/4                                  | Selects melody volume                            | + (1) to ++++ (4)   | +++ (3)          |  |
| 1x              | 1x 2/4 Selects melody of handset (ge |  | 7 melodies proposed | Disco            |  |
| <b>2x</b> 3/4   |                                      | Selects melody of handset<br>(Friends phonebook) | 7 melodies proposed | Birdy            |  |
| 3x              | 4/4                                  | Selects melody of handset<br>(Family phonebook)  | 7 melodies proposed | Starry           |  |

**Note:** the sound volume is the same for all melodies.

### 

#### How to register the handset with another base station

This option allows you to register the handset with another base station. You will need to switch the base station onto record mode before entering the code. To place a Kala 200 base station in record mode, simply disconnect and re-connect the mains supply. The RC code is shown on the bottom of the base station.

| Function<br>number | Programmable function | Select                 | Default<br>value |
|--------------------|-----------------------|------------------------|------------------|
| 1/1                | Registers the handset | RC Code <sup>(1)</sup> | Bottom of        |

## **Settings programming options**

| OK OK | Function<br>number | Programmable functions                                    | Select                             | Default<br>value |
|-------|--------------------|---|------------------------------------|------------------|
|       | 1/5                | Enters number of different CLI <sup>(4)</sup>             | List of CLI avalaible              | 1                |
| 1x    | 2/5                | Enters the dial mode <sup>(5)</sup>                       | TONE, PULSE                        | Depends          |
| 2x    | 3/5                | Enters network type <sup>(6)</sup>                        | A (residential),<br>B, C, D (PABX) | Α                |
| 3x    | 4/5                | Enters callback type <sup>(7)</sup><br>(long/short flash) | *** (short),<br>***** (long)       | Depends          |
| 4x    | 5/5                | Inserts automatic pause <sup>(8)</sup>                    | NO, YES                            | NO               |

- 4. CLI or Caller identification service: the Caller identification service (Name and Number) is available only if you have subscribed to the service with an operator (according to availablility). 5. Dial mode: this allows you to select either voice frequency dialling (faster dialling, access to opera-
- tor services) or digital dialling. The availability of this function depends on the country

  6. Network type: your telephone has a default configuration for public telephone lines (option A). You can choose between 3 other network types to adjust the sound qualities for a PABX/ISDN set-up. 7. Flash type: the operation of some services accessed using the 🕞 key (Call Waiting, Call Forward, etc.) will depend on the flash setting (short/long) depending on your installation type (ISDN, Public, PAXB).
- 8. Automatic pause: this function allows you to insert a prefix before the telephone number.

### Earpiece programming option

| Function<br>number | Programmable function    | Select | Default<br>value |
|--------------------|--------------------------|--------|------------------|
| 1/1                | Modifies earpiece volume | 1 to 4 | ++ (2)           |

### Other indirect programming options

These options can be accessed using a combination of two keys, after pressing:

|   | Sequence of keys | Programmable functions     | Select  | Default<br>value   |
|---|------------------|----------------------------|---|--------------------|
| R | WXYZ + 4         | Unregisters<br>the handset | RC code <sup>(1)</sup>                                      | Bottom of the base |
|   | (WXYZ) + (B)     | Selects TAM <sup>(9)</sup> | > (answering<br>and recording mode),<br>>+< (answering only | > + <<br>mode)     |

9. Answering only and Answering & Recording mode: answering only mode carries an outgoing message but does not allow callers to leave messages. Answering & Recording mode allows callers to leave messages after listening to the outgoing message. Use  $\bigcirc$  and  $\bigcirc$  to switch between modes.



Press ( to exit the programming options.

(K)



#### **TROUBLESHOOTING**

| $\sim$  |       |  |  |
|---|-------|--|--|
| Parklan.  | Error | C  | C-last-  |
| Problem   | Веер  | Cause or causes  | Solution   |
| No dialling tone when<br>pressing the talk key.                                 | Yes   | The base station is not properly connected to electricity or to the telephone sockets. | Check the connections and ensure you have used the telephone cable provided in the box.  |
|   | -     | Batteries are low (the insert battery icon symbol is displayed).                       | Charge batteries (see Installing telephone and base station Page 2).   |
| •   |       | The handset is out of range.   | Register the handset to the base station (see page 10).<br>Move closer to the base station.  |
| • When the handset is placed on the charging unit, no beep is heard.            | -     | The handset is not placed correctly on the base station charging unit.                 | Take the handset off the base station and put it back again.   |
| unii, no beep is neara.   | -     | Charging contacts are dirty.   | Clean them with a clean and dry cloth.   |
| Battery icon remains empty<br>although the handset has<br>charged for 24 hours. | ٠     | Handset batteries are defective.   | Please contact your PHILIPS dealer in order<br>to purchase new rechargeable batteries<br>(see Inserting/Replacing batteries Page 2). |
| No symbol on the display.   | -     | Batteries are low.   | Charge batteries (see Installing telephone and base station Page 2).   |
| <ul> <li>Answering machine icon<br/>is blinking on the display.</li> </ul>      | -     | The memory of the answering machine is full.   | Consult and delete messages to free sufficient memory.   |
| The answering machine<br>has not recorded your<br>outgoing message.             | Yes   | The memory of the answering machine is full.   | Consult and delete messages to free sufficient memory.   |
| • The answering machine has stopped.  | -     | The memory of the answering machine is full.   | Consult and delete messages to free sufficient memory.   |
| A phonebook entry has<br>not been memorised.                                    | Yes   | The phonebook you wish to use is full.   | Delete some entries to free memory spaces.   |
| Bad audio quality (cracks,<br>mute, echo, vibration,                            |       | Base station plugged too near from other electrical appliance.                         | Try to plug the base station in another place.   |
| etc.).  | -     | Base station installed in a room with thick walls.                                     | or:<br>Please change the network type.   |
|   | -     | You are using the handset too far from the base station.                               | or:<br>Move closer to the base station.  |
| • The CLI does not work.  | -     | The handset is out of range.   | Please select another CLI.   |

Philips has designed this product to work on PSTN line and cannot guarantee the complete application on ISDN

network.

The KALA 200 VOX is compliant with operator's analogue interface.

The KALA 200 VOX can only be connected to the British telephone network.

The geographical area in which the equipment may be used is shown on the label on the bottom of the base station Product may only be used in this zone.

12



#### Dear customer,

Thank you for purchasing this Philips product which has been designed and manufactured to the highest quality standards. If, unfortunately, something should go wrong with this product Philips guarantees free of charge labour and replacement parts irrespective of the country where it is repaired during a period of 12 months from date of purchase (6 months for replacement/rechargeable batteries). This international Philips guarantee complements the existing national guarantee obligations to you of dealers and Philips in the country of purchase and does not affect your statutory rights a cus-

The Philips guarantee applies provided the product is handled properly for its intended use, in accordance with its operating instructions and upon presentation of the original invoice or cash receipt, indicating the date of purchase, dealer's name and model and production number of the product.

The Philips guarantee may not apply if:

- The documents have been altered in any way or made illegible;
- The model or production number on the product has been altered, deleted, removed or made illegible;
- Repairs or product modifications and alterations have been executed by unauthorised service organisations or per-
- · Damage is caused by accidents including but not limited to lightning, water or fire, misuse or neglect

Please note that the product is not defective under this guarantee in the case where modifications become necessary in order for the product to comply with local or national tech-nical standards which apply in countries for which the product was not originally designed and/or manufactured. Therefore always check whether a product can be used in a specific country.

In case your Philips product is not working correctly or is defective, please return your phone to the place of purchase or 6the Philips National Service Centre. In the event you require service whilst in another country a dealer address can be given to you by the Philips Consumer Help Desk in

In order to avoid unnecessary inconvenience, we advise you to read the operating instructions carefully before contacting

• Methods of Transport within the UK:

Please be aware whichever method of transport is chosen it is the consumers' responsibility to package the faulty unit for return to a level which prohibits accidental damage. Philips is not responsible for damage/loss caused during carriage to the Service Centre.

Freepost: Please write the following address onto your package. This method of transport will take 2-3 working days to reach the Service Centre.

#### PHILIPS SERVICE CENTRE FREEPOST (SCE 10569) Warwickshire CV21 1BR

NB: Philips recommend all parcels to be returned to the Philips Service Centre be submitted over the counter at your Post Office and a proof of postage requested.

Please note the Royal Mail insurance limit for lost/damage using the Freepost service is £26. Up to £250 insurance and next day delivery can be obtained via Royal Mail Special Delivery, however, the consumer will be responsible for this cost.

• Methods of Transport within IRELAND:

Please contact Philips Service Support , Dublin

## IMPORTANT (for UK only):

Please ensure the following are included when returning a genuinely faulty phone to the Philips Service Centre:

- Return Delivery address
- Daytime contact number
- Proof of Purchase (copy) For Dect phones both handset and base have to be
- Accessories: power supply line cords.
   A brief description of the assumed fault
   Despatch note (if your phone has previously been exchanged).

Failure to include all the necessary information will cause

delays in servicing your phone. Please allow 2-3 days from receipt at the service centre fo your replacement/repaired product to be returned to you. If an out of warranty charge applies Philips shall contact you before the product is returned.

Philips shall pay for the return carriage on all in-warranty

\*Should you wish to return your products for service at your own cost (via a courier service or Royal Mail Special Delivery) please ensure the items are suitably packed for transport and sent to the following address:

Philips Service Centre 1 Great Central Way Butlers Leap Rugby Warwickshire CV21 3XH

For Philips Service Support in UK, (incl. Channel Islands) please call 0870 900 9070.

(Open during normal business hours, excluding National holidays and weekends).





## **PHILIPS**

#### **DECLARATION OF CONFORMITY** 13

**PHILIPS Consumer Communications** Route d'Angers 72081 Le Mans Cedex 9 France

Declare that the product Kala 200 Vox (BS 6533 + HS 6830) is in compliance with ANNEX III of the R&TTE-Directive 99/05/EC and then

with the following essential requirements Article 3.1 a : (protection of the health & the safety of the user) EN 60950 (92) Ed.2 + amendments 1,2 (93); 3 (95); 4 (97) and 11 (97)

Article 3.1 b : (protection requirements with respect to electromagnetic compatibility) ETS 300 329 (97) Article 3.2: (effective use of the radio spectrum) TBR6 (97)

The presumption of conformity with the essential requireme nts regarding Council Directive 99/05/EC is ensured.

Date: 12/12/2000 Le Mans Cordless Business Director



## (14

#### PHILIPS KALA: ENVIRONMENT AND SECURITY



PHILIPS KALA 200 advantages of the latest technological advances which make it even simpler and easier to use.

Safety information
This equipment is not designed for making emergency telephone calls when the power fails. An alternative should be made available for access to emergency calls.

The CE marking certifies compliance with technical regulations in accordance with the Directive 1999/5/EC for the safety of the user, electromagnetic perturbations and for radio spectrum.

Power requirements
This product requires an electrical supply of 220-240 volts, alternating monophased current, excluding IT installations defined in standard EN 60-950.

WARNING!

WARNING!
The electrical network is classified as dangerous according to criteria in the standard EN60-950. The only way to power down this product is by unplugging the power cable from the electrical outlet. Ensure the electrical outlet is located to the apparatus and is always easily accessible.

To be able to make calls in the event of a power cut, it is recommend that this telephone be used as a complement to another telephone which does not require mains power.

**Telephone connection**The voltage on the network is classified as TNV-3 (Telecommunication Network Voltages, as defined in the standard The voltage on the EN 60-950).

Safety pre

Do not allow the handset to come into contact with water.

Do not open the handset or the base station. This could expose you to high voltages. Contact our after-sales service for all

repairs. Do not allow the charging contacts or the battery to come into contact with conductive materials such as keys, paper clips, rings, bracelets, etc.
Make sure you insert the batteries with their polarities in the correct position.

Make sure you insert the batteries with their polarities in the correct position.

Environmental care


Your telephone has also benefited from the Philips EcoDesign program –Environmental Conscious Product Design – which considers the environmental impact of a product during its entire life cycle.

Please remember to observe the local regulations regarding the disposal of your packaging materials, exhausted batteries and old phone and where possible promote their recycling.

Philips has marked the battery and packaging with standard symbols designed to promote the recycling and appropriate disposal of your eventual waste.

Battery:

\* The crossed-out dustbin signifies that the battery should not be disposed of with general household waste. Packaging:
The mobius loop symbol signifies the labeled packaging material is recyclable.







© 2000 - Philips Consumer Communications - Division of Philips France UK - 4311 256 07422 - Printed in Europe - All rights reserved