Lexmark X264dn Lexmark X360 Series







UP TO 35 PPM





NETWORK





Lexmark X264dn

Lexmark X363dn

Lexmark X364dn

SCAN

Lexmark X364dw

Compact and convenient monochrome MFPs for small workgroups



Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Designed especially for small workgroups that want big-time results, Lexmark X264dn and X360 Series MFPs unite your most essential office functions into one compact, high-performance solution. In addition to speed, quality and simplicity, these devices offer you competitive features to save time and money, such as duplex scanning models and high-yield toner cartridges for an attractive cost per page.



Big-league performance

Office efficiency is important to the success of your business, so Lexmark makes sure small workgroups can get in on the action too. Now you can enjoy rapid output up to 35 ppm and the first page out in as fast as 7 seconds. What's more, you'll have the tools to race through your workloads at record speeds.

- Load up to 850-sheet input capacity with an optional paper drawer
- Stack up to 50 sheets† in the automatic document feeder, then scan two-sided† documents in a single step
- Scan and send documents to various destinations, including
- Dispatch faxes quickly and reliably with the fast fax modem (standard on some models)

†Available on Lexmark X360 Series models



Quality where it counts

With their robust, high-quality design, Lexmark MFPs deliver reliability that makes a difference. They bring excellence to every aspect of the multifunction experience - from the invoices you're scanning to the important documents you need printed for the next meeting.

- Achieve superior scan resolution with the 24-bit color CCD
- Add a professional touch with up to 1200 x 1200 dpi print
- Get great results on various media types, including card stock and labels
- Enhance the quality of your work environment with Quiet Mode



Surprisingly simple

You'll be up and running quickly with little or virtually no training. Copying and scanning are as easy as a few touches of a button, and the intuitive backlit operator panel offers two lines of text to guide newcomers through printing and maintenance with ease.

- labels or specialty paper without reloading the main drawer
- Print image files straight from a flash drive with the Direct USB. port† - you can scan to it as well!
- Manage your scanned documents easily with the Lexmark Scan Center
- Load supplies in just seconds with convenient front-loading access

†Available on Lexmark X360 Series models





Consolidating all your document functions into one efficient

- Conserve resources with 9,000*-page high-yield replacement
- Save paper with built-in duplex printing standard on all models
- Save energy with the instant warm-up fuser
- Recycle easily and free of charge with the Lexmark Cartridge Collection Program

* Declared vield value in accordance with ISO/IEC 19752





Lexmark X264dn and X360 Series

Explore the features that keep you moving



Peace-of-mind service

The Lexmark X264dn and X360 Series MFPs come standard with Lexmark's 1-Year Onsite Service warranty, which provides you with next-business-day response. You can also extend your warranty with a customized offering to match your specific needs.

The Productivity Checklist If you've got all these, then you've got a Lexmark!



Instant Warm Up

With Lexmark's instant warm-up fuser, your MFP will be racing through documents in the time it takes many other devices to wake up. In addition to getting your print jobs in your hands faster – just seconds from standby – you'll also benefit from increased efficiency. So you can save time, energy and money all at once!

Superior scanning

The Lexmark Scan Center offers a complete range of features for creating digital documents and integrating them into your daily workflow with ease. Preview your image, adjust contrast and colors, and save your scan in multiple file formats. Then send your scan to various destinations, either straight to e-mail or over your network to a shared drive, PC or business application. With built-in software for optical character recognition (OCR), you can even transform hardcopy text into editable form – a useful tool that will save you from having to retype text.

Smart supplies

Lexmark hardware and supplies are made for each other. When used together, they ensure optimal performance, protecting the quality of your documents and your device. Lexmark cartridges help protect the environment too. Using Lexmark high-yield toner cartridges conserves resources by reducing the number of cartridges you will use over the life of your printer. Lexmark practices zero landfill for cartridges, reusing or recycling 100% of all returns through the free-of-charge Lexmark Cartridge Collection Program.

Effortless manageability

Take a load off your IT department. These devices are network-ready and very easy to set up. If you have multiple Lexmark devices installed, the Lexmark Universal Driver offers even easier deployment. Once up and running, step-by-step on-screen messaging provides users with clear information. What's more, Lexmark MarkVision Professional software provides simplified remote management and automated tools to keep your workday flowing!

Get exactly the performance you need



Lexmark X264dn

Compact and reliable 4-in-1 MFP for small workgroups

- Print, copy, scan and fax
- Up to 30 ppm print speed
- First page out as fast as 7.5 seconds
- 64MB of RAM standard
- Up to 250-sheet input and singlesheet priority bypass feed
- Ships with 1,500*-page Lexmark Return Program Toner Cartridge
- Choice of replacement toner cartridge yields: 3,500* or 9,000* pages
- Recommended monthly volume: 250 to 4,500 pages



Lexmark X363dn

Fast, versatile 3-in-1 MFP with advanced features

- Print, copy and duplex scan
- Up to 35 ppm print speed
- Up to 50-sheet multipurpose feeder
- 128MB of RAM standard
- Ships with 3,000*-page Lexmark Return Program Toner Cartridge
- Choice of replacement toner cartridge yields: 3,500* or 9,000* pages
- Recommended monthly volume: 750 to 5,000 pages



Lexmark X364dn

Fast, versatile 4-in-1 MFP with advanced features

- Print, copy, duplex scan and high-speed fax
- Wireless-ready model available: Lexmark X364dw

Product specifications

Lexmark X264dn & X360 Series

	Lexmark X264dn	Lexmark X363dn	Lexmark X364dn
Printing			
Print Technology		Monochrome Laser	
Print Speed (Letter, Black): Up to	30 ppm	35 ppm	35 ppm
Time to First Page (Black)	As fast as 7.5 seconds	As fast as 7 seconds	As fast as 7 seconds
Print Resolution, Black	1200 lma;	ge Quality, 1200 x 1200 dpi, 2400 Image Quality, 600	x 600 dpi
Memory, Standard	64 MB	128 MB	128 MB
Memory, Maximum	64 MB	128 MB	128 MB
Print Noise Level, Operating		54 dBA	
Noise Level, Idle	27 dBA		
Maximum Monthly Duty Cycle: Up to	50000 pages per month	80000 pages per month	80000 pages per month
Recommended Monthly Page Volume			
	250 - 4500 pages	750 - 5000 pages	750 - 5000 pages
Supplies Supplies Yield (*Average standard page yield value declared in accordance with ISO/IEC 19752.)	9,000*-page High Yield Toner Cartridge, 3,500*-page Toner Cartridge		
Cartridge(s) Shipping with Product	1,500*-page Starter Return Program Toner	3,000*-page Starter Return Program Toner	3,000*-page Starter Return Program Toner
2 (4)PF0	Cartridge	Cartridge	Cartridge
Copying	Callego		
Copy Speed (Letter, Black): Up to	20 0000	05 0000	05 0000
	30 cpm	35 cpm	35 cpm
ADF Scan	Simplex	RADF (reversing Duplex)	RADF (reversing Duplex)
Scanning Resolution	600 X 600 dpi (black)		
Reduce / Enlarge Range	25 - 400 %		
Faxing			
Modem Speed	33.6 Kbps		33.6 Kbps
Paper Handling			·
Paper Handling Standard	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, Single Sheet Manual Feed, 250-Sheet Input Tray	150-Sheet Output Bin, Integrated Duplex, Single Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder	150-Sheet Output Bin, Integrated Duplex, Singli Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multipurpose Feeder
Paper Handling Optional	550-Sheet Dra	awer, Only one drawer may be installed at a time, 250	Sheet Drawer
Paper Input Capacity, Standard: Up to	250+1 pages 20 lb or 75 gsm bond	300 pages 20 lb or 75 gsm bond	300 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum: Up to	800+1 pages 20 lb or 75 gsm bond	850 pages 20 lb or 75 gsm bond	850 pages 20 lb or 75 gsm bond
Paper Output Capacity, Standard: Up to	Total pages as in the games and	150 pages 20 lb or 75 gsm bond	
Paper Output Capacity, Maximum: Up to		150 pages 20 lb or 75 gsm bond	
ADF Paper Input Capacity : Up to			
	50 pages 20 lb or 75 gsm bond		
Media Types Supported Media Sizes Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, A6 Card, Executive, Folio, JIS-B5, Legal, Letter, Statement, Unisal, Oficio		
			cutive, Folio, JIS-B5, Legal, Letter, Statement, Univ
Compatibility Network Protocol Support	TCP/IP IPv4, TCP/IP IPv6, TCP, UDP		
	TCP/IP IPv4, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal	sal, Oficio	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UE
Network Protocol Support		sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal	
Network Protocol Support	PCL 5e Emulation, PCL 6 Emulation, Personal	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDPCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3
Network Protocol Support Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnir	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UE PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specificatio (Type A) ervices, Server 2003 x64, Server 2003 x64 running
Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnir	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Server 2008 x64, Server 2008 running Terminal Serv	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UE PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specificatio (Type A) ervices, Server 2003 x64, Server 2003 x64 runnin
Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnir	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Ser	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UI PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specificatio (Type A) ervices, Server 2003 x64, Server 2003 x64 runnir
Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Server 2008 x64, Server 2008 running Terminal Server 2008 running Terminal Server 2008 x64, Server 2008 running Terminal Server 2008 running Termin	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UI PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specificatio (Type A) ervices, Server 2003 x64, Server 2003 x64 runnin ces, Server 2008 x64 running Terminal Services
Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General Function	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnir	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Server 2008 x64, Server 2008 running Terminal Services, 2000 Server Running Terminal	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UI PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethemet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specificatio (Type A) ervices, Server 2003 x64, Server 2003 x64 runnin
Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General Function Product Warranty	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Server 2008 x64, Server 2008 running Terminal Services, 2000 Server Running Terminal Services Service, Mac OS 9.x	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UI PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specificatio (Type A) ervices, Server 2003 x64, Server 2003 x64 runnin ces, Server 2008 x64 running Terminal Services
Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General Function Product Warranty Product Certifications	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008, Copying, Faxing, Network Scanning, Printing	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Server 2008 x64, Server 2008 running Terminal Server 2008 x64, Server 2008 running Terminal Server 2008, X (10.2 or later), Mac OS 9.x Copying, Network Scanning, Printing 1-Year Onsite Service, Next Business Day www.lexmark.com	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, Uf PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specificatio (Type A) envices, Server 2003 x64, Server 2003 x64 runnin ces, Server 2008 x64 running Terminal Services Copying, Faxing, Network Scanning, Printing
Network Protocol Support Printer Languages (Standard) Standard Ports Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported General Function Product Warranty	PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B) 2000, XP, Server 2003, XP x64, Server 2003 runnir Terminal Services, Vista, Vista x64, Server 2008,	sal, Oficio TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UDP PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specification (Type A) ng Terminal Services, 2000 Server running Terminal Server 2008 x64, Server 2008 running Terminal Services, 2000 Server Running Terminal Services Service, Mac OS 9.x	TCP/IP IPv4, AppleTalk™, TCP/IP IPv6, TCP, UI PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.6 Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified (Type B), Front USB port Compatible with USB 2.0 Specificatio (Type A) ervices, Server 2003 x64, Server 2003 x64 runnin ces, Server 2008 x64 running Terminal Services

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.


Recommended Monthly Page Volume

-Recommended Monthly Page Volume- is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademarks
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USS-IF logos are trademarks of Universal Serial Bus implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark X264dn & X360 Series

Lexmark X264dn



Part #	Model		
13B0500	Lexmark X264dn		
Part #	Laser Toner/Print Cartridge		
X264H11G X264A11G X264H21G X264A21G E260X22G	X264, X363, X364 High Yield Return Program Toner Cartridge X264, X363, X364 Return Program Toner Cartridge X264, X363, X364 High Yield Toner Cartridge X264, X363, X364 Toner Cartridge E260, E360, E460 Photoconductor Kit		
Part #	Paper & Transparencies		
70X7240	Laser Printer Transparencies (Letter)		
Part #	Paper Handling		
34S0550 34S0250	550-Sheet Drawer 250-Sheet Drawer		
Part #	Memory Options		
1021209	64MB Flash Card		
Part #	Connectivity		
1021294 14T0145 14T0220 14T0230 14T0030	USB (2 Meter) Cable Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server MarkNet™ N7000e Fast Ethernet Print Server - USB Lexmark N4000e for Ethernet 10/100Base1X		
Part #	Extended Warranties		
2350932 2350933 2350936	2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day		
Part #	User Replaceable Parts		
40X5535 40X5472 40X5471	ADF Flatbed Cushion ADF Separator Pad ADF Separator Roll		

Lexmark X363dn


Laser Toner/Print Cartridge

Part # 13B0501

Part #

Lexmark X264dn Multifunction Laser Printer, up to 1,500 pages* starter Return Program Cartridge, Photoconductor Kit, software and documentation CD, setup guide or sheet (network and local attachment), power cord(s), RJ-11 phone cable or adapter (country dependent), Statement of Limited Warranty, operator panel language overlay, safety sheet or booklet, Lexmark Cartridge Collection Program information

Lexmark X363dn



X264, X363, X364 High Yield Return Program Toner Cartridge X264, X363, X364 Return Program Toner Cartridge X264, X363, X364 High Yield Toner Cartridge X264, X363, X364 Toner Cartridge E260X22G E260, E360, E460 Photoconductor Kit Paper & Transparencies 70X7240 Laser Printer Transparencies (Letter) Paper Handling 550-Sheet Drawe 34S0250 250-Sheet Drawer **Memory Options** 64MB Flash Card 1021209 Connectivity USB (Z Meter) Cable
Lexmark N4050e 802.11g Wireless Print Server
MarkNet™ N7020e Glgabit Ethernet Print Server
MarkNet™ N7000e Fast Ethernet Print Server - USB
Lexmark N4000e for Ethernet Print Server - USB 1021294 14T0145 14T0220 14T0230 14T0030 **Extended Warranties** Part # 2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day 2350974 2350975 2350978 Part # **User Replaceable Parts** ADF Flatbed Cushion ADF Separator Pad ADF Separator Roll

Paper Handling Optional

Other models available

13B0502 - Lexmark X364dn: Lexmark X363dn + fax

13B0503 - Lexmark X364dw: Lexmark X364dn + built-in wireless

Lexmark X363dn Multifunction Laser Printer, up to 3,000 pages* starter Return Program Cartridge, Photoconductor Kit, software and documentation CD, setup guide or sheet (network and local attachment), power cord(s), Statement of Limited Warranty, operator panel language overlay, safety sheet or booklet. Lexmark Cartridge Collection Program information

At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. For greater level of peace of mind, you can opt for one of our Lexmark service offerings detailed on www.lexmark.com/services



Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy. Reduce, Recover, Reuse and Recycle. To learn more about these programs

Cost-saving and environmental features

- Energy Star compliant
- Instant warm-up fuser reduces power consumption - Duplex printing, multi-up and support of recycled paper help reduce paper consumption
- Eco-Mode reduces power consumption and Quiet-Mode reduces noise



