

**SONY®**

# KD-30/34/36XS955

30" FD Trinitron® WEGA® Hi-Scan® TV




**SUPER FINE PITCH**

**CineMotion**  
reverse 3-2 pull down technology

**MEMORY STICK**

**DRC**  
Digital Reality Creation

- Super Fine Pitch CRT
- Hi-Scan 1080i™ Display
- ATSC Integrated Tuner and Digital Cable Ready with CableCARD™ Slot
- DRC™ Digital Reality Creation™ MultiFunction circuitry
- Cinemotion™ Reverse 3-2 Pulldown Technology
- HD Detailer™ Wideband Video Amp
- ClearEdge VM™ (Wideband Velocity Modulation Scanning)
- Memory Stick® Media\* Enhanced Playback (JPEG,MPEG1,MP3)
- HDMI/HDCP Interface



**SuperFine Pitch** provides better image detail with high definition sources. The Aperture Grill was improved by making the vertical slits a finer pitch that increases the number of slits by up to 65%(16 x 9 base). Also improved were the High Precision Deflection Yoke, Fine Focus Electron Gun and the inclusion of higher intensity Luminescent Phosphors. The result is a more detailed image for both moving and still images, higher resolution picture quality, and better edge detail.

# KD-30/34/36XS955

## 30" FD Trinitron® WEGA® Hi-Scan® TV

### Features

#### Video

- Dynamic Focus™ Circuitry
- Dynamic Picture™ Circuitry
- Trinitone® Color Temperature
- ClearEdge VM™ (Wideband Velocity Modulation Scanning)
- Vertical Aperture Compensation
- Vertical Center Adjustment
- 3 D Digital Comb Filter
- Wide Modes:  
(Normal/Full/Zoom/Wide Zoom)
- Auto Pedestal Clamp
- Auto White Balance
- High Voltage Regulator
- HD Detailer™ Wideband Video Amplifier
- NTSC Color System
- ID1 Detection
- Magnetic Quadruple Pole
- Tilt Correction
- Vertical Correction
- Vertical Size Adjustment

#### Audio

- TruSurround® SRS® Audio (7.5W x 2 With 15W Sub)
- Steady Sound® Automatic Volume Control With BBE® Audio Effect
- Auto Mute Tuner
- Auto SAP
- Audio Output (Variable/Fixed)

#### Convenience

- Auto Channel Program
- Caption Vision (CC)
- Channel Fix
- Channel Skip/Add
- Video Label
- V Chip Parental Control
- Speed Surf™ Channel Selection
- Sleep Timer Function
- Tilt Correction
- Program Palette™  
(Vivid/Movie/Standard/Sports) presets
- On Screen Display  
(English/Spanish/French)
- Channel Jump
- Front Button Menu Control
- Favorite Channel
- Energy Star® Compliant
- Clock/Timer Two Event
- Antenna Level for DTV
- PSIP Program Information
- DTV Auto Add

### General

- Power Requirements AC 120V 60Hz

### Tuner

- 8 VSB
- ATSC, NTSC
- Clear QAM
- Digital Cable

### Inputs and Outputs

- Component Video Input (Y/PB/PR) 2 Rear
- Composite Input 1 Front/3 Rear
- S-Video Input (With Detection): 1 Front/2 Rear
- Control S 1 Rear
- HDMI 1 rear

### Supplied Accessories

- Remote Control (RM-Y200)
- AA Battery (2)
- Instruction Manual

### Weights & Measures

- KD-30XS955: 154 lbs (69.8kg)
- KD-34XS955: 198 lbs (89.8kg)
- KD-36XS955: 234 lbs 6 oz (106.3kg)
- KD-30XS955: 35 3/8" x 23 3/4" x 22 1/4" (898 x 604 x 564.5mm)
- KD-34XS955: 39 1/8" x 25 3/4" x 23 3/4" (994 x 654 x 604mm)
- KD-36XS955: 39 1/8" x 30 5/8" x 25" (994 x 776.5 x 634mm)

### UPC Codes

- KD-30XS955: 0272426451030
- KD-34XS955: 0272426451890
- KD-36XS955: 0272426452400

©2004 Sony Electronics Inc. All rights reserved. Features and specifications are subject to change without notice. All trademarks referenced herein are trademarks of Sony or their respective owners.

\*All Sony digital still cameras and camcorders except models DSCD-700, DSCD-770, DCR-TRV900 and DSR-PD100A store images on a Memory Stick in the DCF file format, which is required for playback on these projectors. If the image file is renamed or manipulated, the DCF file format must be restored before playback is possible. Images captured on all other digital still cameras and camcorders will need to be formatted on a PC to the DCF file format (with third party software not supplied with the projector) before they can be viewed.

# SONY®

Sony Electronics Inc.  
1 Sony Drive  
Park Ridge, NJ 07656

For more information:

<http://www.sony.com/dn>

### Specifications