

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Let's make things better.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Juntos hacemos tu vida mejor.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Let's make things better.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 14PT1563)
- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- Scart
- 24 Hours on/off timer
- Sharpness Control
- Teletext (only for 14PT1563)
- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Colour Television

14PT1363

14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*



Remote control unit varies with model



Juntos hacemos tu vida mejor.



PHILIPS

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

- Release date : March 1998
- Predecessor(s) : 14PT1332/14PT1532
- Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice

Product highlights

- **Scart**
To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- **24 Hours on/off timer**
The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- **Sharpness Control**
8 steps Sharpness control for images with better details.
- **Teletext**
Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- Headphone socket
- 70 Pre-selections
- Autostore
- Handle and light weight for easy portability
- Automatic switch-off
- Powerful portable aerial with high selectivity
- Low standby power 5 watts
- Remote control for installation and operation
- Menu driven operation
- Multistandard Reception Optional
- Hyperband Reception Optional

Technical specifications

Chassis

- Type : L6

Picture

- Screen Diameter : 14"
- Visual Screen : 34 cm

Sound

- RMS output : 3W
- Loudspeakers : 3" full range side firing

Operation

- Remote control : RC8201 (14PT1363)
RC8205 (14PT1563)
- Settings via OSD of : Volume
Brightness
Contrast
Colour
Sharpness
Timer
- Timer : 24 Hours on/off
- Programs : 70 pre-selections

Teletext

- Reception standards : WST
- Memories : 1-page
/00, /01, /05, /07, /11 Western Eur. TXT
/43 Greek+Turkish TXT
/58 East.Eur. Teletext
/60 Cyrillic TXT

Reception

- Tuning system : 70 fold VST
- Transmission system :
/00, /11 PAL B/G
/01 PAL BG
SECAM LL'
/43, /58, /60 PAL BG DK
SECAM BG DK
PAL I
- Channel selections :
/00 VHF, UHF, S
/01, /07, /11, /43, /58/60 VHF, UHF, S, H
/05 UHF

Connections

- Rear : Euro A/V connector (Cenelec Specified)
- Aerial input : 75 Ohm (Coax)
- Front : Headphone (3.5 mm jack)

Miscellaneous

- Mains : AC220-240V \pm 10%
- Power consumption : 34W
- Auto stand-by power : 5W
- Weight (excl. pack.) : 9.0 kg
- Weight (incl. pack.) : 10.9 kg
- Dimensions:
- TV (wxhxd) : 38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd) : 49.5 x 46.4 x 47.6 cm

- Cabinet Colour : Mid Grey 10763



RC 8201



RC 8205

Release date : March 1998
Predecessor(s) : 14PT1332/14PT1532
Date of issue : January 1998

Features and specifications subject to change without notice



VIS_RC8205_FR1.EPS



VIS_RC8201_F3.EPS



VIS_RC8201_FR3.EPS



14PT1563_FTL1.EPS