

Colour Television
17PT1564

Product highlights

- Contrast Plus
- Front Connectors
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- 10 page TOP/FLOF SmarText (Favourite Pages)



Plug & Play



Smart  



SMART
    



Remote control unit varies with model



Let's make things better.



PHILIPS

Colour Television
17PT1564

Product highlights

- *Contrast Plus*
- *Front Connectors*
- *Smart Picture*
- *Smart Sound*
- *Plug & Play Installation*
- *Smart Lock*
- *Easy Tune (ATS/ACI) (optional)*
- *10 page TOP/FLOF SmarText (Favourite Pages)*



Plug & Play



Smart  



SMART
    



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Colour Television
17PT1564

Product highlights

- Contrast Plus
- Front Connectors
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- 10 page TOP/FLOF SmarText (Favourite Pages)



Plug & Play



Smart



SMART



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Colour Television
17PT1564

Product highlights

- Contrast Plus
- Front Connectors
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- 10 page TOP/FLOF SmarText (Favourite Pages)



Plug & Play



Smart  



SMART
    



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Colour Television
17PT1564

Product highlights

- Contrast Plus
- Front Connectors
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- 10 page TOP/FLOF SmarText (Favourite Pages)



Plug & Play



Smart  



SMART
    



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Colour Television

17PT1564

Product highlights

- Contrast Plus
- Front Connectors
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- 10 page TOP/FLOF SmarText (Favourite Pages)



Plug & Play



Smart  



SMART
    



Remote control unit varies with model



Juntos hacemos tu vida mejor.



PHILIPS

Product Information

Picture

Screen size	17" (43 cm)
Picture tube	17" Black Matrix
Viewing area	41 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 4 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal

Smart Listening (Delta Volume)

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Headphone out (3.5 mm)
	Video CVBS In + Audio mono In
Cinch	
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RCL9EA
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	50 W
	10 Watts (Standby)
Net weight	14 kg (approx.)
Gross weight	18 kg (approx.)
Set dimension	420 x 400 x 380 (W x D x H mm)
Box dimension	530 x 515 x 460 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

SmartText

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

Easy Tune (ATS/ACI)

A no fuss and easy way to install and store channels in any favorite order

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
17PT1564	/00	•						•	
17PT1564	/01	•		•			•	•	
17PT1564	/05			•				•	
17PT1564	/58	•	•		•	•			

Predecessor	: 17PT1563
Chassis	: L9SS
Release date (TTM)	: August 1999
Reference	: Basic/EU/PH/GR440/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen size	17" (43 cm)
Picture tube	17" Black Matrix
Viewing area	41 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 4 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Smart Listening (Delta Volume)	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Headphone out (3.5 mm)
	Video CVBS In + Audio mono In
Cinch	
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RCL9EA
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	50 W
	10 Watts (Standby)
Net weight	14 kg (approx.)
Gross weight	18 kg (approx.)
Set dimension	420 x 400 x 380 (W x D x H mm)
Box dimension	530 x 515 x 460 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

SmartText

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

Easy Tune (ATS/ACI)

A no fuss and easy way to install and store channels in any favorite order

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
17PT1564	/00	•						•	
17PT1564	/01	•		•			•	•	
17PT1564	/05			•				•	
17PT1564	/58	•	•		•	•			

Predecessor	: 17PT1563
Chassis	: L9SS
Release date (TTM)	: August 1999
Reference	: Basic/EU/PH/GR440/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen size	17" (43 cm)
Picture tube	17" Black Matrix
Viewing area	41 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 4 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Smart Listening (Delta Volume)	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI) (Optional)	See table

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Headphone out (3.5 mm)
	Video CVBS In + Audio mono In
Cinch	
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RCL9EA
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	50 W
	10 Watts (Standby)
Net weight	14 kg (approx.)
Gross weight	18 kg (approx.)
Set dimension	420 x 400 x 380 (W x D x H mm)
Box dimension	530 x 515 x 460 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

SmartText

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

Easy Tune (ATS/ACI)

A no fuss and easy way to install and store channels in any favorite order

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
17PT1564	/00	•						•	
17PT1564	/01	•		•			•	•	
17PT1564	/05			•				•	
17PT1564	/58	•	•		•	•			

Predecessor	: 17PT1563
Chassis	: L9SS
Release date (TTM)	: August 1999
Reference	: Basic/EU/PH/GR440/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen size	17" (43 cm)
Picture tube	17" Black Matrix
Viewing area	41 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 4 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Smart Listening (Delta Volume)	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Headphone out (3.5 mm)
	Video CVBS In + Audio mono In
Cinch	
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RCL9EA
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	50 W
	10 Watts (Standby)
Net weight	14 kg (approx.)
Gross weight	18 kg (approx.)
Set dimension	420 x 400 x 380 (W x D x H mm)
Box dimension	530 x 515 x 460 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

SmartText

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

Easy Tune (ATS/ACI)

A no fuss and easy way to install and store channels in any favorite order

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
17PT1564	/00	•						•	
17PT1564	/01	•		•			•	•	
17PT1564	/05			•				•	
17PT1564	/58	•	•		•	•			

Predecessor	: 17PT1563
Chassis	: L9SS
Release date (TTM)	: August 1999
Reference	: Basic/EU/PH/GR440/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen size	17" (43 cm)
Picture tube	17" Black Matrix
Viewing area	41 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 4 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Smart Listening (Delta Volume)	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI) (Optional)	See table

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Headphone out (3.5 mm)
	Video CVBS In + Audio mono In
Cinch	
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RCL9EA
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	50 W
	10 Watts (Standby)
Net weight	14 kg (approx.)
Gross weight	18 kg (approx.)
Set dimension	420 x 400 x 380 (W x D x H mm)
Box dimension	530 x 515 x 460 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

SmartText

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

Easy Tune (ATS/ACI)

A no fuss and easy way to install and store channels in any favorite order

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
17PT1564	/00	•						•	
17PT1564	/01	•		•			•	•	
17PT1564	/05			•				•	
17PT1564	/58	•	•		•	•			

Predecessor	: 17PT1563
Chassis	: L9SS
Release date (TTM)	: August 1999
Reference	: Basic/EU/PH/GR440/0898

Features and specifications subject to change without notice

Product Information

Picture

Screen size	17" (43 cm)
Picture tube	17" Black Matrix
Viewing area	41 cm
Iron Mask	
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	1 x 4 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal
Smart Listening (Delta Volume)	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Headphone out (3.5 mm)
	Video CVBS In + Audio mono In
Cinch	
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RCL9EA
No. of RC buttons	39 buttons
Multi language on-screen display	
Cursor Control	
Program Information Line	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	50 W
	10 Watts (Standby)
Net weight	14 kg (approx.)
Gross weight	18 kg (approx.)
Set dimension	420 x 400 x 380 (W x D x H mm)
Box dimension	530 x 515 x 460 (W x D x H mm)

Product Highlights

Black Matrix picture tube

The Black Matrix picture tube improves the contrast of images even when viewing in daylight conditions.

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

SmartText

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

Easy Tune (ATS/ACI)

A no fuss and easy way to install and store channels in any favorite order

Sleeptimer

The Sleeptimer automatically turns the TV off at a preset time of up to 240 minutes from the time the feature is activated. Sleeptimer settings are programmed in 15, 30 and 60-minute increments.

version		transmission system						ATS/ACI	stand supplied in the box
		PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
17PT1564	/00	•						•	
17PT1564	/01	•		•			•	•	
17PT1564	/05			•				•	
17PT1564	/58	•	•		•	•			

Predecessor	: 17PT1563
Chassis	: L9SS
Release date (TTM)	: August 1999
Reference	: Basic/EU/PH/GR440/0898

Features and specifications subject to change without notice



VIS_RCL9EA_FR1.EPS