

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- Black Line picture tube
- Contrast Plus
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- NICAM reception
- 10 page TOP/FLOF SmarText (Favorite Pages)

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model

Let's make things better.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- Black Line picture tube
- Contrast Plus
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- NICAM reception
- 10 page TOP/FLOF SmarText (Favorite Pages)

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- Black Line picture tube
- Contrast Plus
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- NICAM reception
- 10 page TOP/FLOF SmarText (Favorite Pages)

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- Black Line picture tube
- Contrast Plus
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- NICAM reception
- 10 page TOP/FLOF SmarText (Favorite Pages)

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- Black Line picture tube
- Contrast Plus
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- NICAM reception
- 10 page TOP/FLOF SmarText (Favorite Pages)

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- Black Line picture tube
- Contrast Plus
- Smart Picture
- Smart Sound
- Plug & Play Installation
- Smart Lock
- Easy Tune (ATS/ACI) (optional)
- NICAM reception
- 10 page TOP/FLOF SmarText (Favorite Pages)

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Juntos hacemos tu vida mejor.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- *Black Line* picture tube
- *Contrast Plus*
- *Smart Picture*
- *Smart Sound*
- *Plug & Play Installation*
- *Smart Lock*
- *Easy Tune (ATS/ACI) (optional)*
- *NICAM reception*
- *10 page TOP/FLOF SmarText (Favorite Pages)*

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Let's make things better.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- *Black Line picture tube*
- *Contrast Plus*
- *Smart Picture*
- *Smart Sound*
- *Plug & Play Installation*
- *Smart Lock*
- *Easy Tune (ATS/ACI) (optional)*
- *NICAM reception*
- *10 page TOP/FLOF SmarText (Favorite Pages)*

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Faisons toujours mieux.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- *Black Line* picture tube
- *Contrast Plus*
- *Smart Picture*
- *Smart Sound*
- *Plug & Play Installation*
- *Smart Lock*
- *Easy Tune (ATS/ACI) (optional)*
- *NICAM reception*
- *10 page TOP/FLOF SmarText (Favorite Pages)*

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



As κάνουμε τον κόσμο μας καλύτερο.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- *Black Line* picture tube
- *Contrast Plus*
- *Smart Picture*
- *Smart Sound*
- *Plug & Play Installation*
- *Smart Lock*
- *Easy Tune (ATS/ACI) (optional)*
- *NICAM reception*
- *10 page TOP/FLOF SmarText (Favorite Pages)*

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Miglioriamo il tuo mondo.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- *Black Line* picture tube
- *Contrast Plus*
- *Smart Picture*
- *Smart Sound*
- *Plug & Play* Installation
- *Smart Lock*
- *Easy Tune* (ATS/ACI) (optional)
- *NICAM* reception
- *10 page TOP/FLOF SmarText* (Favorite Pages)

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Por si fazemos melhor.



PHILIPS

Colour Television

21PT2264

21PT2284

NICAM

Product highlights

- *Black Line picture tube*
- *Contrast Plus*
- *Smart Picture*
- *Smart Sound*
- *Plug & Play Installation*
- *Smart Lock*
- *Easy Tune (ATS/ACI) (optional)*
- *NICAM reception*
- *10 page TOP/FLOF SmarText (Favorite Pages)*

Black Line



Plug & Play



Smart



SMART



Remote control unit varies with model



Juntos hacemos tu vida mejor.



PHILIPS

Product Information

Picture

Screen size	21" (62 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal

NICAM Stereo
Smart Listening (Delta Volume & AVL)
Bilingual switch on remote control

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
	Video CVBS in + Audio Stereo in
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RC 2525/01
No. of RC buttons	39 buttons
Side TV / VCR switch on remote control	
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	19.5 kg (approx.)
Gross weight	23 kg (approx.)
Set dimension	549 x 495 x 468 (W x D x H mm)
Box dimension	647 x 568 x 586 (W x D x H mm)
Box dimension incl. stand	647x 651 x 586 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

SmartText (Favorite Pages)

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

version		stereo system						transmission system						ATS/ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT2264	/00			•	•			•						•	

Predecessor	:
Chassis	: L9LS
Release date (TTM)	: August 1999
Reference	:

Features and specifications subject to change without notice

Let's make things better.



PHILIPS

Product Information

Picture

Screen size	21" (62 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal

NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
	Video CVBS in + Audio Stereo in
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RC 2525/01
No. of RC buttons	39 buttons
Side TV / VCR switch on remote control	
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	19.5 kg (approx.)
Gross weight	23 kg (approx.)
Set dimension	549 x 495 x 468 (W x D x H mm)
Box dimension	647 x 568 x 586 (W x D x H mm)
Box dimension incl. stand	647x 651 x 586 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

SmartText (Favorite Pages)

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

version		stereo system						transmission system						ATS/ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT2264	/00			•	•			•						•	

Predecessor	:
Chassis	: L9LS
Release date (TTM)	: August 1999
Reference	:

Features and specifications subject to change without notice

Product Information

Picture

Screen size	21" (62 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal

NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
	Video CVBS in + Audio Stereo in
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RC 2525/01
No. of RC buttons	39 buttons
Side TV / VCR switch on remote control	
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	19.5 kg (approx.)
Gross weight	23 kg (approx.)
Set dimension	549 x 495 x 468 (W x D x H mm)
Box dimension	647 x 568 x 586 (W x D x H mm)
Box dimension incl. stand	647x 651 x 586 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

SmartText (Favorite Pages)

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

version		stereo system						transmission system						ATS/ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT2264	/00			•	•			•						•	

Predecessor	:
Chassis	: L9LS
Release date (TTM)	: August 1999
Reference	:

Features and specifications subject to change without notice

Product Information

Picture

Screen size	21" (62 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal

NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
	Video CVBS in + Audio Stereo in
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RC 2525/01
No. of RC buttons	39 buttons
Side TV / VCR switch on remote control	
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	19.5 kg (approx.)
Gross weight	23 kg (approx.)
Set dimension	549 x 495 x 468 (W x D x H mm)
Box dimension	647 x 568 x 586 (W x D x H mm)
Box dimension incl. stand	647x 651 x 586 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

SmartText (Favorite Pages)

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

version		stereo system						transmission system						ATS/ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT2264	/00			•	•			•						•	

Predecessor	:
Chassis	: L9LS
Release date (TTM)	: August 1999
Reference	:

Features and specifications subject to change without notice

Product Information

Picture

Screen size	21" (62 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal

NICAM Stereo	
Smart Listening (Delta Volume & AVL)	
Bilingual switch on remote control	

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmartText (4 Favorite Pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
	Video CVBS in + Audio Stereo in
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RC 2525/01
No. of RC buttons	39 buttons
Side TV / VCR switch on remote control	
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	19.5 kg (approx.)
Gross weight	23 kg (approx.)
Set dimension	549 x 495 x 468 (W x D x H mm)
Box dimension	647 x 568 x 586 (W x D x H mm)
Box dimension incl. stand	647x 651 x 586 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

SmartText (Favorite Pages)

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

version		stereo system						transmission system						ATS/ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT2264	/00			•	•			•						•	

Predecessor	:
Chassis	: L9LS
Release date (TTM)	: August 1999
Reference	:

Features and specifications subject to change without notice

Product Information

Picture

Screen size	21" (62 cm)
Picture tube	21" Black Line
Viewing area	50 cm
Smart Picture Modes	Soft, Natural, Rich, Personal

Contrast Plus	
Sharpness Control	
Color Temperature Control	
Noise Reduction	

Sound

Sound output	2 x 3 Watts RMS
Loudspeakers	Full Range Speakers
Smart Sound Modes	Movie, Music, Speech, Personal

NICAM Stereo
Smart Listening (Delta Volume & AVL)
Bilingual switch on remote control

Reception

Tuning system	PLL digital tuning
Tuner	UV, S and Hyperband
Channel selection	100 presets
Aerial input	75 Ohm Coaxial
TV systems	See table
Video playback	NTSC 3.58 / 4.43
Stereo systems	See table
Plug and Play installation	
Easy Tune (ATS / ACI)	See table
(Optional)	

Teletext

Reception standards	TOP / FLOF
10 page memory	
SmarText (4 Favorite Pages)	

Connectors

Front	Stereo headphone out (3.5 mm)
	Video CVBS in + Audio Stereo in
Rear	Ext 1: Scart CVBS In / Out + RGB In

Operation

Remote control	RC 2525/01
No. of RC buttons	39 buttons
Side TV / VCR switch on remote control	
Multi language on-screen display	
Cursor Control	
Program Information Line	
Alternate Channel Selection	
Smart Lock	
Sleeptimer (240 minutes)	
Smart Clock	
Wake-up Clock	

Measurements

Mains	220 - 240V, 50 Hz
Power consumption	63 Watts
	10 Watts (Standby)
Net weight	19.5 kg (approx.)
Gross weight	23 kg (approx.)
Set dimension	549 x 495 x 468 (W x D x H mm)
Box dimension	647 x 568 x 586 (W x D x H mm)
Box dimension incl. stand	647x 651 x 586 (W x D x H mm)
Cabinet Colour	Light Grey

Product Highlights

Contrast Plus

A special circuitry has been incorporated into this receiver to enhance the darker portions of the picture for added realism and overall picture quality.

Smart Picture

A touch of the SMART PICTURE button on the remote control provides the option of selecting one of four preset positions (Soft, Natural, Rich, Personal) to enjoy excellent viewing under different lighting conditions. Select the desired option and all important picture elements are instantly adjusted to optimize viewing pleasure. 'Rich' for bright daylight conditions, 'Soft' for dark room settings, 'Natural' for normal ambient conditions and 'Personal' for individual preference.

Smart Sound

A touch of the SMART SOUND button on the remote control provides the option of selecting one of four preset positions (Movie, Music, Speech, Personal) to optimize each individual sound preference when viewing different programs or sources.

Easy Tune (ATS / ACI)

A no fuss and easy way to install and store channels in any favorite order.

SmarText (Favorite Pages)

A touch of any one of the four colored teletext buttons on the remote control recalls instantly the desired favorite teletext page. Simply program four favorite teletext page numbers into the four teletext colored buttons for quick access.

version		stereo system						transmission system						ATS/ACI	stand supplied in the box
		2CS DK	NICAM DK	2CS BG	NICAM BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'		
21PT2264	/00			•	•			•						•	

Predecessor	:
Chassis	: L9LS
Release date (TTM)	: August 1999
Reference	:

Features and specifications subject to change without notice



VIS_RC2525_FT1.EPS