



Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



DOLBY SURROUND
PRO LOGIC

digital SOURCE
PREPARED



Let's make things better.



PHILIPS

MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



DOLBY SURROUND
PRO LOGIC

digital SOURCE
PREPARED



Faisons toujours mieux.



PHILIPS

MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



DOLBY SURROUND
PRO LOGIC

digital SOURCE
PREPARED



MATCH  **LINE**

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



DOLBY SURROUND
PRO LOGIC

digital SOURCE
PREPARED



Miglioriamo il tuo mondo.



PHILIPS



Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



DOLBY SURROUND
PRO LOGIC

digital SOURCE
PREPARED



Por si fazemos melhor.



PHILIPS



Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



DIGITAL
NATURAL MOTION



DIGITAL
CRYSTALCLEAR



DOLBY SURROUND
PRO LOGIC

digital SOURCE
PREPARED






Colour Television

29PT9415

NICAM

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



Let's make things better.



PHILIPS

MATCH  **LINE**


Colour Television

29PT9415

NICAM

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



Faisons toujours mieux.



PHILIPS

MATCH  **LINE**

Colour Television

29PT9415

NICAM

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



MATCH  **LINE**

Colour Television

29PT9415

NICAM

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



Miglioriamo il tuo mondo.



PHILIPS

MATCH  **LINE**


Colour Television

29PT9415

NICAM

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



Por si fazemos melhor.



PHILIPS

MATCH  **LINE**

Colour Television

29PT9415

NICAM

Product highlights

- 100Hz Digital Scan with Digital Natural Motion
- Digital CrystalClear with Dynamic Contrast and LTP2
- Dolby Pro Logic surround
- Full Multiscreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- Improved Graphical User Interface
- Zoom 16x



Juntos hacemos tu vida mejor.



PHILIPS

Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction.
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Dolby Pro logic surround**
For lifelike sound experience, including 3D surround
- **NEXTVIEW Program Guide** (type 3)
Direct access of program info of all channels (1week) and automatic programming of VCR.
- **Full Multiscreen with 2nd tuner and replay function.** Offers 2nd tuner PIP, or active mosaic with up to 16 multiscreens.

- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**
Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Improved Graphical User interface** Easy menu control of all functions
- **Active subwoofer and full digital sound processing**
- **Zoom 16x**

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 150W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers + 2 Surround speakers
- Independent headphone volume control

Technical specifications

Chassis

- Type: FL7c-look MG

Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability:
100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 150W music output
- NICAM stereo
- Frequency response:
20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
- 2 x Mid-high 2x6"
- 1x subwoofer 5"
- 1x centre speaker 2x6"
- Smart Sound control
- Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Surround sound speakers packed by

Operation

- Easymenu driven installation and operation. Direct acces menu's and cursor control.
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
- TV,VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control


Release date : June 1999
Predecessor(s) : 29PT9413
Date of issue : December 1998

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
- Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Full Multiscreen, second tuner built-in, active moosaic 3, 8, 16 pictures, replay function. Pip size variable 1/4 to 1/32 main screen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
Off-air:
/05, /19, /12, /58
PAL B/G/I +
SECAM B/G/L/L'
SECAM D/K
A/V connections:
PAL B/G
PAL I (UK only)
SECAM B/G
NTSC video play back
- Channel selections: 120 channels
VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Surround sound modes



Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
- Habit watch, preferred page and subcode page lists
- favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
- S-Video in
- video CVBS-in (cinch)
- audio L/R-in (cinch) with automatic mono switching
- headphone jack 3.5mm
- Rear
- Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
- Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
- Euro A/V connector (CVBS-in)
- 2 audio-out (cinch)
- Constant/Variable level
- surround sound out (cinch)
- surround sound out (clickfits 4x)

Miscellaneous

- Ambient temperature : +5/+45 °C
- Mains : AC 220-240V ± 10%
- Power consumption:
<xxxW; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections)
78.1x58.3x50.1



RC 20xx

(drawing not correct at date of printing)

Features and specifications subject to change without notice

Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction.
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Dolby Pro logic surround**
For lifelike sound experience, including 3D surround
- **NEXTVIEW Program Guide** (type 3)
Direct access of program info of all channels (1week) and automatic programming of VCR.
- **Full Multiscreen with 2nd tuner and replay function.** Offers 2nd tuner PIP, or active mosaic with up to 16 multiscreens.

- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**
Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Improved Graphical User interface** Easy menu control of all functions
- **Active subwoofer and full digital sound processing**
- **Zoom 16x**

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 150W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers + 2 Surround speakers
- Independent headphone volume control

Technical specifications

Chassis

- Type: FL7c-look MG

Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability:
100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 150W music output
- NICAM stereo
- Frequency response:
20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
- 2 x Mid-high 2x6"
- 1x subwoofer 5"
- 1x centre speaker 2x6"
- Smart Sound control
- Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Surround sound speakers packed by

Operation

- Easymenu driven installation and operation. Direct acces menu's and cursor control.
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
- TV,VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
- Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Full Multiscreen, second tuner built-in, active moosaic 3, 8, 16 pictures, replay function. Pip size variable 1/4 to 1/32 main screen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
Off-air:
/05, /19, /12, /58
PAL B/G/I +
SECAM B/G/L/L'
SECAM D/K
A/V connections:
PAL B/G
PAL I (UK only)
SECAM B/G
NTSC video play back
- Channel selections: 120 channels
VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
- Habit watch, preferred page and subcode page lists
- favorite pages
- Program independent subtitles

Remote Control

- RC type: RC 20xx
- Touch cursor



Connections

- Front
- S-Video in
- video CVBS-in (cinch)
- audio L/R-in (cinch) with automatic mono switching
- headphone jack 3.5mm
- Rear
- Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
- Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
- Euro A/V connector (CVBS-in)
- 2 audio-out (cinch)
Constant/Variable level
- surround sound out (cinch)
- surround sound out (clickfits 4x)

Miscellaneous

- Ambient temperature : +5/+45 °C
- Mains : AC 220-240V ± 10%
- Power consumption:
<xxxW; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections)
78.1x58.3x50.1

Surround sound modes



RC 20xx

(drawing not correct at date of printing)

Release date : June 1999
Predecessor(s) : 29PT9413
Date of issue : December 1998

Features and specifications subject to change without notice

Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction.
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Dolby Pro logic surround**
For lifelike sound experience, including 3D surround
- **NEXTVIEW Program Guide** (type 3)
Direct access of program info of all channels (1week) and automatic programming of VCR.
- **Full Multiscreen with 2nd tuner and replay function.** Offers 2nd tuner PIP, or active mosaic with up to 16 multiscreens.

- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**
Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Improved Graphical User interface** Easy menu control of all functions
- **Active subwoofer and full digital sound processing**
- **Zoom 16x**

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 150W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers + 2 Surround speakers
- Independent headphone volume control

Technical specifications

Chassis

- Type: FL7c-look MG

Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability:
100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 150W music output
- NICAM stereo
- Frequency response:
20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
- 2 x Mid-high 2x6"
- 1x subwoofer 5"
- 1x centre speaker 2x6"
- Smart Sound control
- Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Surround sound speakers packed by

Operation

- Easymenu driven installation and operation. Direct acces menu's and cursor control.
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
- TV,VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control


Release date : June 1999
Predecessor(s) : 29PT9413
Date of issue : December 1998

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
- Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Full Multiscreen, second tuner built-in, active moosaic 3, 8, 16 pictures, replay function. Pip size variable 1/4 to 1/32 main screen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
Off-air:
/05, /19, /12, /58
PAL B/G/I +
SECAM B/G/L/L'
SECAM D/K
A/V connections:
PAL B/G
PAL I (UK only)
SECAM B/G
NTSC video play back
- Channel selections: 120 channels
VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Surround sound modes



Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
- Habit watch, preferred page and subcode page lists
- favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
- S-Video in
- video CVBS-in (cinch)
- audio L/R-in (cinch) with automatic mono switching
- headphone jack 3.5mm
- Rear
- Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
- Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
- Euro A/V connector (CVBS-in)
- 2 audio-out (cinch)
- Constant/Variable level
- surround sound out (cinch)
- surround sound out (clickfits 4x)

Miscellaneous

- Ambient temperature : +5/+45 °C
- Mains : AC 220-240V ± 10%
- Power consumption:
<xxxW; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections)
78.1x58.3x50.1



RC 20xx

(drawing not correct at date of printing)

Features and specifications subject to change without notice

Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction.
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Dolby Pro logic surround**
For lifelike sound experience, including 3D surround
- **NEXTVIEW Program Guide** (type 3)
Direct access of program info of all channels (1week) and automatic programming of VCR.
- **Full Multiscreen with 2nd tuner and replay function.** Offers 2nd tuner PIP, or active mosaic with up to 16 multiscreens.

- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**
Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Improved Graphical User interface** Easy menu control of all functions
- **Active subwoofer and full digital sound processing**
- **Zoom 16x**

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 150W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers + 2 Surround speakers
- Independent headphone volume control

Technical specifications

Chassis

- Type: FL7c-look MG

Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability:
100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 150W music output
- NICAM stereo
- Frequency response:
20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
- 2 x Mid-high 2x6"
- 1x subwoofer 5"
- 1x centre speaker 2x6"
- Smart Sound control
- Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Surround sound speakers packed by

Operation

- Easymenu driven installation and operation. Direct acces menu's and cursor control.
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
- TV,VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
- Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Full Multiscreen, second tuner built-in, active moosaic 3, 8, 16 pictures, replay function. Pip size variable 1/4 to 1/32 main screen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
Off-air:
/05, /19, /12, /58
PAL B/G/I +
SECAM B/G/L/L'
SECAM D/K
A/V connections:
PAL B/G
PAL I (UK only)
SECAM B/G
NTSC video play back
- Channel selections: 120 channels
VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
- Habit watch, preferred page and subcode page lists
- favorite pages
- Program independent subtitles

Remote Control

- RC type: RC 20xx
- Touch cursor



Connections

- Front
- S-Video in
- video CVBS-in (cinch)
- audio L/R-in (cinch) with automatic mono switching
- headphone jack 3.5mm
- Rear
- Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
- Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
- Euro A/V connector (CVBS-in)
- 2 audio-out (cinch)
- Constant/Variable level
- surround sound out (cinch)
- surround sound out (clickfits 4x)

Miscellaneous

- Ambient temperature : +5/+45 °C
- Mains : AC 220-240V ± 10%
- Power consumption:
<xxxW; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections)
78.1x58.3x50.1

Surround sound modes



RC 20xx

(drawing not correct at date of printing)

Release date : June 1999
Predecessor(s) : 29PT9413
Date of issue : December 1998

Features and specifications subject to change without notice

Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction.
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Dolby Pro logic surround**
For lifelike sound experience, including 3D surround
- **NEXTVIEW Program Guide** (type 3)
Direct access of program info of all channels (1week) and automatic programming of VCR.
- **Full Multiscreen with 2nd tuner and replay function.** Offers 2nd tuner PIP, or active mosaic with up to 16 multiscreens.

- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**
Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Improved Graphical User interface** Easy menu control of all functions
- **Active subwoofer and full digital sound processing**
- **Zoom 16x**

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 150W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers + 2 Surround speakers
- Independent headphone volume control

Technical specifications

Chassis

- Type: FL7c-look MG

Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability:
100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 150W music output
- NICAM stereo
- Frequency response:
20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
- 2 x Mid-high 2x6"
- 1x subwoofer 5"
- 1x centre speaker 2x6"
- Smart Sound control
- Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Surround sound speakers packed by

Operation

- Easymenu driven installation and operation. Direct acces menu's and cursor control.
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
- TV,VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control


Release date : June 1999
Predecessor(s) : 29PT9413
Date of issue : December 1998

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
- Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Full Multiscreen, second tuner built-in, active moosaic 3, 8, 16 pictures, replay function. Pip size variable 1/4 to 1/32 main screen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
Off-air:
/05, /19, /12, /58
PAL B/G/I +
SECAM B/G/L/L'
SECAM D/K
A/V connections:
PAL B/G
PAL I (UK only)
SECAM B/G
NTSC video play back
- Channel selections: 120 channels
VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Surround sound modes



Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
- Habit watch, preferred page and subcode page lists
- favorite pages
- Program independent subtitles

Remote Control


- RC type: RC 20xx
- Touch cursor

Connections

- Front
- S-Video in
- video CVBS-in (cinch)
- audio L/R-in (cinch) with automatic mono switching
- headphone jack 3.5mm
- Rear
- Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
- Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
- Euro A/V connector (CVBS-in)
- 2 audio-out (cinch)
- Constant/Variable level
- surround sound out (cinch)
- surround sound out (clickfits 4x)

Miscellaneous

- Ambient temperature : +5/+45 °C
- Mains : AC 220-240V ± 10%
- Power consumption:
<xxxW; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections)
78.1x58.3x50.1



RC 20xx

(drawing not correct at date of printing)

Features and specifications subject to change without notice

Product highlights

- **100 Hz Digital Scan with Digital Natural Motion** offers a flickerfree picture with smooth movement reproduction.
- **Digital CrystalClear with Dynamic Contrast** Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- **Dolby Pro logic surround**
For lifelike sound experience, including 3D surround
- **NEXTVIEW Program Guide** (type 3)
Direct access of program info of all channels (1week) and automatic programming of VCR.
- **Full Multiscreen with 2nd tuner and replay function.** Offers 2nd tuner PIP, or active mosaic with up to 16 multiscreens.

- **440 Pages EasyText teletext** (level 2.5)
- **Active Control**
Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.
- **Improved Graphical User interface** Easy menu control of all functions
- **Active subwoofer and full digital sound processing**
- **Zoom 16x**

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze
- EasyTune (auto store, ACI and ATS)
- EasyLink +
- Low power standby
- 150W music output incl surround
- Integrated centre speaker
- Dynamic Bass Enhancement
- 4 Loudspeakers + 2 Surround speakers
- Independent headphone volume control

Technical specifications

Chassis

- Type: FL7c-look MG

Picture

- Screen diameter: 29"/72cm
- Visible screen size: 68cm
- Picture tube: Blackline-S Ultra Flat 4:3
- Image stability:
100Hz Digital Scan - Digital Natural Motion
- S-Video display
- Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 4 speaker HiFi stereo
- Output (total): 150W music output
- NICAM stereo
- Frequency response:
20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
- 2 x Mid-high 2x6"
- 1x subwoofer 5"
- 1x centre speaker 2x6"
- Smart Sound control
- Movie, Speech, Music, Multimedia, Personal
- 5 band graphic equaliser
- Surround sound speakers packed by

Operation

- Easymenu driven installation and operation. Direct acces menu's and cursor control.
- Selection of 18 menu languages
- 100 preselections
- Multi-function RC handset controlling
- TV,VCR, Sat, DVD, CD, CDR, Tape, Tuner
- On screen status display on programmes and functions (OSD)
- Sleep timer up to 180 minutes
- Electronic lock for parental control

- Favourite programme selection
- Programme title display (transmitted by TXT)
- On screen menu display:
- Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- Full Multiscreen, second tuner built-in, active moosaic 3, 8, 16 pictures, replay function. Pip size variable 1/4 to 1/32 main screen
- Dealer message and demo modes
- Dealer Link: wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems
Off-air:
/05, /19, /12, /58
PAL B/G/I +
SECAM B/G/L/L'
SECAM D/K
A/V connections:
PAL B/G
PAL I (UK only)
SECAM B/G
NTSC video play back
- Channel selections: 120 channels
VHF, UHF, S-Channels, Hyperband
- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0; 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
- Habit watch, preferred page and subcode page lists
- favorite pages
- Program independent subtitles

Remote Control

- RC type: RC 20xx
- Touch cursor



Connections

- Front
- S-Video in
- video CVBS-in (cinch)
- audio L/R-in (cinch) with automatic mono switching
- headphone jack 3.5mm
- Rear
- Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
- Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
- Euro A/V connector (CVBS-in)
- 2 audio-out (cinch)
- Constant/Variable level
- surround sound out (cinch)
- surround sound out (clickfits 4x)

Miscellaneous

- Ambient temperature : +5/+45 °C
- Mains : AC 220-240V ± 10%
- Power consumption:
<xxxW; Stand by: 0,3W
- Weight : 43kg (excl. packaging)
- Dimensions (wxhxd): (excl. connections)
78.1x58.3x50.1

Surround sound modes



RC 20xx

(drawing not correct at date of printing)

Release date : June 1999
Predecessor(s) : 29PT9413
Date of issue : December 1998

Features and specifications subject to change without notice



29PT9015_FTL1.EPS



29PT9015_FTL2.EPS



29PT9015_FTR1.EPS