

- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText



















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText

















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- · Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText

















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- · Incredible Picture
- Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- · Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText




















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- · Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- · Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText

















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText
















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- · Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText


















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- · Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText

















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText

















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- · Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- · Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText


















- Ultraflat Blackline S CRT
- WideScreen modes
- Smart Picture
- Smart Sound
- Incredible Picture
- · Incredible Surround
- Easy Tune (ACI/ATS)
- NICAM reception (6324 model only)
- Teletext favorite Pages
- Automatic Volume Limiter
- 10 pages TOP/FLOF SmarText

















32" (61cm) Screen Size Picture Tube 28" Ultra Flat

Blackline S CRT

Visible Diagonal

82cm

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

Sharpness Control

Colour Temperature Control

Widescreen Modes

Conventional 4:3 Zoom 14:9 700m 16:9 Subtitle Zoom Super Zoom WideScreen Picture tilt

Additional 16:9 features

Subtitle shift Continuous zoom WideScreen Signalling Bit

Sound

Sound Output 2 x 8W RMS Full Range 2 x 5" Loudspeakers

Incredible Surround

Smart Sound Modes Theatre, Music, Voice,

Personal

Bilingual Switch on Remote Control Separated Headphone Volume Control

Reception

Tuning System PLL Tuning

Tuner UV, S and Hyperband Channel Selection 100 presets Aerial Input 75 Ohm Coaxial TV Systems See table Video Playback NTSC 3.58/4.43

Stereo System See table

Teletext

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Stereo headphones out (3.5 mm) Side

> Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

Rear Ext 1: Scart RGB In + CVBS In/Out

Ext 2: Scart CVBS In/Out + Y/C In Audio Out Cinch x1 (Stereo)

Operation

Remote Control RCE82B No.of RC buttons 44 buttons Side TV/VCR switch on remote control On Screen Display (OSD) Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily On/Off Clock

Measurements

220 - 240V, 50/60 Hz 115W Normal Oper. Power Consumption

3W Standby Net Weight 48 kg (approx.) Gross Weight 54 kg (approx.) Set Dimension

914 x 570 x 570 (W x D X H mm)

Box Dimension 1029 x 704 x 712 $(W \times D \times H mm)$

Product Highlights

Contrast Plus greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.


Incredible Surround actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image. This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

Smart Picture provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

Easy Tune (ATI/ACS) provides you the ease of installing and storing channels with no fuss.

Widescreen Modes



Conventional 4:3 - This mode leaves conventional 4:3 pictures as they are.

Zoom 14:9 - This feature is recommended for viewing 'letter-box' movie with a 14:9 format.

This mode allows you to fill the screen at the top and bottom on a 16:9 TV.

Zoom 16:9 - This feature is recommended for viewing 'letter-box' movie with a 16:9 format. This mode allows you to fill up the entire 16:9 screen.

Subtitle Zoom - This mode is designed for wideformat viewing of movies with subtitles on the bottom of the screen.

Super Zoom - This mode is ideal for conventional 4:3 broadcasts and pre-recorded softwares, including movies trimmed to 4:3 format. It creates a wide and natural picture by enlarging the entire picture.

WideScreen - This is the mode to be used in case of a true 16:9 transmission.

version									transmission system					
		2CS	NICAM	2CS	NICAM	NICAM	NICAM	PAL	PAL	PAL	SECAM	SECAM	SECAM	box
		DK	DK	BG	BG	- 1	LL'	BG	DK	- 1	BG	DK	LL'	
32PW6304	/00			•				•						
32PW6324	/01			•	•	•	•	•		•	•		•	
32PW6324	/05					•				•				
32PW6324	/58	•	•	•	•			•	•		•	•		
		•			•							•		

Chassis : July 1999 Release Date GBP E 1297 Reference







Picture

Screen Size 32" (61cm)
Picture Tube 28" Ultra Flat

Blackline S CRT

Visible Diagonal

82cm

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

Sharpness Control

Colour Temperature Control

Widescreen Modes

Conventional 4:3 Zoom 14:9 Zoom 16:9 Subtitle Zoom Super Zoom WideScreen Picture tilt

Additional 16:9 features

Subtitle shift Continuous zoom WideScreen Signalling Bit

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music, Voice,

Personal

Bilingual Switch on Remote Control Separated Headphone Volume Control

Reception

Tuning System PLL Tuning
Tuner UV, S and Hyperband

Channel Selection 100 presets
Aerial Input 75 Ohm Coaxial
TV Systems See table
Video Playback NTSC 3.58/4.43

Stereo System See table

Teletext

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

Rear Ext 1: Scart RGB In + CVBS In/Out

Ext 2: Scart CVBS In/Out + Y/C In Audio Out Cinch x1 (Stereo)

Operation

Remote Control RCE82B
No.of RC buttons 44 buttons
Side TV/VCR switch on remote control

On Screen Display (OSD) Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily On/Off Clock

Measurements

Mains 220 - 240V, 50/60 Hz Power Consumption 115W Normal Oper.

3W Standby Net Weight 48 kg (approx.)

Gross Weight 54 kg (approx.)
Set Dimension 914 x 570 x 570

(W x D X H mm) Box Dimension 1029 x 704 x 712

(W x D x H mm)

Product Highlights

Contrast Plus greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.


Incredible Surround actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image. This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

Smart Picture provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

Easy Tune (ATI/ACS) provides you the ease of installing and storing channels with no fuss.

Widescreen Modes



Conventional 4:3 - This mode leaves conventional 4:3 pictures as they are.

Zoom 14:9 - This feature is recommended for viewing 'letter-box' movie with a 14:9 format.

This mode allows you to fill the screen at the top and bottom on a 16:9 TV.

Zoom 16:9 - This feature is recommended for viewing 'letter-box' movie with a 16:9 format. This mode allows you to fill up the entire 16:9 screen.

Subtitle Zoom - This mode is designed for wideformat viewing of movies with subtitles on the bottom of the screen.

Super Zoom - This mode is ideal for conventional 4:3 broadcasts and pre-recorded softwares, including movies trimmed to 4:3 format. It creates a wide and natural picture by enlarging the entire picture.

WideScreen - This is the mode to be used in case of a true 16:9 transmission.

version		stereo system							transmission system					
		2CS	NICAM	2CS	NICAM	NICAM	NICAM	PAL	PAL	PAL	SECAM	SECAM	SECAM	box
		DK	DK	BG	BG	- 1	LL'	BG	DK	- 1	BG	DK	LL'	
32PW6304	/00			•				•						
32PW6324	/01			•	•	•	•	•		•	•		•	
32PW6324	/05					•				•				
32PW6324	/58	•	•	•	•			•	•		•	•		

Chassis : A8
Release Date : July 1999
Reference : GBP E 1297







Picture

Screen Size 32" (61cm)
Picture Tube 28" Ultra Flat

Blackline S CRT

Visible Diagonal

82cm

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

Sharpness Control

Colour Temperature Control

Widescreen Modes

Conventional 4:3 Zoom 14:9 Zoom 16:9 Subtitle Zoom Super Zoom WideScreen Picture tilt

Additional 16:9 features

Subtitle shift Continuous zoom WideScreen Signalling Bit

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music, Voice,

Personal

Bilingual Switch on Remote Control Separated Headphone Volume Control

Reception

Tuning System PLL Tuning
Tuner UV, S and Hyperband

Channel Selection 100 presets
Aerial Input 75 Ohm Coaxial
TV Systems See table
Video Playback NTSC 3.58/4.43

Stereo System See table

Teletext

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

Rear Ext 1: Scart RGB In + CVBS In/Out

Ext 2: Scart CVBS In/Out + Y/C In Audio Out Cinch x1 (Stereo)

Operation

Remote Control RCE82B
No.of RC buttons 44 buttons
Side TV/VCR switch on remote control
On Screen Display (OSD)

Cursor Control Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes) Daily On/Off Clock

Measurements

Mains 220 - 240V, 50/60 Hz Power Consumption 115W Normal Oper.

3W Standby
Net Weight 48 kg (approx.)
Gross Weight 54 kg (approx.)
Set Dimension 914 x 570 x 570

(W x D X H mm) 1029 x 704 x 712

Box Dimension 1029 x 704 x 712 (W x D x H mm)

Product Highlights

Contrast Plus greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.


Incredible Surround actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image. This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

Smart Picture provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

Easy Tune (ATI/ACS) provides you the ease of installing and storing channels with no fuss.

Widescreen Modes



Conventional 4:3 - This mode leaves conventional 4:3 pictures as they are.

Zoom 14:9 - This feature is recommended for viewing 'letter-box' movie with a 14:9 format.

This mode allows you to fill the screen at the top and bottom on a 16:9 TV.

Zoom 16:9 - This feature is recommended for viewing 'letter-box' movie with a 16:9 format. This mode allows you to fill up the entire 16:9 screen.

Subtitle Zoom - This mode is designed for wideformat viewing of movies with subtitles on the bottom of the screen.

Super Zoom - This mode is ideal for conventional 4:3 broadcasts and pre-recorded softwares, including movies trimmed to 4:3 format. It creates a wide and natural picture by enlarging the entire picture.

WideScreen - This is the mode to be used in case of a true 16:9 transmission.

version									transmission system					
		2CS	NICAM	2CS	NICAM	NICAM	NICAM	PAL	PAL	PAL	SECAM	SECAM	SECAM	box
		DK	DK	BG	BG	- 1	LL'	BG	DK	- 1	BG	DK	LL'	
32PW6304	/00			•				•						
32PW6324	/01			•	•	•	•	•		•	•		•	
32PW6324	/05					•				•				
32PW6324	/58	•	•	•	•			•	•		•	•		

Chassis : A8
Release Date : July 1999
Reference : GBP E 1297







Picture

Screen Size 32" (61cm)
Picture Tube 28" Ultra Flat

Blackline S CRT

Visible Diagonal

82cm

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

Sharpness Control

Colour Temperature Control

Widescreen Modes

Conventional 4:3 Zoom 14:9 Zoom 16:9 Subtitle Zoom Super Zoom WideScreen Picture tilt

Additional 16:9 features

Subtitle shift Continuous zoom WideScreen Signalling Bit

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music, Voice,

Personal

Bilingual Switch on Remote Control Separated Headphone Volume Control

Reception

Tuning System PLL Tuning
Tuner UV, S and Hyperband

Channel Selection 100 presets
Aerial Input 75 Ohm Coaxial
TV Systems See table
Video Playback NTSC 3.58/4.43

Stereo System See table

Teletext

Chassis

Release Date

Reference

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Side Stereo headphones out (3.5 mm)

Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

Rear Ext 1: Scart RGB In + CVBS In/Out

Ext 2: Scart CVBS In/Out + Y/C In Audio Out Cinch x1 (Stereo)

Operation

Remote Control RCE82B
No.of RC buttons 44 buttons
Side TV/VCR switch on remote control

On Screen Display (OSD) Cursor Control

Multi Languages selection

Information Line

iniormation Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily On/Off Clock

Measurements

Mains 220 - 240V, 50/60 Hz Power Consumption 115W Normal Oper.

3W Standby Net Weight 48 kg (approx.)

Gross Weight 54 kg (approx.) Set Dimension 914 x 570 x 570

(W x D X H mm) Box Dimension 1029 x 704 x 712

 $(W \times D \times H mm)$

Product Highlights

Contrast Plus greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.


Incredible Surround actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image. This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

Smart Picture provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

Easy Tune (ATI/ACS) provides you the ease of installing and storing channels with no fuss.

Widescreen Modes



Conventional 4:3 - This mode leaves conventional 4:3 pictures as they are.

Zoom 14:9 - This feature is recommended for viewing 'letter-box' movie with a 14:9 format.

This mode allows you to fill the screen at the top and bottom on a 16:9 TV.

Zoom 16:9 - This feature is recommended for viewing 'letter-box' movie with a 16:9 format.

This mode allows you to fill up the entire 16:9 screen.

Subtitle Zoom - This mode is designed for wideformat viewing of movies with subtitles on the bottom of the screen.

Super Zoom - This mode is ideal for conventional 4:3 broadcasts and pre-recorded softwares, including movies trimmed to 4:3 format. It creates a wide and natural picture by enlarging the entire picture.

WideScreen - This is the mode to be used in case of a true 16:9 transmission.

м box
^!

Features and specifications subject to change without notice





: July 1999

GBP E 1297



32" (61cm) Screen Size Picture Tube 28" Ultra Flat

Blackline S CRT

Visible Diagonal

82cm

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

Sharpness Control

Colour Temperature Control

Widescreen Modes

Conventional 4:3 Zoom 14:9 700m 16:9 Subtitle Zoom Super Zoom WideScreen Picture tilt

Additional 16:9 features

Subtitle shift Continuous zoom WideScreen Signalling Bit

Sound

Sound Output 2 x 8W RMS Full Range 2 x 5" Loudspeakers

Incredible Surround

Smart Sound Modes Theatre, Music, Voice,

Personal

Bilingual Switch on Remote Control Separated Headphone Volume Control

Reception

Tuning System PLL Tuning Tuner UV, S and Hyperband

Channel Selection 100 presets Aerial Input 75 Ohm Coaxial TV Systems See table Video Playback NTSC 3.58/4.43

Stereo System See table

Teletext

Chassis

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Stereo headphones out (3.5 mm) Side

> Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

Rear Ext 1: Scart RGB In + CVBS In/Out

Ext 2: Scart CVBS In/Out + Y/C In Audio Out Cinch x1 (Stereo)

Operation

Remote Control RCE82B No.of RC buttons 44 buttons Side TV/VCR switch on remote control

On Screen Display (OSD)

Cursor Control Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes)

Daily On/Off Clock

Measurements

Mains 220 - 240V, 50/60 Hz 115W Normal Oper. Power Consumption

3W Standby Net Weight 48 kg (approx.)

Gross Weight 54 kg (approx.) Set Dimension 914 x 570 x 570

(W x D X H mm) Box Dimension 1029 x 704 x 712

 $(W \times D \times H mm)$

Product Highlights

Contrast Plus greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.


Incredible Surround actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image. This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

Smart Picture provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

Easy Tune (ATI/ACS) provides you the ease of installing and storing channels with no fuss.

Widescreen Modes



Conventional 4:3 - This mode leaves conventional 4:3 pictures as they are.

Zoom 14:9 - This feature is recommended for viewing 'letter-box' movie with a 14:9 format.

This mode allows you to fill the screen at the top and bottom on a 16:9 TV.

Zoom 16:9 - This feature is recommended for viewing 'letter-box' movie with a 16:9 format. This mode allows you to fill up the entire 16:9 screen.

Subtitle Zoom - This mode is designed for wideformat viewing of movies with subtitles on the bottom of the screen.

Super Zoom - This mode is ideal for conventional 4:3 broadcasts and pre-recorded softwares, including movies trimmed to 4:3 format. It creates a wide and natural picture by enlarging the entire picture.

WideScreen - This is the mode to be used in case of a true 16:9 transmission.

м box
^!

: July 1999 Release Date GBP E 1297 Reference

: A8







32" (61cm) Screen Size Picture Tube 28" Ultra Flat

Blackline S CRT

Visible Diagonal

82cm

Contrast Plus

Smart Picture Modes Soft, Natural, Rich,

Personal

Sharpness Control

Colour Temperature Control

Widescreen Modes

Conventional 4:3 Zoom 14:9 Zoom 16:9 Subtitle Zoom Super Zoom WideScreen Picture tilt

Additional 16:9 features

Subtitle shift Continuous zoom WideScreen Signalling Bit

Sound

Sound Output 2 x 8W RMS Loudspeakers Full Range 2 x 5"

Incredible Surround

Smart Sound Modes Theatre, Music, Voice,

Personal

Bilingual Switch on Remote Control Separated Headphone Volume Control

Reception

Tuning System PLL Tuning

Tuner UV, S and Hyperband **Channel Selection** 100 presets Aerial Input 75 Ohm Coaxial TV Systems See table Video Playback NTSC 3.58/4.43

Stereo System See table

Teletext

Reception Stds TOP/FLOF

10 Pages memory

SmarText (4 favorite pages)

Connections

Stereo headphones out (3.5 mm) Side

> Video CVBS In S-Video In x 1

Audio In Cinch x 1 (Stereo)

Rear Ext 1: Scart RGB In + CVBS In/Out

Ext 2: Scart CVBS In/Out + Y/C In Audio Out Cinch x1 (Stereo)

Operation

Remote Control RCE82B No.of RC buttons 44 buttons Side TV/VCR switch on remote control

On Screen Display (OSD) Cursor Control

Multi Languages selection

Information Line

Alternative Channel Selection

Parental Control

Sleep Timer (120 minutes) Daily On/Off Clock

Measurements

Mains 220 - 240V, 50/60 Hz 115W Normal Oper. Power Consumption

3W Standby Net Weight 48 kg (approx.) Gross Weight 54 kg (approx.) Set Dimension

914 x 570 x 570 (W x D X H mm)

Box Dimension 1029 x 704 x 712 $(W \times D \times H mm)$

Product Highlights

Contrast Plus greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.


Incredible Surround actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image. This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

Smart Picture provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

Smart Sound provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

Easy Tune (ATI/ACS) provides you the ease of installing and storing channels with no fuss.

Widescreen Modes



Conventional 4:3 - This mode leaves conventional 4:3 pictures as they are.

Zoom 14:9 - This feature is recommended for viewing 'letter-box' movie with a 14:9 format.

This mode allows you to fill the screen at the top and bottom on a 16:9 TV.

Zoom 16:9 - This feature is recommended for viewing 'letter-box' movie with a 16:9 format.

This mode allows you to fill up the entire 16:9 screen.

Subtitle Zoom - This mode is designed for wideformat viewing of movies with subtitles on the bottom of the screen.

Super Zoom - This mode is ideal for conventional 4:3 broadcasts and pre-recorded softwares, including movies trimmed to 4:3 format. It creates a wide and natural picture by enlarging the entire picture.

WideScreen - This is the mode to be used in case of a true 16:9 transmission.

м box
^!

Chassis : A8 : July 1999 Release Date GBP E 1297 Reference







VIS_24PW6304_FTL1.EPS