



- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- WideScreen plus
- **3D surround** (Dolby Pro logic capable)
- TXT/NExTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- · Improved Graphical User Interface
- High Gloss 'silver shadow' (32PW9545)
- High Gloss 'ice blue' (32PW9535)
- Matching 'silver shadow' stand and RC





















- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- WideScreen plus
- **3D surround** (Dolby Pro logic capable)
- TXT/NExTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- · Improved Graphical User Interface
- High Gloss 'silver shadow' (32PW9545)
- High Gloss 'ice blue' (32PW9535)
- Matching 'silver shadow' stand and RC























- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- WideScreen plus
- 3D surround (Dolby Pro logic capable)
- TXT/NExTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- · Active control
- Improved Graphical User Interface
- High Gloss 'silver shadow' (32PW9545)
- High Gloss 'ice blue' (32PW9535)
- · Matching 'silver shadow' stand and RC

























- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- WideScreen plus
- **3D surround** (Dolby Pro logic capable)
- TXT/NExTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- · Improved Graphical User Interface
- High Gloss 'silver shadow' (32PW9545)
- High Gloss 'ice blue' (32PW9535)
- Matching 'silver shadow' stand and RC





















- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- WideScreen plus
- 3D surround (Dolby Pro logic capable)
- TXT/NExTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- · Active control
- Improved Graphical User Interface
- High Gloss 'silver shadow' (32PW9545)
- High Gloss 'ice blue' (32PW9535)
- · Matching 'silver shadow' stand and RC























- 100Hz Digital Scan
- Digital CrystalClear with Dynamic Contrast and LTP2
- WideScreen plus
- **3D surround** (Dolby Pro logic capable)
- TXT/NExTVIEW DualScreen
- NEXTVIEW (type 3)
- 440 pages EasyText teletext (level 2.5)
- Active control
- · Improved Graphical User Interface
- High Gloss 'silver shadow' (32PW9545)
- High Gloss 'ice blue' (32PW9535)
- Matching 'silver shadow' stand and RC





















WideScreen Television 32PW9545 32PW9535 NICAM

Product highlights

- · 100 Hz Digital Scan offers a flickerfree picture.
- Digital CrystalClear with Dynamic Contrast Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- WideScreenplus line interpolation for enhanced resolution and picture quality.
- 3D surround offers full surround experience without rear speakers (Dolby Pro logic capable). Includes the integrated centre speaker
- NEXTVIEW Program Guide (type 3)
 Direct access of program info of all channels (1week) and automatic programming of VCR
- TXT/NexTView DualScreen
 picture + TXT or picture + NexTView.

- 440 Pages EasyText teletext (level 2.5)
- Active Control

Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.

- Improved Graphical User Interface Easy menu control of all functions
- Active subwoofer and full digital sound processing
- High Gloss 'Silver Shadow' (32PW9545)
- High Gloss 'Ice Blue' (32PW9535)
- Matching design stand and RC DVD and VCR also available in silver

Supporting Features

- · Blackline-S Ultra Flat picture tube
- · Digital Colour Transient Improvement (CTI)
- · Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions
- · EasyTune (auto store, ACI and ATS)
- EasyLink + NexTViewlink
- · Low power standby
- 120W music output
- Integrated centre speaker
- Dynamic Bass Enhancement
- · 6 Loudspeakers
- · Independent headphone volume control

Auto Screen Fit viewing






4:3 to 21:9 format

auto bi-directional zoom without visible distortion

Surround sound modes



Technical specifications

Chassis

¥ Type: FL7c-design MG

Picture

- ¥ Screen diameter: 32Ó/82cm
- ¥ Visible screen size: 76cm
- ¥ Picture tube: Blackline-S Ultra Flat 16:9
- ¥ Image stability: 100Hz Digital Scan
- ¥ S-Video display
- ¥ Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- ¥ Brightness, contrast, tint, sharpness, colour control

Sound

- ¥ Sound system: 6 speaker HiFi stereo
- ¥ Output (total): 120W music output + 20W surround
- ¥ NICAM stereo
- ¥ Frequency response:
 - 20Hz-15kHz, +1/-3dB (ampl.)
- ¥ Loudspeakers:
 - 2 x Midrange 2x6Ó
 - 2x tweeter 12mm - 1x subwoofer 5Ó
 - 1x subwooter 50 - 1x centre speaker 2x60
- ¥ Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- ¥ 5 Band graphic equaliser
- ¥ Dolby Pro Logic capable, surround sound speakerboxes not included.

Operation

- ¥ Easy menu driven installation and operation.

 Direct acces menos and cursor control
- ¥ Selection of 18 menu languages
- ¥ 100 preselections

- Multi-function RC handset controlling
 TV.VCR, Sat. DVD, CD, CDR, Tape, Tuner
- ¥ On screen status display on programmes and functions (OSD)
- ¥ Sleeptimer up to 180 minutes
- ¥ Electronic lock for parental control
- ¥ Favourite programme selection¥ Programme title display
- Frogramme title display (transmitted by TXT)
- ¥ On screen menu display:
 - Picture menu, Sound menu, Features menu,
 Dolby menu, Program list, Set-up menu,
 Installation menu, Program name giving,
 Language and country selection
- ¥ TXT/NexTView DualScreen
- ¥ Dealer message and demo modes
- ¥ Dealer Link; wireless communication for installation and service

Reception

- ¥ Tuning system: 100 fold PLL
- Colour transmission systems
 Off-air:

-air: /05, /19, /12, /58

PAL B/G/I + SECAM B/G/L/L' SECAM D/K

A/V connections:

PAL B/G PAL I (UK only) SECAM B/G

NTSC video play back

Kennel selections: 120 channels

VHF. UHF. S-Channels.

VHF, UHF, S-Chai Hyperband

- ¥ Frequency range: (47.25-855.25MHz)
- ¥ Aerial input: 75 Ohm (Coax)
- ¥ VCR preselections: 0; 50-99
- ¥ Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- ¥ EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- ¥ Recept. standards: WST / TOP / FLOF
- ¥ Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- ¥ Program independent subtitles

Remote Control

- ¥ RC type: RC 20xx
- ¥ Touch cursor

Connections

- ¥ Fror
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- ¥ Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - surround sound out (cinch)

Miscellaneous

¥ Ambient temperature : +5/+45ûC

Off (Stereo)

- ¥ Mains : AC 220-240V ± 10%
- ¥ Power consumption: <115W: Stand by: 0.3W</p>
- ¥ Weight : 49kg (excl. packaging)
- ¥ Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3





RC 20xx (drawing not correct at date of printing)

Features and specifications subject to change without notice

Release date : August 1999
Predecessor(s) : 32PW9544
Date of issue : December 1998







WideScreen Television 32PW9545 32PW9535 NICAM

Product highlights

- · 100 Hz Digital Scan offers a flickerfree picture.
- Digital CrystalClear with Dynamic Contrast Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- WideScreenplus line interpolation for enhanced resolution and picture quality.
- 3D surround offers full surround experience without rear speakers (Dolby Pro logic capable). Includes the integrated centre speaker
- NEXTVIEW Program Guide (type 3)
 Direct access of program info of all channels (1week) and automatic programming of VCR
- TXT/NexTView DualScreen
 picture + TXT or picture + NexTView.

- 440 Pages EasyText teletext (level 2.5)
- Active Control

Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.

- Improved Graphical User Interface Easy menu control of all functions
- Active subwoofer and full digital sound processing
- High Gloss 'Silver Shadow' (32PW9545)
- High Gloss 'Ice Blue' (32PW9535)
- Matching design stand and RC DVD and VCR also available in silver

Supporting Features

- · Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- · Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions
- · EasyTune (auto store, ACI and ATS)
- EasyLink + NexTViewlink
- · Low power standby
- 120W music output
- Integrated centre speaker
- · Dynamic Bass Enhancement
- · 6 Loudspeakers
- · Independent headphone volume control

Auto Screen Fit viewing






4:3 to 21:9 format

auto bi-directional zoom without visible distortion

Surround sound modes



Technical specifications

Chassis

¥ Type: FL7c-design MG

Picture

- ¥ Screen diameter: 32Ó/82cm
- ¥ Visible screen size: 76cm
- ¥ Picture tube: Blackline-S Ultra Flat 16:9
- ¥ Image stability: 100Hz Digital Scan
- ¥ S-Video display
- ¥ Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- ¥ Brightness, contrast, tint, sharpness, colour control

Sound

- ¥ Sound system: 6 speaker HiFi stereo
- ¥ Output (total): 120W music output + 20W surround
- ¥ NICAM stereo
- ¥ Frequency response:
 - 20Hz-15kHz, +1/-3dB (ampl.)
- ¥ Loudspeakers:
 - 2 x Midrange 2x6Ó
 - 2x tweeter 12mm - 1x subwoofer 5Ó
 - 1x centre speaker 2x6Ó
- ¥ Smart Sound control
- Movie, Speech, Music, Multimedia, Personal
- ¥ 5 Band graphic equaliser
 ¥ Dolby Pro Logic capable, surround sound speakerboxes not included.

Operation

- ¥ Easy menu driven installation and operation.

 Direct acces menos and cursor control
- ¥ Selection of 18 menu languages
- ¥ 100 preselections

- Multi-function RC handset controlling
 TV.VCR, Sat. DVD, CD, CDR, Tape, Tuner
- ¥ On screen status display on programmes and functions (OSD)
- ¥ Sleeptimer up to 180 minutes
- ¥ Electronic lock for parental control
- ¥ Favourite programme selection¥ Programme title display
- Programme title display (transmitted by TXT)
- ¥ On screen menu display:
 - Picture menu, Sound menu, Features menu,
 Dolby menu, Program list, Set-up menu,
 Installation menu, Program name giving,
 Language and country selection
- ¥ TXT/NexTView DualScreen
- ¥ Dealer message and demo modes
- ¥ Dealer Link; wireless communication for installation and service

Reception

- ¥ Tuning system: 100 fold PLL
- Colour transmission systems
 Off-air:

r-air: /05, /19, /12, /58 PAL B/G/I +

PAL B/G/I + SECAM B/G/L/L' SECAM D/K

A/V connections:

PAL B/G PAL I (UK only) SECAM B/G

NTSC video play back ¥ Channel selections: 120 channels VHF, UHF, S-Channels, Hyperband

- ¥ Frequency range: (47.25-855.25MHz)
- ¥ Aerial input: 75 Ohm (Coax)
- ¥ VCR preselections: 0; 50-99
- ¥ Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- ¥ EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- ¥ Recept. standards: WST / TOP / FLOF
- ¥ Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- ¥ Program independent subtitles

Remote Control

- ¥ RC type: RC 20xx
- ¥ Touch cursor

Connections

- ¥ Fror
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- ¥ Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - surround sound out (cinch)

Miscellaneous

- ¥ Ambient temperature : +5/+45ûC
- ¥ Mains : AC 220-240V ± 10%
- ¥ Power consumption: <115W: Stand bv: 0.3W
- ¥ Weight : 49kg (excl. packaging)
- ¥ Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3





RC 20xx (drawing not correct at date of printing)

Features and specifications subject to change without notice

Release date : August 1999
Predecessor(s) : 32PW9544
Date of issue : December 1998







WideScreen Television 32PW9545 32PW9535 NICAM

Product highlights

- · 100 Hz Digital Scan offers a flickerfree picture.
- Digital CrystalClear with Dynamic Contrast Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- WideScreenplus line interpolation for enhanced resolution and picture quality.
- 3D surround offers full surround experience without rear speakers (Dolby Pro logic capable). Includes the integrated centre speaker
- NEXTVIEW Program Guide (type 3)
 Direct access of program info of all channels (1week) and automatic programming of VCR
- TXT/NexTView DualScreen
 picture + TXT or picture + NexTView.

- 440 Pages EasyText teletext (level 2.5)
- Active Control

Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.

- Improved Graphical User Interface Easy menu control of all functions
- Active subwoofer and full digital sound processing
- High Gloss 'Silver Shadow' (32PW9545)
- High Gloss 'Ice Blue' (32PW9535)
- Matching design stand and RC DVD and VCR also available in silver

Supporting Features

- · Blackline-S Ultra Flat picture tube
- · Digital Colour Transient Improvement (CTI)
- · Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions
- · EasyTune (auto store, ACI and ATS)
- EasyLink + NexTViewlink
- · Low power standby
- 120W music output
- Integrated centre speaker
- Dynamic Bass Enhancement
- · 6 Loudspeakers
- · Independent headphone volume control

Auto Screen Fit viewing





4:3 to 21:9 format

auto bi-directional zoom without visible distortion

Surround sound modes



Technical specifications

Chassis

¥ Type: FL7c-design MG

Picture

- ¥ Screen diameter: 32Ó/82cm
- ¥ Visible screen size: 76cm
- ¥ Picture tube: Blackline-S Ultra Flat 16:9
- ¥ Image stability: 100Hz Digital Scan
- ¥ S-Video display
- ¥ Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- ¥ Brightness, contrast, tint, sharpness, colour control

Sound

- ¥ Sound system: 6 speaker HiFi stereo
- ¥ Output (total): 120W music output + 20W surround
- ¥ NICAM stereo
- ¥ Frequency response:
- 20Hz-15kHz, +1/-3dB (ampl.)
- ¥ Loudspeakers:
 - 2 x Midrange 2x6Ó
 - 2x tweeter 12mm - 1x subwoofer 5Ó
 - 1x centre speaker 2x6Ó
- ¥ Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- ¥ 5 Band graphic equaliser
- ¥ Dolby Pro Logic capable, surround sound speakerboxes not included.

Operation

- ¥ Easy menu driven installation and operation.

 Direct acces menos and cursor control
- ¥ Selection of 18 menu languages
- ¥ 100 preselections

- Multi-function RC handset controlling
 TV.VCR, Sat. DVD, CD, CDR, Tape, Tuner
- ¥ On screen status display on programmes and functions (OSD)
- ¥ Sleeptimer up to 180 minutes
- ¥ Electronic lock for parental control
- ¥ Favourite programme selection¥ Programme title display
- Programme title display (transmitted by TXT)
- ¥ On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- ¥ TXT/NexTView DualScreen
- ¥ Dealer message and demo modes
- ¥ Dealer Link; wireless communication for installation and service

Reception

- ¥ Tuning system: 100 fold PLL
- Colour transmission systems

-air: /05, /19, /12, /58

PAL B/G/I + SECAM B/G/L/L' SECAM D/K

A/V connections:

PAL B/G PAL I (UK only) SECAM B/G

NTSC video play back ¥ Channel selections: 120 channels VHF, UHF, S-Channels, Hyperband

- ¥ Frequency range: (47.25-855.25MHz)
- ¥ Aerial input: 75 Ohm (Coax)
- ¥ VCR preselections: 0; 50-99
- ¥ Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- ¥ EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- ¥ Recept. standards: WST / TOP / FLOF
- ¥ Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- ¥ Program independent subtitles

Remote Control

- ¥ RC type: RC 20xx
- ¥ Touch cursor

Connections

- ¥ Fror
 - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- ¥ Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - surround sound out (cinch)

Miscellaneous

¥ Ambient temperature : +5/+45ûC

Off (Stereo)

- ¥ Mains : AC 220-240V ± 10%
- ¥ Power consumption: <115W: Stand by: 0.3W</p>
- ¥ Weight : 49kg (excl. packaging)
- ¥ Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3





RC 20xx (drawing not correct at date of printing)

Features and specifications subject to change without notice

Release date : August 1999
Predecessor(s) : 32PW9544
Date of issue : December 1998





WideScreen Television 32PW9545 32PW9535

Product highlights

- · 100 Hz Digital Scan offers a flickerfree picture.
- Digital CrystalClear with Dynamic Contrast Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- WideScreenplus line interpolation for enhanced resolution and picture quality
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable). Includes the integrated centre speaker
- NEXTVIEW Program Guide (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- TXT/NexTView DualScreen picture + TXT or picture + NexTView.

- 440 Pages EasyText teletext (level 2.5)
- · Active Control

Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.

- · Improved Graphical User Interface Easy menu control of all functions
- · Active subwoofer and full digital sound processing
- High Gloss 'Silver Shadow' (32PW9545)
- High Gloss 'Ice Blue' (32PW9535)
- Matching design stand and RC DVD and VCR also available in silver

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions
- EasyTune (auto store, ACI and ATS)
- EasyLink + NexTViewlink
- Low power standby
- 120W music output
- Integrated centre speaker Dynamic Bass Enhancement
- 6 Loudspeakers
- Independent headphone volume control

Auto Screen Fit viewing








4:3 to 21:9 format auto bi-directional zoom without visible distortion

Surround sound modes







Off (Stereo)

Ambient temperature: +5/+45ûC

Mains : AC 220-240V ± 10%

Weight: 49kg (excl. packaging)

¥ Dimensions (wxhxd): (excl. connections)

Miscellaneous

Power consumption:

92.5x57.0x59.3

<115W: Stand by: 0.3W

Technical specifications

Chassis

¥ Type: FL7c-design MG

Picture

- ¥ Screen diameter: 32Ó/82cm
- Visible screen size: 76cm
- ¥ Picture tube: Blackline-S Ultra Flat 16:9
- ¥ Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- ¥ Brightness, contrast, tint, sharpness, colour

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 120W music output + 20W
- NICAM stereo
- Frequency response:
- 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6Ó
 - 2x tweeter 12mm - 1x subwoofer 5Ó
 - 1x centre speaker 2x6Ó
- ¥ Smart Sound control
 - Movie, Speech, Music, Multimedia, Personal
- 5 Band graphic equaliser
- Dolby Pro Logic capable, surround sound speakerboxes not included.

Operation

- Easy menu driven installation and operation. Direct acces menos and cursor control
- Selection of 18 menu languages
- 100 preselections

- ¥ Multi-function RC handset controlling - TV.VCR. Sat. DVD. CD. CDR. Tape. Tuner
- On screen status display on programmes and functions (OSD)
- ¥ Sleeptimer up to 180 minutes
- ¥ Electronic lock for parental control
- ¥ Favourite programme selection ¥ Programme title display
- (transmitted by TXT)
- ¥ On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- ¥ TXT/NexTView DualScreen
- Dealer message and demo modes
- Dealer Link; wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems

/05, /19, /12, /58

PAL B/G/I + SECAM B/G/L/L SECAM D/K

A/V connections:

PAL B/G PAL I (UK only) SECAM B/G NTSC video play back

¥ Channel selections: 120 channels VHF. UHF. S-Channels. Hyperband

- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0: 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- ¥ Program independent subtitles

Remote Control

- RC type: RC 20xx
- ¥ Touch cursor

Connections

- - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - Euro A/V connector (CVBS-in) - surround sound out (cinch)
 - 2 audio-out (cinch) Constant/Variable level
- (12) **3** ● ● ● Ö (I)K) (1) (2) (3) (4) 5 (6) 7 (8) 9 (H) 0 (PeP) DHILIDS MATCHILL



RC 20xx (drawing not correct at date of printing)

Features and specifications subject to change without notice

Release date August 1999 32PW9544 Predecessor(s) December 1998 Date of issue





WideScreen Television 32PW9545 32PW9535

Product highlights

- · 100 Hz Digital Scan offers a flickerfree picture.
- Digital CrystalClear with Dynamic Contrast Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- WideScreenplus line interpolation for enhanced resolution and picture quality
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable). Includes the integrated centre speaker
- NEXTVIEW Program Guide (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- TXT/NexTView DualScreen picture + TXT or picture + NexTView.

- 440 Pages EasyText teletext (level 2.5)
- · Active Control

Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.

- · Improved Graphical User Interface Easy menu control of all functions
- · Active subwoofer and full digital sound processing
- High Gloss 'Silver Shadow' (32PW9545)
- High Gloss 'Ice Blue' (32PW9535)
- Matching design stand and RC DVD and VCR also available in silver

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions
- EasyTune (auto store, ACI and ATS)
- EasyLink + NexTViewlink
- Low power standby
- 120W music output
- Integrated centre speaker
- Dynamic Bass Enhancement
- 6 Loudspeakers
- Independent headphone volume control

Miscellaneous

Power consumption:

92.5x57.0x59.3

(12) **3** (13)

<115W: Stand by: 0.3W

Ambient temperature: +5/+45ûC

Mains : AC 220-240V ± 10%

Weight: 49kg (excl. packaging)

¥ Dimensions (wxhxd): (excl. connections)

Auto Screen Fit viewing






4:3 to 21:9 format

auto bi-directional zoom without visible distortion

Surround sound modes



Technical specifications

Chassis

¥ Type: FL7c-design MG

Picture

- ¥ Screen diameter: 32Ó/82cm
- Visible screen size: 76cm
- ¥ Picture tube: Blackline-S Ultra Flat 16:9
- ¥ Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
- Soft, Natural, Rich, Multi media, Personal
- ¥ Brightness, contrast, tint, sharpness, colour control

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 120W music output + 20W
- NICAM stereo
- Frequency response:
- 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6Ó
 - 2x tweeter 12mm - 1x subwoofer 5Ó
 - 1x centre speaker 2x6Ó
- ¥ Smart Sound control
- Movie, Speech, Music, Multimedia, Personal
- 5 Band graphic equaliser
- Dolby Pro Logic capable, surround sound speakerboxes not included.

Operation

- Easy menu driven installation and operation. Direct acces menos and cursor control
- Selection of 18 menu languages
- 100 preselections

- ¥ Multi-function RC handset controlling - TV.VCR. Sat. DVD. CD. CDR. Tape. Tuner
- On screen status display on programmes and functions (OSD)
- ¥ Sleeptimer up to 180 minutes
- ¥ Electronic lock for parental control
- ¥ Favourite programme selection ¥ Programme title display
- (transmitted by TXT)
- ¥ On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- ¥ TXT/NexTView DualScreen
- ¥ Dealer message and demo modes
- Dealer Link; wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems

/05, /19, /12, /58

PAL B/G/I + SECAM B/G/L/L SECAM D/K

A/V connections:

PAL B/G PAL I (UK only) SECAM B/G

¥ Channel selections: 120 channels

NTSC video play back VHF. UHF. S-Channels. Hyperband

- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0: 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- ¥ Program independent subtitles

Remote Control

- RC type: RC 20xx
- ¥ Touch cursor

Connections

- - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- ¥ Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - Euro A/V connector (CVBS-in) - surround sound out (cinch)
 - 2 audio-out (cinch) Constant/Variable level
- ● Ö (I)K) (1) (2) (3) (4) (5) (6) 7 (8) 9 (H) 0 (PeP) DHILIDS MATCHILL



RC 20xx (drawing not correct at date of printing)

Features and specifications subject to change without notice

Release date August 1999 32PW9544 Predecessor(s) December 1998 Date of issue







WideScreen Television 32PW9545 32PW9535

Product highlights

- · 100 Hz Digital Scan offers a flickerfree picture.
- Digital CrystalClear with Dynamic Contrast Scavem, Combfilter, 9-bit processing, luminance enhancements and color enhancements. Offers a crisp and natural picture.
- WideScreenplus line interpolation for enhanced resolution and picture quality
- **3D surround** offers full surround experience without rear speakers (Dolby Pro logic capable). Includes the integrated centre speaker
- NEXTVIEW Program Guide (type 3) Direct access of program info of all channels (1week) and automatic programming of VCR
- TXT/NexTView DualScreen picture + TXT or picture + NexTView.

- 440 Pages EasyText teletext (level 2.5)
- · Active Control

Auto Digital Noise Reduction, Auto Sharpness, Auto Color, Auto contrast, Ambient Light sensor and Smart Controls. Automatically offers the best picture setting.

- · Improved Graphical User Interface Easy menu control of all functions
- · Active subwoofer and full digital sound processing
- High Gloss 'Silver Shadow' (32PW9545)
- High Gloss 'Ice Blue' (32PW9535)
- Matching design stand and RC DVD and VCR also available in silver

Supporting Features

- Blackline-S Ultra Flat picture tube
- Digital Colour Transient Improvement (CTI)
- Picture freeze and strobe
- Viewing modes: 4:3, Movie Expand 14:9 & 16:9 (scroll), Subtitle zoom (scroll), Wide Screen, Auto screen fit: automatic perfect fit by continuous zoom in both directions
- EasyTune (auto store, ACI and ATS)
- EasyLink + NexTViewlink
- Low power standby
- 120W music output
- Integrated centre speaker
- Dynamic Bass Enhancement
- 6 Loudspeakers
- Independent headphone volume control

Auto Screen Fit viewing




4:3 to 21:9 format





Surround sound modes



Technical specifications

Chassis

¥ Type: FL7c-design MG

Picture

- ¥ Screen diameter: 32Ó/82cm
- Visible screen size: 76cm
- ¥ Picture tube: Blackline-S Ultra Flat 16:9
- ¥ Image stability: 100Hz Digital Scan
- S-Video display
- Smart Picture control (5 modes)
 - Soft, Natural, Rich, Multi media, Personal
- ¥ Brightness, contrast, tint, sharpness, colour

Sound

- Sound system: 6 speaker HiFi stereo
- Output (total): 120W music output + 20W
- NICAM stereo
- Frequency response:
 - 20Hz-15kHz, +1/-3dB (ampl.)
- Loudspeakers:
 - 2 x Midrange 2x6Ó
 - 2x tweeter 12mm - 1x subwoofer 5Ó
 - 1x centre speaker 2x6Ó
- ¥ Smart Sound control
- Movie, Speech, Music, Multimedia, Personal 5 Band graphic equaliser
- Dolby Pro Logic capable, surround sound speakerboxes not included.

Operation

- Easy menu driven installation and operation. Direct acces menos and cursor control
- Selection of 18 menu languages
- 100 preselections

- ¥ Multi-function RC handset controlling - TV.VCR. Sat. DVD. CD. CDR. Tape. Tuner
- On screen status display on programmes and functions (OSD)
- ¥ Sleeptimer up to 180 minutes
- ¥ Electronic lock for parental control
- ¥ Favourite programme selection ¥ Programme title display
- (transmitted by TXT)
- ¥ On screen menu display:
 - Picture menu, Sound menu, Features menu, Dolby menu, Program list, Set-up menu, Installation menu, Program name giving, Language and country selection
- ¥ TXT/NexTView DualScreen
- ¥ Dealer message and demo modes
- Dealer Link; wireless communication for installation and service

Reception

- Tuning system: 100 fold PLL
- Colour transmission systems

/05, /19, /12, /58

PAL B/G/I + SECAM B/G/L/L SECAM D/K

A/V connections:

PAL B/G PAL I (UK only) SECAM B/G

NTSC video play back ¥ Channel selections: 120 channels VHF. UHF. S-Channels. Hyperband

- Frequency range: (47.25-855.25MHz)
- Aerial input: 75 Ohm (Coax)
- VCR preselections: 0: 50-99
- Frequency / Channel selection (Germany, Austria and Benelux only)

Teletext

- EasyText teletext (level 2.5): fast access to pre-ferred pages and subcode page scroll
- Recept. standards: WST / TOP / FLOF
- Page memory: 440 pages A.I. used for
 - Habit watch, preferred page and subcode page lists
 - favorite pages
- ¥ Program independent subtitles

Remote Control

- RC type: RC 20xx
- ¥ Touch cursor

Connections

- - S-Video in
 - video CVBS-in (cinch)
 - audio L/R-in (cinch) with automatic mono switching
 - headphone jack 3.5mm
- ¥ Rear
 - Euro A/V connector (RGB-in; CVBS-in/out) with auto image format detection
 - Euro A/V connector (RGB-in; Y/C-in/out; CVBS-in/out) with WYSIWYR select and image format detection
 - Euro A/V connector (CVBS-in)
 - 2 audio-out (cinch) Constant/Variable level
 - surround sound out (cinch)

Miscellaneous

- Ambient temperature: +5/+45ûC
- Mains : AC 220-240V ± 10%
- Power consumption: <115W: Stand by: 0.3W
- Weight: 49kg (excl. packaging)
- ¥ Dimensions (wxhxd): (excl. connections) 92.5x57.0x59.3





RC 20xx (drawing not correct at date of printing)

Features and specifications subject to change without notice

Release date August 1999 32PW9544 Predecessor(s) December 1998 Date of issue





