

A R - M 350/450

5

E

Introducing the Sharp AR-M350/450 Digital Imager Advanced Workgroup System.

Multi-tasking. It's the key to maximizing productivity, allowing your business to respond to shifting demands and evolving conditions. And nowhere in today's fast-paced business environment is the need for this flexible efficiency more evident than in the area of information management.

That's why Sharp created the AR-M₃₅₀/450 Digital Imager—a fully networkable, user-friendly, multifunction copier/printer/scanner/fax that allows you to control information in ways never before possible. Combining best-in-class functionality with split-second flexibility and exceptional image quality, the AR-M₃₅₀/450 Digital Imager gives you

the power to generate, duplicate, integrate and disseminate information quickly, seamlessly and securely.

t



Amazing functionality, simple connectivity and exceptional productivity, the Sharp copier/printer/scanner/fax Imager.



СОРҮ

The Power of Productivity

At 35/45 copies per minute and continuous copy output of up to 3,100 pages, the Sharp AR-M350/450 Digital Imager is able to keep up with even the busiest workgroups. With it's high-performance engine and scan-once, print many technology, the Sharp AR-M350/450 Digital Imager can streamline office workflow like never before.

The AR-M350/450 Digital Imager also offers crisp 600 dpi resolution enhanced by a special smoothing technology that creates image quality equivalent to 1,200 dpi. For increased functionality, features include a user-friendly alpha-numeric touch screen, enlargement and reduction capabilities ranging from 200% down to 25%, and a time-saving Duplex Single Pass Feeder, for fast, efficient two-sided copying. For more complex needs, the AR-M350/450 Digital Imager offers advanced image editing functions, and such optional finishing capabilities as hole punching, multi-position stapling, and saddle stitching/folding. In addition, an optional Two-Tray Sorter/Stapler provides 30-sheet stapling in three positions. And for convenient versatility, the Multi-Purpose Paper Tray handles special print media including envelopes, overhead transparencies and heavy cover stocks. Copying has never been so easy—and so productive.



Duplex Single Pass Document Feeder Duplex copying makes high-level productivity possible on the AR-M350/450 Digital Imager.



The easy-to-use touch screen on the control panel of the AR-M350/450 Digital Imager quickly guides users step-by-step through various functions.

AR-M350/450 Digital Imager

Accessory Options



AR-D14 Stand with three 500-Sheet Paper Drawers

AR-FN7 Saddle Stitch Finisher

AR-FN6 Stapler/Sorter Finisher

D

at a glance

Highlights:

- Job Retention functions* (bold print/ sample print/confidential print) allow you to control printout from the control panel
- 1,200 dpi equivalent resolution with smoothing technology
- Compatible with PCL5e/6 (standard) and PostScript Level 3 (option)
- Large 3,100-sheet paper capacity with options
- Multi-Purpose Paper Tray handles special print media including OH transparencies, heavy stock and envelopes
- Various image editing functions: Margin-Shift, Overlay, Watermarks, Fit to Page, etc.
- Sharp Status Monitor software lets you monitor printer activities

PRINT

The Image of Clarity

From its 1,200-dpi equivalent resolution to its 256 shades of grayscale, the Sharp AR-M350/450 Digital Imager delivers printing quality that is truly best-in-class, with ultra crisp text and incredibly detailed images.

As sophisticated as it is precise, this advanced Digital Imager is also a fully networkable solution that is easily shared from desktop computers of an entire workgroup or small business. To help you control the flow of information, the Sharp AR-M350/450 Digital Imager even offers software that allows users to print confidential documents securely.

For Network Administrators, Sharp's proprietary Administrative Suite software delivers the ability to monitor and manage the Imager either remotely or automatically. Administrators can track printing usage for cost accounting and monitor network printer conditions—all with a few keystrokes.

Best of all, the AR-M350/450 Digital Imager was designed to support all current operating systems, including UNIX, Netware, and all current generations of Windows. So all of its power, flexibility and functionality can easily become a part of your existing network.

PCL5e/PCL6 Print Drivers



Job Control Screen



With the optional 5GB Hard Disk Drive installed, the following Job Control features are enabled — Print Hold, Confidential (PIN) Print, and Proof Print allowing you to manage document output from the control panel.

Printer Queue Panel

Easy-to-use panel allows administrators to monitor and control multiple print projects simultaneously.

ľ	L (đ			, e
		PRINT HOLD JOB LIST			
		N. CAPRI	MARKET.XLS	1/1	
		T. LILY	DEALER.DOC		CONDITION
		PATRICK	SBSP.PPT	¥	SETTINGS

AR-M350/450 Digital Imager

Printing Capabilities

Printer Administration Utility Software Enables Network Administrators to monitor any SNMPcompliant printer on the network.



(Inter Journal	and including pr	Real Products	144		
(in the second	14.4	Theme	The	These states	Thinkson
8153411			- Deser-		
ALC: NO. OF STR.			Distant.		
#*128H(B)	The Build		Ditte	0446.04	123399
	1.		(Annal)	and a state of the	and so it.
COLUMN A	100.0100				Contraction of the local division of the loc
#112371.5d			- Deserved		
#1528/19F			(Lesso)		
a Later	Hite teres line		January 1	10103-010-010	NUMBER
- Balleton	100 010100	001054	744	1040.0 00710	10.00
distanting.	There is a read of the second	and the second	100	100000	1000119



Printer Status Monitor An application which enables users to view network printer conditions through an easyto-use graphical interface. It even notifies you when your job is complete!

D

at a glance

Highlights:

- Job Retention functions* (hold print/sample print/ confidential print) allow you to control printout from the control panel
- 1,200 dpi equivalent resolution with smoothing technology
- Compatible with PCL5e/6 (standard) and PostScript Level 3 (option)
- Large 3,100-sheet paper capacity with options
- Multi-Purpose Paper Tray handles special print media including OH transparencies, heavy stock and envelopes
- Various image editing functions: Margin-Shift, Overlays, Watermarks, Fit to Page, etc.
- Sharp Status Monitor software lets you monitor printer activities

* Requires optional hard disk drive

The Integration of Documents

With its broad combination of proprietary software solutions, the Sharp AR-M350/450 Digital Imager optional scanning capabilities deliver an exceptionally flexible suite of fully networkable information management tools.

Three main scanning functions deliver exceptional efficiency. First, *Scan to Desktop* allows users to send scanned files directly to their desktop computers, automatically convert them to text, and store them in their favorite file formats (such as Word or Excel). By using the *Scan to Desktop* function, users can automatically launch the application the scanned file is stored in so the document and application are up and running before you return to your desk.

Second, the *Scan to E-mail* function saves time and allows users to send scanned images directly to any e-mail address. Additionally, addresses can be imported and transferred directly to the AR-M350/450 Imager via the EIU (Export/Import Utility).

Third, the *Scan to FTP* function enables direct scanning to an FTP file server for special applications. By simply entering the IP address of an FTP site, users can pass files to an EDMS (Enterprise Document Management System) located directly on a server. Finally, with Sharp's proprietary software, Sharpdesk[™] 2.0 with Composer, users have a comprehensive, easy-to-use document management tool that allows them view, distribute, integrate and manipulate both paper and electronic documents regardless of the varied applications in which they were created. With Sharpdesk 2.0, users can scan documents directly to workstations, file servers, a specific application, or any e-mail address they choose.

Sharp AR-NS2 Network Expansion Kit (optional) Scan documents directly to your desktop, file server or e-mail.

Sharpdesk™ 2.0 (included with AR-NS2) Desktop document management software features include scanning, OCR, Image Viewer and more. A document can be e-mailed or posted to the web, or printed and professionally finished. You can also file, OCR, print or link to your fax server right from your desktop.





Simply connect the Sharp AR-M350/450 Digital Imager to your LAN and let Sharpdesk, the user- friendly desktop document management software, guide users through scanning to desktop PC, e-mail, or an FTP server.

sfe		ein@															 •		
P		w		е		r		t		у		u		i		0	р		+
a		s		d		f		g		h		j		k		1	@		_
z) (x) (с) (v) (b) (n) (m)	_	Ì	•	ABC	0	abc

Comprehensive, easy-to-use format allows users to e-mail directly from the LCD panel.

at a glance

Highlights:

- IMAGE SEND for scanning right from the touch-screen ICD Panel
- Time-saving tools include Scan to E-mail, Scan to Desktop and Scan to FTP File Server
- Sharpdesk 2.0 software allows for easy and sophisticated document management
- Clear 200, 300 and 600 dpi resolution levels

SCAN

D

F A X

The Features of Functionality

The Sharp AR-M350/450 Digital Imager also functions as a lightning-fast fax—enhancing your business efficiency with transmission times of as little as two seconds per page.

As part of its high speed, high resolution optional faxing capabilities, the AR-M350/450 Digital Imager can store up to 500 quick-dial numbers. Documents can be transmitted in less than 2 seconds¹ utilizing JBIG compression with its 33.6 modem. It offers exceptional clarity with 256 grayscale levels, along with varied resolution settings (including settings for small print, fine and extra fine fonts). And with the optional Duplex Single Pass Feeder, you can even fax both sides of a two-sided document automatically.

Documents can also be faxed to any Internet-enabled fax machine. By simply scanning the document and transmitting to a Network IP address of any fax machine, you save by reducing costs on dialing expenses.

The Sharp AR-M350/450 Digital Imager supports the F-code standard, making it possible to perform special operations such as relay broadcast transmission and confidential transmission. F-code transmission is convenient when sending important documents that you only want a specific person to see since a passcode is required to print the document. A transaction record will automatically print to inform you that a confidential document has been stored.



Duplex Single Pass Document Feeder Duplex faxing enables users to automatically fax both sides of a 2-sided document, enhancing productivity.

ſ	E	- M.	AIL	ADDR		3	111111000	****			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		11111/00/00	1000100100000	****	(C	CANCE	L) [OK	<u>)</u>
	1	20	1555	1212																◀		
	C	1)	2)	3)	4)	5)	6) (7) (8)	9)	0)	~
	C	!)	~)	I)	\$)	%)	+) (1) (()	\bigcirc)	+		
	C	;)	:)	,)	[])	(\)	?) (=) (*)	\frown)		ľ	J
	(FORM)			C		SPA				(AB)		1	2#\$%				

Faxing is faster and easier by dialing directly from the LCD panel.

IMAGE SEND

D

IMAGE SEND

A gateway to sending documents via e-mail, fax or scan-users can e-mail or fax images to multiple destinations, simultaneously. Two separate functionssuch as faxing while printing-can similarly be used at the same time to double your productivity.



V



at a glance

Highlights:

- IMAGE SEND for faxing or e-mailing right from the touch-screen LCD Panel
- *Transmission times of 2 seconds (Super G3)*¹ and 6 seconds (G3)
- 33.6 Kbps modem speed
- 256 grayscale levels
- JBIG Compression
- 500 one-touch dial keys
- Exposure adjustments for dark, auto and light documents
- *Resolution settings for small, normal, fine and extra fine detail*

¹With ITU-T No.1 chart standard resolution, SUPER G3 mode, 33,600 bps, JBIG compression.

A R - (M) 350/450

General

Type: Copy system:	
Copy system:	Console
	Dry, electrostatic transfer system
Paper size:	Max. 11" x 17" / Min. 5.5" x 8.5"
Paper capacity:	500 sheets, expandable up to 3,100 sheets with options
Copy/print speed (max):	35/45 cpm/ppm (8.5" x 11")
Memory:	64MB, upgradeable to 320MB with options, 5GB HDD
Warm-up time ¹ :	Less than 80 seconds
First copy time:	5.3 seconds (8.5" x 11", 1st paper tray, fast platen mode)
Power requirements:	Rated local AC voltage \pm 10%, 50/60 Hz
Power consumption:	Max. 1.6 kW
Dimensions (WxDxH) ² :	32 17/32" x 26 31/32" x 43 15/16"
Weight ² :	215 lbs
Printer	
Resolution:	600 dpi, 1,200 dpi equivalent with smoothing technology
Interface:	IEEE 1284 parallel port
Printer drivers:	Windows® 95/98/Me, Windows NT® 4.0, Windows® 2000, Macintosh System 8.5.1-9x
PDL:	PCL5e, PCL6, Emulated PostScript Level 3 (option)
Available fonts:	45 fonts for HP PCL, 136 fonts for PS (with optional AR-PK1)
Other features:	Paper/output tray selection, duplex print, watermarks, pamphlet style, staple (3 patterns), job retention for confidential/sample print, N-up, B&W reverse, mirror image, form overlay, fit to page, auto configuration, easy print (stores settings), confidential print, sample print. Note: some features are not available according to the printer driver used.
Scanner (optio	nal AR-NS2 Network Scanner Expansion Kit and AR-NC5J required)
Resolution:	200, 300, 600 dpi
Compatibility:	TWAIN compliant (push out method)
Sharpdesk licenses:	10-user licenses included
Print Serve	r Card (optional AR-NC5J)
Hardware interface:	10Base-T, 100Base-TX
Support platforms:	UNIX, Windows 95/98/Me, Windows NT 4.0, Windows 2000, Novell Netware 3.x/4.x (IntranetWare)/Netware5, Macintosh System 8.5.1-9.x
Network protocols:	IPX/SPX for Novell environments, TCP/IP for Windows and UNIX environments, EtherTalk for Macintosh environments
Printing protocols:	Novell Printserver Application w/ NCS and Bindery, Printer resident LPD (includes reaction to LPQ request), TCP FTP for downloading of print files, EtherTalk printing, IPP, NetBEUI for Windows
Copier	
Original size:	Max. 11" x 17"
Continuous copy:	Max. 999 copies
Resolution copy:	600 dpi
Zoom range:	From 25 to 400% with 8 preset ratios (4 reduction + 4 enlargement). From 25 to 200% when equipped with DSPF
Other features:	Auto paper selection, auto magnification selection, paper type selection (by type setting), auto tray switching, E-Sort, rotation copy, reserved copy, pre-heat/auto power shut-off modes, copy auditing (100 accounts), margin shift, edge/centre erase, dual page copy
	mode, multi-shot copy (N in 1), booklet copy
-	
Transmission time ³ :	2 seconds (Super G3): 6 seconds (G3)
Transmission time ³ :	
Transmission time ³ : Compression method: Modem speed:	2 seconds (Super G3): 6 seconds (G3) MH, MR, MMR, JBIG 33.6Kbps/2.4Kbps automatic fallback
Transmission time ³ : Compression method: Modem speed:	2 seconds (Super G3): 6 seconds (G3) MH, MR, MMR, JBIG
Transmission time ³ : Compression method: Modem speed: Intercommunication:	2 seconds (Super G3): 6 seconds (G3) MH, MR, MMR, JBIG 33.6Kbps/2.4Kbps automatic fallback
Transmission time ³ : Compression method: Modem speed: Intercommunication: Communication line:	2 seconds (Super G3):6 seconds (G3) MH, MR, MMR, JBIG 33.6Kbps/2.4Kbps automatic fallback Super G3, G3
Modem speed:	2 seconds (Super G3): 6 seconds (G3) MH, MR, MMR, JBIG 33.6Kbps/2.4Kbps automatic fallback Super G3, G3 PSTN, PBX
Transmission time ³ : Compression method: Modem speed: Intercommunication: Communication line: # of support lines: Image quality:	2 seconds (Super G3): 6 seconds (G3) MH, MR, MMR, JBIG 33.6Kbps/2.4Kbps automatic fallback Super G3, G3 PSTN, PBX 1 256 grayscale levels
Transmission time ³ : Compression method: Modem speed: Intercommunication: Communication line: # of support lines: Image quality: Exposure adjustment:	2 seconds (Super G3): 6 seconds (G3) MH, MR, MMR, JBIG 33.6Kbps/2.4Kbps automatic fallback Super G3, G3 PSTN, PBX 1 256 grayscale levels

Design and specifications are subject to change without notice. Sharp is a registered trademark of Sharp Corporation. All trademarks and registered trademarks are of their respective holders. ¹At rated voltage, 20° c (68°f), 65% RH. ²Dimensions and weight include scanner rack and stand. ³With JTL No.1 electrate trademark area to find CLIPER Campane and 23 C00 here. INC.

³With ITU-T No.1 chart standard resolution, SUPER G3 mode, 33,600 bps, JBIG compression.



SHARP ELECTRONICS CORPORATION Network Office Systems Group • Sharp Plaza, Mahwah, NJ 07430-2135 1-800-BE-SHARP • www.sharp-usa.com



As an ENERGY STAR® Partner, SHARP has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.