

e-STUDIO™ 520T/600T/720T | POWER STATION

Large Workgroup



52/60/72



Workgroup



Black & White



Copy / Print / Scan / Fax

TOSHIBA
Don't copy. Lead.



JUST AS

POWERFUL,



JUST AS ADVANCED.

In order to compete with today's fast-paced businesses, you need the office equipment designed to do just that.

The e-STUDIO520T/600T/720T Tandem Series utilizes the same advanced technology that you'll find in the standard e-STUDIO MFPs. In addition, a tandem drawer configuration has been added to provide greater paper handling capacity.

Other advantages like an extra large LCD panel, e-BRIDGE™ technology and the latest security features help put this series in a class all its own.

e-STUDIO™ 520T/600T/720T





Speed and agility.

Thanks to advanced Toshiba technology, the e-STUDIO520T/600T/720T Tandem Series are top performers. Print and copy speeds are 52, 60 and 72 pages per minute, respectively. All units scan 71 originals per minute at 600 dpi and are even faster when scanning to file at a lower resolution. With 100% duplex productivity, no time is lost while paper is inverted. And an impressive warm-up time of just 130 seconds along with a 30-second recovery from standby helps reduce wait time.

Power
through jobs at
52/60/72
PPM

EVEN MORE FLEXIBLE.

Flexibility in Tandem.

The e-STUDIO520T/600T/720T Tandem Series utilizes a special tandem drawer configuration for greater flexibility. Two 500-sheet drawers are combined with a lower, built-in large capacity drawer that holds two stacks of 1,250 letter-size sheets. When the right stack of paper runs dry, the left stack is shifted over and used, without interruption, in order to help make short work of long jobs.

Built to handle anything.

The two standard drawers plus the tandem drawer combine to meet whatever paper requirements you might have. The top two drawers can be arranged to accommodate statement to ledger-size paper of up to 110-pound index stock. In all, the three drawers offer an impressive 3,600-sheet capacity that comes standard when you include the 100-sheet Smart Stack Feed Bypass. Add the optional 4,000-sheet LCF for a total of 7,600 and you'll have all the capacity you need, whenever you need it.

eCopy™ ScanStation OP V3.0

Leverage flexible, rapid solutions for paper-to-digital business integration. eCopy ScanStation OP document imaging and distribution software transforms your e-STUDIO520T/600T/720T Tandem Series into full-featured information hubs. It integrates hardcopy documents directly into the workflow of critical business processes—reporting, administration, document management, financials, human resources, and customer management. Additionally, easy-to-use administration tools let you manage multiple device from one central location.

**Tandem
Configuration
2,500-Sheet
Capacity**





52/60/72



Workgroup



Black & White



Copy / Print / Scan / Fax



RE-RITE™

Convert scanned documents into 16 file formats with the touch of a button. Instant Optical Character Recognition (OCR) file format transforms hardcopy text and graphic documents into easily editable file formats including .doc, .html, .pdf, and more. This innovative technology automatically performs OCR and file conversions. Converted images can then be sent to network drives, Email, or both.



Looking good.

Performance doesn't come at the sacrifice of image quality. The Tandem Series produces crisp, clear images at an industry-leading 2400 x 600 dpi, thanks to a new image processor unit. Clarity is further enhanced by ultra-fine 8-micron toner and 40-micron developer. An 8-bit monochrome scanner renders impressive, high fidelity grayscales and sharpens onscreen images as well.



Make professional looking booklets with letter, legal, and ledger-size paper.

Heightened security.

Along with productivity and performance, today's businesses are becoming more and more concerned about the security of MFPs. That's why we've introduced several features to make the e-STUDIO520T/600T/720T Tandem Series even more secure. The data disk overwrite option writes over the data multiple times to protect previous copy and print jobs on the hard disk drive. In addition, a scrambler board encrypts hard drive data. With full SMTP authentication and LDAP support, businesses can be certain that only authorized users are sending out scanned documents and recipients will know specifically who has sent them. For additional security, 10,000 user codes ensure that only those authorized are granted access. Even wireless usage is safe, thanks to the latest 802.11g wireless encryption protocol.



Our guarantee is simple:

If our products don't operate to specification, we replace them free of charge. Named the choice manufacturer seven of the past nine years and "Copier Manufacturer of the Year" three years straight, our fully-trained and certified, employee family is as knowledgeable as our copiers are dependable. You can count on Toshiba to deliver excellence in all we do. This is our quality commitment to you.



The many advantages of a single board.

Advanced e-BRIDGE™ technology combines copy, print, scan, and other functions in a single board architecture. This unified approach allows you to add functionality as you need it, in no time at all, thanks to Enablers that are simple to install. Just plug and print. With e-FILING, users can store frequently needed documents right on the device and reprint them whenever necessary. These documents can be password protected for additional security.

Other features include Scan-to-Email, Internet faxing, and TopAccess®—a remote administration utility with a common interface across Toshiba products. And to perform all functions with greater speed, the system uses a lightning fast 600 MHz processor.

Lightning Fast
600 MHz
processor





4,000
sheet LCF
available

Only from Toshiba.

Experience and innovation combine to create unique product benefits like “toner on the fly” that allows you to replace a high-yield cartridge while the system is in operation. Easy-to-change service modules keep downtime to a minimum. And periodic maintenance intervals of 450, 500 and 575K ensure reliability with some of the highest PM intervals on the market.

In addition to a hole punch and post inserter, advanced finishing options include a 50-sheet multi-position stapling finisher, a 50-sheet unit with saddle-stitch booklet maker, and a 100-sheet finisher with saddle-stitch. To offer even more flexibility, the saddle stitch units can make booklets using letter, legal, or ledger-size paper. You can do the layout yourself or have the system do it automatically.

From productivity to security, image quality to advanced finishing options, nothing powers today's businesses quite like the e-STUDIO520T/600T/720T Tandem Series.



Toner
on the fly

Copying Process	Indirect Electrostatic Photographic Method (Dry Process)
Copying Type	Laser Electronic
Original Reading Method	CCD Line Sensor
Control Panel	Icon Based LCD Touch Panel; Key Top
Copy/Print Resolution	2,400 x 600 dpi
Gradation	256 Steps
Copy/Print Speed	52/60/72 PPM (Letter)
Warm-Up Time	Approximately 130 Seconds
First Copy Out Time	Less Than 4.0 Seconds (Letter)
Duty Cycle	450,000/500,000/575,000 Copies
Multiple Copying	Up to 9,999 Copies
Paper Exit	Face Down
Paper Supply	500 x 2 Drawers; 1,250-Sheet x 2 Tandem Drawer; 100-Sheet Universal Stack Feed Bypass (Standard); Optional 4,000-Sheet External LCF
Bypass	Stack Feed Bypass (100-Sheet)
Acceptable Paper Size	Drawer: Statement-R (5.5" x 8.5") to Ledger (11" x 17"); Stack Feed Bypass: Statement-R (5.5" x 8.5") to Ledger (11" x 17"); Optional External LCF: Letter Only (8.5" x 11") 17 lb. Bond - 110 lb. Index
Acceptable Paper Type	Standard Bond, Overhead Transparencies, Tab Sheets - Drawers 2 + Bypass
Memory	320 MB + 40 GB HDD
Reduction/Enlargement	25% to 400% in 1% Increments
Dimensions	27.5" x 31.1" x 47.8" (W x D x H)
Weight	Approximately 462 lbs.
PM Cycle	450,000/500,000/575,000
Toner Control Method	Automatically Controlled; Toner Empty Detection; Electrical
Drum Type/Yield	Organic Photoconductor/450,000/500,000/575,000
Black Toner Yield	60,100
Black Developer Yield	450,000/500,000/575,000
Power Supply	120 Volts; 60 Hz; 20 A
Power Consumption	Maximum 2.0 kW (115 Volts)

COPY FUNCTIONS

Special Features	Access Codes (10,000 User, 1,000 Department), Alternation, Annotation, AMS/APS, Auto Job Start, Auto Drawer Change, Auto Duplex, Auto Energy Saver, Auto Sleep Mode, Auto Sort Mode, Center Erase, Control Panel Text Input, Copy-On-Tab, Cover Sheet, Date/Time Indication, Department Code Data Print Out, Document Storage, Dual Page Copying, Edge Erase, e-FILING, Electronic Sorting (Sort, Group & Staple), Energy Saver, Help/Info. Function, Image Direction, Image Adjustment, Image Shift, Interrupt Memory, Job Build, Job Memory - Templates, Job Reservation (Scan Ahead) - 10 Jobs, Magazine Sort, Mirror Image, Negative/Positive, OHP Sheet Mode, Original Counter, Page Numbering, Rotation Copy, Sheet Insertion, Smart Bypass, Text, Text/Photo, & Photo Modes, Thick Paper Mode, Trimming/Masking, Weekly Timer, X-Y Zoom, Zoom Indicator, 2-in-1, 4-in-1, 8-in-1 Copy Mode
-------------------------	--

PRINT

PDL Support	PCL6™, PostScript™ 3
Fonts	PCL 80 Fonts, PS 136 Fonts, Monotype Font Manager
Operating Systems	NetWare® 4.x, 5.x, 6.x, Windows® 98/Me/2000, Windows® OS Terminal Edition, Windows® NT 4.0, XP, 2003 Server, Citrix® Metaframe XP®
Protocol Support	IPX/SPX, TCP/IP, EtherTalk®, LPR/LPD, IPP, WINS, SNMP, SMB, AppleTalk®, NetBIOS, NetWare®, Port 9100 (Bi-Di), Bluetooth® (HCRP)

PRINT (CONTINUED)

Drivers	Windows® 98, 2000, 2003, Me, Windows® NT 4.0, XP; Macintosh® OS 8.6, 9.x, 10.1/10.2/10.3 (With PPD), UNIX®, AS/400 via iData, ERP Support SAP R/3
Connectivity	10BaseT/100BaseTX Ethernet, USB, IEEE 1284, 802.11b/g Wireless LAN, Bluetooth® (HCRP)
Device Management	TopAccess™
Certifications	WHQL, Novell®

SCAN

Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi
Scan Speed	Up to 83 PPM @ 300 dpi, 71 PPM @ 600 dpi
File Format	TIFF Single/Multipage, PDF, JPG
Void Area	2mm All Sides
Drivers	TWAIN (No ISIS)
Authentication	SMTP, LDAP

e-FILING

Operation Method	Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box; 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box; 400 Documents Per Folder; 1,000 Pages Per Document
File Format	TIFF-MMR, TIFF-S, PDF

OPTIONS

FINISHING OPTIONS

- MJ1027 - Multi-Position Stapling Finisher (50-Sheet)
- MJ1028 - Multi-Position Stapling Finisher with Saddle-Stitch (50-Sheet)
- MJ1029 - Multi-Position Stapling Finisher with Saddle-Stitch (100-Sheet)
- MJ6003 - Hole Punch Unit
- MJ7001 - Post Inserter Unit
- KN1017 - Finisher Guide Rail

ADDITIONAL PAPER OPTIONS

- MP4004 - 4,000-Sheet Front Loading Large Capacity Feeder, for LT Size

SECURITY OPTIONS

- GP1040 - Scrambler Board
- GP1060 - Data Overwrite Kit

CONNECTIVITY OPTIONS

- GM2040 - Print & Scan Enabler
- GM1050 - Printer Enabler
- GM4010 - Scanner Enabler
- GD1170 - Fax Board
- GO1050 - PCI Slot
- GN1040 - Wireless LAN Module
- GN2010 - Bluetooth® Module
- GN3010 - Antenna
- GF1140 - Parallel Interface Kit
- GB1250 - Re-Rite - Integrated OCR Conversion Distribution Tool
- TB-04SXP01-03 - eCopy ScanStation OP
- TB-ACCSS02-00 - eCopy ScanStand Accessory Box



e-STUDIO600T/720T only



Corporate Office: 2 Musick, Irvine, California 92618-1631
East Coast: 959 Route 46 East, 5th Floor, Parsippany, New Jersey 07054
 Tel: 973/316-2700 Fax: 973/263-2393
Midwest: 8770 W. Bryn Mawr Avenue, Suite 700, Chicago, Illinois 60631
 Tel: 773/380-6000 Fax: 773/380-8077
South: 4855 Peachtree Industrial Blvd., Suite 210, Norcross, Georgia 30092-3024
 Tel: 770/209-8540 Fax: 770/209-8556
West Coast: 142 Technology, Suite 150, Irvine, California 92618
 Tel: 949/462-6262 Fax: 949/462-2700
Web Site: www.copiers.toshiba.com or www.fax.toshiba.com

Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Toner yields are estimates, based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability.

AUTHORIZED TOSHIBA DEALER

TOSHIBA
 COPY ■ PRINT ■ FAX ■ SCAN