

Overview

PRINT COPY SCAN

Fax-based Multifunction System

Xerox FaxCentre F12

more than a fax machine...
more than you expect





The Xerox FaxCentre® F12 multifunction system: **Endless possibilities.**



To make any investment in technology worthwhile, you need to use it to its full potential (of course, some technology has more potential than others).

Introducing the Xerox FaxCentre F12—a faxed-based multifunction system from Xerox Corporation.

The FaxCentre F12 is the one answer for your many office document output requirements. With digital fax, print, copy, and scanning capabilities, the ways in which you can use—and benefit from—the FaxCentre are limitless.

Work however you want. The FaxCentre F12 does it all.

Now, more than ever, you need practical solutions that help you get work done productively, affordably, and with extremely high quality.

The FaxCentre F12 can help.

The FaxCentre F12 is loaded with standard productivity-enhancing features like 200

speed dial locations, two-sided printing, and long-lasting replaceable cartridges that truly make a difference in productivity. At the same time, the FaxCentre F12 also maintains high levels of quality via features like 400 x 400 dpi resolution, color scanning, and bundled ScanSoft software.

Of course, while the FaxCentre F12 helps the speed and quality of your document production, it also saves you money. Replacing your copier, printer, and fax machine with a single, affordable FaxCentre F12 cuts equipment, space, consumables, and service costs.



A fax machine that prints, copies, and scans.

The FaxCentre delivers all the features of a high-end fax device at an extremely competitive price. Finally, you can afford to raise your standards.

- Fast transmission speed (3 seconds per page) reduces phone charges significantly.
- An impressive 400 x 400 dpi sending fax resolution means that the documents you fax arrive at their final destination looking as good as when you sent them.
- Storing up to 200 speed dials simplifies faxing, eliminates manual dialing, and increases productivity.




print

Productive digital printing

Every FaxCentre is a digital printer, thanks to the *Direct Print* feature. Just connect a workstation to the FaxCentre via a standard parallel or USB port, and *start printing*.

- Twelve 600 dpi resolution pages per minute means both productivity and image quality requirements are met.
- Standard PCL 6 printing ensures compatibility with the most common industry-standard operating systems.
- Two-sided printing improves productivity and reduces paper waste.
- An optional External Ethernet Print Server can get the rest of the office connected to the FaxCentre for high quality network printing.



Reliable digital copying

The FaxCentre F12 lets you copy at 12 pages per minute. With built-in technology that ensures high uptime and minimal waste, it's the kind of quality, reliability, and productivity you would expect from The Document Company, Xerox.



FaxCentre F12's intuitive control panel

- The Scan-once-print-many feature saves time by eliminating the re-circulation of documents through the Automatic Document Handler, eliminates wear and tear on the system, and ensures consistently high quality output.
- *Electronic Collation* eliminates the need for manual sorting.
- A Toner Saver Mode uses up to 10% less toner when copying—better for image quality and better for the longevity of toner cartridges.

High resolution scanning

Like the rest of its functions, the FaxCentre F12 scans with outstanding speed, quality, and reliability. It's never been easier to bridge the hardcopy and digital worlds.

- Color scanning enables a fast, easy transition from on-paper to on-screen and on-line.
- Scanning images from hardcopy directly into common applications like Microsoft Word® and PowerPoint® helps office workers create higher quality, professional documents.
- Bundled with ScanSoft's award winning document management software,
 PaperPort® and TextBridge®, the
 FaxCentre F12 offers the ability to customize and distribute scanned documents.



Specifications

Fax Specifications

Transmission Speed 3 seconds per page Fast Scan Speed

Less than 2 seconds per page

Modem Speed 33.6 Kbps

MMR/MR/MH/JBIG JPEG for Data Compression

color fax transmission

Transmission Resolution 400 x 400 dpi Fax Memory 6.5 MB

Dialina

Speed Dials Up to 200 locations

One Touch Dials 50

Group Dials Up to 199 locations

Fax Features

Halftones 256 levels Color Fax Tx/Rec Yes/No

Battery Backup Up to 72 hours when

fully charged

Department Codes

Mailboxes Up to 15

Copier Specifications

12 copies per minute Speed Resolution 300 x 300 dpi First Copy Out 12.7 seconds

Two-Sided From single sided originals Reduce/Enlarge 25-200% in 1% increments **Productivity** Scan Once Print Many **Electronic Pre-Collation** Multiple Copies Up to 999 copies of multiple

page originals

Printer Specifications

Technology Laser Monochrome

Speed 12 ppm

Resolution 1200 x 1200 dpi enhanced

Two-Sided Yes

Page Description

Language (PDL) PCL 6

Windows 95/98/NT4.0/ **Print Drivers**

2000/ME/XP

Interfaces USB** and IEEE 1284

(** USB cable included)

Scanner Specifications

Technology Direct Connect to PC (USB or IEEE 1284)

Speed

Monochrome 6 seconds per page Color 115 seconds per page -

300 dpi USB

Scan Resolution

Variable Settings 75 - 4800 dpi interpolated

Scanning Resolution Pre-scan Yes. 75 dpi TWAIN standard

Depth Grayscale

Color

10 bit (Internal)/8 bit (External) 32 bit (Internal)/24 bit (External)

Scan Driver TWAIN Standard **Bundled Software** PaperPort® Deluxe 7.0

TextBridge® Pro Millennium

Media Handling

Input Paper Capacity

Standard Tray 550 sheets **Bypass Tray** 100 sheets

Paper Size

Minimum 5" x 7"/127 x 176 mm Maximum 8.5" x 14 "/216 x 356 mm

Paper Weight

Standard Trav 16-24 lbs/60-90 gsm **Bypass Tray** 16-43 lbs/60-163 gsm 50 sheets

250 sheets

Document Handler **Output Capacity**

Media Types Paper, envelopes, labels, card stock, transparencies General

Dimensions (WxDxH) 21"x17"x18"/540x435x455mm

Weight 55 lb/25 kg 110 VAC, 50/60 Hz Power

Power Consumption

Maximum 500 watts Standby 14 watts

Energy Saver ENERGY STAR® Compliant

Operating Environment

Temperature

Maximum Range 50° - 89.6°F/10° - 32°C Recommended Range 60.8° - 86°F/16° - 30°C

Humidity

Maximum Range 20 - 80% Recommended Range 30 - 70% Device Memory 20 MB

Device Management ControlCentre™ 5.0

Supplies

Approximate Yield

Toner Cartridge 6,000 pages @ 5% coverage

Drum Cartridge 15,000 pages

Agency Approvals

Safety **UL** Safety

CSA Safety

Options

Network Connectivity External Ethernet Print

Server











Xerox is leading the way to better work in offices everywhere.



"2002 Xerox Corporation. All rights reserved. Xerox", The Document Company", the digital X", FaxCentre", CentreDirect" and ControlCentre" are trademarks of XEROX CORPORATION. In support of Xerox's environmental leadership goals, the Xerox FaxCentre F12 may contain some recycled components that are reconditioned. Windows, Windows NT and Windows 2000, Microsoft Word, PowerPoint and the Microsoft logo are trademarks of Microsoft Word, PowerPoint and the Microsoft Logo are trademarks of ScanSoft, Inc. The Novell Logo is a trademark of Novell Corporation. Xerox Corporation reserves the right at any time to change the specifications of the equipment described herein without notice. 07/02 610P713040 F12BR-01UA