

XEROX®

Technology | Document Management | Consulting Services

black-and-white laser printer

High on quality, low on cost

The Xerox Phaser 3125 laser printer delivers high-quality print dependability at a very competitive price. With its compact size and efficient operation, this easy-to-use laser printer supports the print needs of busy offices on a budget.



Call today. For more information, call 1-877-362-6567 or visit us at www.xerox.com/office



CONFIGURATIONS	Phaser 3125	Phaser 3125/N
Speed	Up to 25 ppm (Letter) / 24 ppm (A4)	
Duty Cycle	Up to 20,000 pages / month	
Paper Handling	Bypass Tray: 1 sheet, Size: Custom sizes from 3 x 5 in. / 76 x 127 mm to 8.5 x 14 in. / 216 x 356 mm; Tray 1: 250 sheets, Size: Custom sizes from 3 x 5 in. / 76 x 127 mm to 8.5 x 14 in. / 216 x 356 mm	
Paper Input Standard	100 sheets	
Paper Output	100 sheets	
Print	As fast as 9 seconds	
First-Page-Out Time	Up to 1200 x 1200 Image Quality	
Print Resolution	400 MHz / PCL6, PostScript, IBM Pro Printer, and Epson emulations	
Processor / PDL	Parallel, USB 2.0	
Connectivity	Parallel, USB 2.0	Parallel, USB 2.0, Ethernet 10/100BaseTX
Memory	32 MB	
Print Features	Xerox Status Monitor, Watermarks, Poster Printing, N-Up, Fit to Page, Scaling, Overlays, Auto Tray Select, Toner Saver Mode, Embedded Web	
Warranty	One Year Warranty	

DETAILED SPECIFICATIONS

Device Management

Phaser 3125: Xerox Status Monitor, Phaser 3125/N: CentreWare® IS Embedded Web Server, CentreWare Web, Xerox Status Monitor, Printer Settings Utility, SetIP

Print Drivers

Windows® 98/Me/NT 4.0/2000/XP/2003, Mac OS® 8.6-9.2/10.1-10.4, Linux: Red Hat®, Fedora™ Core, Mandrake™, SUSE®

Media Handling

Bypass Tray and Tray 1:
16 to 43 lb. bond / 60 to 163 gsm
Media Types: Plain Paper, Envelopes, Labels, Transparencies, Cardstock
Two-sided Printing: Manual, Sizes: A4, Letter, Legal, Folio, Oficio, 20 to 24 lb. bond / 75 to 90 gsm

Operating Environment

Temperature: 50° to 90°F / 10° to 32°C
Humidity: 20 to 80%

Electrical

Power: 110 – 127 V, 50/60 Hz
220 – 240 V, 50/60 Hz
Power Consumption: Average: 400 W, Standby: 70 W, Power Saver mode: 8.5 W
Sound Pressure: Printing: 53 dB (A), Standby: 35 dB (A)
Sound power: Printing: 6.6 B, Standby: 4.8 B

Physical Dimensions (WxDxH)

14.1 x 11.7 x 10 in. /
358 x 298 x 253 mm
Weight: 19.6 lb. / 8.9 kg

Supplies

Toner – Black: Approx. 3,000 pages*
106R01159

(ships with 1,000 page toner)

* Declared yield in accordance with ISO/IEC 19752.
Yield will vary based on image, area coverage and print mode.

Regulatory

FCC Part 15 Class B, Class 1 Laser Product, CE marked in accordance with Low Voltage Directive, 72/23/EEC and EMC Directive 89/336/EEC, CB Certified against IEC 60950

Fast, efficient and low cost laser printer

Quality streamlined

- Up to 25 ppm (letter) / 24 ppm (A4) laser printing.
- No waiting with speedy warm-up of less than 15 seconds and fast first-page out times.
- A 400 MHz processor has the power to tackle even complex print jobs.
- With USB and Parallel, plus a 10/100BaseT Ethernet configuration, you can easily connect one user or many.

User-friendly

- Compact and convenient, it's scaled perfectly for the single-user or small office.
- Print features such as watermarks, N-up, posters, and booklets and support for a wide range of media, simplify customized projects.
- Deep 250-sheet paper tray lets you do a lot of printing without interruption.
- Dependable, robust construction, with a high duty cycle.
- Installs in four mouse clicks; networked models can be installed, configured and managed over the web.
- Status monitor provides alerts if problems occur during printing.

Affordable

- Affordable for even the most cost-conscious.
- Auto Tray Selection and Job Cancel features ensure your job gets printed right.

