




# HP LaserJet M2727 MFP series (CB532A) - specifications and warranty



<b>System features</b>	
Functions	Black-and-white printing, black-and-white copying, black-and-white faxing, black-and-white and colour scanning
<b>Print Speed / Processor / Memory</b>	
Print Speed (Black, Normal Quality, A4)	Up to 26 ppm
Processor	Motorola Coldfire® V5e
Processor speed	450 MHz
Standard memory	64 MB
Memory slots	1 144-pin DDR2 DIMM
<b>Printing System</b>	
First page out, A4 size	< 10.0 sec
pages per month	Printer: up to 15000; copier: up to 15000; ADF: up to 2250
Print Quality (Black, Normal Quality)	Up to 1200 x 1200 dpi
Duplex Print Options	Automatic (standard)
Standard Printer Languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation
<b>Copy System</b>	
Maximum copy speed (black, A4)	Up to 26 cpm (single sheet on flatbed, multiple copies, ADF copy speed is up to 17.5 cpm)

Maximum Number of Copies	Up to 99
Copy Resolution (Black Graphics)	Up to 600 x 600 dpi
Copier Resize	25 to 400%
Copy Resolution (Colour Text and Graphics)	Up to 600 x 600 dpi
<b>Scan System</b>	
scan type	Flatbed, ADF
enhanced scanning resolution	Up to 19200 dpi
Optical Scanning Resolution	Up to 1200 dpi
Maximum Scanning Size	21.6 x 29.7 cm
Scan Size, Minimum Metric	No minimum
Bit Depth	24-bit
Color Scanning	Yes
Gray Scale Levels	256
Scan File Format	JPEG, TIFF, BMP, GIF, PDF, PNG
<b>Fax Functionality</b>	
Fax Speed (A4)	33.6 Kbps (3 sec per page)
A4 Pages Held in Memory	Up to 600 pages
Colour Faxing	No
fax resolution, best (dots per inch)	Up to 300 x 300 dpi (halftone enabled)
Auto-Redialing	Yes
Fax Delayed Sending	Yes
Max Nr. of Broadcasting Locations	119 locations
<b>Paper handling / media</b>	
Auto Document Feeder Capacity	Standard, 50 sheets
Standard Paper Trays	2
Maximum Number of Paper Trays	3

Media Types supported	Paper (bond, colour, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, cardstock
Standard Input Capacity	Up to 300
Maximum Input Capacity	Up to 550
Optional Compatible Operating Systems	Up to 125
Standard Media Sizes	Tray 1: A4, A5, A6, B5 (JIS), C5, DL, 16K, Postcard (JIS), Double Postcard (JIS); Tray 2: A5, B5 (JIS), A4; Automatic Document Feeder (ADF): A4, A5
Custom Media Sizes	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 148 x 210 to 216 x 356 mm; Automatic Document Feeder: 127 x 127 to 216 x 381 mm
recommended media weight	Tray 1, output bin: 60 to 163 g/m <sup>2</sup> ; Tray 2: 60 to 120 g/m <sup>2</sup> ; Automatic Document Feeder (ADF): 60 to 90 g/m <sup>2</sup>
Paper handling	50-sheet media input tray, 250-sheet media input tray, 50-sheet Automatic Document Feeder, 125-sheet face-down output bin and straight-thru paper path
<b>Other technical information</b>	
Standard Connectivity	10/100Base-T Ethernet network port, Hi-Speed USB 2.0 compatible port, RJ-11 Fax port, RJ-11 line-out port
Optional Connectivity	None
Compatible Operating Systems	Windows® 2000; Windows® Server 2003; Certified for Windows Vista™; Windows® XP Home; Windows® XP Media Center; Windows® XP Professional; Windows® XP Professional x64; Windows® XP Tablet PC; Mac OS X v10.3 or higher; Novell® NetWare 3.2, 4.2, 5.x, 6; HP-UX 10.20, 11.x; RED HAT Linux 6.x or higher; SUSE Linux 6.x or higher; Solaris® 2.5x, 2.6, 7, 8, 9, 10 (SPARC®); AIX 3.2.5 or higher; MPE-iX; Citrix® MetaFrame®; Terminal Services
Compatible Network Operating Systems	Via On Board 10/100 Ethernet connection, supports TCP/IP based solutions: Windows® 2000, Windows® XP Home, Windows® Professional, Windows® XP Professional x64, Windows® Server 2003, Windows Vista™ Ready, Windows Vista™-64; Novell® NetWare NDPS services via TCP/IP only on 3.2, 4.2, 5.x, 6.x; HP Gateway (TCP/IP raw only) and Novell® LPD gateway; Mac OS 10.3 or higher; Bonjour discovery supported; RED HAT Linux 6.x or higher; SUSE Linux 6.x or higher; HP-UX 10.20, 11.x; Solaris® 2.5x, 2.6, 7, 8, 9, 10 (SPARC® systems only); IBM® AIX 3.2.5 or higher; MPE-iX; Citrix® MetaFrame®; Windows® Terminal Services

Minimum System Requirements	Windows® 2000, Windows® Server 2003: any Pentium® II processor or higher, 64 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port (print driver, scan driver only); Windows® XP-32 Home, Windows® XP-32 Professional: any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows® XP-x64: any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows Vista™-32 Home, Windows Vista™-32 Professional: 1 GHz processor, 512 MB RAM, check user guide for minimum hard drive space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows Vista™-64: 1 GHz processor, 512 MB RAM, check user guide for minimum hard drive space, SVGA 800 x 600 with 16-bit colour display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port
Control Panel	2-line LCD text display, alphanumeric buttons, navigational buttons plus 3 LEDs (Setup, left, enter, right, cancel), fax buttons plus 1 LED (start fax, phonebook, volume, resolution, redial, one touch keys, shift), copy buttons plus 2 LEDs (start copy, 2 sided, reduce/enlarge, lighter/darker, collate, quality, paper, number of copies, current settings), 2 scan buttons (start scan, scan to).
Software included	HP Toolbox FX, HP LaserJet Scan, TWAIN 1.9 or WIA scanner drivers, HP LaserJet Fax, HP Fax Setup Wizard, Readiris PRO text recognition software (not installed with other software, separate installation required), printer drivers (HP PCL 6, HP postscript level 3 emulation), installer/uninstaller, HP Director (Macintosh)
Hard Disk Capacity	None
Dimensions (w x d x h)	500 x 406 x 457 mm
Weight	17.2 kg
Box Content	HP LaserJet M2727nf MFP, power cord(s), HP LaserJet Q7553A Black Print Cartridge, Getting Started Guide, support flyer, CDs containing device software and electronic User's Guide, control panel faceplate, Readiris PRO text recognition software, ADF input support, phone cord(s), 250-sheet input tray 2
Warranty	One-year limited warranty

\*Except where noted, all prices are suggested retail price in Canadian dollars. Retailers/resellers may sell for less.

To download the latest Adobe Acrobat Reader, please go to the [Adobe Website](#).