Dishwashers

800 Series | 500 Series | 300 Series | Ascenta®









If you didn't notice it was a Bosch, you'd never know it was there. That's how quiet our dishwashers are. Our machines register as low as 39 dBA—making Bosch the quietest brand*. Their performance speaks for itself, scrubbing the grime off the dirtiest plates and

^{*} Bosch offers the quietest dishwasher in North American and no major brand offers a quieter model at any Bosch price point. Class defined by similarly priced and designed models of major brands, obtained from competitors' websites May 2011.



There is a lot to say about something so quiet.

Quietness

You may have heard that Bosch is the quietest brand of dishwashers in the U.S.* and that there is no quieter dishwasher in any Bosch price point. Maybe you're not hearing anything much at all. That's because with three layers of sound-muffling material—metal, cotton-fiber insulation, and heavyduty bitumen sheets—and our suspended, two-pump motor system that dramatically reduces vibration and noise, Bosch has created a kind of quiet that screams German engineering.

Engineering a quiet response

Quietest brand

Noise is measured in decibels (dBA). A whisper is about 30 dBA, and a normal conversation is about 60 dBA. As the quietest dishwashers in the U.S.,*Bosch has a silence rating as low as 39 dBA, equivalent to that of a library. All Bosch quiet levels are certified by an independent lab.

^{*} Bosch offers the quietest dishwasher in North American and no major brand offers a quieter model at any Bosch price point. Class defined by similarly priced and designed models of major brands, obtained from competitors' websites May 2011.

Noise matters. A three-decibel increase is the auditory equivalent of running two dishwashers at once.



Two-pump motor system

By using two small pumps to individually wash and drain instead of a single large one, vibration and noise are dramatically reduced.

Suspension motor

We've suspended our two-pump motor system using rubber hammocks to help absorb and minimize any vibration and noise, quieting your kitchen.

Solid molded base

Solid construction and enhanced insulation reduce vibration and add to overall noise reduction.

InfoLight®



Sometimes your dishwasher will be so quiet, you won't know it's on. That's why there's InfoLight, a small red light projected onto the


floor to indicate that your dishwasher is still in one of its cycles.



Model shown: SHE43R55UC / 16392

Efficiency

With back-to-back ENERGY STAR® Partner of the Year awards (and 2011's Sustained Excellence Award, to boot), our commitment to efficiency is impressive. Case in point: Bosch can save more than two gallons of water per load when compared to the industry average. That's what you get with Bosch and the most efficient dishwasher in the U.S. And innovations like EcoSense®, which adjusts water and heat usage automatically to reduce energy usage by up to 20% while minimizing water usage, are why Bosch dishwashers can save over 400 gallons a year*




^{*}Based on standard-size dishwashers, according to ENERGY STAR®. According to 2010 AHAM Shipment Weighted Averages and minimum water usage of the normal cycle of this Bosch dishwasher.

A passion for efficiency

Most water-efficient

Bosch makes water work better by using less of it, as little as 2.0 gallons per cycle. Our dishwashers can save almost two gallons per cycle (compared to the average dishwasher) without sacrificing cleaning performance. And we have the most water-efficient dishwasher in each class.*



Bosch water usage vs. industry average usage, in gallons (2010, AHAM shipments).

ActiveWater™

Technology that utilizes design, water pressure and efficiency to turn two gallons of water into the cleaning power of more than 1,300.

Flow-through water heater

Bosch dishwashers channel 100% of the water through tight coils in a confined heating chamber, which heats the water quickly and efficiently.

Half-load



Use this cycle when washing small, lightly soiled loads that fill half or less of the dishwasher's capacity. The Auto cycle uses

sensor decisions to dramatically reduce energy and water consumption.

Quality

There are many standards of quality. Some rate performance, others design, materials and style, but we don't stop until the product meets the exacting Bosch standard of German-engineered quality. That means using the highest-quality stainless steel along with other solid design materials. All housed in the most innovative machine we can produce. We strive to produce beautiful, powerful, stylish dishwashers that meet our collective standards as the #1 dishwasher brand

The artistic side of functionality

German-engineered quality

When we talk about German engineering, we're talking about our commitment to producing the world's best products. We use the smartest thinking to make complex machinery easy to operate while using the highest-quality materials to build them.

Stainless steel tub

Bosch dishwashers' high-quality stainless steel construction retains heat better than plastic tubs, which helps dry dishes faster and more efficiently. They also come with a lifetime warranty against rust-through, because not all stainless steel tubs have the same quality.

Warranty

One year parts and labor, five years on all electronic components (parts only), five years on racks (parts only), lifetime warranty against rust-through on the tub.*

Custom Panel



Pairing a custom cabinet panel with your

dishwasher amplifies your kitchen's look by giving it a minimalist, avant-garde feel. Its sleek look disappears



into your cabinetry for a quietly flush installation.

Good Housekeeping Seal

For more than 100 years, the Good Housekeeping Seal of Approval has been reassuring consumers that they've made the smart choice. Which is why we're proud that all Bosch dishwashers are backed by the Seal and Good Housekeeping's additional two-year limited warranty.

Quality testing

100% of our dishwashers are tested at our New Bern, North Carolina, factory, and go through 485 individual quality control tests before being shipped. We test dishwashers through their traditional lifespan, up to 4,000 wash cycles, the equivalent of 10 years' use.

Self-latching door

Keep the door at the position you want it when you open your Ascenta dishwasher or load your dishes. The self-latching door holds at any position, and if your door is open at less than 20°, the door will automatically close and click shut.



Performance

With Bosch, our sophisticated technologies aren't just ultra-efficient, they're ultra-effective at getting dishes clean and spot-free. And it's these technologies that have led to Bosch's standing as the top-rated dishwasher line in the U.S.

Variable spray pressure



Higher and lower spray pressure allows for better load customization and enhanced cleaning performance, based on the cycle

that is selected.

Extra tall item sprinkler

Simply remove the top rack and place your serving platters, cookie sheets, hood filters and refrigerator shelves that are up to 22" high in the bottom rack.







ActiveTab® system

Innovatively designed and integrated into the middle of the dishwasher, ActiveTab helps dissolve detergent tablets more efficiently and effectively.

Water softener

The ADA compliant dishwasher has a water-softening system that softens the water to the optimal level and eliminates spots caused by lime deposits left behind by hard water.

Triple filtration system

The triple-filtration system uses a three-step process to remove even the finest dirt particles from the washing cycle, for sparkling-clean dishes and glasses every time. And all three filter elements are self-cleaning for worry-free operation.

Auto Wash

By detecting the amount of water and debris that is drained from the dishwasher each cycle, Auto Wash is able to optimize the amount of new water for following cycles, helping to maximize water and energy efficiency while maintaining top performance.

Capacity

Each Bosch dishwasher is designed to maximize space and flexibility, giving you the space you need to organize your dishes and clean them more efficiently.

Place settings



Bosch designs its racks to accommodate even the largest dinner parties, with most models able to hold up to 14 place settings

in one load.

RackMatic®

The RackMatic upper-basket height adjustment allows for one-step adjustment of the racks when loaded. The rack has two simple steps to enhance loading flexibility to accommodate large platters and tall glasses.

Silverware basket



The removable silverware basket can be placed anywhere in the dishwasher, adding space for other items. Plus, the Duo-flex

basket can be split into two pieces, placed sideby-side or back-to-back, for the ultimate flexibility in loading.



Safety

Arguably the safest on earth, Bosch dishwashers are the only ones in the U.S. with AquaStop,® our leak-protection system that automatically detects water in the base, shuts down operation and pumps it out.

AquaStop and AquaStop Plus





Bosch is the only U.S. manufacturer to offer a high-tech leak-protection system in their dishwashers. AquaStop is a

precisely engineered tub and sensor system that detects leaks in the solid molded base of the dishwasher, shuts down operation and automatically pumps out water so it cannot make contact with the floor. This eliminates the risk of costly water damage. The AquaStop Plus, available on the ADA compliant dishwasher, includes an electro valve at the water tap and a unique, double-walled hose system for the most comprehensive safety system available.

SaniDry™ condensation drying system

Condensation drying works by heating the dishes with hot water from the final rinse. The closed system does not draw outside air into the dishwasher, which makes it the most sanitary way to dry dishes.

24/7 overflow protection system

Only the Ascenta® 24/7 overflow protection system senses leaks even if the dishwasher is turned off. If water levels get too high, the dishwasher pumps the water out of the tub and closes the water inlet.

No exposed heating element

Our concealed flow-through water heater prevents plastic items on the bottom rack from melting and protects you from accidental burns during unloading.

Sanitize option

By operating at a higher temperature, the sanitize option meets National Sanitation Foundation (NSF) standards of cleanliness, eliminating 99.9% of bacteria, and enhances your drying results as well.

A family of dishwashers so quiet and efficient, they scream German engineering.





Manual adjustment rack
3-6-9 hour delay start
Sanitize option
Long silverware basket
300 series racks

24/7 overflow protection 4-6 cycles, 1-2 options



-
**48 _{dBA}
> 259 kWh/yr
♦ 2.95 gal/load

InfoLight®
Manual adjustment rack
N/A
Sanitize option
Long silverware basket
300 series racks*

AquaStop®

4 cycles, 1 option



Stainless steel interior



Re	emaining	time	indicato	r

InfoLight®

RackMatic®

19-hour delay start

Sanitize option

Duo flexible silverware basket

500 series racks

AquaStop®

4 cycles, 2 options



Stainless steel interior



Express Wash

Remaining time indicator/LCD

InfoLight® RackMatic®

19-hour delay start

Sanitize option

Duo flexible silverware basket

800 series racks

AquaStop®

6 cycles, 3 options



Custom Panel

800 Series	Mfr. Model#	Color	Handle	Sears Item#	
Model Numbers	SHE68R55UC SHE68R52UC SHE68R56UC SHX68R55UC SHX68R52UC SHX68R56UC SHV68R53UC	Stainless steel White Black Stainless steel White Black Custom Panel	recessed recessed bar bar bar	16453 16452 16459 16413 16412 16419 16416	
Appearance	Stainless Steel	TallTub			
	6 Wash Cycles	and 3 Options			
	Real Stainless	Steel Fascia Pane	I		
	LCD Display				
Quietness	Virtually Silent	: 44 dBA			
	Solid Base Cor	ntains Sound & Pr	events Leak	S	
	InfoLight® Cycl	le Indicator LED			
Efficiency	Saves 290 gallons of water each year				
	234 kWh/yr–Ef	NERGY STAR® Qua	lified		
	Exceeds ENERGY STAR® Requirements for Water by 72%				
	EcoSense® Reduces Energy Usage up to 20%				
	Half-load Option for Small Loads				
Safety	AquaStop® Leak Protection				
	NSF-certified-	Eliminates 99.9%	of Bacteria		
	Sanitize Option	n Removes Bacteri	a & Enhance	es Drying	
Capacity	14 Place Settir	ng Capacity			
	800 Series Flex	xible Racks with D	uo-Flex Silv	erware Basket	
	Duo Flex Silver	ware Basket			
	Extra Tall Item	Sprinkler Cleans	Items 22" Ta	all	
Convenience	Multi-Function	LED with Remain	ing Time		
	19 Hour Delay	Start Timer			
	Express Wash-	-In 30 Minutes or	Less		
Performance	Variable Spray	Pressure	_		







Custom Panel

500 Series	Mfr. Model#	Color	Handle	Sears Item#		
	SHE55R55UC SHE55R52UC SHE55R56UC SHX55R55UC SHX55R52UC SHX55R56UC SHX55R56UC SHV55R53UC	Stainless steel White Black Stainless steel White Black Custom panel	recessed recessed recessed bar bar	16442		
	Stainless Steel	TallTub				
	4 Wash Cycles a	and 2 Options				
	Real Stainless S	teel Fascia Panel*				
	Virtually Silent:	46 dBA				
	Solid Base Cont	ains Sound & Pre	vents Leak	s		
	InfoLight® Cycle	Indicator LED				
	Saves 280 gallo	ns of water each y	ear			
	259 kWh/yr–EN	ERGY STAR® Quali	ified			
	Exceeds ENERGY STAR® Requirements for Water by 69%					
	EcoSense® Red	uces Energy Usage	e up to 20%	%		
	Half-load Option	n for Small Loads				
	AquaStop® Leak	Protection				
	NSF-certified-E	liminates 99.9% o	f Bacteria			
	Sanitize Option	Removes Bacteria	& Enhance	es Drying		
	14 Place Setting	g Capacity				
	500 Series Rack	s with Duo-Flex S	ilverware E	Basket		
	RackMatic® Auto	omatically Adjustal	ole Upper F	Rack		
	Extra Tall Item S	Sprinkler Cleans It	ems 22" Ta	all		
	Multi-Function L	ED with Remainir	ng Time			
	19 Hour Delay S	Start Timer				





Recessed handle

Named #1 dishwasher for the 10th time by leading consumer publication.*

500 Series	Mfr. Model#	Color	Handle	Sears Item#	
Model Numbers	SHE55M15UC SHE55M12UC SHE55M16UC	Stainless steel White Black	recessed recessed recessed	11902	
Appearance	Stainless Steel	TallTub			
	5 Wash Cycles	and 3 Options			
	Stainless Steel	Look Fascia Pane	I		
Quietness	Virtually Silent:	47 dBA			
	Solid Base Con	tains Sound & Pre	events Leak	S	
Efficiency	Saves 280 gallo	ns of water each	year		
	259 kWh/yr–EN	IERGY STAR® Qua	lified		
	Exceeds ENERGY STAR® Requirements for Water by 69%				
	EcoSense® Reduces Energy Usage up to 20%				
	Half-load Optio	n for Small Loads			
Safety	AquaStop® Lea	k Protection			
	NSF-certified—E	Eliminates 99.9% o	of Bacteria		
Capacity	14 Place Settin	g Capacity			
	800 Series Flexi	ble Racks with Du	o-Flex Silve	rware Basket	
	RackMatic® Aut	omatically Adjust	able Upper	Rack	
	Extra Tall Item	Sprinkler Cleans I	tems 22" Ta	all	
Convenience	Multi-Function	LED with Remaini	ng Time		
	19 Hour Delay	Start Timer			
	Quick Wash-In	30 Minutes or Les	SS		

^{*} Rating from 2010 based on washing performance, and includes energy and water use, noise, loading flexibility, cycle time and ease of use.











Custom Panel

300 Series	Mfr. Model#	Color	Handle	Sears Item#	
	SHE43R55UC SHE43R52UC SHE43R56UC SHX43R55UC SHX43R55UC SHX43R56UC SHX43R56UC SHV43R53UC	Stainless steel White Black Stainless steel White Black Custom panel	recessed recessed recessed bar bar bar	16392	
	Stainless Steel	TallTub			
	4 Wash Cycles a	and 1 Option			
	Virtually Silent:	48 dBA			
	Solid Base Cont	tains Sound & Pre	vents Leak	S	
	InfoLight® Cycle Indicator LED				
	Saves 280 gallons of water each year				
	259 kWh/yr-ENERGY STAR® Qualified				
	Exceeds ENERGY STAR® Requirements for Water by 69%				
	EcoSense® Reduces Energy Usage up to 20%				
	Half-load Cycle for Small Loads				
	AquaStop® Leak	Protection			
	NSF-certified-E	liminates 99.9% o	f Bacteria		
	Sanitize Option	Removes Bacteria	a & Enhanc	es Drying	
	14 Place Setting	g Capacity			
	300 Series Racks with Long Silverware Basket				
	Manual Height Adjustment Upper Rack				







Bar handle

300 Series	Mfr. Model#	Color	Handle	Sears Item#	
Model Numbers	SHX33R55UC Sears Exclusive	Stainless steel	bar	16563	
Appearance	Stainless Steel	TallTub			
	4 Wash Cycles a	and 1 Option			
Quietness	Virtually Silent:	50 dBA			
Efficiency	Solid Base Con	tains Sound & Pre	events Lea	ks	
	Saves 280 gallo	ns of water each	year		
	259 kWh/yr–EN	ERGY STAR® Qua	lified		
	Exceeds ENERG	Y STAR® Require	ments for	Water by 69%	
	EcoSense® Reduces Energy Usage up to 20%				
Safety	AquaStop® Leak Protection				
	NSF-certified-Eliminates 99.9% of Bacteria				
	Sanitize Option Removes Bacteria & Enhances Drying				
Capacity	14 Place Setting Capacity				
	300 Series Upper and Standard Lower Rack with Long Silverware Basket				
	Manual Height Adjustment Upper Rack				
Convenience	Multi-Function l	_ED with Remaini	ng Time		
	Express Wash-I	n 30 Minutes or L	ess		
	Self-latching Do	or Stays Put and	Latches		
Performance	Variable Spray F	Pressure			





My first Bosch.

Aspirational affordability

The Ascenta line of dishwashers offers outstanding Bosch quietness, efficiency and a rich feature set as a superior alternative to all-plastic tub dishwashers. Our exclusive stainless-steel wash tub with a polypropylene base makes purchasing an easy choice when it comes to deciding on feature sets, quietness and value. We've also incorporated a newly enhanced motor system for greater noise reduction. It makes sense to make Ascenta your first Bosch dishwasher.



Ultra-quiet drain pump

A new drain pump design reduces noise while draining. Plus, a new dispenser location and optimized hydraulics combined with our famous suspension motor and two-pump motor system make the Bosch Ascenta the quietest dishwasher in its class with a sound output of 50 dBA.

Triple filtration

The triple filtration system uses a three-step process to remove even the finest dirt particles from the washing cycle for sparkling clean dishes and glasses every time. The innovative design increases filtration effectiveness. And all three filter elements are self cleaning for worry-free operation.

Efficiency

Bosch ENERGY STAR® qualified dishwashers offer class-leading efficiency thanks to cutting-edge technology. Ascenta's energy rating is 279 kWh/yr, well below ENERGY STAR® requirements. Ascenta dishwashers are the most energy and water efficient in their class *

Overflow protection system

Only Ascenta® 24/7 overflow protection system senses leaks even if the dishwasher is turned off. In case water levels get too high, the dishwasher pumps the water out of the tub and closes the water inlet



Recessed handle



Bar handle

Ascenta®	Mfr. Model#	Color	Handle	Sears Item#	
Model Numbers	SHE3AR75UC SHE3AR72UC SHE3AR76UC SHX3AR75UC SHX3AR72UC SHX3AR76UC	Stainless steel White Black Stainless steel White Black	recessed recessed recessed bar bar bar	16322	
Appearance	Stainless Steel	Tall Tub w/PP*			
	6 Wash Cycles	and 2 Options			
Quietness	Virtually Silent:	50 dBA			
	Solid Base Con	tains Sound & Pre	events Leal	«s	
Efficiency	Saves 280 gallo	ns of water each	year		
	279 kWh/yr–EN	IERGY STAR® Qua	lified		
	Exceeds ENERG	GY STAR® Require	ments for \	Water by 69%	
	EcoSense® Reduces Energy Usage up to 20%				
	Half-load Option for Small Loads				
Safety	Bosch Exclusive 24/7 Overflow Leak Protection				
	NSF-certified-Eliminates 99.9% of Bacteria				
	Sanitize Option Removes Bacteria & Enhances Drying				
Capacity	14 Place Settin	g Capacity			
	300 Series Upper and Lower Rack with Long Silverware Basket				
	Manual Height	Adjustment Uppe	r Rack		
Convenience	Multi-Function	LED with Remaini	ng Time		
	3/6/9-hour Dela	ay Start Timer			
	Express Wash-	In 30 Minutes or L	ess		
	Self-latching Do	oor Stays Put and	Latches		
	Delicate Wash f	for Fine China			





Recessed handle



Bar handle

Ascenta®	Mfr. Model#	Color	Handle	Sears Item#	
	SHE3AR55UC SHE3AR52UC SHE3AR56UC SHX3AR55UC SHX3AR52UC SHX3AR56UC	Stainless steel White Black Stainless steel White Black	recessed recessed recessed bar bar bar	16312	
	Stainless Steel	TallTub w/PP*			
	4 Wash Cycles a	and 2 Options			
	Virtually Silent:	50 dBA			
	Saves 280 gallo	ns of water each y	ear		
	279 kWh/yr–EN	ERGY STAR® Quali	fied		
	Exceeds ENERGY STAR® Requirements for Water by 69%				
	EcoSense® Reduces Energy Usage up to 20%				
	Half-load Option for Small Loads				
	Bosch Exclusive	24/7 Overflow Le	ak Protect	ion	
	NSF-certified-E	liminates 99.9% o	f Bacteria		
	Sanitize Option	Removes Bacteria	& Enhance	es Drying	
	14 Place Setting	g Capacity			
	Standard Racks	with Long Silverv	are Baske	t	
	3/6/9-hour Dela	y Start Timer			
	Self-latching Door Stays Put and Latches				
	Variable Spray F	Pressure			



Special Applications



Custom panel

	Custom panel				
ADA Compliant 18" Series	Mfr. Model#	Color	Handle	Sears Item#	
Model Numbers	SRX53C15UC SRV53C13UC	Stainless steel Custom panel	bar	12433 12436	
Appearance	Stainless Steel	Euro Tub (shorte	r height)		
	5 Wash Cycles	and 2 Options			
	ADA Compliant	for Lower Counte	ertop Insta	llation	
Quietness	Virtually Silent:	49 dBA			
	Solid Base Con	tains Sound & Pre	events Lea	ks	
Efficiency	Saves 273 gallo	ons of water each	year		
	306 kWh/yr-EN	IERGY STAR® Qua	lified		
	Exceeds ENERG	GY STAR® Require	ments for	Water by 68%	
	EcoSense® Rec	luces Energy Usag	ge up to 20)%	
	Half-load Option for Small Loads				
Safety	AquaStop® Plus Four-part 24/7 Leak Protection				
Capacity	9 Place Setting	Capacity			
	Premium Racks	with Single-Flexib	le Silverwa	re Basket	
	RackMatic® Aut	tomatically Adjust	able Uppe	r Rack	
	Extra Tall Item	Sprinkler Cleans I	tems 22"	Γall	
Convenience	Multi-Function	LED with Remaini	ing Time		
	19 Hour Delay	Start Timer			
	Quick Wash-In	30 Minutes or Le	SS		
Performance					
	_				





Recessed handle

ADA Compliant 24" Series	Mfr. Model#	Color	Handle	Sears Item#
24 Julius	SGE63E15UC SGE63E06UC	Stainless steel Black	recessed recessed	
	Stainless Steel	Euro Tub (shorter	height)	
	6 Wash Cycles a	and 5 Options		
	ADA Compliant	for Lower Counte	ertop Instal	lation
	Virtually Silent:	49 dBA		
	Solid Base Con	tains Sound & Pre	events Leal	(S
	Saves 484 gallo	ns of water each	year	
	234 kWh/yr-ENERGY STAR® Qualified			
	Exceeds ENERGY STAR® Requirements for Water by 150%			
	EcoSense® Reduces Energy Usage up to 20%			
	Half-load Option for Small Loads			
	AquaStop® Plus Four-part 24/7 Leak Protection			
	Sanitize Option Removes Bacteria & Enhances Drying			
	14 Place Setting Capacity			
	Vario Racks with Flexible Silverware Basket			
	Manual Height A	Adjustment Uppe	r Rack	
	Multi-Function l	ED with Remaini	ng Time	
	24 Hour Delay S	Start Timer		
	Quick Wash-In	30 Minutes or Le	ss	
	Variable Spray F	Pressure		
	ActiveTab® Tray	Optimizes Deter	gent Dissol	ving
	Water Softener	Ensures Perfect (Cleaning	





Dishwasher Accessories

Accessory Description	Accessory Model #s	Dishwasher Model #s
Stainless Steel Door with Polished and Round Tubular Stainless Steel Handle	SGZ1005UC	SHV68R, SHV55R and SHV43R Only
Stainless Steel Door with Flat and Matte Stainless Steel Handle	SGZ1006UC	SHV68R, SHV55R and SHV43R Only
Flat and Matte Stainless Steel Handle	SGZ1007UC	SHV68R, SHV55R and SHV43R Only



*SGZ1005UC (Optional door with polished and round handle)



*SGZ1006UC (Optional door with flat and matte handle)



*SGZ1007UC (Flat and matte stainless steel handle)

^{*} These accessories can be ordered through Sears Parts Direct 1-877-681-9021 or Bosch 1-800-944-2904

Dishwasher Colors

Recessed Handle



Stainless Steel (SHE43R55UC / 16393 Model Shown)



Black (SHE43R56UC / 16399 Model Shown)



White (SHE43R52UC / 16392 Model Shown)



Stainless Steel (SGE63E15UC / 16793 Model Shown)

Bar Handle



Stainless Steel (SHX43R55UC / 16783 Model Shown)



Black (SHX43R56UC / 16789 Model Shown)



White (SHX43R52UC / 16782 Model Shown)



Stainless Steel (SRX53C15UC / 12433 Model Shown)

Fully Integrated



Fully Integrated (SHV43R53UC / 16786 Model Shown)



Custom Panel (SRV53C13UC / 12436 Model Shown)

Dishwashar Tashnisal Datails

Dishwasher Technic	cal Details
Model	800 Series / Sears#
Color Stainless Steel	SHE68R55UC / 16453
White	SHE68R52UC / 16452
Black	SHE68R56UC / 16459
Custom Panel	
Silence	
dBA	44
InfoLight®	
Efficiency	
Water-gallons/load	2.90
Energy-kWh/year Wash Cycles	234
Heavy	6
Normal	-
Auto	•
Half Load	
Delicate	•
Express	
Rinse/Rinse & Hold	
Glass Care	
Auto Plus	
Auto Delicate	
Extreme Wash	
Enviro Wash Options	3
Half Load	
EcoAction®	-
Extra Wash	
Sanitize	•
Delay Start	19 h
Safety	
Leak Protection	AquaStop®
ChildLock Electric	
ChildLock Mechanical	
PerfectDoor® Self-latching Door	•
Wash Sensor	
EcoSense®	•
Load Size Sensor	
Variable Spray Pressure	•
Upper Rack	800
Place Setting Capacity	14
Adjustability	RackMatic™
ActiveTab™ Tray	
Handle	Bosch Plastic
Flip Tines	2
Cup Shelves	3
Plastic Item Clips	•
Small Accessory Basket Knife Rack	-
Lower Rack	800
Handle	Bosch Plastic
Flip Tines	2
Silverware Basket	Duo-Flex
Silverware Basket Cover	
Vase/Baby Bottle Holder	
Display	_
Remaining Time	
Sanitized Indicator Light	•
Rinse Aid Indicator Light End-of-Cycle Indicator	-
Other	
3rd Loading Level	
Extra Tall Item Sprinkler	
Detergent & Rinse-Aid Dispenser	•
Detergent & Minse-Ald Dispenser	_
	•
End-of-Cycle Sound OptiDry®	
End-of-Cycle Sound	•

800 Series / Sears#	500 Series / Sears#	500 Series / Sears#
SHX68R55UC / 16413	SHE55R55UC / 16443	SHX55R55UC / 16403
SHX68R52UC / 16412	SHE55R52UC / 16442	SHX55R52UC / 16402
SHX68R56UC / 16419	SHE55R56UC / 16449	SHX55R56UC / 16409
SHV68R53UC / 16416		SHV55R53UC / 16406
44	46	46
		•
2.90	2.95	2.95
234	259	259
6	4	4
-	•	•
	•	1
	•	•
-		
-		
-		
3	2	2
•	2	2
_		
		•
19 h	19 h	19 h
13 11	1311	13 11
AquaStop®	AquaStop®	AquaStop®
Адаастор	Адацогор	Адиастор
•	•	
•	-	
		500
•	•	
8 00	500	500
800 14	500 14	500 14
800 14	500 14	500 14
■ 800 14 RackMatic™	500 14 RackMatic™	500 14 RackMatic™
■ 800 14 RackMatic™ Bosch Plastic	500 14 RackMatic™ Bosch Plastic	500 14 RackMatic™ Bosch Plastic
■ 800 14 RackMatic™ Bosch Plastic 2 3	500 14 RackMatic™ Bosch Plastic 1	500 14 RackMatic [™] Bosch Plastic 1
■ 800 14 RackMatic™ Bosch Plastic 2	500 14 RackMatic™ Bosch Plastic	500 14 RackMatic™ Bosch Plastic
■ 800 14 RackMatic™ Bosch Plastic 2	500 14 RackMatic™ Bosch Plastic 1 2	500 14 RackMatic™ Bosch Plastic 1 2
■ 800 14 RackMatic™ Bosch Plastic 2 3	500 14 RackMatic™ Bosch Plastic 1 2	500 14 RackMatic™ Bosch Plastic 1 2
■ 800 14 RackMatic™ Bosch Plastic 2 3 ■ 800 Bosch Plastic	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire
■ 800 14 RackMatic™ Bosch Plastic 2 3 ■ 800 Bosch Plastic 2	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex
■ 800 14 RackMatic™ Bosch Plastic 2 3 ■ 800 Bosch Plastic 2	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■ ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■ ■
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■ ■ ■ ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■ ■ ■ ■ ■ ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■ ■ ■ ■ ■ ■
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■ ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■ ■ ■
800 14 RackMatic™ Bosch Plastic 2 3 800 Bosch Plastic 2 Duo-Flex ■ ■ ■ ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■ ■ ■ ■ ■ ■ ■	500 14 RackMatic™ Bosch Plastic 1 2 500 Handle Wire 1 Duo-Flex ■ ■ ■ ■ ■ ■

Model Sol Series Sears Sol Series Series Color			
Stainless Steel		500 Series / Sears#	300 Series / Sears#
### SHESSM12UC / 11902		CHEEMIEHO / 11003	CHEADEELIC / 16202
SHESMIBUC / 1909			
Silence			
BBA			
InfoLighte	Silence		
Water-gallons/load 2.95		47	
Water-gallons/load 2.95 2.95 2.95 2.95 2.95 2.99 2.59			•
Energy-Wh/lyear 259 259 259 Wash Cycles 5		2 95	2.95
Heavy			
Normal Auto Half Load Delicate Express Rinse/Rinse & Hold Glass Care Auto Plus Auto Delicate Extra Wash Options 3 1 Half Load CoAction® Extra Wash Sanitize Delay Start Safety Leak Protection ChildLock Electric ChildLock Mechanical PerfectDor® Self-latching Door Wash Sensor Variable Spray Pressure Upper Rack Hadie Hadie Bosch Plastic Flip Tines A 1 Cup Shelves Plastic Item Clips Small Accessory Basket Knife Rack Handle H			
Auto Half Load Delicate Express Rinse/Rinse & Hold Glass Care Auto Plus Auto Plus Auto Delicate Extreme Wash Enviro Wash Options 3 1 Half Load EcoAction®	Heavy		•
Half Load Delicate Express Rinse/Rinse & Hold Glass Care Auto Delicate Extreme Wash Enviro Wash Options 3 1 Half Load EcoAction® Extra Wash Sanitize Delay Start Delay Start Sanitize Delay Start Safety Leak Protection AquaStop® AquaStop® ChildLock Electric ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor Variable Spray Pressure Upper Rack Place Setting Capacity Adjustability RackMatic™ Adjustability RackMatic™ Adjustability RackMatic™ Andle Bosch Plastic Bip Tines 4 1 Cup Shelves 2 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack 800 300 Handle Rips Time Silverware Basket Duo-Flex Long Silverware Basket Duo-Flex Long Silverware Basket Duo-Flex Remaining Time Sanitized Ill Item Sprinkler Bestra Tall Item Sprinkler Detregent & Rinse-Aid Dispenser End-of-Cycle Indicator Other Sarous Auto-Carloth Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
Delicate Express ■ ■ Rinse/Rinse & Hold Glass Care Auto Plus Auto Delicate Extreme Wash Enviro Wash Options 3 1 Half Load EcoAction® Extra Wash Sanitize Delay Start Delay Start Safety Leak Protection ChildLock Electric ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor EcoSense® ■ Load Size Sensor Variable Spray Pressure Upper Rack Place Setting Capacity ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Filp Tines 4 1 Cup Shelves Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Boo Solve Handle Wire Handle Handle Wire Filp Tines Handle Handle Handle Wire Filp Tines Handle Handle Handle Wire Filp Tines Handle Handle Handle Handle Wire Filp Tines Handle Handle Handle Handle Wire Filp Tines Handle Handle Handle Handle Wire Handle Silverware Basket Doo-Flex Long Silverware Basket Lower Rack Boo Solve Handle Wire Handle Silverware Basket Doo-Flex Long Silverware Basket Doo-Flex		•	•
Express Rinse/Rinse & Hold Glass Care Auto Plus Auto Delicate Extreme Wash Enviro Wash Options 3 1 Half Load EcoAction® Extra Wash Sanitize Delay Start 19 h Safety Leak Protection AquaStop® AquaStop® ChildLock Electric ChildLock Kechanical PerfectDoor® Self-latching Door Wash Sensor Variable Spray Pressure Upper Rack 800 300 Place Setting Capacity 14 14 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Boo 300 Handle Handle Wire Flip Tines 4 1 Silverware Basket Cover Vase/Baby Bottle Holder Vase/Baby Bottle Holder Display Remaining Time Sanitize 1 Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover 1 Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover 1 Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover 1 Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover 1 Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover 1 Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover 1 Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover 1 Vase/Baby Bottle Holder Display Remaining Time 1 Silverware Basket Cover 1 Vase/Baby Bottle Holder Display Prower Cord Included		_	
Rinse/Rinse & Hold Glass Care Auto Plus Auto Delicate Extreme Wash Enviro Wash Options 3 1 Half Load Extra Wash Sanitize Delay Start Leak Protection ChildLock Electric ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack Place Setting Capacity Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Boo Saliverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rine Rack Item Clipt Rine Ad Indicator Light Rine Rack Item Cliptor Remaining Time Sanitized Indicator Light Rine Rack Item Cliptor Remaining Time Sanitized Indicator Light Rine Ad Indicator Light Rine Ad Indicator Light Rine Ad Indicator Light Rine Ad Indicator Light Rine Cort Included Remainer Cort Included Remainer Rema			
Glass Care Auto Plus Auto Delicate Extreme Wash Enviro Wash Options 3 1 Half Load		_	
Auto Delicate Extreme Wash Fnviro Wash Options 3 1 Half Load ■ EcoAction® Extra Wash Sanitize ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■			
Extreme Wash Enviro Wash Options 3 1 Half Load	Auto Plus		
Options 3 1 Half Load ■ EcoAction® ■ Extra Wash Sanitize ■ ■ Delay Start 19 h Safety Leak Protection AquaStop® AquaStop® ChildLock Electric ■ ■ Self-latching Door ■ ■ Self-latching Door ■ ■ Self-latching Door ■ ■ Upper Rack 800 300 Place Setting Capacity 14 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack 800 300 Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Cover ■ ■ Silverware Basket Cover ■ Sanitized Indicator Light ■ Sanitized Indicator Light ■ End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser ■ End-of-Cycle Indicator Optipy® ■ ■ Power Cord Included			
Detections 3			
Half Load EcoAction® Extra Wash Sanitize Delay Start 19 h Safety Leak Protection ChildLock Electric ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack 800 300 Place Setting Capacity 14 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Elip Tines 4 Cup Shelves Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack 800 300 300 Handle Handle Wire Handle Wire Flip Tines 4 1 1 2 2 2 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3		•	
EcoAction® Extra Wash Sanitize Delay Start 19 h Safety Leak Protection ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack 800 Silverware Basket Knife Rack Lower Rack 800 Small Accessory Basket Knife Rack Lower Rack 800 Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light End-of-Cycle Indicator Detergent & Rinse-Aid Dispenser EcoAction AquaStop® AquaSt			1
Extra Wash Sanitize Delay Start 19 h Safety Leak Protection ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Bo0 300 300 Bosch Plastic Bosch Pla			
Sanitize Delay Start 19 h Safety Leak Protection AquaStop® AquaStop® ChildLock Electric ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack 800 Solo 300 Place Setting Capacity 14 14 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack 800 300 Handle Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDy® Power Cord Included		_	
Leak Protection AquaStop® AquaStop® ChildLock Electric □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □			•
Leak Protection ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack 800 Place Setting Capacity 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack 800 300 Place Setting Capacity 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Bosch Handle Handle Wire Handle Wire Flip Tines 4 Silverware Basket Duo-Flex Long Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included		19 h	
ChildLock Electric ChildLock Mechanical PerfectDoor® Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Bo0 300 300 Place Setting Capacity 14 14 14 14 14 14 14 14 14 15 16 16 17 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10			
ChildLock Mechanical PerfectDoor® SelFlatching Door Wash Sensor EcoSense® ■ ■ ■ Load Size Sensor Variable Spray Pressure Upper Rack Bo0 300 Place Setting Capacity 14 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack 800 300 Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Cover ■ Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® ■ ■ Power Cord Included			
PerfectDoor® Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack 800 Place Setting Capacity 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Flip Tines 4 Cup Shelves 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack 800 300 Place Setting Capacity 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch		-	-
Self-latching Door Wash Sensor EcoSense® Load Size Sensor Variable Spray Pressure Upper Rack Place Setting Capacity Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Bosch Plastic Handle Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Silverware Basket Silverware Basket Silverware Basket Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
EcoSense®			
Load Size Sensor Variable Spray Pressure Upper Rack 800 300 Place Setting Capacity 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Flip Tines 4 Cup Shelves 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Bosch Plastic Where Rack Lower Rack Bosch Plastic			
Variable Spray Pressure Upper Rack 800 300 Place Setting Capacity 14 14 Adjustability RackMatic™ Manual ActiveTab™ Tray Manual Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Knife Rack 800 300 Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Duo-Flex Long Silverware Basket Cover Uno-Flex Long Vase/Baby Bottle Holder Display Remaining Time Uno-Flex Sanitized Indicator Light Uno-Flex Uno-Flex End-of-Cycle Indicator Uno-Flex Uno-Flex Other Sanitized Indicator Light Uno-Flex Uno-Flex Sanitized Indicator Light Uno-Flex Uno-Flex End-of-Cycle Indicator Uno-Flex Uno-Flex Sanitized Indicator Light Uno-Flex <td< td=""><td></td><td>•</td><td>•</td></td<>		•	•
Upper Rack 800 300 Place Setting Capacity 14 14 Adjustability RackMatic™ Manual ActiveTab™ Tray — Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 Plastic Item Clips — — Small Accessory Basket — — Knife Rack 800 300 Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Duo-Flex Long Silverware Basket Cover ■ ■ Vase/Baby Bottle Holder — ■ Display — ■ Remaining Time ■ ■ Sanitized Indicator Light ■ ■ End-of-Cycle Indicator ● ■ Other — ■ 3rd Loading Level ■ ■ Extra Tall Item Sprinkler ■ ■ Detergent & Rinse-Aid Dispenser ■ ■ End-of-Cycle Sound ■ ■ OptiDry® ■ ■ Power Cord Included			
Place Setting Capacity Adjustability RackMatic™ Manual ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Handle Handle Wire Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Duo-Flex Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycles Sound OptiDry® Power Cord Included		900	300
Adjustability ActiveTab™ Tray Handle Bosch Plastic Flip Tines 4 Cup Shelves 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Boo Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Duo-Flex Long Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDy® Power Cord Included			
ActiveTab™ Tray Handle Bosch Plastic Bosch Plastic Flip Tines 4 1 Cup Shelves 2 2 Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack 800 300 Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Duo-Flex Long Silverware Basket Cover ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■			
Flip Tines			
Cup Shelves 2 2 Plastic Item Clips 3mall Accessory Basket 3mall Accessory Basket Knife Rack 800 300 Lower Rack 800 300 Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Duo-Flex Long Silverware Basket Cover ■ ■ Vase/Baby Bottle Holder ■ ■ Display ■ ■ Remaining Time ■ ■ Sanitized Indicator Light ■ ■ Rinse Aid Indicator Light ■ ■ End-of-Cycle Indicator ■ ■ Other 3rd Loading Level ■ ■ Extra Tall Item Sprinkler ■ ■ Detergent & Rinse-Aid Dispenser ■ ■ End-of-Cycle Sound ■ ■ OptiDry® ■ ■ Power Cord Included ■ ■			
Plastic Item Clips Small Accessory Basket Knife Rack Lower Rack Handle Handle Handle Wire Handle Wire Flip Tines 4 Silverware Basket Duo-Flex Long Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detrgent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
Small Accessory Basket Knife Rack Lower Rack Handle Handle Wire Handle Wire Flip Tines 4 Silverware Basket Duo-Flex Long Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included		2	2
Knife Rack Lower Rack 800 300 Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Duo-Flex Long Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Sinse Aid Indicator Light Sinse Aid Indicator Light Sinse Aid Indicator Ush Sinse			
Lower Rack 800 300 Handle Handle Wire Handle Wire Flip Tines 4 1 Silverware Basket Duo-Flex Long Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
Flip Tines 4 1 Silverware Basket Duo-Flex Long Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included		800	300
Silverware Basket Duo-Flex Long Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included	Handle	Handle Wire	Handle Wire
Silverware Basket Cover Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			1
Vase/Baby Bottle Holder Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
Display Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included		-	•
Remaining Time Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
Sanitized Indicator Light Rinse Aid Indicator Light End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
End-of-Cycle Indicator Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
Other 3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
3rd Loading Level Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included	End-of-Cycle Indicator		
Extra Tall Item Sprinkler Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included			
Detergent & Rinse-Aid Dispenser End-of-Cycle Sound OptiDry® Power Cord Included		_	
End-of-Cycle Sound OptiDry® Power Cord Included			
OptiDry® ■ Power Cord Included			
Power Cord Included			
water nose included	Water Hose Included		

300 Series / Sears#	300 Series / Sears#	300 Series / Sears#
SHX43R55UC / 16783	SHX33R55UC / 16563	SHE3AR75UC / 16323
SHX43R52UC / 16782		SHE3AR72UC / 16322
SHX43R56UC / 16789		SHXEAR76UC / 16329
SHV43R53UC / 16786		
48	50	50
2.95	2.95	2.95
259	259	279
4	4	6
	•	•
	•	•
	•	•
•		
		•
		•
		•
1	1	2
	•	
		3/6/9 h
AquaStop®	AquaStop®	24/7 Overflow
•	•	
		•
	•	•
300	300	300
300 14	300 14	300
300	300	300
300 14 Manual	300 14 Manual	300 14 Manual
300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic
300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic
300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic
300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic
300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic	300 14 Manual Bosch Plastic
300 14 Manual Bosch Plastic 1	300 14 Manual Bosch Plastic 1	300 14 Manual Bosch Plastic 1
300 14 Manual Bosch Plastic 1 2	300 14 Manual Bosch Plastic 1 2	300 14 Manual Bosch Plastic 1 2
300 14 Manual Bosch Plastic 1 2 300 Handle Wire	300 14 Manual Bosch Plastic 1 2 300 Handle Wire	300 14 Manual Bosch Plastic 1 2 300 Handle Wire
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1	300 14 Manual Bosch Plastic 1 2 300 Handle Wire
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1	300 14 Manual Bosch Plastic 1 2 300 Handle Wire
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Hadde Wire Long	300 14 Manual Bosch Plastic 1 2 300 Hadle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Hadde Wire Long	300 14 Manual Bosch Plastic 1 2 300 Hadle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Hadde Wire Long	300 14 Manual Bosch Plastic 1 2 300 Hadle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Hadde Wire Long	300 14 Manual Bosch Plastic 1 2 300 Hadle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex
300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Long	300 14 Manual Bosch Plastic 1 2 300 Handle Wire 1 Duo-Flex

Model	Ascenta® / Sears#	Ascenta® / Sears#
Color	Ascenta® / Sears#	Ascenta® / Sears#
Stainless Steel	SHX3AR75UC / 16433	SHE3AR55UC / 16313
White	SHX3AR72UC / 16432	SHE3AR52UC / 16312
Black	SHX3AR76UC / 16439	SHE3AR56UC / 16319
Custom Panel		
Silence		
dBA	50	50
InfoLight®		
Efficiency		
Water—gallons/load	2.95	2.95
Energy–kWh/year	279	279
Wash Cycles	6	4
Heavy	•	-
Normal	•	•
Auto	:	-:
Half Load	•	
Delicate	-	
Express Rinse/Rinse & Hold	•	
Glass Care		
Auto Delicate		
Extreme Wash		
Enviro Wash		
Options	2	2
Half Load	-	_
EcoAction®		
Extra Wash		
Sanitize		•
Delay Start	3/6/9 h	3/6/9 h
Safety		
Leak Protection	24/7 Overflow	24/7 Overflow
ChildLock Electric		•
ChildLock Mechanical	_	
PerfectDoor®	<u> </u>	
Self-latching Door	•	•
Wash Sensor		
EcoSense®	•	-
Load Size Sensor Variable Spray Pressure		
Upper Rack	300	Standard
Place Setting Capacity	14	14
Adjustability	Manual	14
ActiveTab™ Tray	manadi	
Handle	Bosch Plastic	
Flip Tines	1	1
Cup Shelves	2	1
Plastic Item Clips		
Small Accessory Basket		
Knife Rack		
Lower Rack	300	Standard
Handle	Handle Wire	
Flip Tines	1	
Silverware Basket	Long	Long
Silverware Basket Cover		•
Vase/Baby Bottle Holder		
Display	_	
Remaining Time	•	
Sanitized Indicator Light	•	•
Rinse Aid Indicator Light		
End-of-Cycle Indicator	•	•
Other		
3rd Loading Level		
Extra Tall Item Sprinkler		
Detergent & Rinse-Aid Dispenser	•	•
End-of-Cycle Sound		
OptiDry®		
Power Cord Included		


Special Applications

Ascenta® / Sears#	18" ADA / Sears#	24" ADA / Sears#
OUWOADEFUC / 10100	ODVEQQ45110 / 10 100	00500545110 / 40300
SHX3AR55UC / 16423 SHX3AR52UC / 16422	SRX53C15UC / 12436	SGE63E15UC / 16793
SHX3AR56UC / 16429		SGE63E16UC / 12049
	SRV53C13UC / 12436	
50	49	49
2.95	2.98	2.00
279	306	234
4	5	6
•		
•		•
•	•	
	•	-
	•	-
2	2	F
2	2	5
3/6/9 h	19 h	24 h
24/7 Overflow	AquaStop® Plus	AquaStop® Plus
24/1 OVEITION	Aquaotop 11us	Addastop i lus
•		
	•	
-	-	-
=		
Standard	Premium	Vario
14	9	14
	RackMatic™	Manual
	Bosch Plastic	A ative Trav
1	2	Active Tray 0
1	2	2
	0	0
Chandand	Descritore	Mania
Standard	Premium Bosch Plastic	Vario
	4	2
Long	Flexible	Flexible
	-	-
	-	-
•	•	•
	•	•
		•
	•	
	•	-

Dishwasher Dimensions and Installation


Recessed Handle Dishwashers

3/ " 411/ "




23/

SHE3AR5_UC SHE3AR7_UC SHE3ARF_UC-SHE43R5_UC SHE43RF_UC SHE45R55UC



*23 " without decor strips







*23 " without decor strips

 Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.


Bar Handle Dishwashers



*23 " without decor strips



*23 " without decor strips




Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Dishwasher Dimensions and Installation


Custom Panel Dishwashers





*23 %" without decor strips.

SRV53C13UC



^{*} Measured from the bottom edge of the countertop. Recommended panel thickness ¾".

Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.



A passion for efficiency, rewarded.

Bosch efficiently focuses on what matters most—quality and responsibility.



Bosch Home Appliances

1.800.944.2904

www.bosch-home.com/us





©2011 BSH Home Appliances Corporation. ©2011 BSH Home Appliances Ltd. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH. All information presented herein is based on data available at the time of printing and is subject to change without notice.



