

PURITY HUMIDIFIER

INSTRUCTION MANUAL Please read carefully before use



Purity Humidifier MODEL No. AU-100

Thank you for purchasing the NewAir Purity Humidifier. Please read the instruction manual prior to use, and retain these instructions for reference.

Introduction

The NewAir humidilier is ideal for adding purified humidity into uncomfortably dry environments. The modern design and lighting features will complement most decors, and the ease of operation and energy efficiency make it a smart choice.

Functionality

This purity humidifier makes use of molecule evaporation and filtration technology. It is equipped with a high efficiency antibacterial molecule filter which quickly absorbs and helps to sterilize the water which is then fan-forced into the air, while the impurities are left behind in the filter.



Purity Humidifier MODEL No. AU-100

Operation

- 1.Place the humidifier on a clean dry surface that is level and stable. The unit should not be in direct sunlight..
- 2.Lift the water tank cover, unscrew the water intake cover. Pour in clean water.

(See illustrations below)

- Replace the water intake cover, wipe away any water on the outside of the tank. Put the tank cover back on the unit.
- 4. Push the light button to turn on illuminate the coloured tank light (light is on when this button is lit)
- 5. Rotate the speed switch to turn the unit on.
- 6. When the tank is empty, refill as described above.



Cautions

- 1. Do not add water over 104°F to the water tank.
- If the unit will be subject to temperature below 32°F, make sure that all the water is emptied from the unit to prevent damage.
- 3. Do not use any kind of additive or solution in the water!
- Do not pick up or move the unit when the tank is full, the water could overflow into the mechanical parts.
- 5. Keep the humidifier away from direct sunlight or heat sources (fireplace, heater, stove, etc.)
- 6. For best performance, do not place the humidifier where there is a strong air flow.
- 7. Never add water directly into the water channel on the base.
- If the humidifier will not be used for a long period of time, disconnect it from the power supply (outlet)..
- If it is necessary to drain excess water from the water channel, you must unplug the unit first! Draining the water channel without disconnecting the power will incapacitate the energy exchanger.

Safety Cautions

- To avoid electric shock, do not pull on the cord to unplug the unit from an outlet, and do not unplug from the outlet with wet hands.
- 2.If the unit accidentally tilted, turn off the power before repositioning the unit.
- 3. Turn the humidifier off before disconnecting the power cord from the body of the unit.
- 4.If the power cord is damaged, it must be replaced by the manufacturer in order to avoid any safety hazard.

Be sure to unplug the humidifier from the power supply before refilling the water tank, cleaning the unit, or performing any kind of maintenance.

Purity Humidifier MODEL No. AU-100

1. Clean the water tank

Cleaning is suggested at lease once per tow to three weeks.

Lift the water tank, remove the water intake cover and clean with mild soap and a soft cloth.

2. Clean the molecule filter to remove impurities or debris.

Cleaning the filter is suggested if the humidifier has not been in use for an extended period of time. The filter can be removed from the unit, washed with mild soap and water, then left in a well ventilated area to dry.

IMPORTANT: Never use sharp or metallic tools or implements on the humidifier! 3.Clean the humidifier surface with a soft cloth to remove dust, debris or stains,.

IMPORTANT: Do not use petrol, paint thinner or other chemicals for cleaning!

4. To prepare the humidifier for storage, clean as directed above, then allow to dry fully in a well ventilated area for 24 hours before boxing the unit. It should be stored in a cool, dry location.

If you encounter a problem with the humidifier, please contact the retailer where the item was, purchased for warranty information. Please do not attempt to repair the humidifier by yourself, as dong so will void the warranty and may recult in property damage or personal injury.

Troubleshooting tips

Issue	Possible cause	Suggested correction
Power light is off, no air is coming out	Unit not plugged in or the light/speed switches are not on	Plug in the unit and press the light and speed buttons
Air has a bad odor	Initial use of water in tank needs to be changed	Wash the tank with mild scap and soft cloth prior to use and each week of use. Refill clean tank with fresh water

Technical data

Input Voltage	120V 60Hz
Power	25W
Water Capacity	2.0L
Noise	<35dB(A)

Circuit diagram

