

FULL-ON FULL HD PLAYSTATION[®]3 AND BRAVIA LCD TV



NEW IN THIS EDITION...



VIDEO WALKMAN

SONY ERICSSON PHONES



BLUETOOTH[™] ACCESSORIES

NOISE CANCELLING HEADPHONES



MP3 Walkman Notetakers Portable HiFi Headphone/Accessories

Personal Entertainment

A H BH THE COM

KEY TECHNOLOGY

WALKMAN Video MP3 Player

Video in vour pocket

The breakthrough LCD screen technology found in the new A800 Walkman delivers knockout video quality in the palm of your hand.

The 2 inch widescreen boasts QVGA (320 x 240) resolution, perfect for detailed video playback up to 30 fps (30 frames per second).

Sony's unique screen technology also promises rich natural colours and high contrast, making viewing comfortable and immersive.

The most popular MPEG-4 video format is supported, along with the AVC video standard. These advanced video codecs ensure high quality video playback whilst minimising file size. Up to 32 hours of video can be stored, for convenient playback at anytime.*

The screen can be orientated to suit differing video content and left or right handed operation.

*8GB model video capacity quoted.

A convenient photo album

The high resolution screen and large internal memory means extensive digital photo albums can be stored and viewed at anytime.

Fast 'drag and drop' photo management will ensure your favourite photos are always at hand.

Music playback whilst viewing photos and slideshows complete this ultra compact digital photo album.

Walkman audio features

Being a Sony Walkman, rich accurate audio quality is a given.

Four different audio technologies known collectively as 'Clear Audio Technology' contribute to sublime audio quality.

Clear Audio technology encompasses the following features:



- Clear Bass for warmer, fuller bass reproduction, without distortion.
- CLEAR • Clear Stereo - Sony's unique **STEREO** technology to emphasise the stereo <LR> effect often lost when listening to MP3 music. Sound leakage between left and right channels is vastly reduced delivering an





monitor

optimum stereo sound experience. DSEE • DSEE – also known as 'Digital Sound Enhancement Engine' restores the sound of the original recording, that is so often lost when listening to compressed music formats, such as MP3.

• EX headphones - The included inear headphones boast high quality components for dynamic audio reproduction with wide frequency response. A large 13.5mm driver unit ensures powerful performance

free from distortion.

The A800 series Walkman supports playback of the most popular music formats including MP3. AAC (non DRM), WMA (non DRM) and ATRAC.

Fast music navigation, including artist search, will ensure you can listen to what you want, when you want.

Walkman Stamina

The Sony A800 series Walkman uses the latest battery technology.

Unlike many other portable devices, the A800 will keep up with the most active lifestyleboasting approximately 8 hours of video playback and around 30 hours of audio playback time.

Rapid charging and user customised power management means this Walkman continues the long tradition of industry leading battery performance.







HEADPHONES EX Monitor

Applying vast experience in technologies that create professional-grade recording studio monitors, Sony's EX Monitor headphones fuses a larger 13.5mm high-performance driver unit for exceptional sound quality with the fit and comfort of an ear-bud style headphone all in a device that defines a new standard in headphone style and quality.

TRADITIONAL EAR-BUD



EX MONITOR



The orientation of the earpiece matches the orientation of the ear canal, ensuring a more comfortable and stable fit.

66



Noise-Cancelling



Noise is a factor in many of our lifestyles. We hear it in the engine noise of a bus, train or a plane and even in places such as shopping malls and parks where all sorts of sounds mix.

This background noise can interfere with your audio enjoyment and can still come through even a great set of headphones.


For this reason Sony offer headphones with 'Noise-Cancelling' technology. This means that the headphones have microphones built-in to them that can pick up ambient noise and output a signal that effectively 'neutralises' or 'cancels'

the noise out. You can have up to 80% of ambient background noise cut out! more music reaching your ears instead.

In addition to noise-cancelling headphones, the S700 series Walkmans have noise-cancelling technology† built-in. Perfect for those who are serious about sound or simply just want to cut out the clutter.

 \dagger The S700 Noise cancelling function reduces the ambient noise by up to 75%. It does not cancel all ambient noise.

The microphone used in noise-cancelling technology picks up ambient noise from the background environment and outputs an equal and opposite signal effectively neutralising the sound wave of the noise.



WALKMAN MP3 Sports



Utilising a new process called "Impact Molding", the tough, seamless body of the S200 is created from a single block of aluminium. Utilising a unique technology, a seal is applied to the chassis internally, resulting in a sleek and stylish Walkman that's also splash-proof!





Counter Function

With the ability to sense your steps combined with entering your age, weight and height information, the S200 can

operate as a modern day pedometer. As such, you can retrieve information such as:

- · Calories burned
- Distance traveled (kms / miles)
- · Steps taken

The S200 can keep a record of your last seven sessions.



Create your own compilation in the supplied software and the S200 can sense how fast you are running or walking,

and plays the music most appropriate to your step speed.

Music Pacer

Shake Shuffle

Using the G-Sensor chip, users can simply switch between 'normal' and 'shuffle' playback modes by shaking the S200 three times without the need to stop the playback of the music and navigate into the menu. Simple and convenient.

Target Setter / Tracker

Set yourself a challenge:Calories to burn

- Distance you want to travel
- Steps you want to take

Set the S200 to any of these desired goals and the music keeps playing up until this goal has been reached.

NWA805 (2GB), NWA806 (4GB) AND NWA808 (8GB)

WALKMAN - VIDEO MP3 PLAYER Available June 2007

- ✓ Compatible with AVC-BL and MPEG-4 video files
- ✓ Compatible with JPEG (Baseline) image files
- ✔ QVGA (320 x 240) 2.0" TFT Colour Display

FEATURES

Z Ш

TERTAINM

ONAL

- Compatible with MP3, ATRAC, WMA (non DRM) and AAC (non DRM) music files
- Clear Bass and Clear Stereo
- (Channel Separation)
- DSEE (Dynamic Sound Enhancement Engine)
- Dynamic Normalizer
- 13.5mm EX Monitor Series Headphones

SPECIFICATIONS

MUSIC STORAGE

- Up to 1300 songs with 2GB at 48kbps
 Up to 2700 songs with 4GB at 48kbps
- Up to 5500 songs with 8GB at 48kbps VIDEO STORAGE
- Up to 7hrs 40mins video with
- 2GB at 384kbps Up to 15hrs 40mins video with
- 4GB at 384kbps Up to 32hrs 40mins video with
- 8GB at 384kbps

GENERAL

- · Capacity : 2, 4, or 8 Gigabyte • Dimensions (WxHxDmm) :
- 43.8 x 88 x 9.1 · Weight : Approx. 53g
- PC Connection : Hi-Speed USB WM-PORT
- POWER
- Power Source : Embedded Lithium-Ion Battery
- Max Playback Time Approx. : - Music : 30hrs - Video : 8hrs
- - Recharge Method : Approx. 90mins
 Recharge Time to Full : Approx. 180mins

SUPPLIED ACCESSORIES

- Headphones (and extension cord)
- QuickStart Guide Software CD-ROM : SonicStage CP (v4) and Image Converter
- USB WM-PORT Cable
- Spare Silicon Ear-Buds (S/M/L sizes)

Also Available in

- 2GB Violet (NWA805V) - 2GB White (NWA805W)
- 4GB Violet (NWA806V)
- 4GB White (NWA806W)
- 4GB Pink (NWA806P)
 8GB Black (NWA808B)







- ✓ Built-in Noise-Cancelling Functionality
- ✓ Direct Encoding (Recording)
- ✓ Clear Bass and Clear Stereo

FEATURES

- Compatible with MP3, ATRAC, WMA (non DRM), AAC (non DRM) and Linear PCM music files
- Dynamic Normalizer 13.5mm EX Monitor Series Headphones
- FM Tuner
- Rapid Recharge

SPECIFICATIONS

GENERAL

- Capacity: 2 or 4 Gigabyte
 Up to 1350 songs with 2GB at 48kbps
 Up to 2700 songs with 4GB at 48kbps
- Display Type : 3-line colour Organic EL Display

- Dimensions (WxHxDmm) : 88.1 x 27.4 x 17 (max)
- · Weight : 47g Approx.
- CONNECTIVITY • PC Connection : Hi-Speed

USB to Walkman port

- POWER Power Source : Embedded
- Lithium-Ion Battery Continuous Playback Time :
- Approx. 50hrs
- Recharge Method : USB via
- Walkman port
- Recharge Time To Full : Approx. 120mins
- Rapid Recharge : Approx. 3mins for 3hrs of battery power

SUPPLIED ACCESSORIES

- · Headphones (and extension cord) QuickStart Guide
- Software CD-ROM : SonicStage CP (v4)
- · USB WM-Port Cable

Available in :

2GB Violet (NWS705FV)
 2GB Black (NWS705FB)

SUPPLIED ACCESSORIES

Splash-proof Headphones

Arm Band

USB Cable

QuickStart Guide

Software CD-ROM : SonicStage CP (v4)

Also Available in

- 1GB Black (NWS203FB)

- 2GB Black (NWS205FB)

- 1GB Silver (NWS203FS)

*SRP is manufacturer's suggested retail price only and is inclusive of GST. Prices effective as of 1st April 2007. Prices subject to change without notice.

- 4GB Black (NWS706FB)



NWS203F (1GB) AND NWS205F (2GB)

MP3 SPORTS WALKMAN \$199.00 * (NWS203F) \$249.00 * (NWS205F)

✓ Splash-proof Body and Headphones

- ✔ Built-in Pedometer, Distance and Calorie Counter
- Stopwatch, Music Pacer, Shake Shuffle

FEATURES

- Compatible with MP3, ATRAC, WMA (non DRM) and AAC (non DRM) music files
- · FM Tuner
- Rapid Recharge

SPECIFICATIONS

- GENERAL Capacity: 1 or 2 Gigabyte
- Up to 685 songs with 1GB at 48kbps
- Up to 1350 songs with 2GB at 48kbps
- Display Type : Single Line Organic EL Display

www.sony.com.au

68

- Splash-Proof Body
- Dimensions (WxHxDmm) : 20 x 96.5 x 15 (Including Jog-Dial)

- Weight : Approx. 26g CONNECTIVITY
- PC Connection : Hi-Speed USB to USB Mini-B
- POWER Power Source : Embedded
- Lithium-Ion Battery
- · Continuous Playback Time : Approx. 18hrs Recharge Method : USB

Approx. 45mins • Rapid Recharge : Approx. 3mins for 3hrs of battery power

· Recharge Time To Full :

NWEOO3FV (1GB) AND NWEOO5FV (2GB)

MP3 FLASH WALKMAN \$159.00 * (NWE003FV) \$199.00 * (NWE005FV)

- ✓ Compatible with MP3, ATRAC, WMA (non DRM) and AAC[↑] (non DRM) music files ✓ Built-in USB Plug
- ✔ FM Tuner ✓ Rapid Recharge

SPECIFICATIONS

- GENERAL
- Capacity : 1 or 2 Gigabyte
 Up to 685 songs with 1GB at 48kbps
- Up to 1350 songs with 2GB at 48kbps Frequency Band : 87.5 to 108.0Mhz
- Firmware : Upgradable
 Display Type : Single Line Organic EL Display
- Dimensions (WxHxDmm) : 24.8 x 79 x 13.6
- Weight : 25g
- MUSIC : FORMATS SUPPORTED MP3 CBR (Constant Bit Rate)
- MP3 VBR (Variable Bit Rate)
- WMA (Unprotected)

WLANWB1

ATRAC3

\$129.00 SPECIFICATIONS

audio stream Powers from Walkman

- ATRAC3plus
- AAC (Unprotected) [△] **FUNCTIONALITY**
- · Searching Methods :
- ALL Songs / Album / Artist · Play Modes : Normal / Folder /
- ALL / Repeat
- Menu Language : English
 Sound Settings : 5 Band Equalizer
 (Heavy / Pop / Jazz / Custom) CONNECTIVITY
- PC Connection : Hi-Speed USB Plug · Input / Output : Headphones / USB
- POWER
- · Power Source :
- Embedded Lithium-Ion Battery

- Continuous Playback
- Time : Approx. 28hrs Recharge Method :
- Direct USB Connection
- Recharge Time To Full
- Approx. 1hr Rapid Recharge : Approx. 3mins
- for 3hrs of battery power

SUPPLIED ACCESSORIES

- Headphones · Quick Start Guide
- Software CD ROM : SonicStage v3.4

– 2GB Black (NWE005FB) - 1GB Green (NWE003FG) 2GB Green (NWE005FG)
 1GB Blue (NWE003FL)

– 1GB Black (NWE003FB)

- 1GB Pink (NWE003FP)

Also Available in

- 2GB Pink (NWE005FP)

[†] AAC available via firmware upgrade. Go to www.sonv.com.au for further details.

TMRBT10

BLUETOOTH AUDIO TRANSMITTER \$149.00 *

SPECIFICATIONS

- 1-Way Bluetooth Audio Transmitter Allow Audio Devices to Transmit Bluetooth Audio Stream
- Up to 11 Hours Battery Life
- Rechargeable Function
- Compatible with Bluetooth Version 2.0 (Profiles : A2DP)
- Suits any Portable Audio Player



SRSBTM30

\$249.00

SPECIFICATIONS

- Bluetooth Wireless Speaker
- Driver : 48mm
- Neodymium Magnet
- Power Output : Total 6W
 Power Requirements : 3 x AA Battery or Supplied

- · Compatible with Bluetooth Version 2.0 (Profiles : A2DP / AVRCP)

HWSBTA2W BLUETOOTH AUDIO TRANSCEIVER \$199.00

Allows WM Port-equipped Walkman

• Up to 11 Hours Battery Life

models to transmit Bluetooth wireless

Compatible with Bluetooth Version 2.0 (Profiles : A2DP)

SPECIFICATIONS

- 2-Way Bluetooth Audio System
- Allow Audio Devices to Transmit or Receive a Bluetooth Audio Stream
- · Power Requirements : Supplied AC Adaptor
- · Compatible with Bluetooth Version 2.0 (Profiles : A2DP)

BLUETOOTH HEADPHONES

- ✔ Bluetooth Wireless Headphone Receiver / Microphone
- ✓ Enjoy Music and Receive Mobile Phone Calls
 ✓ Up to 11 Hours Battery Life
- ✓ Remote Functions : PLAY / STOP / PAUSE / FF / FR / Volume Adjust
- ✓ Compatible with Bluetooth Version 2.0 (Profiles : A2DP / AVRCP / HFP / HSP)

DRBT21G \$199.00 *

SPECIFICATIONS

Street Style DesignDriver : 30mm



DRBT30Q \$249.00 *

SPECIFICATIONS

 Ear-Clip Design Driver : 30mm



DRBT2ONX \$199.00 *



www.sony.com.au

BLUETOOTH SPEAKER SYSTEM

AC / DC Adaptor • Volume Adjust

- · Analog-IN Jack





SONY ERICSSON W610i

(Available May 2007)

- ✓ Walkman[®] player supporting Album Art
 ✓ FM radio with RDS
- ✓ TrackID[™] music recognition
- ✓ 2 megapixel camera with auto focus

FEATURES

RTAINMEN

Ш ⊢

. Z Ш

RSONAL

Ш

- Picture bloggingBluetooth stereo (A2DP)
- Access NetFront[™] Web Browser
- 3D games
- Video streaming
 Flight mode
- Bluetooth™ technology
 Synchronisation PC
 USB mass storage
- · USB support
- 2x digital zoom
 Photo light
 Video recording
- PhotoDJ[™]

- Stereo Portable Headphones
 Disc2Phone PC Software
 Included 512 Memory Stick Micro™ (M2[™])

SONY ERICSSON W300i

WALKMAN[®] PHONE

- ✓ Walkman[®] player
- ✔ VGA camera
- ✓ Push email and multimedia messaging
 ✓ Access NetFront[™] browser for full HTML browsing
 ✓ 1GB Memory Stick Micro[™] (M2[™]) support

FEATURES

- Stereo headphones
- Disc2Phone PC software Flight Mode*
- FM radio with RDS
- Speakerphone
- SMS and MMS (Multimedia Messaging)
- Bluetooth[™]
- PC synchronisation PlayNow™
- Audio file formats : MP3 and AAC
- (non DRM)
- Audio file extensions : .mp3, .mp4, .m4a and .wav
- MusicDJ[™]
- Sound recorder
- 3D gaming
- · Video play and record
- Video file formats : 3GPP and MPEG-4

SONY ERICSSON W810i

MP3 WALKMAN[®] PHONE[®]

- ✓ Walkman[®] Player
- ✓ Up to 30 hours music listening per charge
- ✓ 2.0 megapixel digital camera with auto focus
- One-touch music control keys

FEATURES

- Included 512MB Memory Stick PRO Duo™
- Walkman[®] player supporting file formats : MP3, AAC (non DRM), WAV
 Mega Bass™
 Graphical Equaliser

- Auto-pause function · Inflight music mode
- FM radio with RDS
- 2 megapixel digital camera
- · Auto focus

www.sonyericsson.com.au

70

- · Horizontal user interface
- 4x Digital zoom Macro mode
- · Intuitive display light sensor Sound recorder
- Speakerphone
- Video player and recording
- · Video streaming
- · MMS (Multimedia Messaging)
- 3D Gaming

SONY ERICSSON W850i

MP3 WALKMAN[®] PHONE ^a

- ✓ Included 1GB Memory Stick PRO Duo™
- 2 Megapixel camera with 4x digital zoom
 Walkman[®] Player supporting Album Art
- ✓ 2 inch colour screen

FFATURES

- Music recognition TrackID™
- 3G Technology
 FM radio with RDS

- RSS Reader
 Bluetooth[™] wireless technology with audio streaming
- Memory Stick PRO Duo[™] support up to 4GB**
- Audio codecs : MP3, AAC (non DRM), AAC+ and eAAC+
- Audio file extensions : .mp3, .m4a, .mp4, .wav and .m3u (playlists)
 Equalizer and Mega Bass™
- · Video call, play and record
- Flight mode (transmitter off)
 Disk2Phone PC Software
- SONY ERICSSON W880i

SONY ERICSSON W950i

MP3 WALKMAN® PHONE "

✓ Up to 10 hours music listening per charge

✓ Walkman[®] player supporting Album Art

Audio codecs: MP3, AAC (non DRM),

• Audio file extensions : .mp3, .m4a,

Equaliser and Mega Bass™
Stereo headphones with remote control
Flight mode (transmitter off)

FM radio with RDS
TrackID[™] music recognition
Music download

Bluetooth[™] streaming in stereo

SMS and MMS (Picture messaging)

Handwriting recognition
Word completion / sentence completion

*SRP is manufacturer's suggested retail price only and is inclusive of GST. Prices effective as of 1st April 2007. Prices subject to change without notice.

(6)

1

†Subject to preloaded phone content. Number of songs

1 a

that songs are in eAAC+ encoding.

1 ź

based on 1GB Memory Stick Micro™ and the assumption

- ✓ Slim Walkman[®] phone only 9.4mm
- ✓ Walkman[®] Player with Album Art support
- Up to 900[↑] songs with 1GB Memory Stick Micro™
- ✓ Stainless steel finish

FEATURES

- Bluetooth[™] audio streaming (A2DP)
- TrackID[™]
- Access NetFront[™] Web Browser

Music codecs : MP3, WMA, AAC (non DRM), eAAC +

 Synchronisation PC USB support

 3G Technology Digital zoom, 2.5x
Picture blogging
PhotoDJ[™]

Mega Bass™

Speakerphone

✓ 4GB internal memory

✓ 3G Technology

AAC+ and eAAC+

mp4 and .wav

FEATURES

Album art

 MusicDJ[™] PlayNow[™]

Speakerphone

Push email

 RSS reader Music download

»Screen clarity, resolution and brightness may differ from image shown.

✓ 2.6 inch colour touchscreen

SONY ERICSSON ACCESSORIES

MUSIC REMOTE CONTROL

MRC-60

FFATURES

- Music Remote Control
- Attaches to your home hi-fi system for a fuller listening experience
- Charges your phone and delivers your music to the hi-fi speakers.
- Cradle size : 99.6 x 78.2 x 25mm
- Cradle weight : 65.7g
 Cradle colour : Black
- Remote control size : 86.3 x 33 x 8.2mm
- · Remote control weight : 16.6g
- · Remote control colour : Black

PORTABLE SPEAKERS (Available May 2007)

MPS-70

FEATURES

- Plug the MPS-70 into your music mobile phone to enjoy superior sound quality in stereo.
- Pocket-sized neodymium speakers
 Built in FM radio antenna

- Moderate power consumption
 Speaker size : 55 x 32 x 42 mm each
 Weight (without carrying case) : 125g

BLUETOOTH[™] MUSIC RECEIVER

MBR-100

FEATURES

Stream music from your handset to your hi-fi with the Bluetooth™ Music Receiver.

ENTERTAINMENT

RSONAL

ш

Δ

www.sony.com.au

71

- Small and sleek · Light weight
- Receiver size : 78 x 26 x 14mm
- Receiver weight : 19.1g



For detailed specifications see www.sonyericsson.com.au NOTE: Some features may not be available depending on your operator.

- ** Song storage is dependant on song length and encoding bitrate
- ¥ Talk and stand by times are affected by network preferences, type of SIM card, connected accessories and various activities eg. Games.

DEJ011S

CD WALKMAN \$49.00 ³

SPECIFICATIONS

- 1-Line LCD / 7-Segment LCD Display
 G-Protection Shock Resistance



Power Requirements : 2 x AA Batteries

SUPPLIED ACCESSORIES

- Headphones
- Also Available in Black (DEJO11B)



- † Sony Ericsson accepts no reponsibility for individual use of product. Please note: Any form of copyright material may be subjected to copyright infringement. Products should be used in conjunction with copyright regulation.
- ^ Music mode can only be used in conjunction with Airline regulation and is subject to airline approval.

DNE240B

MP3 CD WALKMAN \$79.00

SPECIFICATIONS

- 1-Line LCD / 7-Segment LCD Display
 G-Protection Shock Resistance
- Digital Mega Bass
- MP3 CD and CD-R / RW Playback Compatible
- Playmodes : Repeat 1 / All / Shuffle / Track Loop
- · Power Requirements : 2 x AA Batteries
- SUPPLIED ACCESSORIES
- Headphones

Also Available in Silver (DNF240S)



WMFX290 CASSETTE RADIO WALKMAN \$69.95 *

SPECIFICATIONS

- AM-FM Digital Tuning
- LCD DisplayAM/FM Digital Tuner • 40 Presets
- · Mega Bass
- Up to 25 Hours Playback
- Dimensions (WxHxDmm)
- Dimensions (WXHXDI 85.2 x 111 x 24.5
 Frequency Range : AM : 531–1602kHz FM : 87.5–108MHz
- Power Requirements : DC 3V AA x 2 Battery
- (not supplied) · Weight : Approx 130g (excluding tape and batteries)

- Refer to KEY TECHNOLOGY pages for detailed information.



MZRH1

MINI DISC WALKMAN/ RECORDER \$599.00 *

FEATURES

- Complete MD Recording Options
- Linear PCM Recording
- Conventional MD Recording Upload to PC
- Conventional MD Recording
- Track Data Upload
- 7 Band Equalizer
 Digital Pitch Control (DPC)
- VPT Acoustic Engine
- Dynamic Normalizer
- HD Digital Amplifier
 High Capacity Coupling Condenser
 PC Data Storage

SPECIFICATIONS

- GENERAL Capacity : 1 Gigabyte (per Hi-MD Disc)
- Display Type : Organic EL Display
 Dimensions (WxHxDmm) :
- 83.8 x 84.4 x 14.7
- Weight : Approx. 106g (Including Battery)



- MUSIC : FORMATS SUPPORTED Supports : Linear PCM
- (Record and Playback) Supports : MP3 (Playback) Supports : ATRAC (Record
- and Playback) POWER Power Source : Rechargeable
- Power Source : Rechargeable Lithium-Ion Battery (Gum-Stick Type)
 Max Battery Life : Approx. 19hrs Playback / Recording 10.5hrs
 Recharge Method : USB
 Recharge Method : AC Power Adaptor

- · Recharge Time To Full : Approx. 3hrs
- CONNECTIVITY Inputs : Microphone (Stereo Mini-Jack)
- Inputs : Line-In (Analog Stereo

• Outputs : Headphone (Stereo Mini-Jack) • Outputs : Line-Out (Stereo Mini-Jack)

Mini-Jack) Inputs : Line-In (Digital – Optical

Mini-Jack)

CFM10W

AM/FM MONO CASSETTE RECORDER \$64.95 *

SPECIFICATIONS

· AM-FM Radio

RTAINMEN

Ш ⊢

' Z Ш

ONAL

Ū,

Ŕ

Ш

Δ

- Casette–Mono Microphone–Mono Cassette
- deck with soft eject and auto tape shut-off
- Headphone output
- Dimensions (WxHxDmm) : 272 x 130 x 122
- 240V AC or D batts x 4
- (not supplied) Speakers : 7.7cm full range x 1 • Speakers - Archine in range x 1 Tuner Frequency - AM : 531–1602KHz FM : 87.5–108MHz • Weight (Inc Batteries) : 1.5kg
- · Also available in
- Black (CEM10B)

CFDSO3

MP3 CD CASSETTE RECORDER \$149.00

SPECIFICATIONS

- LCD Display
 Digital AM FM Tuning
 30 Presets (10AM, 20FM)
 CDR/RW Playback
- MP3 Playback
- CD to Tape Synchronised Dubbing
 Mega Bass
- 60W PMPO Power Output
- · Headphone Out
- Slim Remote
 Dimensions (WxHxDmm) :
- 360 x 235 x 141
- AC 220-240V
- Weight : 2.2kg

ICDB500

DIGITAL NOTETAKER \$99.00 *

- ✓ 256MB Capacity
 ✓ 3 Rec Modes (HQ / SP / LP)
- ✓ VOR (Voice Operated Recording) ✓ Mic Sensitivity Switching

SPECIFICATIONS

- AUDIO : FORMATS SUPPORTED Recording : Triple Rate Codec Playback : Triple Rate Codec
- GENERAL
- · Channel : Mono
- Capacity (Recordings) : Up to 150hrs 15mins
- · Inputs / Outputs : Headphone / Microphone • Dimensions (WxHxDmm) :
- 34.6 x 109.5 x 18
- Weight : 65g (incl. batteries)

ICDU60

HYBRID NOTETAKER/ MP3 PLAYER \$249.00 *

- 512 MB Capacity
- USB Direct Plug
 Drag and drop MP3 Player
 Built-in Speaker and Mic

SPECIFICATIONS

- 2 in 1 device
- Up to 250 hours recording (LP) Voice Operated Recording
- LCD Display
 Mic sensitivity switch

www.sony.com.au

72

- Digital Pitch Control
 - Integrated Mono Mic/Speaker
 Stereo headphone output
- 1 x AAA Battery operation (not supplied)

- POWER Power Source : 2 x AA Batteries
 - Battery Life (up to)
 - Recording : 22hrs
 Playback Speaker : 11hrs

SUPPLIED ACCESSORIES

• Dimensions (WxHxDmm) :

Weight : 64g Battery Life : Up to 19 hours MP3 Playback/ 16.5 hours recording

Stereo headphones and

Software Tool included

neck strap included WMA Compatible/

30 x 100 x 20

- HeadphonesCarrying case

CFDS01 CD RADIO

CASSETTE \$129.00

SPECIFICATIONS

- LCD Display
 Digital AM FM Tuning
 30 Presets (10AM, 20FM)
- · CDR/RW Playback
- CD to Tape Synchronised Dubbing
- Mega Bass
- 60W PMPO Power Output
- · Headphone Out
- Dimensions (WxHxDmm) : 360 x 235 x 141
- AC 220-240V
- · Weight : 2.2kg

CFDS350

CD RADIO CASSETTE \$159.00

SPECIFICATIONS

- Remote Control
- · New Wide Dispersion Convex speakers
- LCD Display
 Digital AM FM Tuning
- 10 Presets
- CDR/RW Playback CD to Tape Synchronised Dubbing

• Dimensions (WxHxDmm) : A14 x 164 x 257
AC 220-240V or 9V DC 6 x D size Batteries (not supplied)

(not supplied)

• Weight : 3.8kg

POWER

Power Source :

HeadphonesCarry Case

2 x AA Batteries

· Battery Life (up to) :

Recording : 22hrs
Playback – Speaker : 11hrs

SUPPLIED ACCESSORIES

PC Application Software

• Dimensions (WxHxDmm) :

SUPPLIED ACCESSORIES

· Stereo headphones and

neck strap included

 WMA Compatible/ Software Tool included

• Weight : 64g • Battery Life : Up to 19 hours MP3 Playback / 16.5 hours

30 x 100 x 20

recording

(Digital Voice Editor)

2 x AAA Batteries for remote control

- · Sleep Timer
- Mega Bass
- 90W PMPO Power Output
- · Headphone Out

ICDP530F

DIGITAL NOTETAKER WITH FM TUNER \$199.00 *

- ✓ 256MB Capacity
 ✓ 3 Rec Modes (HQ / SP / LP)
- ✔ Built-in FM Tuner with FM Recording
- VOR (Voice Operated Recording)
 Mic Sensitivity Switching

SPECIFICATIONS

- AUDIO: FORMATS SUPPORTED
- Recording : Triple Rate Codec
 Playback : Triple Rate Codec
- GENERAL
- · Channel : Mono
- Channel: Mono
 Capacity (Recordings): Up to 130hrs 25mins
 Inputs / Outputs : Headphone / Microphone / USB

• Dimensions (WxHxDmm) :

ICDU70

1 GB Capacity

SPECIFICATIONS

2 in 1 device

USB Direct Plug
 Drag and drop MP3 Player
 Built-in Speaker and Mic

• Up to 502 hours recording (LP)

Integrated Mono Mic / Speaker
Stereo headphone output

*SRP is manufacturer's suggested retail price only and is inclusive of GST. Prices effective as of 1st April 2007. Prices subject to change without notice.

1 x AAA Battery operation

 Voice Operated Recording LCD Display
 Mic sensitivity switch

Digital Pitch Control

(not supplied)

34.6 x 109.5 x 18 • Weight : 68g (incl. batteries)

HYBRID NOTETAKER/ MP3 PLAYER \$349.00 *

ICDSX57

HIGH-END DIGITAL NOTETAKER \$399.00

FEATURES

- Dragon Software Certified
 256MB Capacity
- 5 Rec Modes (STHQ / ST /
- STLP / SP / LP)
- Digital Voice Up Digital Pitch Control
- · VOR (Voice Operated Recording)
- Mic Sensitivity Switching
 Manual Rec Level Adjust

SPECIFICATIONS

- AUDIO: FORMATS SUPPORTED
- Recording : Triple Rate Codec
 Playback : Triple Rate Codec
- / MP3
- GENERAL
- Channel : Mono / Stereo
- Capacity (Recordings) : Up to Up to 91hrs 20mins
- Inputs / Outputs : Headphone / Microphone / USB

ICDMX20

STEREO MEMORY STICK DIGITAL NOTETAKER \$599.00*

SPECIFICATIONS

- 32 MB Memory Stick Included
 Stereo Microphone
- Voice Operated Recording
- Microphone Jack
 Up to 15.5 hours of recording
- Easy Editing (DPC) Digital Pitch Control
- A-B Repeat
 Repeat / Auto scan play
- Speed Control
- Cue/ Review
- · Date and Time Stamp

MICRO-CASSETTE NOTETAKER \$115.00

Voice Operated Recording
Built In Speaker and MicrophoneTwo

2 x AAA batteries (not supplied) or 1.5V

AC adaptor (not supplied) • Weight : Approx 92g (incl batt and tape)

STANDARD DESKTOP CASSETTE NOTETAKER \$79.00 *

Built In Speaker and Microphone

M670V

SPECIFICATIONS • Ultra Compact design

speed record/playback

• Dimensions (WxHxDmm) :: 54.8 x 106.8 x 21.5

· Headphone (mini jack)

Output power : 450mW
Power Requirements :

TCM939

SPECIFICATIONS

· AC Adaptor Supplied

· Cue/Review function LED battery indicator · Earphone and microphone jack

• Dimensions (WxHxDmm) : 144 x 237 x 60

supplied) or AC Adaptor (supplied) Weight (with batteries) : 675g

- Refer to KEY TECHNOLOGY pages for detailed information.

 Inputs : Mic (3.5mm)
 Outputs : Earphone Power Requirements : AA x 4 (not

Carry Handle

· Auto shut-off Tape counter

Cue/Review function
LED battery indicator

Tape counter

Hand strap

• Dimensions (WxHxDmm) :

- 30.8 x 119.3 x 14.9 • Weight : 70g (incl. batteries)
- POWER
- Power Source

- 2 x AAA Batteries
 Battery Life (up to) : Recording : 18.5hrs Playback : 29hrs

SUPPLIED ACCESSORIES

- · Headphones · Carry Pouch
- USB Cable
- · Digital Voice Editor Software
- Power Requirements 2 x AAA Batteries
- (not supplied) • Dimensions (WxHxDmm) : 37 x 108 x 17

SUPPLIED ACCESSORIES

- USB Cable · DVE Voice Editing software



.....

ICDSX67DR9

HIGH-END DIGITAL NOTETAKER WITH DRAGON SOFTWARE \$599.00

FEATURES

- Dragon Software Certified
 Dragon Naturally Speaking V9
- Software included
- 512MB Capacity
 5 Rec Modes (STHQ / ST / STLP / SP / LP) Digital Voice Up
- Digital Pitch Control
- VOR (Voice Operated Recording)
 Mic Sensitivity Switching
 Manual Rec Level Adjust

SPECIFICATIONS

- AUDIO: FORMATS SUPPORTED
- Recording : Triple Rate Codec
 Playback : Triple Rate Codec / MP3
- GENERAL
- Channel : Mono / Stereo
- Capacity (Recordings)
- Up to 185hrs 55mins Inputs / Outputs : Headphone / Microphone / USB

M475 MICRO-CASSETTE NOTETAKER \$89.00

SPECIFICATIONS

- Ultra Compact design
 LED Battery Indicator
 Two speed record/playback
- Cue/Review function
- Built In Speaker and Microphone
 Dimensions (WxHxDmm) :
- 54 x 109 x 22
- Headphone (mini jack) Power Requirements : 2 x AAA batteries (not supplied)
- Up to 14.5 hours recording
- · Weight : Approx 97g
- (incl batt and tape)

M200MC

PERFORMANCE MICRO-CASSETTE RECORDER \$199.00 '

SPECIFICATIONS

- Retractable Microphone
- Voice Operated Recording Three Record Modes-Meeting/ Lecture/
- Dictation Two speed record/playback Cue/Review function
- Cue marker function
- · Auto reverse
- · LED battery indicator Tape counter
- Built-in speaker and microphone
- Dimensions (WxHxDmm) 27.8 x 127 x 69

TCM150

SPECIFICATIONS

Cue/Review Function

 LED Battery Indicator Stereo Headphone Compatible
Dimensions (WxHxDmm) :

86.9 x 116.3 x 36.5

and tape)

- · Power Output : 250mW
- Power Requirements : DC 3V, AAA x 2, AC adaptor (not supplied) • Speaker : 28mm
 - Weight : 140g (excluding battery)

• Dimensions (WxHxDmm)

· Weight : 70g (incl. batteries)

Power Source : 2x AAA Batteries

30.8 x 119.3 x 14.9

Battery Life (up to) : – Recording : 18.5hrs – Playback : 29hrs

Headphones

· Carry Pouch

(DVR Edition)

SUPPLIED ACCESSORIES

USB Cable
Digital Voice Editor Software

Dragon Naturally Speaking V9

POWER

ENTERTAINMEN

ONAL

R S S

ш

Δ

www.sony.com.au

73

- Output : Headphone (mono mini)

STANDARD CASSETTE NOTETAKER \$69.00 *

Built In Speaker and Microphone One Touch Recording

Output : Headphone (mini jack)
Power Output : 250mW
Power Requirements : DC 3V, AA x 2,

AC Adaptor 3V (not supplied) Speaker : 5.0cm
Weight : 169g (excluding battery

TCM400DV

STANDARD CASSETTE NOTETAKER \$129.00 *

SPECIFICATIONS

- Double Record Time
- Adjustable Speed Playback Flat Microphone

RTAINMEN'

SONAL

Ŕ

Δ

- Voice Operated Recording Cue / Review Double Record Time
 VOR Sensitivity
- LED Battery Indicator
- Built-in Speaker Mic Jack
- Earphone Jack
 Dimensions (WxHxDmm) = 86.7 x 144.4 x 35.7
- · Headphone (mini jack)
- Power Requirements : AA Battery x 2 or 3V AC Adaptor (not supplied)
- Weight : 160g

ICF304 PORTABLE AM/FM **RADIO** \$36.95

- SPECIFICATIONS · Compact Horizontal design
- · LED Tuning Indicator
- Built-in speaker
- Power Requirements
- 2 x AA (not supplied)
- Headphone Jack
 Available in Black (ICF304B) or Silver (ICF304S)



ICFB01

EMERGENCY RADIO \$79.00

- New to the strong line up of Sony radio product is the Emergency Radio ICFB01 This clever little device houses a selfgenerator inside its colourful chassis. The generator is operated by a manual crank handle. Wind up the crank for 60 seconds and you get 60 minutes of power.
- Also included in this AM/FM radio is a soft-light and flashlight, making this radio a must-have in any household, vehicle or boat

SPECIFICATIONS

- Self-powered Generation (no batteries needed)
- · Built-in Flashlight and Softlight
- Water Resistant

ICF404

PORTABLE AM/FM/SW **RADIO** \$56.95

SPECIFICATIONS

- AM/FM
- Compact Horizontal design
 LED Tuning Indicator
- · Built-in speaker
- Tone Control
- Headphone/DC in Jack Power Requirements
- 3 x AA or 4.5V AC Adaptor (not supplied)



Optional AA Battery compatible

Australian version of this product

varies slightly from image above

• FM / AM 2-Band Tuner

90mW Speaker



-

ICF704S

PORTABLE AM/FM/SW RADIO

SPECIFICATIONS

- AM/FM/SW 3 Band Radio
 Tone Control
- Tuning Indicator
- Carry Handle
 AC/ DC operation
- Built In Wide dispersion Speaker
- · Power Requirements
- 4 x AA (not supplied)

ICFM410S

PORTABLE AM/FM/SW DIGITAL RADIO \$125.00 *

SPECIFICATIONS

- AM/FM/SW 3 Band Radio
 Tuning indicator
- Digital Tuning LCD Display
- Clock
- · 20 presets
- Sleep/standby mode
 Dimensions (WxHxDmm) : 212 x 104 x 42.5
- · Headphone (stereo mini)
- Power Requirements : DC 4.5V or 3 x AA (not supplied)
- Weight : 504g (including batteries)

ICFSW11

PORTABLE WORLD BAND RADIO \$139.00 *

SPECIFICATIONS

- · FM/MW/LW/SW Radio Compact Size
- FM/MW/LW/SW 1-9 reception
- · Built-in speaker

www.sony.com.au

74

- Earphone jack
 Short wave guide supplied
 Dimensions (WxHxDmm) :
- 162 x 93.8 x 34.8 Power Requirements
- 2 x AAA Batteries (not supplied)
- · Weight : 340g (including batteries)



ICFSW12

TRAVEL-SIZED WORLD BAND RADIO \$199.00 *

SPECIFICATIONS

- FM/MW/SW Radio
 World Time Display
- Alarm with snooze button
- Backlit LCD display
- LED tuning indicator
 Earphone jack
- · Built-in speaker
- Dimensions (WxHxDmm) : 111 x 31 x 80
- Frequency Range : MW : 530-1605KHz; FM : 87.5–108 MHz;

*SRP is manufacturer's suggested retail price only and is inclusive of GST. Prices effective as of 1st April 2007. Prices subject to change without notice.

- SW : Bands 1-7; 5775-21975 · Power Requirements : 2 x AA Batteries
 - (not supplied)
 - · Power : CR2025 (clock)
- Weight : 230g



ICFSW35

PORTABLE WORLD BAND RADIO \$269.00

SPECIFICATIONS

- · AM/FM/SW world band radio
- Digital Tuning
 Preset Function
- AM/FM/SW Radio · PLL digital tuner
- 50 presets
- Auto scan tuning
- · Backlit LCD display
- Memory scan
 Dimensions (WxHxDmm) : 116.8 x 106 x 35
- Power Requirements : AA x 3 (not
- supplied) Weight (including batteries) : 450g

ICFS10MK2

POCKET-SIZED AM/FM RADIO \$24.95 *

SPECIFICATIONS

- Compact Design
- Telescopic Antenna
 LED Tuning Indicator
- Earphone Jack

- Built-In Speaker
 Carry Strap
 Battery Life AM : 45 hours
- Battery Life FM : 40 hours
 Battery Life FM : 40 hours
 Dimensions (WxHxDmm) : 71 x 118.5 x 30
- Power Output : 100mW Power Requirements : DC 3V, 2 x AA Batteries (not supplied)
- Speaker : 5.7cm diamater
 Weight : 202g (with batteries)

SRFS84C

COMPACT AM/FM RADIO \$69.95 *

SPECIFICATIONS

- AM/FM Radio
- Compact Design Mega Bass Function

- Dimensions (WxHxDmm) : 39.5 x 78.5 x 16.5
 Headphones (stereo mini)
 Power Requirements : DC 1.5V AAA battery (not supplied) battery (not supplied)

SUPPLIED ACCESSORIES

- Weight : 61.2g
 (with battery and headphones)
- Èarphones

SRFM97

ULTRA COMPACT DIGITAL AM/FM RADIO \$149.00 *

SPECIFICATIONS

- · AM/FM Radio Mega Bass Function
- Digital Tuning
- · LCD Display
- Clock
- 20 Station Presets (15FM, 5AM)
- Jog Shuttle for Easy Operation
 Auto Power Off Function
- Hold Function
- Belt Clip
- Dimensions (WxHxDmm) :
- 39 x 83.8 x 20.4 Output : Headphone (stereo mini) Power Output : 2.5mW + 2.5mW

- Refer to KEY TECHNOLOGY pages for detailed information.

- · Power Requirements : 1.5V AAA battery (not supplied)
 - Weight : 57.5g (with battery and headphones)

ICFSW7600GRS

PORTABLE WORLD BAND RADIO \$509.00 *

SPECIFICATIONS

- Enhanced Pre-Set Functions
- World Time Display
 Dimensions (WxHxDmm) : 190 x 118.8 x 35.3
- Frequency Range : FM : 76–108 MHz; LW : 150-529 KHz
- MW : 531-1620 KHz
- SW : 1621–29999 KHz Input : DC-in 6V; Antenna (3.5mm mini jack)
- Output : Line out (stereo mini);
- Headphone (stereo mini) Power Output : 380mW



POCKET-SIZED AM/FM RADIO \$42.95 *

SPECIFICATIONS

Compact Design
AM/FM Tuner

BOARS

-----THOM

CONTRACTOR OF

w

141.74

- Belt Clip
- Fontopia Earphones Supplied
- Dimensions (WxHxDmm) : 65 x 92.9 x 26.5
 Headphone (stereo mini)
- Power Output : 3.6 + 3.6mW
 Power Requirements : DC 1.5V 1x AA battery (not supplied)
- Weight : 84g (with battery and belt clip)
- · Belt clip
- Earphones



No. of Lot of Lo

00

 Power Requirements · DC 6V 4 x AA batteries (not supplied) Speaker : 77mm
Weight : 536g (excluding batteries)

· Carry case

- B6 (9-

ENTERTAINMENI

RSONAL

ш

Δ

www.sony.com.au

75





00

SRFM807 POCKET-SIZED FM **RADIO** \$119.00

SPECIFICATIONS

- · FM Radio Mega Bass Function
- Clock15 presets
- · Ear phone jack
- In Speakers
 Dimensions (WxHxDmm) :
- 60 x 104 x 22
- · Power Requirements : AAA x 2 (not
- supplied)
- Power Output : 70mW • Weight (with batteries) : 100g
- · Fontopia earphones

SRFH4

AM/FM STEREO HEADPHONE RADIO \$64.95 *

SPECIFICATIONS AM/FM Radio Headphone Design

Flexible antenna

Mega Bass Function
AM/FM stereo tuner
Adjustable double headband

Mega Bass function
Power Output : 5mW + 5mW
Power Requirements :

1 x AAA battery (not supplied)
Weight : Approx 130g (with battery)

· Lightweight

ICFC218W

AM / FM CLOCK RADIO \$29.95 *

FEATURES

. Z Ш

RTAINMI

Ш Ь

Ш

ONAL

<u>у</u> С

ш

Δ

- Green LED Single Display
 12 Digital Clock Type
- Calendar Display
- Single Alarm 1-Step Alarm Volume
- Extendable Snooze
- Sleep
- · Power Back-Up

SPECIFICATIONS

- GENERAL
- Dimensions (WxHxDmm) : 155 x 64.5 x 150
- Weight : 492.2g
- RADIO

- Analog Tuner
 FM : 87.5 TO 108.0Mhz
 AM : 529 1710kHzmusic
- Channel : Mono
 Speaker Size : 6.6cm
 Speaker Power : 150Mw

Also Available in Black (ICFC218B)

ICFC492

AM / FM DUAL ALARM CLOCK RADIO \$66.95 *

SPECIFICATIONS

- Extra Large LED Display
- Dual Alarm Function
- · Power Back Up
- Large Display
- Radio Alarm and Buzzer Alarm
- · Battery back up
- Snooze/ Sleep function
 Dimensions (WxHxDmm) :
- 198.7 x 101.5 x 109.7
- Weight : Approx 640g

ICFC630

AM / FM COMPACT DUAL POWER RADIO \$99.95 *

SPECIFICATIONS

- AC/DC OperationDual Alarm
- Dual Alarm Display
- Backlit LCD Display
- Sleep Timer Extendable Snooze
- Dual Alarm

- AC/DC Operation
 Battery Life : Up to 68 hours
 Dimensions (WxHxDmm) : 94 x 104 x 82
- Power Requirements : 4.5V DC or 3V DC via 2 x AA Alkaline Batteries (not supplied)
- Weight : 313g (including batteries)
 AC Adaptor

ICFCD814

AM / FM CD CLOCK RADIO \$119.00 *

SPECIFICATIONS

- CD Playback
- Easy to read 1.4" Green LED
 Dual Alarm Function
- FM/AM Analogue Tuner

www.sony.com.au

76

- Alarm Indicators
 Snooze / Extended Snooze Fucntion
- Sleep Timer •
- · LED Brightness Control
- Dimensions (WxHxDmm) : 190 x 93 x 222
- Weight : 1.5kg



ICFC318S

DUAL ALARM AM / FM CLOCK RADIO \$44.95

FEATURES

- Green 0.9" LED Single Display
 12 Digital Clock Type
- Calendar Display
- Dual Alarm
- 2-Step Alarm Volume
- Extendable Snooze
- Sleep
- · Power Back-Up

SPECIFICATIONS GENERAL

- Dimensions (WxHxDmm) : 155 x 64.5 x 150
- Weight : 492.2g
- RADIO
- Analog Tuner
 FM : 87.5 TO 108.0Mhz
- AM : 529 1710kHz
- MUSIC
- Channel : Mono
- Speaker Size : 6.6cm
- Speaker Power : 150mW

ICFC273

AM / FM DUAL DISPLAY ALARM CLOCK RADIO \$94.95

SPECIFICATIONS

Dual Display

- Dual Alarm Station Pre-Set Function
- Clock, Alarm 1, Alarm 2
 Nap and extendable
- Snooze function
- Dimensions (WxHxDmm) : 173 x 58 x 134
- Weight : Approx 630g



000-



ICFC153

COMPACT AM / FM CLOCK RADIO \$109.00 *

SPECIFICATIONS

- Dual AlarmStation Pre-Set Function
- · Compact Design
- AM/FM Digital Tuner 15 Presets
 Backlit LCD Display

Sleep/Snooze Function

ICFCD837

SPECIFICATIONS

Large LED DisplayDual Alarm

AM/FM Reception

· CDR/RW Playback

 Sleep Timer Snooze function

 Alarm Indicator • Dimensions (WxHxDmm) :

246 x 96 x 210 · Weight: 1.75kg

Large Green Led Display
CD Wake-up Function

CD Playack

AM / FM CD CLOCK RADIO \$199.00 *

*SRP is manufacturer's suggested retail price only and is inclusive of GST. Prices effective as of 1st April 2007. Prices subject to change without notice.

Extendable SnoozeDimensions (WxHxDmm) : 118.5 x 116.5 x 126 • Weight : 715g

MDR110LP

LIGHTWEIGHT HEADPHONES \$14.95 *

SPECIFICATIONS

- L-shape Stereo mini plug
- · Silent cap design
- · Lightweight open-air design
- 1.0m cord
- High quality 30mm driver unit
- Sony Acoustic Twin Turbo Circuit
 Sensitivity : 100(dB/mW)
 Power Handling : 100(mW)
- Frequency Response : 18–20,000Hz
 Impedance : 24 Ohms (at 1KHz)
 Cord Length : 1.0m

MDR310LP

· Lightweight open-air design

· High guality 30mm driver unit

Sony Acoustic Twin Turbo Circuit

Sony Acoustic livin lurbo Circuit L-shape Stereo mini plug Compact folding design Silent cap design Metallic Silver finish Sensitivity : 103(dB/mW) Power Handling : 100(mW) Frequency Response : 16–20,000Hz Impactnese : 24 (Dese (et 1KL))

Impedance : 24 Ohms (at 1KHz)
Cord Length : 1.5m

SPECIFICATIONS

• 1.0m cord

• Weight : 65g

FOLDABLE LIGHTWEIGHT

HEADPHONES \$32.95

• Weight : 56g



MDR210LP

LIGHTWEIGHT HEADPHONES \$22.95 *

SPECIFICATIONS

- Sony Acoustic Twin Turbo Circuit
- Uni-match plug supplied · L-shape Stereo mini plug
- Single-sided cord
- · Silent cap design
- · Lightweight open-air design
- 1.5m cord

- 1.5m cora
 High quality 30mm driver unit
 Sensitivity : 100(dB/mW)
 Power Handling : 100mW
 Frequency Response : 14–20,000Hz
- Impedance : 24 Ohms
- Cord Length : 1.5m
 Weight : 75g

MDR410LP

FOLDABLE LIGHTWEIGHT HEADPHONES \$47.95

- SPECIFICATIONS
- · Lightweight open-air design
- 1.5m cord · High guality 30mm driver unit
- Sony Acoustic Twin Turbo Circuit
- · Gold plated uni-match plug supplied
- Gold plated stereo mini plug
 Single-sided cord
- · Silent cap design
- Self adjusting headbandGold plated stereo unimatch plug
- Stereo unimatch plug
- Sensitivity : 101(dB/mW)
 Power Handling : 100mW
- Frequency Response : 14–20,000Hz
- Impedance : 24 Ohms
- · Cord Length : 1.5m
- Weight : 105g

MDRE818LP

SPECIFICATIONS

- High quality driver unitTwin Turbo Acoustic Circuit
- · Neodymium magnet for powerful Bass
- Cord Length : 1.0m
 Driver Unit : 16
- · Frequency Response : 12-22,000Hz

MDR210TV

LIGHTWEIGHT TV HEADPHONES \$54.95 *

SPECIFICATIONS

- Mono / Stereo SwitchVolume Control on Cable
- Sony Turbo Acoustic Circuit
- 5m Cable for TV Use
- Large 30mm Driver Unit for quality sound reproduction
- Frequency Response : 14–20,000Hz
 Unimatch Plug supplied
- Weight : 75g Approx

MDRE737LP

IN-EAR HEADPHONES \$22.95 *

SPECIFICATIONS

- · Neck Chain Style Cord
- Twin Turbo Acoustic Circuit
- · High quality 16mm driver unit · Neodymium magnet for
- powerful Bass
- Comfortable Design
- Cord Length : 1.2m cord
- Frequency Response : 12–22,000Hz



MDRE10LP

STYLISH IN-EAR HEADPHONES \$24 95

SPECIFICATIONS

- Driver Unit : 13.5mm Dome
- · Sensitivity : 104 dB/mW
- · Impedance: 16 ohms at 1Khz
- Frequency Response : 10 20,000Hz Power Handling Capacity : 1000mW
- Also Available in Grey (MDRE10LPH), Yellow (MDRE10LPY), Pink (MDRE10LPP), Blue (MDRE10LPL)



www.sony.com.au

IN-EAR HEADPHONES \$18.95 *

MDRE829V

IN EAR HEADPHONES WITH VOLUME CONTROL \$32.95

SPECIFICATIONS

- Rotary Slide Volume Control Twin Turbo Acoustic Circuit

- Compact carry case
 High quality 16mm driver unit
- Neodymium magnet for powerful Bass
- · Cord Length : 1.0m
- Frequency Response : 12–22,000Hz



MDREX32LPB

EX SERIES HEADPHONES \$59.00 *

SPECIFICATIONS

- Type : ClosedCord : 1.2m
- · Plug : L-Shaped Stereo Mini-Plug

- Weight : Approx. 3g (without card)
 Driver Unit : 9mm
 Sensitivity : 100 dB / mW
 Impedance : 16 ohms at 1 khz
- Frequency Response : 6–23,000Hz
 Power Handling Capacity :
- 100 mW (IEC)

MDREX52SLB

EX SERIES DUAL -WEAR HEADPHONES \$89.00

SPECIFICATIONS

- 2 Fitting Options (Hanging or In-Ear)
 Spare Silicon Caps (S/M/L Sizes)
- Carry Pouch

- Carly Pouch
 Driver Unit : 9mm (CCAW)
 Sensitivity : 100dB/mW
 Impedance : 16 ohms at 1kHz
 Frequency Response : 6–23,000Hz
 Device Unit fundime
- Power Handling Capacity : 100mW
- (IEC)

Available in Black MDREX52SLB or White MDREX52SLW



MDREX85LPR

EX MONITOR HEADPHONES \$149.00 *

SPECIFICATIONS

- Closed Acoustic Structure
- Unique Headphone Bonding
 Spare Silicon Caps (S/M/L Sizes)
- Carry Pouch and Earphone Holder

- Driver Unit : 13.5mm (CCAW)
 Sensitivity : 105dB/mW
 Impedance : 16 ohms at 1kHz
 Frequency Response : 5–24,000Hz
 Device Unit in the filter of the original intervalues
- Power Handling Capacity : 100mW
- (IFC)

Available in Black MDREX85ILPB, White MDREX85LPW, Red MDREX85LPR or Violet MDREX85LPV



MDREX90LP

PREMIUM EX MONITOR HEADPHONES \$199.00*

SPECIFICATIONS

- Machined Aluminium Housing
 Closed Acoustic Structure
 Unique Headphone Bonding

- Spare Silicon Caps (S/M/L Sizes)

- Spare Silicon Caps (Silvi/L Sizes)
 Leather Carry Pouch and Earphone Holder
 Driver Unit : 13.5mm (CCAW)
 Magnet : 300kJ/m3 Neodymium Capital Line 104 DecrW

- Sensitivity : 106dB/mW
 Impedance : 16 ohms at 1kHz
 Frequency Response : 5–25,000Hz
- Power Handling Capacity : 200mW (IEC)

MDRG54LP

STREET STYLE HEADPHONES \$52.95 *

SPECIFICATIONS

- Sleek street style designSony Acoustic Twin Turbo Circuit for
- increased Bass
- · High Power Neodymium magnet
- Cord Length : 1.5m
 Open Air 30mm Driver Unit for quality sound reproduction
- Frequency Response : 16–20,000 Hz
 Weight : 60g Approx





MDRG58V

STREET STYLE HEADPHONES WITH VOLUME CONTROL \$62.95

SPECIFICATIONS

- Sleek street style designSliding Volume Control on Cord
- High Power Neodymium magnet
- Cord Length : 1.5m Open Air 30mm Driver Unit for quality
- sound reproduction Frequency Response : 16–20,000 Hz
 Weight : 45g Approx
 Only Available in Blue



www.sony.com.au

MDRG74SL

PERFORMANCE STREET STYLE HEADPHONES \$72.95

SPECIFICATIONS

- Space saving Foldable DesignHigh Power Neodymium magnet
- Large Turbo Circuit for Extra Bass
- Durable, tangle free textured OFC Litz cord (0.5m)
- 1m extension cord supplied
- · Gold Plated stereo mini plug
- Open Air 30mm Driver Unit for quality sound reproduction
- Frequency Response : 12–24,000 Hz • Weight : 60g

MDRQ68LWW

EAR-CLIP STYLE HEADPHONES \$69.95 *

Ear-Clip Design
Driver Unit : 30mm Dome
Sensitivity : 108 dB/mW

· Impedance : 16 ohms at 1Khz Frequency Response : 16 – 24,000Hz
Power Handling Capacity :

MDRV500DJ

DJ/MONITOR

Compact Folding Design
Swivel Mechanism with

· Cord Length : 3m (Coiled) Frequency Response : 10–25,000Hz
Weight : 225g

• Powerful 40mm Driver Unit - for

 Gold plated stereo Unimatch plug • OFC (Oxygen Free Copper) cord

Reversible Earcups

SPECIFICATIONS

increased Bass

Also Available in Black (MDRQ68LWB)

SPECIFICATIONS

· Retractable Cord

1000mW (EIA)

MDRV250V

DJ/MONITOR HEADPHONES \$64.95 *

SPECIFICATIONS

- Swivel Earcups for DJ and Remix Applications
- Volume Control
- · Gold Plated Stereo Unimatch Plug
- Comforatble Cushioned ear-pads
 Cord Length : 2.0m
 Powerful 30mm Driver Unit
- Frequency Response : 16–22,000Hz
 Weight : 125g



MDRV700DJ

DJ/MONITOR HEADPHONES \$329.00 *

SPECIFICATIONS

- Quality Aluminium ConstructionHigh Powered 50mm Driver Unitz
- Powerful Neodymium Magnet
- Auto Return Swivel mechanism

MDRD333LW

OUTDOOR OVER-BAND HEADPHONES \$149.00 *

SPECIFICATIONS

- · Lightweight and Comfortable Design
- 1.2m Retractable OFC Litz Cord
 Driver Unit : 30mm Dome (CCAW)
- Magnet : 300kJ/m3 Neodymium

- Sensitivity : 102dB/mW
 Impedance : 24 ohms at 1kHz
 Frequency Response : 12–24,000Hz
- · Power Handling Capacity : 1000Mw (IEC)





PC HEADSET \$59.95 *

SPECIFICATIONS

- Suits Most PC's
- 3m Cord for Easy Reach to PC
 Light and Flexible Boom Microphone
- Sony Acoustic Twin Turbo Circuit
- Frequency Response : 40–20,000Hz
- (headset) 20–20,000Hz (microphone) Weight : 90g



Driver Unit : 13.5mm Dome Sensitivity : 104 dB/mW

- Impedance :16 ohms at 1Khz
 Frequency Response : 18 22,000Hz
- Power Handling Capacity :
- 1000mW (IEC)



MDRKE30LWB

KEY-RING STYLE HEADPHONES \$59.00 *

SPECIFICATIONS

- Retractable Cord
 Karabina Hook









HEADPHONES \$169.00 *

MDRD777SL

HIGH-DEFINITION OUTDOOR HEADPHONES \$499.00 *

SPECIFICATIONS

Z Ш

RTAINM

RSONAL

Ω

- Aura-nomic DesignAmbient Sound-in Diaphragm
- Sound-in Switch

- High-Definition Driver
 Type : Closed Dynamic
 Headband : Slim Single Band with
- Foldable Mechanism
- Earpads : Soft Touch Cord : Oxygen Free Copper (OFC) Litz Cord–0.5m

- Cord Extension : 1m Plug : Straight Stereo Mini-Plug (Gold) Weight : Approx. 166g (without cord) Driver Unit : 40mm High-Definition
- Dome (Copper-Clad Aluminium Wire)
- Magnet : 360kJ/m3 Neodymium

MDRNC6

OVER-BAND NOISE-CANCELLING HEADPHONES \$199.00

SPECIFICATIONS

- Noise Canceling
 Cuts over 50% of Background Noise
 Slim and Foldable Swivel Design
- Perfect for Commuting

SPECIFICATIONS

Noise Canceling13.5mm Driver Unit

Unique Sony Bonding Design

Stylish Lanyard Design
Conveniently Placed Battery Box
Noise Cancelling Switch
Type + Claced

Noise Cancélling Switch
 Type : Closed
 Cord : Oxygen Free Copper (OFC) Litz Cord-0.6m (plug-headphones)
 Cord Extension : 0.4m (strap length)
 Plug : Straight Stereo Mini-Plug (Gold)
 Weight : Approx. 65g (including AAA Battery)
 Noise Cancelling Switch (On / Off)
 Battery : 1 x AAA Battery (DC 1.5V)
 Battery Life (Alkaline) : Approx. 50hrs
 Driver Unit : 13.5mm Dome (Conper-Clad Aluminium Wire)

(Copper-Clad Aluminium Wire)
Sensitivity (Power ON) : 102dB/mW

- Berneut für Gommutung
 Bam Driver Unit
 Powerful Neodymium magnet
 Noise Cancelling On/Off Switch
 Approx 30 hours battery life

- AAA Alkaline Battery Operation Frequency Response : 30–15,000Hz Weight : 50g (including battery)
- · Aeroplane adaptor supplied

MDRNC32NX

IN-EAR NOISE-CANCELLING HEADPHONES \$249.00 *

- Power Handling Capacity : 50mW (IEC)
- - Spare Silicon Caps (2 x Small / Medium / Large)

MDRNC22B

IN-EAR NOISE-CANCELLING HEADPHONES \$199.00

FEATURES

- · Compact Battery Box
- Monitor Switch
 Closed Acoustic Structure
- · Unique Headphone Bonding
- Spare Silicon Ear-buds (S/M/L Sizes)
 Carry Pouch

SPECIFICATIONS









- **PREMIUM NOISE-CANCELLING HEADPHONES** \$499.00
- FEATURES
- · Highly Comfortable and Lightweight
- Monitor SwitchFoldable Design
- Carry Case

SPECIFICATIONS

MDRNC60

- SPECIFICATIONS
 Driver Unit : 40mm Dome
 Sensitivity (Power ON) : 102 dB/mW
 Impedance (Power ON) : 40 ohms at 1Khz
 Frequency Response : 14 22,000Hz
 Power Handling Capacity : 100mW (IEC)
 Destruct if in the construction of th
- · Battery Life : Approx. 30hrs

www.sony.com.au

80





Premium

 Sensitivity (Power OFF) : 106dB/mW · Impedance (Power OFF) : 24 ohms at 1kHz

Frequency Response : 8-80000Hz Power Handling Capacity : 1500mW (IEC)





86





- Impedance (Power ON) : 20 ohms at 1Khz

- Bohms at 1 Khz
 Frequency Response : 8-22000Hz
 Frequency Range Active Noise Attenuation : 50-1500Hz. More than 12dB at 200Hz
- SUPPLIED ACCESSORIES
- Sensitivity (Power OFF) : 100dB/mW

 - · Impedance (Power OFF) :

MDRXD100

VERSATILE HI-FI HEADPHONES \$49.95 *

SPECIFICATIONS

- Dynamic Closed Type (Deep Base Sound)
- Long Stroke Diaphragm for Dynamic Movie Sound
- · Powerful Magnet for Quality Sound reproduction Adjustable lightweight Headband
- Adjustable light/weight Headband
 Cord Length : 3.5m (OFC Litz)
 Driver Unit : 40mm Dome type
 Frequency Response : 12–22,000Hz
 Weight : Approx 175g



MDRXD200

MUSIC / MOVIE HEADPHONES \$89.95 *

SPECIFICATIONS

- Movie and Music Sound Switch · Comfortable Lightweight Closed Type
- Desian Powerful Neodymium Magnet for Quality
- Sound reproduction Single Sided Cord, Length : 3.5m (OFC) Driver Unit : 40mm Dome type
- Dynamic Range Sound
- Frequency Response : 10–22,000Hz
 Weight : Approx 175g

MDRXD400

Large 50mm Dome Driver

Comfortable Lightweight Dual Headband
Movie and Music Switch

2.5m Cord (5m with supplied Extension

• Dynamic Closed Type (Deep Bass) Powerful Neodynium Magnet for High Quality Sound Reproduction
 OFC (Oxygen Free Copper) Textured

 Driver Unit : 50mm Dome type Frequency Response : 5–30,000Hz (24 Ohms @ 1kHz)

• Weight : Approx 260g

SPECIFICATIONS

HIGH-END MUSIC / MOVIE HEADPHONES \$199.00



MDRXD300

PERFORMANCE MUSIC / MOVIE HEADPHONES \$149.00 *

SPECIFICATIONS

- Long Stroke Diaphragm for Dynamic Range Movie Sound
- Movie and Music Sound Switch
- Closed Type Design · Powerful Neodymium Magnet for Quality
- Sound reproduction Sound reproduction • OFC (Oxygen Free Copper) Textured 2.5m Cord (With 2.5m Extension) • Lightweight Dual Headband • Extra Comfort Design

- Driver Unit : 40mm Dome type
- Frequency Response : 8–25,000Hz Weight : Approx 245g

MDRSA3000

PREMIUM MUSIC / MOVIE HEADPHONES \$799.00 *

SPECIFICATIONS

- High Definition 50mm Dome Driver
- Lightweight Frame, High Comfort Headband
 Open Air Dynamic Range
 Quality Pouch Supplied

- Movie and Music Switch Powerful Neodymium Magnet for Superior Sound reproduction
 Extension cord supplied (3.5m)
- Highest Grade Cloth Coated 6N-OFC Cable for Accurate Sound Transmission
- Super Wide Frequency Performance
 Low Dispersion Ear Pads
- Frequency Response : 8–100,000Hz
- SACD Compatible

MDRIF140K

SPECIFICATIONS

Volume Control

• 2 Audio Inputs

AC Adaptor

Mute FunctionLightweight design

sound reproduction

Automatic OFF Function7 Metre Reception

· Up to 60hrs Battery Life

· Large 30mm Driver Unit for quality

Frequency Response : 18–22,000Hz
 Weight : 175g Approx

Transmitter (AAA Battery Operation)

CORDLESS INFRA-RED HEADPHONES \$119.00 *

Weight : Approx 265g



Cord)



MDRIF240RK

CORDLESS INFRA-RED HEADPHONES \$199

SPECIFICATIONS

- Volume Control · Up to 60 hours Battery Life
- Rechargeable Battery
- Reception up to 7m
- Mute Function
- Free adjusting headband
 Automatic OFF Function
- Charging Station
- Lightweight design

SUPPLIED ACCESSORIES

- AC Adaptor Connecting Cord
- (Stereo mini-Phono Plugs) Transmitter
- Rechargeable Battery
 Unimatch Plug Adaptor



SRSP7

COMPACT TRAVEL SPEAKERS \$22.95 *

SPECIFICATIONS

- No Power Source Required
- Very Compact Clip together design
- Bass reflex duct design
- Dimensions (WxHxDmm) : 72 x 105 x 65

SRSA201

SPECIFICATIONS

Volume Control
Built-in 2W amplifier Magnetically shielded

· Bass reflex duct design

SRST57

SPECIFICATIONS

AC or DC Operation

Folding Design
Mega Bass Function
Built in 2W Amplifier

 Dimensions (WxHxDmm) : 71 x 141 x 91 Power Source

AC Adaptor (supplied) • Perfect for use with MP3 player • Weight : 205g (including cord)

COMPACT AND FOLDABLE TRAVEL SPEAKERS \$99.95 *

Both active and passive functionality
Dimensions (W x H x D mm) : Open : 224 x 85 x 57

Open 1: 224 x 85 x 57
Closed 50 x 85 x 100
Power Source : DC 6V or 4 x AA Alkaline Batteries (not supplied)
Weight : 330g (including batteries)

AC Powered

STYLISH MINI SPEAKERS \$44.95 *

- Weight: 270g (including cord)



SRSA27

MINI SPEAKERS \$44 95

SPECIFICATIONS

- · AC or DC Powered
- Volume Control
 Built-in 2W amplifier
- Magnetically shielded
- Bass reflex duct design
- Dimensions (WxHxDmm) : 84 x 131 x 86.3
- Power Source :
- AA Alkaline x 4 (not supplied) or AC Adaptor (not supplied) Weight : 530g (including cord)

SRSA212W

STYLISH DESKTOP SPEAKERS \$79.95 *

FEATURES

- · Auto Power ON / OFF
- Volume Control Additional Front Audio-IN

SPECIFICATIONS GENERAL

- Power Source : Supplied AC Adaptor
 Dimensions (WxHxDmm) : 93 x 208 x 151
- · Weight : 740g (both speakers) SPEAKER
- Speaker Driver : 66mm
- Speaker Type : Full Range / Bass Reflex Output Power : 3.6W Total Speaker Impedance 4 Ω
- Frequency Level : 100Hz 20kHz
- Sensitivity Level : 80dB/mW
- Amplifier Impedance : 4.7 Ω

SRSU10

VERSATILE TRAY-STYLE SPEAKERS \$99.95

FEATURES

- Stylish Tray Design
 Cable Storage Mechanism
 Auto Power ON / OFF
- Volume Control
- Additional Audio-IN

SPECIFICATIONS

- GENERAL
- Power Source: Supplied AC Adaptor
 Dimensions (WxHxDmm) : 270 x 105 x 110
- · Weight : 700g
- SPEAKER
- Speaker Driver : 78mm
- Output Power : 3.6W Total



Also Available in Black (SRSA212B)

- Amplifier Impedance : 4.7 Ω

- Speaker Type : Full Range / Bass Reflex
- Speaker Impedance 4 Ω Frequency Level : 70Hz 20kHz Sensitivity Level : 79dB/mW

iPod Not Included

- SUPPLIED ACCESSORIES
- · Detachable Backing Stand

CPFIP001

CRADLE AUDIO SYSTEM FOR iPOD® \$399.00 Available June 2007

- ✓ 5W x 2RMS Total Power
- ✓ S-Master Digital Amplifier
- ✓ Additonal Line Input
- ✔ Compatible with Selected iPod Models*

FEATURES

- Compact Shape Main Unit
 S-Master Digital Power Amplifier
 Digital Signal Processor with
- Surround Mode
- Power Line Transmission Subwoofer Remote control included

SPECIFICATIONS

- AUDIO
- Audio Power Output :
- Main Unit :
- 5W x 5W (1 KHz, 10% THD) - Subwoofer : 15W (100 Hz, 10% THD)
- AC Power

POWER

INPUTS AND OUTPUTS

- Main Unit : DC In : 12V, 1.0 A
 Subwoofer : 220V, 18W, 50/60 Hz GENERAL
- Type of Use : Wireless PC Audio System Dimensions (Diameter Approx. mm) : Main Unit Speakers : 28 Subwoofer : 70

Input(s) : Mini Jack (Stereo)

- Colours - Speakers : Silver
- Subwoofer : Black

*The iPod Cradle is compatible with 1st and 2nd Generation Nano, 5th Generation Video, 4th Generation Colour, 4th Generation or 1st Generation Mini iPod

www.sony.com.au



RTAINM ш ONAL

Ш

Ω

. ZШ



VOCAL MICROPHONES

FV120 \$19.95 *

SPECIFICATIONS

- Suitable for Vocals / Tape Recorder Use
 OFC (Oxygen Free Copper) Cord
 Cord Length : 3.0m
 Dimensions (DxLmm): 54 x 211
 Free Development (2020)

- Frequency Response : 60-12,000Hz

DESKTOP MICROPHONE \$29.95 *

Long battery life (approx. 100 hours)
Cord Length : 1.0m

Frequency Response : 100–12,000Hz
Power : *CR2025* x 1 (not supplied)
Sensitivity : -51+/-4.0 (dB/mW)
Weight : 25g Approx

Electret condenser microphone

• Dimensions (DxLmm) : 50 x 19

- No Battery required
 Sensitivity : -53dB
 Weight : 140g Approx

ECMF8

SPECIFICATIONS





SPECIFICATIONS

- Quality Neodymium Magnet Perfect for Karaoke
- Talk switch
 OFC 3.0m Cord
- · Frequency Response :
- 100-12,000Hz

- No Battery required
 Sensitivity : -53 dB
 Unimatch Plug supplied
 Weight : 215g Approx



ECMC115

TIE PIN MICROPHONE \$115.00 *

SPECIFICATIONS

- Supplied Wind Screen
- Detachable Holder with Stand OFC cord 1m
- Clip-on design

- Clip-on design
 Battery life (approx. 100 hours)
 Dimensions (DxLmm) : 8.5 x 17.3
 Frequency Response : 50–15,000Hz
 Power : "CR2025" x 1 (not supplied)
 Sensitivity : -42+/-3.5 (dB/mW)
 Weight : 13g Approx

ECMDS30P

STEREO COMPACT MICROPHONE \$129.00 *

SPECIFICATIONS

- Unique Direct Plug Design
- No Battery Required
- No Battery Required
 Adjustable Angle mechanism
 Dimensions (DxLmm) : 12 x 57
 Frequency Response : 100–10000 Hz
 Sensitivity : -40+/-3.5 (dB/mW)
 Weight : 17g
 Wind screen supplied
 Competence of the state of the state

- · Carry pouch supplied

ECMMS907

CONDENSOR MICROPHONE \$219.00 *

SPECIFICATIONS

- Cannon ConnectorQuality Metal Construction
- Uni-directional x 2 (stereo)
- Directive Angle Switch (90° 120°)
 Gold Plated Plug
 OFC Litz Cord Length : 1.5m

- Dimensions (DxLmm) : 29 x 127
- Frequency Response : 100-15000 Hz
- Power Requirements : AA x 1
 Weight : 110g Approx

DCCE34CP

CAR CONNECTING CASSETTE PACK \$54.95

SPECIFICATIONS

- Multi-Voltage Interchangeable DC Plugs
- Rated input 12/24V
- · Power lamp indicator
- Accommodates 1.5/3/4.5/6V output
- voltages Car cassette adaptor (CPA9 included

Æ

ECMT6

TIE PIN **MICROPHONE** \$29.95 *

SPECIFICATIONS

- · Battery life (approx. 100 hours) Electret condenser microphone
- Clip-on designCord Length : 1.0m
- Dimensions (WxHxDmm) :
- 50 x 15 x 34
- Frequency Response : v51–12,000Hz Power : *CR2025* x 1 (not supplied) Sensitivity : -51+/-4.0 (dB/mW) Weight : 20g Approx

ECMDS70P

UNIDIRECTIONAL MICROPHONE \$149.00 *

SPECIFICATIONS

- · Direct connection
- No Battery Required
 Uni-directional x 2 (stereo)
 Dimensions (WxHxDmm) :
- 58 x 10 x 57 Frequency Response : 100–15000 Hz Sensitivity : -40+/-3.5 (dB/mW) Weight : 10g Approx

CPA9

CAR CONNECTING CASSETTE ADAPTOR \$37.95

SPECIFICATIONS

- Compatible with Most Car Cassette Decks
- Suitable for all MP3 Players
- 3.5mm Jack



BONY



www.sony.com.au



