

KDL-40BX421

Bring home brilliant Full HD 1080p Sony picture quality. With the Sony® BX421-Series HDTV. You can connect multiple HD devices and share photos, music and videos with friends on the big screen when you connect your USB drive. Also enjoy the best possible viewing experience with a built-in sensor that automatically adjusts the screen's brightness based on your room's lighting.



Bullets

- Brilliant Full High Definition (1080p) picture quality
- 5 HD Inputs to connect multiple HD devices
- Share photos, music & videos using the USB Input
- Customized picture & sound settings
- Automatic picture adjustment based on room lighting

Features

Full HD 1080p Resolution

Experience amazing Full HD 1080p picture quality, the highest at-home resolution. Take full advantage of HD sources like a Blu-ray Disc™ Player or PlayStation®3 gaming console via the 16:9 wide screen panel (1920 x 1080).

5 HD Inputs

Get versatile HD connection options with five HD inputs, including two HDMI™ inputs, two HD component inputs provide added HD-capable connectivity in addition a PC input (HD-15 pin) lets you use your HDTV as a computer monitor.

USB Input

Share your photos on the big screen or listen to your favorite music. Simply connect your digital camera, USB-enabled MP3 player, or USB storage device directly to your HDTV's USB input.

Scene Select

Easily manage your settings for the best HDTV experience with Scene Select. Choose from five different packages each with preconfigured picture and audio settings, including Sports, Photo, Game, Cinema and Music.

BRAVIA® Sync™ Compatible

Conveniently operate and control other BRAVIA® Sync™ compatible devices - including BRAVIA® HDTVs, Blu-ray Disc™ Players, surround sound systems, Handycam® camcorders and Cyber-shot® digital still cameras, all with one remote control.

LightSensor™ Technology

Enjoy customized picture brightness and save energy without lifting a finger. The built-in Light Sensor automatically adjusts the picture brightness based on the amount of light in the room.

Specifications

Audio	
Audio Power Output	8W + 8W
Speaker Configuration	2
Speaker Position	Rear Facing
Audio Features	
5.1 Channel Audio Out	Yes
5.1ch Through Out (Handycam)	Yes

Alternate Audio (Digital)	Yes
Audio Out	Fixed
Auto Mute (on no signal)	Yes
Auto SAP	Yes
Dolby®	Dolby Digital
Invisible Speaker (w/Sound Elevation)	Yes

Sound Mode	Dynamic, Standard, Clear Voice, Custom	
SteadySound® Automatic Volume Control	Yes	
Stereo System	MTS	
Surround Effect	Cinema, Game, Music, Sports	
Convenience Features		
Auto Shut-off	Yes	
BRAVIA® Sync™	Yes	



Channel Block (with password)	Yes
Channel Jump	Yes
Channel Surf	Yes
Control for HDMI™ (HDMI™ CEC)	Yes
Edit Channel Labels	Yes
Favorites (Simple UI)	Yes
Info Banner	Yes
Input Skip	Manual
Label Inputs	Yes
Multiple Language Display	English, French, Spanish
On-Screen Display for External Input	Yes
Parental Control	Yes
Picture Adjustments Lock	Yes
Picture Frame Mode	Yes
PIP (Picture in Picture)	Yes
Scene Select	Photo, Music, Cinema, Game, Graphics, Sports, General
Show/Hide Channels	Yes
Sleep Timer	Yes
oloop IIIIoi	100
USB Play	Yes
USB Play	
USB Play Display	Yes
USB Play Display Aspect Ratio	Yes 16:9
USB Play Display Aspect Ratio Display Resolution	Yes 16:9 Full HD 1080p
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured	Yes 16:9 Full HD 1080p 60Hz
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle	Yes 16:9 Full HD 1080p 60Hz 40"
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle	Yes 16:9 Full HD 1080p 60Hz 40" 178°
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle (Up/Down)	Yes 16:9 Full HD 1080p 60Hz 40" 178°
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle (Up/Down) Energy Saving & E Backlight Off	Yes 16:9 Full HD 1080p 60Hz 40" 178° 178° ifficiency
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle (Up/Down) Energy Saving & E Backlight Off Mode Dynamic Backlight	Yes 16:9 Full HD 1080p 60Hz 40" 178° 178° Ifficiency Yes
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle (Up/Down) Energy Saving & E Backlight Off Mode Dynamic Backlight Control	Yes 16:9 Full HD 1080p 60Hz 40" 178° 178° Ifficiency Yes
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle (Up/Down) Energy Saving & E Backlight Off Mode Dynamic Backlight Control General Features Closed Captions	Yes 16:9 Full HD 1080p 60Hz 40" 178° 178° 4fficiency Yes Yes
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle (Up/Down) Energy Saving & E Backlight Off Mode Dynamic Backlight Control General Features Closed Captions (CC) Finish (Surface	Yes 16:9 Full HD 1080p 60Hz 40" 178° 178° 178° 4fficiency Yes Yes Analog, Digital
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle (Up/Down) Energy Saving & E Backlight Off Mode Dynamic Backlight Control General Features Closed Captions (CC) Finish (Surface Color) Start Up Sony Logo	Yes 16:9 Full HD 1080p 60Hz 40" 178° 178° 178° Yes Yes Analog, Digital Black Yes
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Rlght/Left) Viewing Angle (Up/Down) Energy Saving & E Backlight Off Mode Dynamic Backlight Control General Features Closed Captions (CC) Finish (Surface Color) Start Up Sony Logo Display	Yes 16:9 Full HD 1080p 60Hz 40" 178° 178° 178° Yes Yes Analog, Digital Black Yes
USB Play Display Aspect Ratio Display Resolution Panel Frequency Screen Size (measured diagonally) Viewing Angle (Right/Left) Viewing Angle (Up/Down) Energy Saving & E Backlight Off Mode Dynamic Backlight Control General Features Closed Captions (CC) Finish (Surface Color) Start Up Sony Logo Display Inputs and Outpu	Yes 16:9 Full HD 1080p 60Hz 40" 178° 178° 178° Yes Yes Analog, Digital Black Yes ts

Component Video (Y/Pb/Pr) Input(s)	1 (Rear/Hybrid)
Composite Video Input(s)	2 (1 Side/1 Rear/Hybrid)
Digital Audio Output(s)	1 (Rear)
HDMI™ Connection(s) (Total)	3 (Rear)
HDMI™ PC Input	Yes
PC In (D-Sub) + Audio In (Stereo Mini)	D-Sub 1 (Side), Mini 1 (Rear)
RF Connection Input(s)	1 (Rear)
USB 2.0	1 (Side)
Power	
Power Consumption (in Operation) max.	180W
Power Consumption (in Standby)	0.25W (120V)
Power Requirements (frequency)	60Hz for UL
Power Requirements (voltage)	AC 120V for UL
Recycled & Recy	clable Materials
Packaging Materials	Recycled Carton (more than 40%)
Materials	than 40%) tandards Compliance
Regulation and St VESA® Hole Pitch	than 40%)
Materials Regulation and St	than 40%) tandards Compliance
Regulation and St VESA® Hole Pitch VESA® Hole Spacing	tandards Compliance 300x300 mm
Regulation and St VESA® Hole Pitch VESA® Hole Spacing Compatible	tandards Compliance 300x300 mm
Regulation and States Wesa® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™	than 40%) tandards Compliance 300x300 mm Yes
Regulation and St VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology	than 40%) tandards Compliance 300x300 mm Yes
Regulation and Si VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty	than 40%) tandards Compliance 300x300 mm Yes Yes anty Information 18 Months Parts / 18
Regulation and Si VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warranty Term	than 40%) tandards Compliance 300x300 mm Yes Yes anty Information 18 Months Parts / 18
Regulation and St VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term TV System Channel	than 40%) tandards Compliance 300x300 mm Yes Yes Anty Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69,
Regulation and Si VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warranty Term TV System Channel Coverage	than 40%) Idendards Compliance 300x300 mm Yes Yes Anny Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69, CATV: 1-135
Regulation and Si VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warranty Term TV System Channel Coverage Color System Number of Tuners	than 40%) tandards Compliance 300x300 mm Yes Yes Yes Anty Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NISC
Regulation and Si VESA® Hole Pitch VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warranty Term TV System Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable)	than 40%) tandards Compliance 300x300 mm Yes Yes Yes Anty Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NISC 1 Clear QAM
Regulation and Si VESA® Hole Pitch VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Terrn TV System Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable) Tuner (Terrestrial)	than 40%) tandards Compliance 300x300 mm Yes Yes Anty Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1
Regulation and Si VESA® Hole Pitch VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warranty Term TV System Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable)	than 40%) tandards Compliance 300x300 mm Yes Yes Yes Anty Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NISC 1 Clear QAM
Regulation and Si VESA® Hole Pitch VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term TV System Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable) Tuner (Terrestrial) TV System (Analog) TV System (Digital)	than 40%) tandards Compliance 300x300 mm Yes Yes Anty Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NISC 1 Clear QAM ATSC
Regulation and Si VESA® Hole Pitch VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warranty Term TV System Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable) Tuner (Terrestrial) TV System (Analog) TV System (Digital) Video Features	randards Compliance 300x300 mm Yes Yes Yes Anty Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1 Clear QAM ATSC M
Regulation and Si VESA® Hole Pitch VESA® Hole Pitch VESA® Hole Spacing Compatible Sensing Features LightSensor™ Technology Service and Warra Limited Warranty Term TV System Channel Coverage Color System Number of Tuners (Analog) Number of Tuners (Digital) Tuner (Cable) Tuner (Terrestrial) TV System (Analog) TV System (Digital)	randards Compliance 300x300 mm Yes Yes Yes Anty Information 18 Months Parts / 18 Months Labor VHF: 2-13, UHF: 14-69, CATV: 1-135 NTSC 1 1 Clear QAM ATSC M

3D Comb Filter

Yes

4:3 Default	Yes	
Advanced Contrast Enhancer (ACE)	Yes	
Auto Wide	Yes	
CineMotion® Reverse 3:2 Pulldown Technology	Yes	
Digital Noise Reduction	Yes	
Live Color™ Technology	Yes	
MPEG Noise Reduction	Yes	
Picture Mode	Cinema, Game- Original, Game- Standard, Graphics, Photo-Custom, Photo-Original, Photo- Standard, Photo-Vivid, Sports, Standard, Vivid	
Wide Mode	Full, Normal, Wide Zoom, Zoom, Caption, Normal/Full1/Full2 for PC	
Dimensions (Appr	ox.)	
Dimensions (Approx.)	39 x 23 5/8 x 3 3/4" (988 x 600 x 94mm) without stand; 39 x 25 x 9 7/8" (988 x 632 x 250mm) with stand	
Weights and Measurements		
Packaging (Approx.)	42 3/8 x 27 1/8 x 7 1/4" (1074 x 688 x 184mm); 41.9 lbs (19 Kg)	
Weight (Approx.)	30.0 lbs (13.6 Kg) without stand; 34.6 lbs (15.7 Kg) with stand	
Accessories		
Supplied Accessories	Remote Control (RM- YD065) AC Power Cord (attached) Table Top Stand (separate, assembly required)	

Wallmount Bracket (SU-WL500)

Optional Accessories



© 2011 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony BRAVIA, BRAVIA Sync, and LightSensor are trademarks of Sony. All other trademarks are trademarks of their respective owners. Features and specifications are subject to change without notice. Non-metric weights and measures are approximate and may vary. /Updated: November 3, 2011