

Philips

Digital widescreen flat TV with Digital Crystal Clear

26"

LCD integrated digital

26PF5520D

















Turn up your viewing experience

with Integrated Digital tuner

With this TV enjoy the benefits of digital TV, eight-day Electronic Programme Guide and digital quality content. Also watch superb pictures with Digital Crystal Clear and Active Control.

Vivid, natural and razor sharp images

- HD LCD WXGA display, with a 1366 x 768p resolution
- Integrated Digital Tuner for DVB-T reception
- HD ready for the highest quality display of HDTV signals
- Digital Crystal Clear provides vivid cinema-like images
- · Interference is neutralised by build in Pulse Killer Chip

Superb sound reproduction

• Virtual Dolby Surround for a cinema-like audio experience

Slim, stylish design to complement your interior

· Compact and slim design that fits in every room

Multi-purpose convenience

- · Watch analogue TV while recording a digital program
- PC input lets you also use your TV as a PC monitor







Specifications

Picture/Display

- Aspect ratio: Widescreen, 16:9
- Brightness: 450 cd/m²
- Contrast ratio (typical): 600:1
- Diagonal screen size: 26 inch / 66 cm
- Display screen type: LCD WXGA Active Matrix TFT
- Picture enhancement: Digital Crystal Clear, Progressive Scan, 3D Combfilter, 3/2 - 2/2 motion pull down, Digital Noise Reduction, Jagged Line Suppression, Sharpness Adjustment, Pulse Killer Chip, Active Control + Light sensor, Contrast
- Screen enhancement: Anti-Reflection coated screen
- Viewing Angle (H / V): 178 / 178 degree
- Panel resolution: 1366 x 768p
- Response time (typical): 16 ms

Supported Display Resolution

· Video Formats

Resolution	Refresh rate
640 x 480i	l Fh
$640 \times 480p$	2Fh
720 x 576i	l Fh
$720 \times 576p$	2Fh
$1280 \times 720p$	3Fh
1920 x 1080i	2Fh

Computer formats

Resolution	Refresh rate
640×480	60, 67, 72, 75Hz
1024×768	60, 70, 75Hz
800×600	56, 60, 72, 75Hz

Sound

- Sound Enhancement: Dynamic Bass Enhancement
- Sound System: Virtual Dolby Surround, Stereo
- Output power (RMS): 2 x 5 W
- Equalizer: 5-bands

Convenience

- · Ease of Installation: Auto Program Naming, Automatic Channel Install(ACI), Automatic Tuning System (ATS), Autostore, Fine Tuning, PLL Digital Tuning, Plug & Play, Program Name, Sorting
- Ease of Use: Auto Volume Leveller (AVL), Easy toggle Dig/Analogue modes, Graphical User Interface, Program List, Smart Picture Control, Smart Sound Control, Watch analogue/record digital
- Remote control type: RCFE05SLS05
- Teletext: 10 page Smart Text
- · Teletext enhancements: Program information

Line

- Picture in Picture: Picture in graphics, Twin page
- Screen Format Adjustments: 4:3, Movie expand 14:9, Movie expand 16:9, Subtitle Zoom, Super Zoom, Widescreen
- Clock: Sleep Timer
- VESA Mount: 100 x 100 mm
- User Interface: 7 day Electronic program Guide
- · Remote Control: Amp, DVD, Multi-functional, TV

Tuner/Reception/Transmission

- Tuner bands: Hyperband, S-Channel, UHF, VHF
- TV system: PAL, SECAM
- Video Playback: NTSC, PAL, SECAM Aerial Input: 75 ohm coaxial (IEC75)
- Tuner Display: PLL
- Number of Preset Channels: 100
- **DVB**: DVB Terrestrial *

Connectivity

- Number of Scarts: 2
- Ext I Scart: Audio L/R, CVBS in/out, RGB
- Ext 2 Scart: Audio L/R, CVBS in/out, S-video in
- Other connections: Antenna IEC75, DVI-I, Common Interface
- Front / Side connections: Audio in, CVBS in, Headphone out, S-video in
- Audio Output Digital: AC3 over S/PDIF (Optical)
- AV 3: Audio-in mini jack 3.5mm, DVI-I with HDCP

Power

- Power consumption: I I 0w Normal W
- Standby power consumption: < I W
- Ambient temperature: +5 C to +45C
- Power supply: AC 90-240

Dimensions

- Product weight: 16 kg
- Box dimensions (W \times H \times D):
- 876 x 209 x 601 mm
- Colour cabinet: Silver Frost
- Dimensions (with base) (W \times H \times D): $804.5 \times 477 \times 222 \text{ mm}$
- Set dimensions (W \times H \times D): 804.5 x 436 x 114 mm
- Weight incl. Packaging: 18.8 kg

Accessories

- Included Accessories: Power cord, Quick start guide, Registration card, Remote Control, User Manual, Batteries for remote control, Table top stand
- Cables: DVI-I to YPbPr cable

stereo system				transmission system						
2CS DK	NICAM DK	2CS BG	NICAM I	NICAM LL'	PAL BG	PAL DK	PAL I	SECAM BG	SECAM DK	SECAM LL'
•	•	•	•	•	•	•	•	•	•	•



Digital widescreen flat TV with Digital Crystal Clear 26" LCD integrated digital



26PF5520D/10

Product highlights

Integrated Digital DVB-T tuner

The integrated DVB-T tuner lets you receive Digital Terrestrial TV to watch or record. This means you do not need an additional set top box and also the additional cables.

HD Ready

Enjoy the exceptional picture quality of a true High Definition TV signal and be fully prepared for HD sources like HDTV broadcast, Blu-ray DVD or HD-DVD. HD ready is a protected label that offers picture quality beyond that of progressive scan. It conforms to strict standards laid out by EICTA to offer a HD screen that displays the benefits of resolution and picture quality of a High Definition TV signal. It has a universal connection for both analogue YPbPr and uncompressed Digital connection of DVI or HDMI, supporting HDCP. It can display 720p and 1080i signals at 50 and 60Hz.

Digital Crystal Clear

Digital Crystal Clear is a package of picture innovations that digitally adjusts and optimizes picture quality to optimal contrast, colour and sharpness levels. It's like watching vivid cinema-like images.

Pulse Killer Chip

Electrical interferences are neutralised by a built in chip called PKC

Virtual Dolby Surround

Virtual Dolby Surround is a processing technology for enhancing surround sound effects. It will create the sensation of Dolby Pro Logic without the necessity of additional rear speakers. You become totally immersed in your television experience.

Watch analogue, record digital

PC input

With PC input you can connect your TV to a computer and use the TV as a PC monitor.

DVI-I Input

A DVI-I input connects the non-compressed high-bandwidth digital RGB signal from source to screen. By eliminating the conversion of the digital signals to analogue, it delivers an unblemished and noise free image, that is clear and flicker free. The DVI input supports HDCP copy protection that allows viewing of copy protected programs from Digital Set top boxes, DVD players and HD recorders. DVI-I is future proof as it can be connected to all HDMI devices (a converter cable is required). The DVI-I input also supports analogue PC-VGA signals.



Issue date 2007-12-01

Version: 13.0

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 21885 EAN: 87 10895 87564 6

www.philips.com