



Philips Cineos
Flat TV with Perfect Pixel
HD Engine and Ambilight
Spectra 3

52"

LCD integrated digital

CINEOS



52PFL9703D

Excite your senses

Immerse yourself in a captivating Ambilight experience. Featuring the Perfect Pixel HD Engine, this TV combines Perfect Motion Sharpness, Perfect Colors and Perfect Contrast with Ambilight Spectra 3 - lighting up your viewing experience

Elevate your viewing experience

- Ambilight Spectra 3 for an immersive viewing experience

Breathtaking perfect pictures

- Perfect Pixel HD Engine for unrivalled sharpness and clarity
- HD ready 1080p for highest quality display of Full HD images
- Perfect Natural Motion for ultra smooth Full HD movies
- Wide Color Gamut LCD display for brilliant colors
- 100Hz Clear LCD, 2ms performance for superb motion sharpness
- 2250 trillion colors processing
- Dynamic contrast 55000:1 for incredible rich black details

Easy to connect and enjoy

- DLNA PC network link to browse PC and Home network content
- 4 HDMI inputs (3+1) + HDMI CEC

Ready for digital

- Integrated Digital Tuner for DVB-T reception

PHILIPS


sense and simplicity

Product highlights

Ambilight Spectra 3

The sensorial halo of Ambilight Spectra 3 that surrounds the image adds a new dimension to the viewing experience. You feel fully immersed in the images, viewing becomes a more intensive experience than you could ever imagine. The compact Power LED technology integrates seamless in the backcover avoiding any glare to the front. The separate drive of the LED's creates a multitude of light segments that fuse into one soft surround of light. This offers an improved following of onscreen content and a dramatic extension of the picture in the room.

Perfect Pixel HD Engine



Perfect Pixel HD Engine offers the unique combination of ultimate sharpness, natural detail, vivid colors and smooth natural motion on all qualities of HD, standard TV signals and multimedia content, for high definition displays. Each pixel of the incoming picture is enhanced to better match the surrounding pixels, resulting in a more natural picture. Artifacts and noise in all sources from multimedia to standard TV and also in highly compressed HD content are detected and reduced ensuring that the picture is clean and razor sharp.

Full HD LCD display 1920x1080p

Enjoy the exceptional picture quality of Full High Definition TV signals of HD sources like HDTV broadcast, or Blu-ray DVD. HD ready 1080p is a protected label that offers picture quality far beyond that of ordinary HD Ready. It conforms to strict standards laid out by EICTA to offer a Full HD screen that displays the benefits of resolution and picture quality of a Full HD 1920x1080p High Definition TV signal. It has a universal connection for both analog YPbPr and uncompressed Digital connection of DVI or HDMI, supporting HDCP. It can display 1080p progressive signals at 24, 50 and 60Hz.

Perfect Natural Motion

Philips invented Perfect Natural Motion to eliminate juddering effects that are visible with movie based picture content. Perfect Natural Motion estimates motion in the picture and corrects juddering movements in both broadcast and recorded movie material (such as DVD and Blu-ray Disc). Perfect Natural Motion results in even smoother and quieter pictures with excellent sharpness. Perfect Natural Motion removes judder from SD and HD pictures, including 1080p movies and 24p True Cinema, for a motion performance that surpasses the cinema!

Wide Color Gamut LCD

Wide Color Gamut LCD display for brilliant colors

100Hz Clear LCD (2ms)

100Hz Clear LCD creates extreme motion sharpness for clear and vibrant images even

with fast on-screen motion. The Double Frame Rate Insertion works with a high 100Hz refresh rate. It increases the sharpness of motion reproduction to more than twice that of conventional LCD, resulting in a performance with a response time of 2 milliseconds (measured in Perceived Blur-Edge-Width; BEW). This unique Philips technology brings motion sharpness of LCD displays to an unprecedented level.

Dynamic contrast ratio 55000:1

You want the LCD flat display with the highest contrast and most vibrant images. Philips advanced video processing combined with unique extreme dimming and backlight boosting technology results in vibrant images. Dynamic Contrast will increase the contrast with excellent blacklevel and accurate rendition of dark shades and colors. It gives a bright, lifelike picture with high contrast and vibrant colors.

4 HDMI inputs (3+1) + HDMI CEC

EasyLink uses the HDMI CEC industry standard protocol to share functionality between connected devices and the TV. With Easylink only one remote control is needed to operate main functionalities on your TV and connected devices. HDMI makes an uncompressed digital RGB connection from the source to the screen for the ultimate picture quality. HDMI uses HDCP copy protection. With 3 HDMI inputs on the back and 1 HDMI on the side of the TV you can connect multiple HD sources, for instance an HD settop box, a Blu-ray player, and Game Console or Digital Camcorder.

Specifications

Picture/Display

- **Aspect ratio:** Widescreen
- **Brightness:** 450 cd/m²
- **Dynamic screen contrast:** 55000:1
- **Response time (typical):** 2 (BEVV equiv.) ms
- **Viewing angle:** 176° (H) / 176° (V)
- **Diagonal screen size:** 52 inch / 132 cm
- **Display screen type:** LCD Full HD W-UXGA Act. matrix
- **Panel resolution:** 1920x1080p
- **Picture enhancement:** Perfect Pixel HD Engine, Perfect Natural Motion, Perfect Contrast, Perfect Colors, Wide Color Gamut display, 3/2 - 2/2 motion pull down, 3D Combfilter, Active Control + Light sensor, 100Hz Clear LCD, Jagged Line Suppression, Progressive Scan, 1080p 24/25/30Hz processing, 1080p 50/60Hz processing
- **Screen enhancement:** Anti-Reflection coated screen
- **Color processing:** 2250 trillion colors 17bit RGB

Ambilight

- **Ambilight Features:** Ambilight Spectra 3, Lounge light mode
- **Dimming Function:** Manual and via Light Sensor
- **Ambilight light system:** LED wide color

Supported Display Resolution

Computer formats

Resolution	Refresh rate
640 x 480	60Hz
800 x 600	60Hz
1024 x 768	60Hz
1280 x 768	60Hz
1360 x 768	60Hz
1920 x 1080i	60Hz
1920 x 1080p	60Hz

Video formats

Resolution	Refresh rate
480i	60Hz
480p	60Hz
576i	50Hz
576p	50Hz
720p	50, 60Hz
1080i	50, 60Hz
1080p	50Hz, 60Hz
1080p	24Hz, 25Hz, 30 Hz

Sound

- **Output power (RMS):** 2 x 15W
- **Sound Enhancement:** Auto Volume Leveller, Digital Signal Processing, Dynamic Bass

- **Enhancement:** Graphic Equaliser, Smart Sound
- **Sound System:** Virtual Dolby Digital, BBE

Loudspeakers

- **Built-in speakers:** 2
- **Loudspeaker types:** 2 integrated subwoofers, Dome tweeter

Convenience

- **Child Protection:** Child Lock+Parental Control
- **Ease of Installation:** Auto Program Naming, Automatic Channel Install(ACI), Automatic Tuning System (ATS), Autostore, Fine Tuning, PLL Digital Tuning, Plug & Play
- **Ease of Use:** 4 favorite lists, Auto Volume Leveller (AVL), Delta Volume per preset, Graphical User Interface, On Screen Display, Program List, Settings assistant Wizard, Side Control
- **Electronic Program Guide:** Now + Next EPG, 8 day Electronic Program Guide
- **Picture in Picture:** Text dual screen
- **Remote Control:** Universal
- **Remote control type:** RC4492
- **Screen Format Adjustments:** 4:3, Auto Format, Movie expand 14:9, Movie expand 16:9, Subtitle and Heading Shift, Super Zoom, Widescreen, unscaled (1080p dot by dot)
- **Teletext:** 1200 page Hypertext
- **Teletext enhancements:** Habit Watch, Program information Line
- **Firmware upgradeable:** Firmware auto upgrade wizard, Firmware upgradeable via USB
- **Multimedia:** Digital media reader (browser), USB autobreak-in
- **Smart mode:** Game, Movie, Personal, Power saver, Standard, Vivid

Multimedia Applications

- **Multimedia connections:** USB
- **Playback Formats:** MP3, Slideshow files (.alb), JPEG Still pictures, MPEG1, MPEG2

Tuner/Reception/Transmission

- **Aerial Input:** 75 ohm coaxial (IEC75)
- **TV system:** DVB COFDM 2K/8K
- **Video Playback:** NTSC, SECAM, PAL
- **DVB:** DVB Terrestrial *
- **Tuner bands:** Hyperband, S-Channel, UHF, VHF

Connectivity

- **Ext 1 Scart:** Audio L/R, CVBS in/out, RGB
- **Ext 2 Scart:** Audio L/R, CVBS in/out, RGB

- **Ext 3:** YPbPr, Audio L/R in, VGA PC-in
- **Ext 4:** HDMI v1.3
- **Ext 5:** HDMI v1.3
- **Ext 6:** HDMI v1.3
- **EasyLink (HDMI-CEC):** One touch play, System audio control, System standby
- **Front / Side connections:** HDMI v1.3, S-video in, CVBS in, Audio L/R in, Headphone out, USB
- **PC network link:** DLNA certified
- **Other connections:** Analog audio Left/Right out, S/PDIF out (coaxial), Common Interface

Power


- **Ambient temperature:** 5 °C to 35 °C
- **Mains power:** AC 220 - 240 V +/- 10%
- **Power consumption:** 243 W
- **Standby power consumption:** 0.15 W

Dimensions

- **Set dimensions (W x H x D):** 1300 x 803 x 128 mm
- **Set dimensions with stand (H x D):** 875 x 325 mm
- **Weight incl. Packaging:** 61.4 kg
- **Product weight:** 40.6 kg
- **Product weight (+stand):** 50.2 kg
- **Box dimensions (W x H x D):** 1422 x 1139 x 375 mm
- **Color cabinet:** Black glass decofront with black backcover
- **VESA wall mount compatible:** 400 x 400 mm

Accessories

- **Included Accessories:** RF antenna cable, Power cord, Quick start guide, User Manual, Warranty certificate, Remote Control, Batteries for remote control



Issue date 2008-12-19

Version: 3.0.10

12 NC: 8670 000 34189
EAN: 87 12581 36567 7

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com