Holmes

INFO HOT-LINE: If, after reading this owner's guide you have any questions or comments, please call 1-800-5-HOLMES and a

> HAP242, 243.244.246

HEPA Air Purifier

Owner's Guide

FILTER# HAPF () FILTER TYPE F

PLEASE READ AND SAVE THESE IMPORTANT INSTRUCTIONS

PLEASE READ AND SAVE THESE IMPORTANT SAFETY INSTRUCTIONS

- 1. Read all instructions before using the appliance.
- To avoid fire or shock hazard, plug the appliance directly into a 120V AC electrical outlet.
- If the filter is covered by a bag when shipped: Remove plastic bag over filter before use.
- Keep the cord out of heavy traffic areas. To avoid fire hazard NEVER put the cord under rugs, near heat registers, radiators, stoves, or heaters.
- To protect against electrical hazards. DO NOT immerse in water or other liquids. Do not use near water.
- Close supervision is necessary when any appliance is used by or near children, or by people with disabilities.
- Always unplug the air purifier before moving it, opening the grill, changing filters, cleaning or whenever the air purifier is not in use. Be sure to pull by the plug and not by the cord.
- 8. NEVER drop or insert any object into any openings.
- DO NOT operate any appliance with a damaged cord or plug, if
 motor fan fails to rotate, after the appliance malfunctions, or if it
 has been dropped or damaged in any manner. Return appliance to
 manufacturer for examination, electrical or mechanical adjustment,
 or repair.
- 10. Use appliance only for intended household use as described in this manual. Any other use, not recommended by the manufacturer may cause fire, electric shock, or injury to persons. The use of attachments not recommended or sold by The Holmes Group Inc, may cause hazards.

12. NEVER block the air openings, or place on soft surface, such as a bed

- 11.DO NOT use outdoors.
- or sofa, as this could cause the unit to tip over, blocking the Air Intake Opening.
- 13. Keep unit away from heated surfaces and open flames.
- 14.00 NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so will void your warranty. The inside of the unit contains no user serviceable parts. All servicing should be performed by qualified personnel only.
- 15. WARNING: To reduce the risk of fire or electric shock, DO NOT use this air purifier with any solid-state speed control device.

CORD AND PLUG INSTALLATION SAFETY INSTRUCTIONS

The length of cord used on this appliance was selected to reduce the hazards of becoming tangled in, or tripping over a longer cord. If a longer cord is necessary on approved extension card may be used. The electrical rating of the extension cord must be equal to a greater than the rating of the extension cord must be equal to a greater than the rating of the eight prints. Cere must be taken to a carage the extension cord so that it will not drape over the countertop or tabletow where it can be solided on by different or accidentally trissed over.

PLEASE READ AND SAVE THESE IMPORTANT SAFETY INSTRUCTIONS

FEATURES

Congratulations on your purchase of a Holmes Air Purifier. Your Holmes Air Purifier has an attractive stylish design. Its versatility and quiet operation make this unit perfect for both the home and the office. TECHNOLOGY

Your Holmes Air Purifier Model HAP242, HAP243, HAP244 or HAP246 incorporates the latest technology in portable air filtration equipment.

- A powerful turbo fan system operated by a rugged long life motor, quietly pulls the air in through the front inlet grill.
- Polluted room eir pesses through a wechable, from pre-filter hat removes larger einhorne particles such eint, dost and pollun. The eir finen pesses through the activated carbon coated layer which helps filter odors. The particles lifer termoves particle as small petated lang life HEPA filter. This filter removes particle as small as 0.3 microns filtering dust, pollen, smoke and pet dender.

mounted grill.

- The air purifier will filter the air 6 times an hour in a room 10' x 11' (109 sq. ft.), 3m x3.5m (10.13m²) when on the HI setting.

 IONIZER

 I
- Your folmes air purifier has an independently controlled ionizer, which, when hurned on, releases negative ions in the outging filtered air. Ions are tiny particles that carry a positive or negative charge. These ions exist naturally around us, in the air, water, and ground. Both positive and negative ions are colorless, dourless, and completely harmless.
 - Regarder ions half the air particulation process by stratching themselves to very and elichance particles in the room. These particles take on a segarity charge and may jin with positively charged particles, such et olse, place, souche, and pet demder to form larger particles that are then more readily captured by the filter system, or they may be attracted to positively charged surfaces like walls or floors.
- You may also note, after extended use, that does may have collected around the grift or front penal, this is from the institute offer caused by the negative ions eating from the air outer. This dust is drawn and of the uncleaned origing gost their or other. This is additional evidence of the air-cleaning effectiveness of negative ions. The dust can be easily removed with a clean, dampened cloth or soft brush.

Please Note: It is important to replace the HEPA filter at the recommended intervals. Using the ionizer in conjunction with dirty filters may result in dirty particles exiting the air purifier and being attracted to walls, carpets, furniture, or other household objects. These dirty particles may prove very difficult to remove.



THIS PRODUCT IS EQUIPPED WITH A POLARIZED AC (Alternating Current) PLUG (a plug having one blode wider than the other). This plug will fit into the power culter only one way. If the plug does not life fully into the outlet, reverse the plug. If it still does not fix fully into the outlet, reverse the plug. If it still does not fix, contact qualified personnel to issirall the proper outlet. DO NOT DEFEAT THE SAFETY PURPOSE OF THIS POLARIZED PLUG IN ANY WAY.

FFATURES

DUAL POSITION — The air purifier can stand unright or lie on its side. Also designed to fit with its back flush against the wall. When positioning the unit please be sure the air inlet grill, filters and air outlet are not blocked to ensure maximum airflow.

FOUIPPFD with GF motor for quieter performance and the added durability necessary for continuous use.

Filter check indicator — The filter check indicator will illuminate red when it is time to change the filter

PRF-OPERATING INSTRUCTIONS

- 1. Carefully unpack your Air Purifier, Select a firm, level place where there are no obstructions to the air inlet (front arill) or filtered air outlet (top of unit). A good location in a room is about 2 feet above the floor and approximately 1 foot away from the wall, in a central location of your home.
- 2. Remove front arill by pulling the arill towards you (see fig. 1).
- 3. Remove the HFPA filter by gripping on both sides and pulling forward. 4. Remove protective plastic bag from
- the filter cartridge. The filter clip can only be attached to the hang tabs on the filter one way. The filter clip should easily slide onto the filter hand tabs with only a small amount of pressure. Do not use force while attaching the filter clip to the filter. Alian the clip on the top of your HEPA filter with the rails on the inside of the unit. Gently slide



Figure 2

the filter onto the rail (see figure 2). NOTE: The pleated material and rubber gasket should be facing towards the unit when applied.

5. Replace front arill by sliding back onto unit. Make sure that it snaps securely into position (arill only goes on one way). NOTE: Do not point outlet towards wall.

Figure 3 A INLET GRILL B. WASHARIF FOAM PRF-FIITER C. SPFFD CONTROL D. POWER INDICATOR F. FILTERED AIR OUTLET F FILTER CHECK LIGHT G IONIZER CONTROL H. IONIZER LIGHT I HEPA FILTER I POWER CORD

OPERATING INSTRUCTIONS

- 1. Plug into a 120V AC electrical outlet.
- 2. Select the desired operating speed: HJ. MEDIUM, LOW, by sliding the switch to the appropriate setting. If you have an HAP244 or HAP246 the speed settings are indicated with areen lights. You set the speed by pressing the power button.
- 3. To release negative ions into the filtered air, slide the ionizer 🔀 button to ON and the amber light will illuminate. If you have an HAP244 or HAP246 the ionizer is activated by pressing the ionizer symbol on the control panel. The amber light will illuminate when
- 4. The ionizer will not work unless the unit is running.
- 5. The HAP246 comes with a remote control. To operate the unit you simply depress the desired buttons.
- 6. For optimum air filtration, it is recommended to operate the air purifier continuously. Its rugged motor has been designed to give many years of use.

For continuous use, it is recommended to operate the air purifier at the NORMAL setting. For quieter operation or use in a bedroom, select the QUIET setting. When high levels of air pollution are present, select the HI setting to guickly circulate and filter the room gir.

FILTER CHANGE INDICATOR — When the filter change indicator turns red it is time to replace your filter. See filter replacement instructions for more details.

CLEANING/MAINTENANCE INSTRUCTIONS CLEANING INSTRUCTIONS

Turn off and unplug the unit before cleaning.

- 1. The outside of the air purifier can be cleaned with a soft, clean. dampened cloth.
- 2. The front grill can be removed and washed in warm soapy water (Not dishwasher safe). Dry before replacing in the unit.
- The top air outlet arill can be cleaned of dust with a small soft brush. WARNING: Do not allow moisture to come in contact with the main

FILTER REPLACEMENT INSTRUCTIONS

housing of the air purifier.

- 1. Every few weeks, check the condition of the pre-filter.
- Remove the front grill. Examine the foam pre-filter. If the pre-filter has collected a noticeable amount of dust or lint, remove it from the inlet of the arill and wash it in warm soapy water. Rinse and drip dry the pre-filter thoroughly before replacing it in the inlet of the grill.
- 3. The filter check indicator light on the control panel will illuminate when HEPA filter replacement is needed.
- 4. With the front grill removed, remove the used HEPA cartridge and dispose of it in the aarbage. Do NOT try to wash and re-use the HEPA filter. Replace with a new HEPA HAPF 30 filter, removing the protective polybag before inserting into the air purifier.
- 5. Align the clips on the top of your HEPA filter with the rails on the inside of the unit. Gently slide the filter onto the rail.

NOTE: The pleated material and rubber aasket should be facing towards the unit when applied. 6. After replacing the HEPA filter, RESET the filter change indicator by

- inserting a small object (such as a pin or paper clip) into the hole marked reset. 7. Filter Life — Under normal conditions of continuous use, the HEPA
- filter will operate efficiently for 4-6 months. 8. Replacement filters (HAPF30) are available from your local supplier

Page 3

or by calling 1-800-5-Holmes.

TROUBLESHOOTING

SOLUTION

UNIT WILL NOT OPERATE

- · Check to make sure the unit is plugged in.
- Check to make sure the unit is on by sliding the power switch (HAP243) to the on position or by pressing the power button (HAP244 and HAP246).
- Cherk the remote control

DECREASED AIR FLOW

- Check the filters to see if they are in good condition and if they need to be changed.
 Check to ensure nothing is blocking air.
 - inlet and filtered air outlet.

SERVICE INSTRUCTIONS

- Do NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so will void the warranty.
- If you have any questions regarding this units operation or believe any repair is necessary, please call 1-800-5-HOUMES to speak with a Customer Service Representative.
 If you need to exchange the unit, please return it in its original
- carion, with a sales receipt, to the store you purchosed it. If you are returning the unit more than 30 days after the date of purchase, please see the enclosed warranty.

 4. If you have any other questions or comments, feel free to write us:
- The Holmes Group, Inc.
 P.O. Box 769
 Milford, MA 01757-0769
 For your own records, stuple or attach your sales receipt to this manual.
 Also, alease take a moment to write the store name/location and date

purchased below. STORF NAMF

LOCATION: DATE PURCHASED:

(STAPLE RECEIPT HERE)

REPLACEMENT ACCESSORIES For your Holmes Air Purifier

FILTER TYPE F

HEPA Filter (HAPF30) \$19.99



Fill out enclosed card or call 1-800-5-HOLMES (1-800-546-5637) to place your order today.

THREE (3) YEAR LIMITED WARRANTY

- SAVE THIS WARRANTY INFORMATION

 A. The quality controls used in the manufacture of this Holmes product are to ensure your satisfaction.
- B. This Warranty applies only to the original purchaser of this product.
- C. This Warranty applies ONLY to repair or replacement of any supplied or manufactured parts of this product that, upon inspection by Holmes outhorized personnel, proves to have failed in normal use due to defects in material or workmanship. Holmes will determine whether to repair or replace the unit. This Warranty does not apply to installation expenses.
- D. Operating this unit under conditions other than those recommended or at voltages other than the voltage indicated on the unit, or attempting to service or modify the unit, will render this WARRANTY VOID.
- E. Unless otherwise proscribed by low, Holmes shall not be liable for any personal injury, property or any incidental or consequential damages of any kin discussing water damage) resulting from malfunctions, defects. misuse, improper installation or alteration of this product.
- F. All parts of this Holmes product are guaranteed for a period of 3 years as follows:
- Within the first 30 days from date of purchase, the store from which
 you purchased your Holmes product should replace this product if it is
 defective in material or workmanship (provided the store has in-stock
 replacement.)
- 2. Within the first thirty six months from date of purchase, subject to the conditions in paragraph H, Holmes will repair or replace the product if it is defective in material or workmanship providing it is returned to Holmes, freight prepaid, with PROOF OF PURCHASE date, together with \$6.00 for handling and return pocking/shipping charges.
- G. If you have any problem with this product, please write our Consumer Service Dept., or call, 1-800-5-HOLMES. H. IMPORTANT RETURN INSTRUCTIONS Your warranty depends on your
- following these instructions if you are returning the unit more than 30 days after the date of purchase:

 1. Carefully pack the item in its oriainal carton or other suitable box to
- avoid damage in shipping.
- Before packing your unit for return; be sure to enclose:
 a) Your name, full address with zip code and telephone number,
 b) A dated sales receipt or PROOF OF PURCHASE,
 - c) Your \$6.00 check for return packaging, and
 - d) The model number of the unit and the problem you are having. (Enclose in an envelope and tape directly to the unit before the box is sealed.)
- Holmes recommends you insure the package (as damage in shipment is not covered by your warranty).
- All shipping charges must be prepaid by you (as noted in paragraph F).
- 5. Mark the outside of your package: CONSUMER SERVICE DEPARTMENT THE HOLMES GROUP, INC. 2 PULLMAN STREET WORCESTER, MA 01606

SHIPPING AND HANDLING CHARGES: \$6.00

This warranty gives you specific legal rights, and you may have other rights which vary from state to state. The provisions of this warranty are in addition to, and not a modification of, or subtraction trom, the statutory warranties and other rights and remedies contained in any application of the extent that any provision of this warranty is inconsistent with any applicable low, such provisions falls be deemed voided or amended, as necessary, to comply with such low.