

PERFECT SOUND FROM EAR TO EAR.





PREMIUM QUALITY. PERFECT FIT.

From professional monitoring to personal listening, Shure headphones bring together dynamic, high-performance audio with the unparalleled build quality that has made Shure a leader in professional audio for over 85 years. A closed-back design minimizes background noise, while the lightweight construction provides sustained comfort that makes them ideal for any listening experience, whether on the subway, in the DJ booth, or in the recording studio.



SRH240

Professional Quality Headphones



High Quality Sound and Comfort Ideal for vivid listening on almost any device.

- Wide frequency range delivers full bass and detailed highs
- Optimized performance for use with most pro and consumer audio devices



Accessories Included THREADED ¼" NICKEL-PLATED ADAPTER

SRH440

Professional Studio Headphones



Accurate Monitoring for Recording and Playback

Developed for professional and home studios.

- Enhanced frequency response delivers accurate audio across an extended range
- Impedance and power handling optimized for performance with professional audio devices
- Adjustable headband and collapsible construction provide comfort and portability
- Bayonet clip securely locks detachable cable into ear cup





SRH**550DJ**

NEW Professional Quality DJ Headphones



Extended Bass and Versatile Design

Designed for DJ mixing and personal listening.

- Full range frequency response with extended bass
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and flexible wearing positions
- Ultra-lightweight design folds to small size for maximum portability



Accessories Included



ADAPTER



THREADED 1/4" GOLD-PLATED

CARRYING BAG

SRH750DJ

Professional DJ Headphones



Sound, Style and Flexibility

Meets the demands of live professional DJ mixing and monitoring.

- Enhanced frequency response tuned to deliver high-output bass with extended highs
- · Maximized power handling for DJ mixers
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and easy one-ear placement
- Replacement set of ear pads included to ensure long product life
- Bayonet clip securely locks detachable cable into ear cup



Accessories Included











ADAPTER





SRH840

Professional Monitoring Headphones



Precision Performance for Critical Listening

Optimized for professional studio recording.

- Precisely tailored frequency response delivers rich bass, clear mid-range and extended highs
- Wide, padded headband provides ergonomic fit for superior comfort over extended periods
- Collapsible design for convenient portability
- Replacement set of ear pads included for long product life
- Bayonet clip securely locks detachable cable into ear cup



Accessories Included







COILED CABLE



ADAPTER



CARRYING BAG

SRH940

NEW Professional Reference Headphones



Masterful Sound for any Studio Application

Designed for critical listening, monitoring and mastering.

- Accurate frequency response delivers tight bass and smooth, high-end extension, with minimal distortion
- Lightweight, ergonomic fit with premium padded headband for comfortable, extended wear
- Collapsible design with 90-degree swivel ear cups for easy storage and portability
- Replacement set of velour ear pads included for long product life
- Bayonet clip securely locks detachable cable into ear cup



Accessories Included







DETACHABLE COILED AND STRAIGHT CABLES



THREADED ¼"
GOLD-PLATED
ADAPTER



ZIPPERED HARD TRAVEL CASE

Technical Specifications

Model	Transducer Type	Driver size	Sensitivity (1kHz)	Impedance (1 kHz)	Maximum Input Power (1kHz)	Frequency Range	Net Weight (without cable)	Ear Cup Design	Length of Cable	Type of Cable	Plug
SRH 240	Dynamic neodymium magnet	40 mm	107 dB/mW	38 Ω	500 mW	20 Hz- 20 kHz	.4 lb (181 g)	Closed-back, circumaural	2 meters (6.56 ft)	Attached straight oxygen-free copper	Gold-plated 1/8" (3.5 mm) stereo mini jack
SRH 440	Dynamic neodymium magnet	40 mm	105 dB/mW	44 Ω	500 mW	10 Hz- 22 kHz	.6 lb (272 g)	Closed-back, circumaural	3 meters (9.84 ft)	Detachable coiled oxygen-free copper	Gold-plated 1/8" (3.5 mm) stereo mini jack
SRH 550DJ	Dynamic neodymium magnet	50 mm	109 dB/mW	32 Ω	3000 mW	5 Hz- 22 kHz	.52 lb (235 g)	Closed-back, supra-aural	2 meters (6.56 ft)	Attached straight oxygen-free copper	Gold-plated 1/8" (3.5 mm) stereo mini jack
SRH 750DJ	Dynamic neodymium magnet	50 mm	106 dB/mW	32 Ω	3000 mW	5 Hz- 30 kHz	.5 lb (227 g)	Closed-back, circumaural	3 meters (9.84 ft)	Detachable coiled oxygen-free copper	Gold-plated 1/8" (3.5 mm) stereo mini jack
SRH 840	Dynamic neodymium magnet	40 mm	102 dB/mW	44 Ω	1000 mW	5 Hz– 25 kHz	.7 lb (317.5 g)	Closed-back, circumaural	3 meters (9.84 ft)	Detachable coiled oxygen-free copper	Gold-plated 1/8" (3.5 mm) stereo mini jack
SRH 940	Dynamic neodymium magnet	40 mm	100 dB/mW	42 Ω	1000 mW	5 Hz- 30 kHz	.71 lb (322 g)	Closed-back, circumaural	Coiled: 3 meters (9.84 ft) Straight: 2.5 meters (8.2 ft)	Detachable oxygen-free copper	Gold-plated 1/8" (3.5 mm) stereo mini jack



United States, Canada, Latin America, Caribbean: Shure Incorporated 5800 West Touhy Avenue Niles, IL 60714-4608 USA

Phone: 847-600-2000 Fax: 847-600-1212 (USA) Fax: 847-600-6446 Email: info@shure.com Europe, Middle East, Africa: Shure Europe GmbH Wannenäckerstr. 28, 74078 Heilbronn, Germany

Phone: 49-7131-72140 Fax: 49-7131-721414 Email: info@shure.de Asia, Pacific: Shure Asia Limited 22/F, 625 King's Road North Point, Island East Hong Kong

Phone: 852-2893-4290 Fax: 852-2893-4055 Email: info@shure.com.hk