American Standard
Style That Works Better

CADET™ RIGHT HEIGHT™
14" ROUGH-IN ELONGATED TOILET
VITREOUS CHINA

CADET™ RIGHT HEIGHT™ 14" ROUGH-IN ELONGATED TOILET

❑ **2998.014**
- Vitreous china
- Low-consumption (6.0 Lpf/1.6 gpf)
- 16-1/2" rim height for accessible applications
- 14" roughing-in
- Elongated siphon action jetted bowl
- AquaForce flushing technology
- Fully glazed 2" trapway
- Close-coupled tank with raised lip detail on tank cover
- Color-matched trip lever
- Speed Connect® tank/bowl coupling system
- Sanitary bar on bowl
- 2 bolt caps
- 100% factory flush tested

❑ **3417.016** Bowl
❑ **4114.016** Tank

Alternate Tank Configurations Available:
❑ **4114.600** Tank complete with tank cover locking device
❑ **4114.800** Tank complete with trip lever located on right hand side

Nominal Dimensions:
806 x 495 x 813mm
(31-3/4" x 19-1/2" x 32")

Fixture only, seat and supply by others

Compliance Certifications -
Meets or Exceeds the Following Specifications:
- ASME A112.19.2M for Vitreous China Fixtures - includes Flush Performance, Ball Pass Diameter, Trap Seal Depth and all Dimensions

To Be Specified:
❑ Color: ❑ White ❑ Bone ❑ Linen ❑ Silver
      ❑ Fawn Beige ❑ Black
❑ Seat: American Standard #5324.019 "Rise and Shine" solid plastic closed front, seat with cover.
❑ Seat: American Standard #5311.012 "Laurel" molded closed front seat with cover.
❑ Alternate Seat:
❑ Supply with stop:

FINISHED WALL

806mm (31-3/4)
19mm ± 6mm (3/4 ± 1/4)
279mm (11)
470mm (18-1/2)
C/L OF SEAT POST HOLES 140mm (5-1/2 CENTERS)
133mm (5-1/4)
419mm (16-1/2)
16mm (5/8)
178mm (7)
311mm (12-1/4)
356mm (14)
C/L OF OUTLET
FINISHED FLOOR

495mm (19-1/2)
813mm (32)
SUPPLY AS REQ'D
*254mm (10)
375mm (14-3/4)
152mm (6)
235mm (9-1/4)

AquaForce™
FLUSHING SYSTEM

NOTES:
THIS TOILET IS DESIGNED TO ROUGH-IN AT A MINIMUM DIMENSION OF 356mm (14") FROM FINISHED WALL TO C/L OF OUTLET.
SUPPLY NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.
* DIMENSION SHOWN FOR LOCATION OF SUPPLY IS SUGGESTED.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2.
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ANSI A117.1 REQUIREMENTS FOR ACCESSIBLE AND USABLE BUILDING FACILITIES-CHECK LOCAL CODES.

© 2008 AS America Inc.   Revised 2/08