

PROassist

Mobile functional equipment for operating theatres and ambulances



PROassist – Systematic Organization



Contents

Equipment for Operating Theatres and Ambulances	4
Operating Theatre Swivel Stool and Swivelling Travel Chair	12
Examination and Treatment Tables	14
Supply and Disposal	16
Instrument and Device Tables, Accessories	27
Transportation and Multi-Purpose Trolleys	34



Our PROassist mobile functional equipment guarantees safety and top quality in every respect. The program includes a large selection of clever mobile assistants for all functional areas in a clinic.

With all products, from seating to general equipment, the emphasis is on flexibility and hygiene. All of our equipment is made of CNS 18/10, and is therefore rustproof, non-corroding, disinfectant-resistant, hygienic, and easy to maintain – to last a lifetime.

- Manoeuvrable antistatic double-wheel plastic castors in the BLANCO design ensure maximum operating comfort.
- The next-generation five-leg cross ensures great stability.
- All products in our PROassist series have a 320 grain polished surface and therefore very fine and hygienic.
- Can be supplied in multiple equipment variations.
- Great stability.
- No corners or ridges due to seamless welding.
- The electrically conductive construction of all relevant parts prevents electrostatic charge.
- Reliable manufacturer service.



Getting a Grip on Safety



Two criteria apply to all products in the most sensitive medical area – the operating theatre: Absolutely hygienic materials and maximum functionality – every movement is critical and every device must be at hand! The sophisticated BLANCO products reliably supports the operating theatre team in the performance of its duties.



Heated bowl stand (incl. contact protection)

BLANCO bowl stand is used to heat rinsing solutions and is preferred for the operating theatre.

The device conforms to MPG (Medical Device Directive) Class 1 and bears the CE symbol.

Bowl: Made of chromium-nickel steel 18/10 with reinforced base; mounted in a slip-resistant chromium-nickel steel ring; outer CNS push ring; holds approx. 3.5 l rinsing solution.

Heater: Circular element inside an aluminium plate; connected wattage 230 V, 50/60 Hz, 600 W; infinitely adjustable from 30–60 °C; click step at 40 °C; easy-to-read control lever; temperature graduation in 10 °C increments; built-in thermostat in stainless steel casing; LED operating voltage display; control accuracy +/- 2 °C; ready-to-use with 5 m connecting cable; safety plug.

Stand: Mobile, tip-resistant, 5-leg CNS construction; seamless welds; wear and contact discolouration resistant, corrosion-resistant, double-wheel plastic castors; 3 of them electrically conductive (5 castors ø 75 mm, 2 with brakes);

height 1000–1270 mm, infinitely adjustable with one hand.

Dimensions: 700 x 700 x 1000 / 1270 mm, weight: 14 kg

Item no.: 542 162*



Bowl stands

Bowl stands safely hold solutions, liquids, cloths, etc.

Mobile, 5-leg CNS 18/10 construction; seamless welds, with push handle and removable bowl; wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel plastic castors (5 castors \varnothing 75 mm, 2 with brakes); complete with 1 bowl made of CNS 18/10.

Single bowl stand

Dimensions: 635 x 670 x 865 mm, weight: 4 kg
Item no.: 542 164*

Double bowl stand

Dimensions: 635 x 700 x 865 mm, weight: 7 kg
Item no.: 542 165*



Instrument stand

For storing delicate instruments, e.g. endoscope optics etc. The pouch must be cleaned separately.

Mobile, 5-leg CNS 18/10 construction; seamless welds, with push handle and interchangeable instrument pouch; wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel plastic castors (5 castors \varnothing 75 mm, 2 with brakes).

Dimensions: 635 x 670 x 865 mm, weight: 5 kg
Item no.: 542 173*

Instrument pouch, 11l

Item no.: 542 175*



Bucket stand without push handle

For quick disposal of operating theatre consumables.

Mobile, CNS 18/10 construction, seamless welds, with circumferential electrically conductive push ring; support for CNS or plastic bucket. With 4 double-wheel plastic castors, 2 of them electrically conductive (ø 75 mm).

With CNS 18/10 bucket, approx. 15 l volume.

Dimensions, bucket stand: 466 x 466 x 263 mm, weight: 6 kg

Dimensions, upper edge of bucket: 465 mm

Item no.: 542 178*

See above, but with plastic bucket, approx. 13 l volume.

Dimensions, bucket stand: 466 x 466 x 263 mm, weight: 6 kg

Dimensions, upper edge of bucket: 395 mm

Item no.: 542 179*

Bucket stand with push handle

See above, but with CNS 18/10 bucket, approx. 15 l volume.

Dimensions: 466 x 466 x 800 mm, weight 7 kg

Item no.: 542 180*

See above, but with plastic bucket, approx. 13 l volume.

Dimensions: 466 x 466 x 800 mm, weight: 7 kg

Item no.: 542 181*



Laundry and waste trolley

The transport trolley for laundry or waste, for used operating theatre gowns or waste of any kind.

Mobile, seamless tubular CNS 18/10 frame construction, with 2 hangers to hold 2 standard laundry or waste bags of 60/70 l volume, with moulded push bar.

Special retaining hoop prevents the laundry or waste bag from slipping through; with 4 double-wheel plastic castors, 2 of them electrically conductive (ø 75 mm), 2 castors with brakes.

Single transport trolley (for 1 laundry or waste bag)

Dimensions: 458 x 350 x 777 mm, weight: 7 kg

Item no.: 542 163

Double transport trolley (for 2 laundry or waste bag)

Dimensions: 905 x 350 x 777 mm, weight: 10 kg

Item no.: 542 166

Plastic lid for waste trolley

Plastic, for subsequent installation on BLANCO transport trolley for laundry and waste bags.

Dimensions: 383 x 360 mm

Item no.: 542 186



Hand and armrest table

This support table is ideally suited for surgical treatments on the hand or arm.

Manually adjustable, with radiolucent tabletop.

Mobile, 4-leg CNS 18/10 construction, seamless welds. Tabletop with radiolucent padding, height 30 mm, removable, can be tilted in all directions due to ball-and-socket joint; can be secured using the clamp lever.

Manual height adjustment from 650–950 mm. Wear and contact discolouration resistant, corrosion-resistant, double-wheel plastic castors, 2 of them electrically conductive (4 castors ø 75 mm).

Antistatic padding. Capacity: 15 kg

Dimensions: 450 x 450 x 760/1030 mm, weight: 7 kg

Item no.: 542 169



Instrument table

All operating theatre instruments properly sorted and within reach on the mobile, height-adjustable instrument table.

Mobile, 4-leg CNS 18/10 construction, seamless welds. Solid, seamless, deep-moulded CNS 18/10 tabletop 600 x 400 mm, with rounded corners and edges.

Manual height adjustment from 800–1250 mm. Wear and contact discolouration resistant, corrosion-resistant, double-wheel plastic castors, 2 of them electrically conductive (4 castors ø 75 mm); manual height adjustment, max. surface load 30 kg.

Dimensions, tabletop: 640 x 440 mm

Dimensions: 640 x 446 x 800/1250 mm, weight: 22 kg

Item no.: 542 182*



Hydraulic Mayo table

The practical instrument table; easy height adjustment using a foot pedal.

Heavy, tip-resistant 3-leg construction with built-in precision pump (closed hydraulic system, max. load 30 kg, maintenance free, ready for immediate use) for height adjustment from 950 – 1350 mm using foot pedal, CNS 18/10 frame construction and lifting column. Foot pedal protected with conductive rubber. Solid, seamless, deep-moulded CNS 18/10 tabletop with rounded corners and edges, rotating and lockable. Wear and contact discolouration resistant, corrosion-resistant, double-wheel plastic castors, 2 of them electrically conductive (3 castors ø 75 mm).

Dimensions, tabletop: 640 x 440 mm

Dimensions: 707 x 440 x 950/1350 mm, weight: 34 kg

Item no.: 542 184*

Dimensions, tabletop: 740 x 540 mm

Dimensions: 740 x 540 x 950/1350 mm, weight: 35 kg

Item no.: 542 185*



Mayo Table "Model Tübingen"

This extra-large tabletop has enough room for all instruments.

Made of CNS 18/10, with built-in precision pump (closed hydraulic system, max. load 30 kg, maintenance free, ready for immediate use) for height adjustments from 950–1350 mm. Wear-resistant, corrosion-resistant, double ball-bearing plastic castors (4 castors ø 125 mm, 2 of them lockable); conductive, extra-large tabletop, rotates 360°, lockable.

Dimensions: 1200 x 600 x 950/1350 mm, weight: 46 kg

Item no.: 542 183



Infusion stand

Also suitable for suspending electric infusion pumps in the operating theatre and on the ward.

CNS 18/10 5-leg construction with seamless welds; wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel plastic castors (5 castors \varnothing 75 mm, 2 with brakes); height adjustable from 1500–2500 mm via retaining screw; includes CNS bottle crosspiece with 4 security infusion hooks. With drip container and holder.

Dimensions: 630 x 630 x 1500/2500 mm, weight: 8 kg

Item no.: 542 170*



Infusion stand

Practical one-hand model, also suitable for suspending electric infusion pumps in the operating theatre and on the ward.

CNS 18/10 5-leg construction with seamless welds; wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel plastic castors (5 castors \varnothing 75 mm, 2 with brakes); height adjustable from 1500–2350 mm via one-hand height adjustment; with aqua gland with plastic sealing ring and control ring; includes CNS bottle crosspiece with 4 security infusion hooks. With drip container and holder.

Dimensions: 630 x 630 x 1500/2350 mm, weight: 10 kg

Item no.: 542 171*



Infusion stand

Can be disassembled, making it especially suitable for export. Also suitable for suspending electric infusion pumps in the operating theatre and on the ward; with retaining screw for height adjustment.

CNS 18/10 5-leg construction with seamless welds; wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel plastic castors (5 castors \varnothing 50 mm, 2 with brakes); height adjustable from 1500–2500 mm via retaining screw; includes plastic bottle crosspiece with 4 security infusion hooks. With drip container and holder.

Dimensions: 630 x 630 x 1500/2500 mm, weight: 10 kg

Item no.: 542 172*



Operating theatre shoe rack

Where to put operating theatre shoes?

On the rack: In the entry and exit areas!

Mobile 4-leg CNS 18/10 construction with seamless welds, with 6 tubular CNS 18/10 shelves for storing 24 pairs of operating theatre shoes in all sizes. Wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel plastic castors (4 castors \varnothing 75 mm, 2 with brakes).

Operating theatre shoe rack, mobile

Dimensions: 944 x 550 x 1600 mm, weight: 26 kg

Item no.: 542 187*

CNS 18/10 frame construction with seamless welds, with 7 tubular CNS 18/10 shelves for storing 30 pairs of operating theatre shoes in all sizes.

Operating theatre shoe rack, wall-mount

Dimensions: 894 x 345 x 1445 mm, weight: 24 kg

Item no.: 542



Mobile drum stand

The drum lid can be raised using the attached chain. This gives you access to the sterilized instruments in the basket without touching the sterile drum.

Mobile, 4-leg CNS 18/10 construction, seamless welds. The drum lid is opened and closed quietly using the foot pedal with integrated hydraulic brake. Lifting mechanism located inside the column, lifting arm with removable lid retainer chain, adjustable for all drum heights. With upper and lower removable drum shelves made of CNS 18/10.

Wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel plastic castors (4 castors \varnothing 75 mm, 2 with brakes); holds 1 drum 300 x 300 mm on each shelf.

Dimensions: 384 x 553 x 1160 mm, weight: 15 kg

Item no.: 542 189

See above, but for 1 drum 600 x 300 mm per shelf.

Dimensions: 724 x 553 x 1160 mm, weight: 19 kg

Item no.: 542 190



Operating theatre step stool

The BLANCO operating theatre step stool has extremely wear-resistant feet!

Stable 4-leg CNS 18/10 construction, seamless welds. Design and dimensions meet the BG (Employer's Liability Insurance Association) regulations. Slip-resistant corrugated CNS 18/10 step, removable for easier cleaning; 4 conductive, contact discolouration resistant, non-marking rubber feet.

Operating theatre step stool, single, load capacity: 125 kg

Dimensions: 600 x 350 x 130 mm, weight: 4 kg

Item no.: 542 191*

Operating theatre step stool, single, load capacity: 125 kg

Dimensions: 600 x 350 x 220 mm, weight: 5 kg

Item no.: 542 192*

Operating theatre step stool, single, load capacity: 125 kg


Dimensions: 600 x 350 x 300 mm, weight: 6 kg

Item no.: 542 193*

Operating theatre step stool, double, load capacity: 100 kg

Dimensions: 600 x 650 x 220/440 mm, weight: 9 kg

Item no.: 542 194*



Hook bar

Used to hang operating theatre gowns in the entrance and exit area.

For operating theatre gowns, made of CNS 18/10, with 8 adjustable double hooks.

Dimensions: 1200 x 80 x 80 mm

Item no.: 542 195

Ergonomic Seating



In medical applications, seating has to offer much more than just a place to sit: It must be ergonomic, sturdy, hygienic, and easy to clean as well as offering secure support in all seating positions. Ideally, it should be height-adjustable and above all electrically conductive. In the operating theatre, safe electrical conductivity of all components is vital. Our black upholstery can guarantee this.

BLANCO operating theatre swivel stools and mobile chairs reliably meet all of these requirements!



Surgeon's mobile chair

Mobile CNS 18/10 5-castor construction. Infinitely height adjustable from 510–740 mm with built-in gas pressure spring operated by a large, chrome-plated safety foot pedal; black electrically conductive upholstery with extension security lock according to DIN standards; wear-resistant, contact discolouration resistant, corrosion-resistant plastic castors (5 castors \varnothing 50 mm with double ball-bearings, 3 of them electrically conductive, foot brake integrated in the chassis). Seat surface \varnothing 360 mm for round seat, 420 mm for saddle seat, footprint \varnothing 480 mm, 140 kg capacity.

Surgeon's mobile chair with round seat

Dimensions: 480 x 600 mm, weight: 25 kg

Item no.: 344 351*

Surgeon's mobile chair with round seat and backrest

Backrest adjustable by 45 mm.

Dimensions: 480 x 900 mm, weight: 25 kg

Item no.: 344 352*

Surgeon's mobile chair with saddle seat

Dimensions: 480 x 600 mm, weight: 30 kg

Item no.: 344 353*

Surgeon's mobile chair with saddle seat and backrest

Backrest adjustable by 45 mm.

Dimensions: 480 x 900 mm, weight: 30 kg

Item no.: 344 354*



Swivel stool

These swivel stools are electrically conductive and can therefore be used in all utility rooms and in the operating theatre.

Made of CNS 18/10 with precision spindle height adjustment, glass bead blasted. Stationary models with conductive rubber feet. Mobile models with 5 castors \varnothing 50mm (wear and contact discolouration resistant, corrosion-resistant, double-wheel antistatic castors, 3 of them electrically conductive); padded seats (\varnothing 340 mm) with electrically conductive upholstery. 140 kg capacity.

Swivel stool with seat spindle made of CNS, glass bead blasted.

Dimensions: 460 x 400/620 mm, weight: 9 kg

Item no.: 344 355*

Swivel stool with seat and spindle made of CNS, glass bead blasted.

See above, but with 5-leg base with castors.

Dimensions: 460 x 440/660 mm, weight: 9 kg

Item no.: 344 356*

Swivel stool with flat upholstered seat (height 35 mm), stationary model with conductive rubber feet.

Dimensions: 460 x 435/635 mm, weight: 9 kg

Item no.: 344 357*

Swivel stool with flat upholstered seat (height 35 mm), mobile model with 5 castors \varnothing 50 mm

Dimensions: 460 x 475/695 mm, weight: 9 kg

Item no.: 344 358*

Swivel stool with high upholstered seat (height 65 mm); see above, stationary.

Dimensions: 460 x 465/685 mm, weight: 9 kg


Item no.: 344 359*

Swivel stool with high upholstered seat (height 65 mm); see above, mobile.

Dimensions: 460 x 505/725 mm, weight: 9 kg

Item no.: 344 360

Secure support in any position!



The quality of a BLANCO examination couch is based on first-class processing of the best materials available. But why is the cover only available in one colour? Because at BLANCO, we do all we can for the health of your patients. This includes using conductive covers – and they are only available in black. Surely this is a worthwhile investment.



Examination Couch

Safety and comfort for your patients!

Examination, treatment, and massage couch;
CNS 18/10 frame, rectangular tube frame construction,
antistatic rubber feet; 80 mm thick foam upholstery;
washable artificial leather cover (electrically conductive), in black;
simple adjustment, with gas pressure spring;
maximum load 135 kg
Dimensions: 1950 x 650 x 660 mm, weight: 45 kg
Item no.: 542 261

See above, mobile (antistatic castors, 2 with brake), with reclining
headrest and gas pressure spring; maximum load 135 kg
Dimensions: 1950 x 650 x 650 mm, weight: 45 kg
Item no.: 542 262

Paper roll holder

For the examination couch, 650 mm wide.
Item no.: 542 264

See above, with reclining headrest and gas pressure spring;
maximum load 135 kg
Dimensions: 1950 x 650 x 660 mm, weight: 45 kg
Item no.: 542 263

Medikrepp paper roll

Fits the paper roll holder.
Item no.: 931 043*

Massage couch

See illustration above, with gas pressure spring;
maximum load 135 kg
Dimensions: 1950 x 650 x 660 mm, weight: 45 kg
Item no.: 542 260

Indispensable Aids



With our equipment for operating theatres and ambulance use, we offer you a complete solution using a modular construction – this means you can tailor your trolley to your own requirements. Thus you receive a system that is effective through and through, where no addition is.

We only use stainless steel for all medical products. Stainless steel is not only the most hygienic material – it also continues to look great even after years of exposure to cleaners and disinfectants.

In addition, stainless steel is one of the few construction materials that can be sterilized!





Hook trolley / wall-mounted hook rail

The comprehensive hook trolley and accessory system from BLANCO. Modular construction, all parts are compatible.

Assemble a trolley that meets your requirements:

With accessories for all possible tasks!

Hook trolley, one-sided

Mobile seamless CNS 18/10 square tube frame construction, 25 x 25 mm, with hooks to hold a maximum of three 1 StU baskets or similar items. Vertical hook capacity 60 kg per hook; wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel plastic castors (4 castors \varnothing 75 mm, 2 of them lockable, with wall deflectors).

Dimensions: 600 x 460 x 1438 mm, weight: 7 kg

Item no.: 542 208*


Hook trolley, double-sided

With hooks to hold a maximum of six 1 StU baskets.

Other characteristics see above.

Dimensions: 600 x 670 x 1438 mm, weight: 7 kg

Item no.: 542 209*



Wall-mounted hook rail with 2 hooks

Made of CNS 18/10 rectangular tubing 30 x 20 mm, with 2 plastic caps, welded hooks, distance between hooks 350 mm, vertical hook load 60 kg per hook, holds StU baskets or similar items.

Wall-mounted hook rail with 2 hooks.

Dimensions: 690 mm long, weight: 1 kg

Item no.: 542 210*

Wall-mounted hook rail with 3 hooks see above, wall-mounted rail with 3 hooks, Dimensions: 1040 mm long, weight: 1.4 kg

Item no.: 542 211*

Wall-mounted hook rail with 4 hooks see above, wall-mounted rail with 4 hooks, Dimensions: 1390 mm long, weight: 1.6 kg

Item no.: 542 212*

Wall-mounted hook rail with 5 hooks see above, wall-mounted rail with 5 hooks, Dimensions: 1740 mm long, weight: 2.2 kg

Item no.: 542 213*

Wall-mounted hook rail with 7 hooks see above, wall-mounted rail with 7 hooks. Design as described, but with 240 mm distance between hooks to hold 7 sterile equipment baskets 1/2 StU

Dimensions: 1590 mm long, weight: 2.5 kg

Item no.: 542 214*



Sterile equipment basket

Ideal for transportation, storage, and sterilization.

Sterile equipment basket 1/2 StU

Made of CNS 18/10, material 1.4301, electrolytically polished, smooth finish, closed wire loops (2.5 mm), central weld underneath top frame (6 mm), lower frame (5 mm) designed for stacking (3 mm).

Mesh width: Wall 22 x 40 mm,

Floor 22 x 22 mm; can be used with wall-mounted hook rail and hook trolley; capacity: 20 kg.

Dimensions: 575 x 280 x 135 mm, weight: 2 kg

Item no.: 542 215*

Sterile equipment basket 1 StU

See above; capacity: 20 kg;

Dimensions: 575 x 280 x 265 mm, weight: 2 kg

Item no.: 542 216*

Sterile equipment basket 1 StU with hand grip

Made of CNS 18/10, material 1.4301.

With hand grip on the long side, 300 x 120 mm.

Technical data: See above; capacity: 20 kg.

Dimensions: 575 x 280 x 265 mm, weight: 2 kg

Item no.: 542 217*

Sterile equipment basket 2 StU

See above; capacity: 30 kg;

Dimensions: 575 x 560 x 265 mm, weight: 2 kg

Item no.: 542 218*



Universal holder for plastic and wire mesh containers

Made of CNS 18/10, clean seamless construction, holds 3 containers size 3.

Dimensions: 550 x 37 x 247 mm, weight: 1 kg

Item no.: 542 219*

See above, holds 4 containers size 4.

Dimensions: 550 x 37 x 170 mm, weight: 1 kg

Item no.: 542 220*

See above, holds 5 containers size 5.

Dimensions: 550 x 37 x 124 mm, weight: 1 kg

Item no.: 542 221*



Multi-purpose storage

Made of CNS 18/10, clean seamless construction, holds folded paper.

Dimensions: 610 x 326 x 260 mm, weight: 1.5 kg

Item no.: 542 222*



Shoe rack

Made of CNS 18/10, material 1.4301, clean seamless construction, electrolytically polished, with 12 suspension stirrups, closed wire loops, wire thickness: 6,0 mm, holds 6 pairs of shoes max.

Dimensions: 600 x 263 x 180 mm, weight: 1 kg

Item no.: 542 223*



Tubing and abdominal cloth rack

Made of CNS 18/10, clean seamless construction, with 11 welded staggered hooks, holds anaesthesia tubes and abdominal cloths. Dimensions: 585 x 94 x 180 mm, weight: 1.5 kg
Item no.: 542 224*



Multi-purpose equipment rack

For anaesthetic equipment, operating theatre accessories, and other equipment; made of stainless steel, clean seamless construction, solid sliding rail 25 x 10 mm. Dimensions: 600 x 48 x 180 mm, weight: 1.5 kg
Item no.: 542 225*



Stainless steel dispenser

With 3 acrylic dispenser drawers, stackable.
Dimensions: 601 x 172 x 245 mm, weight: 5 kg
Item no.: 542 226

With 5 acrylic dispenser drawers, stackable.
Dimensions: 601 x 172 x 171 mm, weight: 4.5 kg
Item no.: 542 227



Holder for stainless steel specialty containers


Made of CNS 18/10, clean seamless construction.
Holds specialty containers, with storage loop for lid.
Dimensions: 550 x 325 x 320 mm, weight: 2 kg
Item no.: 542 228*

Stainless steel specialty container (without lid)

Made of CNS 18/10, seamless, deep-moulded.
For BLANCO wire-mesh basket.
Dimensions: 530 x 325 x 100 mm, weight: 1.4 kg
Item no.: 1550590*

Stainless steel specialty container (without lid)
Made of CNS 18/10, seamless, deep-moulded.
For BLANCO wire-mesh basket.
Dimensions: 530 x 325 x 200 mm, weight: 2.1 kg
Item no.: 1550592*

Lid
For stainless steel specialty container.
Dimensions: 530 x 325 mm, weight: 1.1 kg
Item no.: 550 658*



Syringe and cannula storage

Made of CNS 18/10, clean seamless construction, two shelves, equipped with 4 Plexiglas dividers per shelf, adjustable.

Dimensions: 580 x 350 x 275 mm, weight: 9 kg

Item no.: 542 229



Suture material storage

Made of CNS 18/10, with 4 shelves, holds max. 20 standard small-pack units.

Dimensions: 600 x 173 x 290 mm, weight: 6 kg

Item no.: 542 230*



Glove dispenser

Made of CNS 18/10, holds max. 3 glove sizes, 50 pairs each.

Dimensions: 580 x 320 x 260 mm, weight: 9 kg

Item no.: 542 231*



Writing desk

Made of CNS 18/10. Writing surface for nursing staff; with front bevel and middle shelf.

Dimensions: 580 x 396 x 244 mm, weight: 6 kg

Item no.: 542 232*



Urine bottle storage

Made of CNS 18/10, clean seamless construction, holds 5 urine bottles.

Dimensions: 580 x 276 x 230 mm, weight: 4 kg

Item no.: 542 233

Storage for 5 bedpans with lid

Made of CNS 18/10, holds 5 bedpans and 5 lids.

Dimensions: 672 x 422 x 230 mm, weight: 6 kg

Item no.: 542 234*



Storage shelf with bracket

With welded CNS 18/10 bracket, clean seamless construction.

Load limit, if evenly distributed: 50 kg.

Dimensions: 695 x 350 x 205 mm, weight: 5 kg

Item no.: 542 235*

See above.

Dimensions: 695 x 450 x 240 mm, weight: 6 kg

Item no.: 542 236*

See above.

Dimensions: 695 x 600 x 275 mm, weight: 8 kg

Item no.: 542 237*



Plastic containers

Made of polypropylene. Stackable, can be suspended in container holders. Holds various items.

Size 3, blue.

Dimensions: 210 x 350 x 200 mm

Item no.: 542 238*

Size 4, blue.

Dimensions: 150 x 230 x 125 mm

Item no.: 542 239*

Size 5, blue.

Dimensions: 100 x 170 x 75 mm

Item no.: 542 240*

Size 3, green

Dimensions: 210 x 350 x 200 mm

Item no.: 542 241*

Size 4, green

Dimensions: 150 x 230 x 125 mm

Item no.: 542 242*

Size 5, green

Dimensions: 100 x 170 x 75 mm

Item no.: 542 243*



Wire mesh containers

Made of CNS 18/10; can be suspended in container holders.

Size 3.

Dimensions: 350 x 210 x 200 mm

Item no.: 542 244*

See above, size 4.

Dimensions: 230 x 150 x 125 mm

Item no.: 542 245*

See above, size 5.

Dimensions: 170 x 100 x 75 mm

Item no.: 542 246*



Wire mesh basket with folding handles

Made of CNS 18/10, material 1.4301, electrolytically polished, seamless construction, deep-moulded basket, closed base frame with cross spars for increased strength, 2 inner folding handles mounted on the short sides, handle loop 130 x 40 mm.

Dimensions: 240 x 254 x 50 mm

Item no.: 542 247*

See above.

Dimensions: 480 x 254 x 50 mm

Item no.: 542 248*



Dirt sieve

CNS 18/10, material 1.4301, electrolytically polished, seamless construction, 10 x 10 x 1 mm welded mesh, closed base frame, lengthwise spar across the top frame serves as a carrying handle, stackable, 4 U-shaped feet welded to the base frame.

Fits inside polypropylene containers.

Dimensions: 245 x 175 x 90 mm

Item no.: 542 249*

Polypropylene container

Polypropylene container, can be sterilized at up to 134 °C, holds used instruments, syringes, cannulas, and catheters; dirt sieve bowl; with closed lid.

Dimensions: 300 x 225 x 125 mm

Item no.: 542 250*

See above, with slotted lid

Dimensions: 300 x 225 x 125 mm

Item No.: 542 251*



Container transport trolley

For easy transportation of one 2 StU basket or two 1 StU baskets.

Mobile, seamless square tubular frame construction, 25 x 25 mm, made of CNS 18/10, holds two 1 StU baskets or one 2 StU basket, with moulded push bar, 4 castors ø 125 mm, 2 with brakes, double ball bearings, electrically conductive, non-slag construction and wall deflectors.

Dimensions: 675 x 747 x 900 mm, weight: 11 kg

Item no.: 542 252

Mobile storage – everything at your fingertips!



Side tables, instrument and equipment trolleys and dispensers are small, indispensable assistants. This is why BLANCO has developed a sophisticated accessory program for these aids which have proven in professional use, they offer high added value, and are that very user-friendly. As you have come to expect from BLANCO, all products are manufactured with great care and made of hygienic stainless steel wherever possible.



Instrument and Equipment Trolleys, Accessories



Instrument trolley

Small castors, great impact: These instrument tables are always easily accessible.

Mobile, seamless CNS 18/10 square tubular frame construction, 20 x 20 mm. Tubular steel frame forms a guard rail, upper and lower removable tabletops made of CNS 18/10.

Wear and contact discolouration resistant, corrosion-resistant, antistatic double-wheel castors (4 castors \varnothing 75 mm, 2 with brakes, with wall deflectors). Capacity: 20 kg, drawer: 445 x 95 mm

Instrument trolley

Dimensions: 675 x 475 x 800 mm, weight: 10 kg
Item no.: 542 265*

Instrument trolley with 3-sided CNS gallery

Dimensions: 940 x 625 x 800 mm, weight: 20 kg
Item no.: 542 273

Instrument trolley

Dimensions: 770 x 675 x 800 mm, weight: 13 kg
Item no.: 542 266*

Instrument trolley with drawer and 3-sided CNS gallery

Dimensions: 675 x 475 x 800 mm, weight: 19 kg
Item no.: 542 274

Instrument trolley

Dimensions: 990 x 675 x 800 mm, weight: 15 kg
Item no.: 542 267

Instrument trolley with drawer and 3-sided CNS gallery

Dimensions: 770 x 675 x 800 mm, weight: 25 kg
Item no.: 542 275

Instrument trolley with drawer

Dimensions: 675 x 475 x 800 mm, weight: 14 kg
Item no.: 542 268

Instrument trolley with drawer and 3-sided CNS gallery

Dimensions: 990 x 675 x 800 mm, weight: 29 kg
Item no.: 542 276

Instrument trolley with drawer

Dimensions: 770 x 675 x 800 mm, weight: 18 kg
Item no.: 542 269

Instrument trolley with retaining lip

Removable upper retaining lip
Dimensions: 689 x 489 x 800 mm, weight: 10 kg
Item no.: 542 278

Instrument trolley with drawer

Dimensions: 990 x 675 x 800 mm, weight: 21 kg
Item no.: 542 270

Instrument trolley with retaining lip

Removable upper retaining lip
Dimensions: 784 x 689 x 800 mm, weight: 13 kg
Item no.: 542 279

Instrument trolley with 3-sided gallery

Dimensions: 675 x 475 x 800 mm, weight: 12 kg
Item no.: 542 271

Instrument trolley with 3-sided gallery

Dimensions: 770 x 675 x 800 mm, weight: 17 kg
Item no.: 542 272

Instrument trolley with retaining lip

Removable upper retaining lip
Dimensions: 1004 x 689 x 800 mm, weight: 15 kg
Item no.: 542 280



Equipment trolley

The slightly lower mobile trolley for larger devices and superstructures – the optimal working height is maintained.

Mobile, seamless CNS 18/10 square tubular frame construction, 20 x 20 mm. Tubular steel frame forms a guard rail, upper and lower removable tabletops made of CNS 18/10. Wear and contact discoloration resistant, corrosion-resistant, antistatic double-wheel plastic castors (4 castors \varnothing 75 mm, 2 of them with brakes, with wall deflectors). Capacity: 20 kg, drawer dimensions: 445 x 95 mm

Equipment trolley

Dimensions: 675 x 475 x 650 mm, weight: 9 kg

Item no.: 542 281

Equipment trolley

Dimensions: 770 x 675 x 650 mm, weight: 12 kg

Item no.: 542 282

Equipment trolley with drawer

Dimensions: 675 x 475 x 650 mm, weight: 14 kg

Item no.: 542 283

Equipment trolley with drawer

Dimensions: 770 x 675 x 650 mm, weight: 13 kg

Item no.: 542 284

Equipment trolley with drawer and 3-sided CNS gallery

Dimensions: 675 x 475 x 650 mm, weight: 17 kg

Item no.: 542 285

Equipment trolley with drawer and 3-sided CNS gallery

Dimensions: 770 x 675 x 650 mm, weight: 20 kg

Item no.: 542 286

Equipment trolley with 3-sided CNS gallery

Dimensions: 675 x 475 x 650 mm, weight: 11 kg

Item no.: 542 287

Equipment trolley with 3-sided CNS gallery

Dimensions: 770 x 675 x 650 mm, weight: 16 kg

Item no.: 542 288



Syringe dispenser

With 3 acrylic dispenser drawers, CNS 18/10 tray, with bracket (first in, first out system).

Dimensions: 600 x 200 x 265 mm

(without bracket)

Item no.: 542 289



Syringe and cannula dispenser

With 3 acrylic dispenser drawers for syringes and 5 acrylic dispenser drawers for cannulas; with bracket (first in, first out system).

Dimensions: 600 x 200 x 410 mm

(without bracket)

Item no.: 542 290



Storage tray

Storage tray, rectangular
Made of CNS 18/10;
with swivel support and retaining clamp.
Dimensions: 235 x 190 mm
Item No.: 530 036



Storage tray, round
Made of CNS 18/10; with swivel support and
retaining clamp.
Dimensions: ø 220 mm
Item no.: 530 037



Ampoule opener

With retaining clamp.
Dimensions: 150 x 70 x 200 mm
Item No.: 530 043



Set of disposal boxes

Consists of 10 boxes with 1 holder and retaining clamp.

Dimensions: ø 140 x 145 mm

Item no.: 530 046

Spare disposal boxes

(Sales unit = 120 pieces)

Item no.: 530 047



Catheter quiver

Divided into 3 sections, for suction catheters, can be suspended.

Dimensions: 160 x 92 x 563 mm

Item no.: 530 049



Power bar

6 sockets, with control lamp, 2.2 m connecting cable, CNS 18/10 mounting rail.

Dimensions: 390 x 50 x 45 mm

Item no.: 530 050



Infusion stand

Height adjustable 1000–1900 mm, with 2 hooks and 2 retaining clamps.

Item no.: 530 053

Fleet-footed in the operating theatre and ambulance



Even transportation and multi-purpose trolleys must meet the highest requirements for hygiene, economy, lifespan, and ease of maintenance. This is why all BLANCO devices are made of CNS 18/10. Stainless steel is resistant against even the most aggressive disinfectants – therefore thorough cleaning is no problem. Seamless welds prevent the build-up of dirt and bacterial residue.

All devices have special conductive castors and can therefore be used anywhere. And they have a convincing design: The colour-neutral stainless steel of BLANCO transportation and multi-purpose trolleys matches all furnishings and is easy to integrate.





Multi-purpose trolley

These trolleys are universal – and especially suitable for the transportation of supplies up to 20 kg. With a practical push handle!

Tubular frame designed as a guard rail, with removable tabletop made of CNS 18/10. 4 castors, 2 with brakes, electrically conductive, with double ball bearings, ø 125 mm, non-snag construction. Trolley with wall deflector.

Dimensions: 833 x 745 x 800 mm, weight: 14 kg

Item no.: 542 291

Tubular frame designed as a guard rail, with removable tabletop made of CNS 18/10. 4 castors ø 125 mm with double ball bearings, 2 with brakes, electrically conductive, non-snag construction. Trolley with wall deflector.

Dimensions: 1053 x 745 x 800 mm, weight: 16 kg

Item no.: 542 292

Tubular frame designed as a guard rail, with removable tabletop made of CNS 18/10. 4 castors ø 125 mm with double ball bearings, 2 with brakes, electrically conductive, non-snag construction. Trolley with wall deflector, with 3 levels.

Dimensions: 1053 x 745 x 1020 mm, weight: 23 kg

Item no.: 542 293



Transportation trolley

The transportation trolley that is an even more robust counterpart to that of the multi-purpose trolley.

Transportation trolley type MSW 8 x 5-2

Frame: Sturdy seamless round tubing, 25 mm Ø, made of CNS 18/10; 2 welded shelves, 800 x 500 mm, with circumferential 10 mm raised profile edge, reinforced with 2 profiles underneath. Spacing between shelves: 585 mm.

4 castors ø 125 mm with double ball bearings, 2 with brakes, electrically conductive, non-sag construction. Trolley with wall deflector.

Dimensions: 900 x 600 x 950 mm, weight: 17 kg

Item no.: 531 077

Transportation trolley type MSW 9 x 6-2

Dimensions: 1000 x 650 x 950 mm, weight: 18 kg

Item no.: 531 081

Transportation trolley type MSW 8 x 5-3

Frame: Sturdy seamless round tubing, 25 mm Ø, made of CNS 18/10; 3 welded shelves, 800 x 500 mm, with circumferential 10 mm raised profile edge, reinforced with 2 profiles underneath. Spacing between shelves: 275 mm.

4 castors ø 125 mm with double ball bearings, 2 with brakes, electrically conductive, non-sag construction. Trolley with wall deflector.

Dimensions: 900 x 600 x 950 mm, weight: 20 kg

Item no.: 531 078

Transportation trolley type MSW 9 x 6-3

Shelf dimensions: 900 x 550 mm

Dimensions: 1000 x 650 x 950 mm, weight: 22 kg

Item no.: 531 082

Transportation trolley type MSW 10 x 6-2

Frame: Sturdy seamless round tubing, 25 mm Ø, made of CNS 18/10; 2 welded shelves, 1000 x 600 mm, with circumferential 10 mm raised profile edge, reinforced with 2 profiles underneath. Spacing between shelves: 585 mm.

2 fixed and 2 swivel castors ø 125 mm, 2 with brakes, double ball bearings, electrically conductive, non-snag construction and wall deflector.

Dimensions: 1100 x 700 x 1000 mm, weight: 23 kg

Item no.: 531 085

Transportation trolley type MSW 10 x 6-2

but with 4 swivel castors, 2 of them lockable

Dimensions: 1100 x 700 x 1000 mm, weight: 23 kg

Item no.: 531 086

Transportation trolley type MSW 10 x 6-3

Frame: Sturdy seamless round tubing, 25 mm Ø, made of CNS 18/10; 3 welded shelves, 1000 x 600 mm, with circumferential 10 mm raised profile edge, reinforced with 2 profiles underneath. Spacing between shelves: 275 mm. 2 fixed and 2 swivel castors ø 125 mm, 2 of them lockable, double ball bearings, electrically conductive, non-snag construction and wall deflector.

Dimensions: 1100 x 700 x 1000 mm, weight: 28 kg

Item no.: 531 087

Transportation trolley type MSW 10 x 6-3

but with 4 swivel castors, 2 of them lockable

Dimensions: 1100 x 700 x 1000 mm, weight: 28 kg

Item no.: 531 088

Competence is our strength

A synonym for quality and design
for over 80 years.

BLANCO banks on quality, design, and innovation in various
industries:

- In kitchen technology with a comprehensive product portfolio for the perfect washing centre.
- In the field of catering systems with innovative ideas to present appetizing, fresh meals.
- In the field of medical care systems with intelligent products and comprehensive system solutions for medical utility rooms and hospital logistics.



We know what we are talking about.

As different as these fields may be, we owe our continuous success to
our consistent focus on a single material: Stainless steel.

Chromium-nickel steel 18/10 is the highest quality, most durable steel
in the world. But we have perfected the technology for more than just
this material – we are just as skilled in the use of composite materials
and galvanized steel. Material know-how from which you can benefit!

BLANCO is certified under DIN EN ISO 9001:2000.

All of your equipment from a single source.

Innovation competence, material know-how, and manufacturing technology are decisive factors for the success of a product. Through close cooperation with users in clinics, ambulances, and nursing homes, we are able to implement innovative, practical, marketable solutions for the ward, operating theatre, and ambulance as well as production areas in the hospital.



These innovative ideas are always found in the four business areas of BLANCO Medical Systems:

- MEGApgress systems:
MEGApgress cabinet systems and EXXALOG system solutions for intelligent logistics design
- MEGAdrive:
Mobile assistants for everyday clinic use
- CLEANassist:
Equipment for sterile supply and disposal
- PROassist:
Mobile stainless steel functional furnishings for operating theatres and related areas



Easy for you to reach

Our international representatives:

Belgium
BLANCO Benelux Catering Systems
bvba-sprl
Nieuwland laan 13
Industriezone B
3200 Aarschot
Phone +32 1644 1148
Fax +32 1656 9668
catering@blanco.be
www.blanco.com

Czech Republic
AKC Konstrukce s.r.o.
Pivovarska 10
75661 Roznov pod Radhostem
Phone +42 0 571 620771
Fax +42 0 571 649011
akc@iol.cz
www.akcmed.com

France
BLANCO CS
ZA ACTIPOLIS III
3, rue Henri Spaak - B.P. 10072
68390 Sausheim
Phone +33 389 31 25 55
Fax +33 389 31 25 65
cateringsystems@blanco.fr
www.blanco.fr

Italy
i l e c
Forniture e arredo ospedaliero
Via Monte Ivigna 19
39010 Cermes (BZ)
Phone +39 0473 564680
Fax +39 0473 563809
info@ilec.it www.ilec.it

BLANCO CS GmbH + Co KG
MEDICAL CARE SYSTEMS
P.O. Box 13 10
75033 Oberderdingen
GERMANY
Phone +49 7045 44-81900
Fax +49 7045 44-81135
med@blanco.de
www.blanco.de

Luxembourg
Hospilux S.A.
1, Rue des Chaux
5324 Contern
Phone +352 35 02 20-1
Fax +352 35 02 65
hospilux@hospilux.lu
www.hospilux.lu

Poland
Kendromed Sp. zo.o
ul. Soltysowicka 25 a
51-168 Wrocław
Phone +48 71 326 10 35
Fax +48 71 326 15 00
kendro.wroclaw@kendro.com.pl
www.kendro.com.pl

Russia
Transumed GmbH Medizintechnik
Marschala Timoschenko St. 17/ 2
121359 Moscow
Phone +7 095 543 45-19/-20
Fax +7 095 543 45-18
transumed@co.ru
www.transumed.de

German Agency (Russia)
Transumed GmbH Medizintechnik
Löhrstr. 113
56068 Koblenz
Phone +49 261 13 30 98-0
Fax +49 261 13 30 98-12
info@transumed.de
www.transumed.de

Spain
Palex medical S.A.
Francisc Viñas 5
08174 Barcelona
Phone +34 93 400 65 00
Fax +34 93 400 65 01
palex@palex.es
www.palex.es

Switzerland
Hess-Medizintechnik AG
Grabenstrasse / Industrie West
8865 Bilten
Phone +41 556 19 20 80
Fax +41 556 19 20 83
info@hess-online.ch
www.hess-online.ch

The Netherlands
Stöpler Instrumenten & Apparaten B.V.
Middenwetering 1
3543 AR Utrecht
Phone +31 30 264 49 11
Fax +31 30 261 37 66
stopler@simed.com
www.simed.com

Turkey
Delta Trade Company
Perpa Ticaret Merkezi B
Blok Kat: 2, No.: 69
Okmeydani-Sisli
Istanbul
Phone +90 212 221 57 00
Fax +90 212 221 52 03
info@delta-trade-company.com
www.delta-trade-company.com

German Agency (Turkey)
Delta Trade Company
Medizinhandels GmbH
Wohlenbergstr. 5
30179 Hannover
Phone +49 511 18 383
Fax +49 511 71 77 29
info@delta-trade-company.com
www.delta-trade-company.com

United Kingdom
BLANCO UK Ltd.
Oxgate Lane
Cricklewood
London NW2 7 JN
Phone +44 208 450 9100
Fax +44 208 208 0095
info@blanco.co.uk
www.blanco.co.uk

BLANCO