



DIGITAL SIGNAGE



FLAT PANEL MOUNTS FOR:

- Retail
- Supermarkets
- Transportation
- Restaurants
- Entertainment Venues
- Public Spaces

Our Mounts. Your Vision.

DIGITAL SIGNAGE PRODUCT SELECTION

ORDERING OPTIONS

VESA (-V)

Mounts ending in "V" include a fixed interface with multiple VESA hole mounting patterns.

Universal (-U)


Mounts ending in "U" include an adjustable interface to adapt to random hole patterns.

Custom (-XXXX)


Mounts ending in a 4-digit number (i.e. 2540) include an interface custom-designed for a given display.

Custom product options also available!

Small LCD TVs & Monitors



FSBV VESA Interface Bracket




FIXED WALL MOUNT

FSRV™


Fixed Wall Mount
W: 45 lbs (20.4 kg)
D: .75" (19 mm)
C: ■



Medium LCD TVs & Monitors



MSBV VESA Interface Bracket



MSRV™

Fixed Wall Mount
W: 100 lbs (45.4 kg)
D: 1.56" (40 mm)
C: ■



INNOVATIVE DESIGNS


Chief is fully staffed to handle a variety of projects ranging in complexity. Dedicated technical and design resources work with you to create the perfect solution, while maintaining schedules and budget expectations. Chief clients enjoy a full range of options, from a state-of-the-art standard product mix, to a completely custom solution.

- Largest line of mounting solutions worldwide, including custom and universal interfaces, and UL Listed designs
- Hundreds of patent-protected features within modular components that can be integrated into a custom solution
- Custom Design and Technical Team that will generate a completely unique project solution
- A full line of accessories to support any project and maximize form and function

Large LCD & Plasma TVs




MSBU Universal Interface Bracket





MSRU™


Fixed Wall Mount
W: 125 lbs (56.7 kg)
D: 2.25" (57 mm)
C: ■



Extra-Large LCD & Plasma TVs



PSBU Universal Interface Bracket



PSTU™

Fixed Wall Mount
W: 200 lbs (90.7 kg)
D: 2.31" (59 mm)
C: ■



To specify color options, add S (silver) or B (Black) to the model number.

UNTS



TILT WALL MOUNTS



SWING ARM MOUNTS



CEILING MOUNTS

FTRV™

Tilt Wall Mount
W: 45 lbs (20.4 kg)
D: 1.94" (50 mm)
T: +5/-15°
C: ■



FWDV™

Dual Swing Arm Wall Mount
W: 40 lbs (18.1 kg)
D: 2.17" (55 mm)
E: 15.94" (405 mm)
C: ■ ■



Note: Desk and height-adjustable options are also available for this model

FHSV™

Single Ceiling Mount
W: 40 lbs (18.1 kg)
T: +/-15°
C: ■



FHP18 (not pictured)
Ceiling Mount w/ 1-1/2" NPT
Adjustable Column allows 22-38" of adjustment


MTRV™

Tilt Wall Mount
W: 100 lbs (45.4 kg)
D: 1.81" (46 mm)
T: 0-15°
C: ■



JWDV™

Dual Swing Arm Wall Mount
W: 75 lbs (34 kg)
D: 3" (76 mm)
E: 20.38" (518 mm)
C: ■ ■



JHSV™

Single Ceiling Mount
W: 100 lbs (45.4 kg)
T: +/-15°
C: ■ ■



MTRU™

Tilt Wall Mount
W: 125 lbs (56.7 kg)
D: 2.5" (64 mm)
T: 0-15°
C: ■



MWC™ (not pictured)
Tilt Wall Mount with CPU Storage


MWRU™

Dual Swing Arm Wall Mount
W: 125 lbs (56.7 kg)
D: 4.38" (111 mm)
E: 24.88" (632 mm)
C: ■ ■



MCSU™

Single Ceiling Mount
W: 125 lbs (56.7 kg)
T: +5/-20°
C: ■



PLPU™

Pull-N-Tilt™
Wall Mount (with fingertip adjustment)
W: 200 lbs (90.7 kg)
D: 2.31" (59 mm)
T: 0-15°
C: ■



PWC™ (not pictured)
Tilt Wall Mount with CPU Storage

PDRU™


Dual Swing Arm Wall Mount
W: 200 lbs (90.7 kg)
D: 3.88" (99 mm)
E: 24.8" (630mm)
C: ■ ■



PNRU™ (not pictured)
Dual Swing Arm Mount

PCSU™

Single Ceiling Mount
W: 175 lbs (79.4 kg)
T: +5/-20°
C: ■



PCMU™ (not pictured)
Angled Column Ceiling Mount
For greater stability up to 200 lbs (90.7 kg)



IN-WALL ACCESSORIES



ACCESSORIES


PAC510™

Retrofit Pre-Install Box
(Shown with PSTU™ Fixed Wall Mount, surge protector and conduit)



PAC400™

90° Rotation Adapter
For Extra-Large Flat Panels
(42-63)



MAC400™ (not pictured)
90° Rotation Adapter
For Large Flat Panels (30-50)

PAC515™

New Construction Pre-Install Box



PAC251™

CPU/DVD/VCR Universal Adapter
For Extra-Large Flat Panels
(42-63)



PAC520™ (not pictured)
Multiple Option New
Construction Pre-Install Box

MAC251™ (not pictured)
CPU/DVD/VCR Universal Adapter
For Large Flat Panels (30-50)


PAC500™

In-Wall Accessory
For use with MWRU and PNRU
Dual Swing Arm Wall Mounts
(Shown with PNRU)
W: 200 lbs (90.7 kg)
C: ■ ■



PAC300™

Side Speaker Adapter
Adds 20 lbs (9.1 kg) to installation
C: ■ ■



MAC500™

In-Wall Accessory
For use with JWDV Dual Swing
Arm Wall Mount
(Shown with JWDV)
W: 75 lbs (34 kg)
C: ■ ■



PAC301™

Center Channel
Speaker Adapter
Adds 10 lbs (4.5 kg) to installation
C: ■ ■



TPS™

Fixed Truss & Pole Mount
W: 150 (68 kg)
C: ■



PAC102™

Shelf for Pole Installations



TPM™ (not pictured)
Tilt-Adjustable Pole Mount

PAC103™

Shelf for Wall Installations (not pictured)
Accessory Shelf Strap

SPECIFICATIONS KEY:

W: Weight Capacity D: Depth from Wall E: Extension T: Tilt S: Swivel (left/right) H: Height Adjustment C: Color



AUTOMATED MOUNTS



ENCLOSURES

CM1W18™

Automated Swing Arm

W: 170 lbs (77.1 kg)

D: 4.25" (108 mm)

E: 18" (457 mm)

C: ■



DGC™

Outdoor Enclosures

W: 75 lbs (34 kg)

C: ■



DGP™

Indoor Partial Enclosures (not pictured)

C: ■ ■


CM2L40™

Automated Pop-Up Lift

W: 190 lbs (86.2 kg)

H: 40" (102 cm)

C: ■



DFK™

Decorative Frames Kits

Available in 4 colors



CARTS & STANDS

CM3T45™

Automated Swivel Table Stand

W: 125 lbs (56.7 kg)

S: +/-45°

C: ■ ■



MFCU™

Mobile Cart

For Large Flat Panels (30–50" +)

(Shown with PAC710™ Accessory Shelf)

W: 125 lbs (56.7 kg)

T: +/-15°

H: 24" (610 mm)

C: ■ ■



Optional Travel Case



PFCU™ (not pictured)

Mobile Cart

For Extra-Large Flat Panels (42–63")

SL150™

Automated Projector Lift

W: 35 lbs (16 kg)

H: 8.25" (210 mm)

C: ■



MF1U™

Display Stand

For Large Flat Panels (30–50" +)

(Shown with PAC710™ Accessory Shelf)

W: 125 lbs (56.7 kg)

T: +/-15°

H: 36" (914 mm)

C: ■ ■



PF1U™ (not pictured)

Display Stand

For Extra-Large Flat Panels (42–63")

specialty products

SPECIFICATIONS KEY:

W: Weight Capacity

D: Depth from Wall

E: Extension

T: Tilt

S: Swivel (left/right)

H: Height Adjustment

C: Color

RPA Elite Projector Mount

Custom option shown



Q-Lock™
Integrated Locking Lever
Provides enhanced security with an integrated key and lock system.
**Optional – order RPMA/B/C with A, B or C to designate key option*



MicroZone™
Micro Adjustment
For fast and precise projector registration, including flush-mount installations.



Centris™ Technology
Fingertip Adjustment
Enables effortless, fingertip positioning

ALSO AVAILABLE

RPA™ Projector Mount

- Independent Roll, Pitch and Yaw
- Integrated Cable Management
- Quick Projector Connect/Disconnect
- All-Points™ Security System



PROJECTOR MOUNTS


Model	Type	Max Weight	Color(s)
RPM*	Custom	50 lbs (22.7 kg)	■
RPM-U*	Universal	50 lbs (22.7 kg)	■ ■ ■
RPA	Custom	50 lbs (22.7 kg)	■
RPA-U	Universal	50 lbs (22.7 kg)	■ ■ ■

**For Q-Lock™ integrated security, order RPMA, RPMB or RPMC with A, B or C designating the key option.*



ACCESSORIES

Model	Description	Color(s)
CMS™-0XX	1-1/2" NPT Fixed Extension Column	■ ■ ■
CMS™-0XX0XX	1-1/2" NPT Adjustable Extension Column	■ ■ ■
CMS115™	Ceiling Plate	■ ■ ■
CMS440™	Lightweight Suspended Ceiling Kit	■
CMS445™	Ceiling Tile Replacement Kit	■
CMA470™	Plenum Enclosure	■



FOR A COMPLETE LIST OF ACCESSORIES, VISIT WWW.CHIEFMFG.COM



end-user focused faster installation superior service proven quality

CHIEF MANUFACTURING ■ A DIVISION OF MILESTONE AV TECHNOLOGIES ■ www.chiefmfg.com
 USA/INTERNATIONAL ■ P 800.582.6480/952.894.6280 ■ F 877.894.6918/952.894.6918 ■ chief@chiefmfg.com
 CHIEF MOUNTS CANADA ■ P 877.345.4329 ■ F 888.377.5314 ■ info@chiefmounts.ca
 MILESTONE EUROPE B.V. ■ P 31 (0)40 2668620 ■ F 31 (0)40 2668615 ■ europe@milestone.com
 MILESTONE ASIA PACIFIC LTD ■ P 86 755 8996 9226 ■ F 86 755 8996 9217 ■ asia.chief@milestone.com