


DIMENSIONS



DESCRIPTION

The McGraw-Edison Galleria Parking combines beauty and versatility making it an excellent choice in today's energy- and design challenging parking garage environment. An aesthetic reveal in the formed aluminum housing gives the Galleria a distinctive look while a variety of mounting options and lamp wattages provide maximum flexibility with superior uniformity.



GS GALLERIA PARKING

100 - 175 W

Metal Halide

High Pressure Sodium

PARKING LUMINAIRE

ORDERING INFORMATION

SAMPLE NUMBER: GSP-100-MH-120-2F-FG-BK

Product Family	Lamp Wattage ¹	Lamp Type	Voltage ²	Distribution	Lens Type	Colors	Options & Accessories
GSP=Galleria Pendant Mount	100=100W 150=150W 175=175W	MH=Metal Halide HPS=High Pressure Sodium	120=120V 208=208V 240=240V 277=277V 347=347V 480=480V MT=Multi-Tap ³ TT=Triple-Tap ⁴	2F=Type II Formed 3F=Type III Formed FT=Forward Throw AR=Area Round	FG=Flat Glass SG=Sag Glass	AP=Grey BZ=Bronze BK=Black DP=Dark Platinum WH=White	(See Below)
GSJ=Galleria Surface Mount							
GST=Galleria Trunnion Mount							

Options⁵

F=Single Fuse (120, 277 or 347V)
 FF=Double Fused (208, 240 or 480V)
 EM=Quartz Time Delay (Hot & Cold Restrike)
 Q=Quartz Restrike⁶
 HS=House Side Shield
 L=Lamp Included

- Formed aluminum housing with stamped reveal has interior-welded seams and is finished in bronze polyester powder coat
- Ballast tray is hard-mounted to housing interior
- Long-life core and coil ballast
- Spun and stamped aluminum reflector in vertical lamp units, hydroformed anodized aluminum in horizontal
- Formed aluminum door has heavy-duty hinges and captive retaining screws. Finished in polyester powder coat
- Convex tempered glass lens. Flat glass optional
- A variety of mounting styles—surface, slide-on mounting box for pendant, and trunnion—make installing fast and simple
- Medium-base porcelain socket
- Approximate net weight: 29 lbs. (13 kgs.)

NOTES: 1 All lamps are medium-base. 2 Product also available in non-US voltages and 50Hz for international markets. Consult factory for availability and ordering information. 3 Multi-Tap ballast is 120/208/240/277V wired 277V. 4 Triple-Tap ballast is 120/277/347V wired 347V. 5 Add as suffix in the order shown. 6 Limit to 150W maximum, quartz lamp only. Lamp not included. 7 Specifications and dimensions subject to change without notice.