


3" DOWNLIGHT ELEMENTS

**E3MR****50° Cutoff Reflector**

Add Cone Color and Flange style

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**


OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3MRBB****50° Cutoff Baffle**

Add Baffle Finish

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)



Shown with white oculus

E3DNPIN**1 1/4" Downlight Pinhole**


Add Flange Style

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 1 1/4" (32mm)



3" ADJUSTABLE ACCENT ELEMENTS

**E3AA****Angle Cut Reflector - Adjusts To 45°**

Add Cone Color and Flange style

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3AA20****Angle Cut Reflector - Adjusts To 20°**

Add Cone Color and Flange style

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3MRAABB****Angle Cut Baffle - Adjusts To 45°**

Add Baffle Finish

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3SLOT****Slot Cut Reflector - Adjusts To 45°**

Add Cone Color and Flange style

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3PIN****1 1/4" Adjustable Pinhole - Adjusts To 45°**

Add Flange Style

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**


OD: 5 1/8" (130mm) Aperture: 1 1/4" (32mm)

**E3PINLARGE 1 3/4" Adjustable Pinhole - Adjusts To 45°**

Add Flange Style

Lamp:P3MR, RPN3MR: 50W MR16
P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 1 3/4" (32mm)

**E3PINCLOSET 1 1/4" Adjustable Pinhole w/Lens - Adjusts To 45°**

Add Flange Style

Lamp:P3MR REMOTE, P3MR, RPN3MR: 50W MR16
PN3MR, PN3MR REMOTE: 71W MR16**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 1 3/4" (32mm)



	<p>E3PINRD 1 3/4" Adjustable Pinhole with Radius Edges - Adjusts To 45° Add Flange Style Lamp: P3MR, RPN3MR: 50W MR16 P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16 Dimensions: OD: 5 1/8" (130mm) Aperture: 2" (51mm)</p>	
	<p>E3OVAL 2" Oval - Adjusts To 45° Add Flange style Lamp: P3MR, RPN3MR, P3MR REMOTE: 50W MR16 PN3MR, PN3MR REMOTE: 71W MR16 Dimensions: OD: 5 1/8" (130mm)</p>	
	<p>E3SA Super Adjustable 15° - 75° Tilt (Includes Hex cell Louver) Lamp: P3MR, RPN3MRSA: 50W MR16 P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16 Dimensions: OD: 5 1/8" (130mm)</p>	
<p>3" WALL WASH ELEMENTS</p>		
	<p>E3LWW Lensed Wall Wash Add Cone Color and Flange style Lamp: P3MR, RPN3MR, P3MR REMOTE: 50W MR16 PN3MR, PN3MR REMOTE: 71W MR16 Dimensions: OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)</p>	
	<p>E3AASR Wet Location Angle Cut Reflector - Adjusts To 45° Add Cone Color and Flange style Lamp: P3MR, P3MR REMOTE, RPN3MR: 50W MR16 PN3MR, PN3MR REMOTE: 71W MR16 Dimensions: OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)</p>	
	<p>E3AASRPIN Wet Location 2" Adjustable Pinhole - Adjusts To 45° Add Flange Style Lamp: P3MR, P3MR REMOTE, RPN3MR: 42W MR16 PN3MR, PN3MR REMOTE: 71W MR16 Dimensions: OD: 5 1/8" (130mm) Aperture: 2" (51mm)</p>	
	<p>E3SR Wet Location 50° Cutoff Reflector Add Cone Color and Flange style Lamp: P3MR, P3MR REMOTE, RPN3MR: 50W MR16 P3MR REMOTE, PN3MR, PN3MR REMOTE: 71W MR16 Dimensions: OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)</p>	

ELEMENT OPTIONS

Cone Finishes:

- C = Clear Specular Alzak
- H = Haze Clear Semi-Specular Alzak
- G = Champagne Gold Specular Alzak
- B = Specular Black Alzak
- WMH = Warm Haze Semi-specular Alzak with a hint of gold to add visual warmth
- GP = Graphite Gunmetal grey, specular Alzak
- GPH = Graphite Haze Graphite, semi-specular Alzak
- W = Gloss White Paint
- MW = Matte White
- K = Cognac Warm copper color, specular Alzak
- KH = Cognac Haze, semi-specular Alzak

Baffle Options

- BB = Black Baffle
- WB = White Baffle

Flanges

- Blank = Matte white die-cast flange ring, removable for field painting
- RAW = Die cast trim ring, mill finish
- SF = Self Flange (4 7/8" OD) (flange color matches reflector cone) **Not recommended for use with RPN3MR.**
- SFWF = Self Flange painted Matte White (4 7/8" OD)
- E3PIN and E3OVAL**
- Blank = Matte White painted die-cast trim ring with black oculus (when present)
- W = Matte White painted die-cast trim ring with white oculus (when present)
- POL = Polished Aluminum with Black Oculus
- SAL = Satin Aluminum with Black Oculus

Example:

E3MR
 Cone Finish | Flange Type and Finish

Example:

E3MR
 Baffle Finish | Flange Type and Finish (self flange not available)

Example:

E3PIN
 Flange Type and Finish (self flange not available)


3" DOWNLIGHT ELEMENTS

**E3A19****50° Cutoff Reflector**

Add Cone Color and Flange style

Lamp:P3120: 60W A19, 60W MB19, 60W BT15, 60W BT19
PN3120: 100W A19, 100W MB19, 100W BT15, 90W BT19**Dimensions:**


OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3P20****50° Cutoff Reflector**

Add Cone Color and Flange style

Lamp:P3120: 50W PAR20, 50W R20, 60W PAR16
PN3120: 50W PAR20, 75W PAR16, 50W R20, 50W BR19**Dimensions:**


OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3P20BB****50° Cutoff Baffle**

Add Baffle Finish

Lamp:P3120: 50W R20, 50W PAR20, 60W PAR16
PN3120: 50W PAR20, 75W PAR16, 50W R20, 50W BR19**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)




3" ADJUSTABLE ACCENT ELEMENTS

**E3AA****Angle Cut Reflector**

Add Cone Color and Flange style

Lamp:P3120: 50W PAR20, 50W R20, 60W PAR16
PN3120: 50W PAR20, 50W R20, 75W PAR16**Dimensions:**


OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3AA20****Angle Cut Reflector - Adjusts to 20°**

Add Cone Color and Flange style

Lamp:P3120: 50W PAR20, 50W R20, 60W PAR16
PN3120: 50W PAR20, 75W PAR16, 50W R20, 50W BR19**Dimensions:**


OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3P20AABB****Angle Cut Baffle - Adjusts to 35°**

Add Baffle Finish

Lamp:P3120: 50W PAR20, 60W PAR16, 50W R20
PN3120: 50W PAR20, 75W PAR16, 50W R20**Dimensions:**


OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)

**E3PINLARGE 1 3/4" Adjustable Pinhole - Adjusts to 35°**

Add Flange Style

Lamp:P3120: 50W PAR20
PN3120: 75W PAR20**Dimensions:**

OD: 5 1/8" (130mm) Aperture: 1 3/4" (44mm)



	<p>E3PINRD 1 3/4" Adjustable Pinhole with Radius Edges - Adjusts to 35° Add Flange Style Lamp: P3120: 50W PAR20 PN3120: 75W PAR16 Dimensions: OD: 5 1/8" (130mm) Aperture 1 3/4" (44mm)</p>	
	<p>E3LWW Lensed Wall Wash Add Cone Color and Flange style Lamp: P3120: 50W PAR20, 50W R20 PN3120: 50W PAR20, 75W PAR16 Dimensions: OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)</p>	
	<p>E3AASR Wet Location Angle Cut Reflector - Adjusts to 35° Add Cone Color and Flange style Lamp: P3120: 50W PAR20, 50W R20 PN3120: 50W PAR20, 75W PAR16 Dimensions: OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)</p>	
	<p>E3SR Wet Location 50° Cutoff Reflector Add Cone Color and Flange style Lamp: P3120: 50W PAR20, 50W R20 PN3120: 50W PAR20, 50W R20, 60W PAR16 Dimensions: OD: 5 1/8" (130mm) Aperture: 3 1/2" (89mm)</p>	
	<p>E3A19LUNA Wet Location Blown Veined Glass Lamp: P3120: 60W A19, 60W MB19, 60W BT15, 50W TB19 PN3120: 100W A19, 100W MB19, 100W BT15, 90W TB19 Dimensions: OD: 5 1/2" (138mm)</p>	

ELEMENT OPTIONS

Cone Finishes:

- C** = Clear Specular Alzak
- H** = Haze Clear Semi-Specular Alzak
- G** = Champagne Gold Specular Alzak
- B** = Specular Black Alzak
- WMH** = Warm Haze Semi-specular Alzak with a hint of gold to add visual warmth
- W** = Gloss White Paint
- MW** = Matte White
- K** (Cognac) = Warm copper color, specular Alzak
- KH** (Cognac Haze) = Cognac, semi-specular Alzak
- GP** Graphite = Gunmetal grey, specular Alzak
- GPH** Graphite Haze = Graphite, semi-specular Alzak


Flanges

- Blank** = Matte white die-cast flange ring, removable for field painting
- RAW** = Die cast trim ring, mill finish
- SF** = Self Flange (flange color matches reflector cone)
- SFWF** = Self Flange painted Matte White
- E3PIN and E3OVAL**
- Blank** = Matte White painted die-cast trim ring with black oculus (when present)
- W** = Matte White painted die-cast trim ring with white oculus (when present)
- POL** = Polished Aluminum with Black Oculus
- SAL** = Satin Aluminum with Black Oculus


Baffle Options

- BB** = Black Baffle
- WB** = White Baffle

Example:
E3P20



Example:
E3P20



Example:
E3PIN

