PORTFOLIO[™]

HOUSING



OPTIONS

HOUSING

M6235T=175W Metal Halide Mogul Base M6236T=250W Metal Halide Mogul Base

M6254T=100W HPS Mogul Base M6255T=150W HPS Mogul Base

13" Downlight **Metal Halide & HPS** ED23.5 **ED28**

Wide beam lens downlight for general lighting from a single vertically mounted ED23.5 high-pressure sodium lamp. Optional quartz standby lamp is factory installed to upper reflector. Magnetic ballast ordered separately installs rapidly to ballast bridge with electrical quick connects.

BALLAST

M6254T and M6255T only 640=100W HPS 120/277V Magnetic 648=100W HPS 120/347V Magnetic 650=150W HPS 120/277V Magnetic 658=150W HPS 120/347V Magnetic M6235T and M6236T only 750=175W MH 120/277V Magnetic 758=175W MH 120/347V Magnetic 760=250W MH 120/277V Magnetic 768=250W MH 120/347V Magnetic

Dimensions

Standard Housing

ACCESSORIES

Width

19-5/16"

Height

15"

Cutout

13-7/8"

Length

33-3/16"

HB26=C Channel Bar Hanger, 26" Long, Pair HB50=C Channel Bar Hanger, 50" Long, Pair **FK** =Field Installed Fuse Kit. Specify Amperage

TRIM

Regressed **Fresnel Lens** 250W Max ED28 MH 150W Max ED23.5 HPS TRIM 10202=Regressed Fresnel

Q=Quartz Restrike System with

Time Delay, 100W DC Bayonet


Base Quartz Lamp (Included)

for Quartz Standby Lamp

X=DC Bayonet Lamp Socket only

FINISH

P=Black Baffle with White Metal Trim Ring PWH=White Baffle with White Trim Ring



Concave **Prismatic Lens** 250W Max ED28 MH 150W Max ED23.5 HPS

TRIM 10212=Regressed Concave Prismatic Lens

FINISH

P=Black Baffle with White Metal Trim Ring PWH=White Baffle with White Trim Ring




Regressed **Prismatic Lens** 250W Max ED28 MH 150W Max ED23.5 HPS

TRIM 10222=Regressed Prismatic Lens

FINISH P=Black Baffle with White Metal Trim Ring

PWH=White Baffle with White Trim Ring



13-1/8" 14-1/2"

Ordering Example Housing, Ballast, Trim, Accessories and Lamps ordered as separate line items.	Housing	Ballast	Trim	Accessories
	M6235T	750	10202	HB26