

Catalog Number	Finish	Lamp	Wattage	Color Temp	Voltage
LLP201WH	Matte White	LED	(14) 1W	3300K	120V
LLP201BK	Matte Black	LED	(14) 1W	3300K	120V

Features

- Heat Sink Housing:** Extruded aluminum, design thermally optimized to reduce LED junction temperature to maintain light output, color and life.
- Lens:** Extruded polycarbonate clear.
- End Cover and joiner:** Injection molded polycarbonate.
- Power Supply Compartment Cover:** 24ga. steel die stamped and formed.

Electrical

- LED:** (14) 1W 3300K white LEDs. Average expected life, under normal operating conditions is 50,000 hours with lumen maintenance of 70% of original light output.
- Metallic Flexible Conduit:** 6', flexible conduit with 18ga. black, white and green wire for hard-wiring to a junction box.
- Fuse:** 10 amp., re-settable.
- Switch:** Single pole on/off.
- Integral Power Supply:** 24V DC, Class 2 output.

Voltage: 120V
Nom. Input Current (Amps): 0.5A@120V
Power Factor: 0.99
Output Voltage (VDC): 24.0±0.5
Min./Max Output Power (W): 0.9/50
Max. Line Ripple (V): ±0.2
Max. Connected Load: 23W per fixture

Mounting

Keyhole slots.
 Interconnect up to 12 fixtures max.


Finish

White or black.

Labels

cULus Listed. Suitable for Dry Locations

Photometric Data for LLP201BK



Each square in the charts equals 4" x 4".
 Footcandle measurements are at the center of each square.

Back Wall											
1.5	4.0	11.8	29.1	47.2	51.8	44.3	28.0	11.2	4.2	1.6	
3.5	8.3	19.7	41.5	60.5	65.2	57.8	38.7	18.8	8.2	3.6	
4.3	8.6	16.8	29.1	40.0	41.7	37.9	27.1	15.8	8.3	4.4	
4.2	7.2	12.0	18.1	23.6	24.0	21.7	16.9	11.4	7.0	4.1	
3.6	5.7	8.4	11.6	14.4	13.8	13.2	10.8	8.0	5.4	3.6	

Desktop											
8.9	13.6	20.3	27.4	33.9	36.0	33.8	28.2	20.6	14.3	9.4	
8.9	14.2	21.4	30.0	37.1	40.0	37.4	30.4	22.1	14.8	9.5	
8.1	12.8	19.5	27.4	33.4	36.0	33.7	27.5	19.9	13.6	8.7	
6.5	10.0	14.7	19.8	23.8	25.7	24.1	20.3	15.1	10.5	7.0	
4.7	6.9	9.6	12.3	4.3	14.7	14.2	12.1	9.8	7.1	5.0	
3.1	4.3	5.7	7.0	7.6	8.0	7.6	6.7	5.7	4.3	3.3	

Job Information

Type:

Job Name:

Cat. No.:

Lamp(s):

Notes:

631 Airport Road, Fall River, MA 02720 • (508) 679-8131 • Fax (508) 674-4710
 We reserve the right to change details of design, materials and finish.
 www.lightolier.com © 2008 Philips Group • C0908