



# Brighten your home with infinite possibilities

Philips DuraMax® Long Life Light Bulbs

**PHILIPS**



Reduce the hassle



# of changing light bulbs



**Philips DuraMax® Long Life Light Bulbs** reduce the hassle of replacing light bulbs every few months, since all DuraMax products last longer than standard incandescent light bulbs. A wide assortment of shapes, sizes and wattages ensure that there is a DuraMax product to meet most basic lighting needs.

The DuraMax line of light bulbs includes:

- Soft White
- Soft White 3-Way
- Reflectors
- Fan Lights
- Globe
- Sparkling Clear
- Decorative
























## Choose the right DuraMax<sup>®</sup> light bulb anywhere long life is desired:

- Living Rooms
- Kitchens
- Bedrooms
- Libraries
- Dining Rooms
- Bathrooms
- Hallways
- Home Offices



# Best of all, you won't have to change DuraMax<sup>®</sup> light bulbs for at least one full year!\*

There are many applications for which Philips DuraMax<sup>®</sup> light bulbs can be used. Use the chart below to choose the right light bulb to meet your needs.

DuraMax <sup>®</sup>											
Bulb Type	Bulb Shape	Table/Floor Lamps	Wall Sconce	Chandelier	Ceiling Fan	Ceiling Mount	Open Hanging	Recessed	Track	Vanity Globe	Outdoor Post Lights
Ceiling Fan					✓						
Soft White		✓				✓	✓				
3-Way		✓									
Decoratives			✓	✓							
Flame Shapes			✓	✓							✓
Mini Globe			✓	✓			✓			✓	
Vanity Globe							✓			✓	
Globe							✓				
Flood/Spot								✓	✓		

## Find the right bulb for every lighting effect

Dramatically changing your lighting can be as easy as changing a light bulb. Philips offers a wide variety of bulbs, each providing a specific kind of light. Here are just a few you might consider:

**Philips Natural Light** bulbs provide light similar to natural daylight and enhance colors by reducing dull light effects. **Philips Natural Light Plus** bulbs provide vibrant, clean, clear light that enhances true colors.

**Philips Halogená<sup>®</sup>** bulbs provide bright, white light and last at least two years.\*

**Philips Marathon<sup>®</sup>** bulbs are a direct replacement to fit your current incandescent fixtures. They deliver an incandescent-like light and provide long life while reducing energy consumption and the hassle of frequent bulb changes.



\*Based on an average of hours usage per day/7 days per week. Hours differ between products, and there are exceptions. See individual packages for details.

# DuraMax® Soft White

- **Lasts at Least One Year!**<sup>1</sup>
- **Provides Soft White Light** Ideal for use in table and floor lamps
- **Full Family of Products** Available in a variety of wattages, as well as popular 3-Way versions



## Philips DuraMax® Soft White

Electrical and Technical Data (Subject to change without notice)

Philips Product Number	Product Description	Bulb Finish	Nominal Watts	Bulb Type	Base Type	Volts	Lumens	Rated Avg Life (Hrs.) <sup>2</sup>	M.O.L (In.)	Operating Position
<b>A-15</b>										
16860-9	15A/WL 120V 12/2 TP	Soft White	15	A-15	Med.	120	115	3000	3½	Any
<b>A-19</b>										
16868-2	25A/WL 120V 12/2 PS	Soft White	25	A-19	Med.	120	235	3000	4⅙	Any
16869-0	40A/WL/TP 120V 12/4	Soft White	40	A-19	Med.	120	475	1500	4⅙	Any
16737-9	40A/WL 120V 24/4	Soft White	40	A-19	Med.	120	475	1500	4⅙	Any
16871-6	40A/WL 120V 120/4 TP	Soft White	40	A-19	Med.	120	475	1500	4⅙	Any
16874-0	60A/WL 120V 12/4 TP	Soft White	60	A-19	Med.	120	830	1500	4⅙	Any
16738-7	60A/WL 120V 24/4	Soft White	60	A-19	Med.	120	830	1500	4⅙	Any
16877-3	60A/WL 120V 120/4 TP	Soft White	60	A-19	Med.	120	830	1500	4⅙	Any
16879-9	75A/WL/TP 120V 12/4	Soft White	75	A-19	Med.	120	1060	1500	4⅙	Any
16739-5	75A/WL 120V 24/4	Soft White	75	A-19	Med.	120	1060	1500	4⅙	Any
16882-3	75A/WL 120V 120/4 TP	Soft White	75	A-19	Med.	120	1060	1500	4⅙	Any
16862-5	100A/WL/TP 120V 12/4	Soft White	100	A-19	Med.	120	1550	1500	4⅙	Any
16740-3	100A/WL 120V 24/4	Soft White	100	A-19	Med.	120	1550	1500	4⅙	Any
16864-1	100A/WL 120V 120/4 TP	Soft White	100	A-19	Med.	120	1550	1500	4⅙	Any
<b>A-21</b>										
16866-6	150A/WL 120V 12/1 TP	Soft White	150	A-21	Med.	120	2310	1500	5⅙	Any
16867-4	200A/WL 120V 6/1 TP	Soft White	200	A-21	Med.	120	3300	1500	5⅙	Any
<b>A-21 3-Way Wattages</b>										
16947-4	30/100A/WL 120V 12/1 TP	Soft White	30/70/100	A-21	3 Ct. Med.	120	285/920/1205	1750	5⅙	Base Down
16948-2	50/150A/WL 120V 12/1	Soft White	50/100/150	A-21	3 Ct. Med.	120	575/1440/2015	1750	5⅙	Base Down
16956-5	50/150A/WL 120V 12/2	Soft White	50/100/150	A-21	3 Ct. Med.	120	575/1440/2015	1750	5⅙	Base Down
16953-2	50/150A/WL 120V 4/3	Soft White	50/100/150	A-21	3 Ct. Med.	120	575/1440/2015	1750	5⅙	Base Down
16949-0	50/250A/WL 120V 12/1	Soft White	50/200/250	A-21	3 Ct. Med.	120	575/3120/3695	1750	5⅙	Base Down

1) Based on an average of hours usage per day/7 days per week. Hours differ between products, and there are exceptions. See individual products for details.

2) Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.



## Philips DuraMax® Soft White

Ordering and Shipping Data (Subject to change without notice)

Product Number	Philips Product Description	UPC Code (0 46677-)	Case Bar Code (5 00 46677-)	Case Qty.	SKU Dimensions (W x D x H)(In.)	Case Dimensions (W x D x H)(In.)	Case Cube (cu.ft.)	Case Weight (lbs.)	SKUs per Pallet	No. of Layers	Case per Pallet	Pallet Dimensions (W x D x H)(In.)
<b>A-15</b>												
16860-9	15A/WL	168605	168600	12	2.06 x 3.38 x 3.56	7.44 x 12.81 x 3.94	0.22	2	2592	12	216	38.43 x 44.64 x 47.28
<b>A-19</b>												
16868-2	25A/WL	168681	168686	12	2.56 x 3.88 x 4.56	8.56 x 16.06 x 4.88	0.39	2.00	1680	10	140	41.74 x 48.18 x 48.80
16869-0	40A/WL	168698	168693	12	2.50 x 4.88 x 6.50	10.38 x 15.38 x 7.00	0.65	4.25	1008	7	84	41.52 x 46.14 x 49.00
16737-9	40A/WL	168698	167375	24	2.50 x 4.88 x 6.50	10.38 x 15.38 x 13.50	1.25	9.00	864	3	36	41.52 x 46.14 x 40.50
16871-6	40A/WL	168698	168716	120	2.50 x 4.88 x 6.50	16.75 x 21.00 x 33.75	6.87	43.00	720	1	6	42.00 x 50.25 x 33.75
16874-0	60A/WL	168742	168747	12	2.50 x 4.88 x 6.50	10.38 x 15.38 x 7.00	0.65	4.25	1008	7	84	41.52 x 46.14 x 49.00
16738-7	60A/WL	168742	167382	24	2.50 x 4.88 x 6.50	10.38 x 15.38 x 13.50	1.25	9.00	864	3	36	41.52 x 46.14 x 40.50
16877-3	60A/WL	168742	168778	120	2.50 x 4.88 x 6.50	16.75 x 21.00 x 33.75	6.87	43.00	720	1	6	42.00 x 50.25 x 33.75
16879-9	75A/WL	168797	168792	12	2.50 x 4.88 x 6.50	10.38 x 15.38 x 7.00	0.65	4.25	1008	7	84	41.52 x 46.14 x 49.00
16739-5	75A/WL	168797	167399	24	2.50 x 4.88 x 6.50	10.38 x 15.38 x 13.50	1.25	9.00	864	3	36	41.52 x 46.14 x 40.50
16882-3	75A/WL	168797	168822	120	2.50 x 4.88 x 6.50	16.75 x 21.00 x 33.75	6.87	43.00	720	1	6	42.00 x 50.28 x 33.75
16862-5	100A/WL	168629	168624	12	2.50 x 4.88 x 6.50	10.38 x 15.38 x 7.00	0.65	4.25	1008	7	84	41.52 x 46.14 x 49.00
16740-3	100A/WL	168629	167405	24	2.50 x 4.88 x 6.50	10.38 x 15.38 x 13.50	1.25	9.00	864	3	36	41.52 x 46.14 x 40.50
16864-1	100A/WL	168629	168648	120	2.50 x 4.88 x 6.50	16.75 x 21.00 x 33.75	6.87	43.00	720	1	6	42.00 x 50.25 x 33.75
<b>A-21</b>												
16866-6	150A/WL	168667	168662	12	2.75 x 2.75 x 5.44	9.25 x 11.69 x 5.81	0.36	1.90	1536	8	128	37.00 x 46.76 x 46.46
16867-4	200A/WL	168674	168679	6	2.75 x 2.75 x 5.44	6.50 x 9.06 x 5.81	0.20	1.40	1440	8	240	39.00 x 45.30 x 46.48
<b>A-21—3-Way Wattages</b>												
16947-4	30/100A/WL	169473	169478	12	2.75 x 2.75 x 5.44	9.25 x 11.69 x 5.81	0.36	1.90	1536	8	128	37.00 x 46.76 x 46.46
16948-2	50/150A/WL	169480	169485	12	2.75 x 2.75 x 5.44	9.25 x 11.69 x 5.81	0.36	1.92	1536	8	128	37.00 x 46.76 x 46.46
16956-5	50/150A/WL	169565	169560	12	2.81 x 4.25 x 5.57	12.06 x 13.06 x 6.13	0.56	3.00	1152	8	96	39.19 x 48.23 x 49.05
16953-2	50/150A/WL	169534	169539	4	2.75 x 8.25 x 5.44	9.06 x 11.88 x 6.13	0.38	2.00	512	8	128	36.24 x 47.52 x 49.04
16949-0	50/250A/WL	169497	169492	12	2.75 x 2.75 x 5.44	9.25 x 11.69 x 5.81	0.36	1.90	1536	8	128	37.00 x 46.76 x 46.46

# DuraMax<sup>®</sup> Reflectors

- **Lasts at Least One and a Half Years!**<sup>1</sup>
- **Available in Flood and Spot Versions** Use flood lights for general or ambient lighting; use spot lights to highlight artwork or architecture. Both are ideal for use in recessed cans or track lighting fixtures
- **Full Family of Products** Available in a variety of sizes and wattages



## Philips DuraMax<sup>®</sup> Reflectors

Electrical and Technical Data (Subject to change without notice)

Philips Product Number	Product Description	Bulb Finish	Nominal Watts	Bulb Type	Base Type	Volts	Lumens	Rated Avg Life (Hrs.) <sup>2</sup>	M.O.L (In.)	Operating Position
<b>R-20</b>										
16753-6	30R20/LL 120V 12/1 TP	Frost	30	R-20	Med.	120	205	2500	3 1/8	Any
16755-1	50R20/LL 120V 12/1 TP	Frost	50	R-20	Med.	120	385	2500	3 1/8	Any
16763-5	75R20/LL 120V 12/1 TP	Frost	75	R-20	Med.	120	570	2500	3 1/8	Base Up to Horizontal
<b>BR-30</b>										
16751-0	45BR30/FL/LL 120V 12/1 TP	Frost	45	BR-30	Med.	120	340	2500	5%	Base Up to Horizontal
16768-4	65BR30/FL/55/LL 120V 12/1	Frost	65	BR-30	Med.	120	595	2500	5%	Base Up to Horizontal
16692-6	65BR30/FL55/LL 120V 6/2PK	Frost	65	BR-30	Med.	120	595	2500	5%	Base Up to Horizontal
14481-6	65BR30/FL55/LL 3/2	Frost	65	BR-30	Med.	120	595	2500	5%	Base Up to Horizontal
13835-4	65BR30/FL55/LL 120V 6/1	Frost	65	BR-30	Med.	120	595	2500	5%	Base Up to Horizontal
16769-2	65BR30/SP20/LL 120V 12/1 TP	Frost	65	BR-30	Med.	120	610	2500	5%	Base Up to Horizontal
13796-7	85BR30/FL/LL 120V 12/1 TP	Frost	85	BR-30	Med.	120	855	2500	5%	Base Up to Horizontal
16767-6	85BR30/SP20/LL 120V 6/1	Frost	85	BR-30	Med.	120	865	2500	5%	Base Up to Horizontal
16766-8	85BR30/FL55/LL 120V 6/1 TP	Frost	85	BR-30	Med.	120	855	2500	5%	Base Up to Horizontal
<b>BR-30 Case Pack</b>										
16773-4	65BR30/FL55/LL 120V 96/1 TP	Frost	65	BR-30	Med.	120	595	2500	5%	Base Up to Horizontal
<b>BR-30 3-Pack</b>										
16771-8	65BR30/FL55/LL 120V 4/3	Frost	65	BR-30	Med.	120	595	2500	5%	Base Up to Horizontal
<b>BR-40</b>										
16741-1	65BR/FL60/LL 120V 8/1 TP	Frost	65	BR-40	Med.	120	630	2500	6 1/2	Base Up to Horizontal
13927-9	65BR/FL60/LL 120V 4/2 TP	Frost	65	BR-40	Med.	120	630	2500	6 1/2	Base Up to Horizontal
16785-8	85BR/FL60/LL 120V 8/1 TP	Frost	85	BR-40	Med.	120	900	2500	6 1/2	Base Up to Horizontal
16781-7	120BR/SP20/LL 120V 8/1	Frost	120	BR-40	Med.	120	1225	2500	6 1/2	Base Up to Horizontal
16779-1	120BR/FL60/LL 120V 8/1 TP	Frost	120	BR-40	Med.	120	1285	2500	6 1/2	Base Up to Horizontal

1) Based on an average of hours usage per day/7 days per week. Hours differ between products, and there are exceptions. See individual products for details.  
 2) Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.





## Philips DuraMax® Reflectors

Ordering and Shipping Data (Subject to change without notice)

Product Number	Philips Product Description	UPC Code (0 46677-)	Case Bar Code (5 00 46677-)	Case Qty.	SKU Dimensions (W x D x H)(In.)	Case Dimensions (W x D x H)(In.)	Case Cube (cu.ft.)	Case Weight (lbs.)	SKUs per Pallet	No. of Layers	Case per Pallet	Pallet Dimensions (W x D x H)(In.)
<b>R-20</b>												
16753-6	30R20/LL	167530	167535	12	2.38 x 2.38 x 4.13	7.88 x 10.63 x 4.38	0.21	1.35	2904	11	242	39.77 x 47.28 x 48.18
16755-1	50R20/LL	167554	167559	12	2.38 x 2.38 x 4.13	7.88 x 10.63 x 4.38	0.21	1.35	2904	11	242	39.77 x 47.28 x 48.18
16763-5	75R20/LL	167639	167634	12	2.38 x 2.38 x 4.13	7.88 x 10.63 x 4.38	0.21	1.35	2904	11	242	39.77 x 47.28 x 48.18
<b>BR-30</b>												
16751-0	45BR30/FL/LL	167516	167511	12	3.63 x 3.63 x 5.38	11.94 x 15.06 x 5.81	0.60	3.00	1056	8	88	42.06 x 47.75 x 54.54
16768-4	65BR30/FL/55/LL	167684	167689	12	3.63 x 3.63 x 5.38	11.44 x 14.94 x 6.13	0.60	3.00	1056	8	88	41.32 x 45.76 x 49.04
16692-6	65BR30/FL55/LL	166922	166927	6	3.63 x 7.25 x 5.38	11.44 x 14.94 x 6.13	0.60	3.00	528	8	88	41.32 x 45.76 x 49.04
14481-6	65BR30/FL55/LL	166922	144819	3	3.63 x 7.25 x 5.38	8.13 x 11.50 x 5.81	0.31	1.00	480	8	160	40.65 x 46.00 x 46.48
13835-4	65BR30/FL55/LL	167684	138351	6	3.63 x 3.63 x 5.38	8.13 x 11.50 x 5.81	0.31	1.00	960	8	160	40.65 x 46.00 x 46.48
16769-2	65BR30/SP20/LL	167691	167696	12	3.63 x 3.63 x 5.38	11.94 x 15.06 x 5.81	0.60	3.00	1056	8	88	42.06 x 47.75 x 54.54
13796-7	85BR30/FL/LL	167660	137965	12	3.63 x 3.63 x 3.63	11.94 x 15.06 x 5.81	0.61	3.00	1056	8	88	42.06 x 47.75 x 46.48
16767-6	85BR30/SP20/LL	167677	167672	6	3.63 x 3.63 x 5.38	7.69 x 11.44 x 6.13	0.31	1.00	960	8	160	38.45 x 45.76 x 49.04
16766-8	85BR30/FL55/LL	167660	167665	6	3.63 x 3.63 x 5.38	8.13 x 11.50 x 5.81	0.31	1.00	960	8	160	40.65 x 46.00 x 46.48
<b>BR-30 Case Pack</b>												
16773-4	65BR30/FL55/LL	167684	167733	96	3.63 x 3.63 x 5.38	15.69 x 22.94 x 22.88	4.76	23.75	960	2	10	38.63 x 47.07 x 45.76
<b>BR-30 3-Pack</b>												
16771-8	65BR30/FL55/LL	167745	167719	4	3.63 x 10.88 x 5.38	11.44 x 14.94 x 6.13	0.61	3.00	352	8	88	41.31 x 45.75 x 49.00
<b>BR-40</b>												
16741-1	65BR/FL60/LL	167820	167412	8	5.13 x 5.13 x 7.00	11.19 x 21.31 x 7.38	1.01	3.00	288	6	36	33.57 x 42.26 x 44.28
13927-9	65BR/FL60/LL	139278	139273	4	4.75 x 10.00 x 4.75	10.81 x 19.66 x 5.25	0.63	6.64	288	9	72	39.25 x 43.25 x 47.25
16785-8	85BR/FL60/LL	167851	167856	8	5.13 x 5.13 x 5.75	11.19 x 21.31 x 7.38	1.02	3.00	288	6	36	33.57 x 42.26 x 44.28
16781-7	120BR/SP20/LL	167813	167818	8	5.13 x 5.13 x 7.00	11.00 x 21.31 x 7.69	1.04	3.00	384	6	48	42.62 x 44.00 x 46.14
16779-1	120BR/FL60/LL	167790	167795	8	5.13 x 5.13 x 5.75	11.19 x 21.31 x 7.38	1.01	3.00	288	6	36	33.57 x 42.26 x 44.28

# DuraMax® Fan Lights

- Lasts at Least One and a Half Years!<sup>1</sup>
- Adds a Decorative Touch to Ceiling Fan Fixtures  
Clear fan light bulbs add decorative sparkle, while white light bulbs provide a soft white glow
- Full Family of Products Available in clear or white in a variety of wattages



## Philips DuraMax® Sparkling Clear

Electrical and Technical Data (Subject to change without notice)

Philips Product Number	Product Description	Bulb Finish	Nominal Watts	Bulb Type	Base Type	Volts	Lumens	Rated Avg Life (Hrs.) <sup>2</sup>	M.O.L (In.)	Operating Position
<b>A-15</b>										
16934-2	BC40A15/FAN/CL/LL 6/2	Clear	40	A-15	Med.	120	395	2000	3½	Any
16935-9	BC-40A15/FAN/W/LL 120V 6/2	White	40	A-15	Med.	120	365	2000	3½	Any
<b>B-13</b>										
13743-0	BC40B13/FAN/CL/LL 120V 6/2 TTP	Clear	40	B-13	Med.	120	300	2000	3½	Any
13744-8	BC40B13/FAN/W/LL 120V 6/2 TTP	White	40	B-13	Med.	120	245	2000	3½	Any
<b>A-15</b>										
16946-6	BC60A15/FAN/CL/LL 6/2	Clear	60	A-15	Med.	120	630	2000	3½	Any
16945-8	BC-60A15/FAN/W/LL 6/2	White	60	A-15	Med.	120	570	2000	3½	Any
14533-4	CS-BC60A15/FANW/LL 120V 12/2	White	60	A-15	Med.	120	570	2000	3½	Any
14532-6	CS-BC60A15/FANCL/LL 120V 12/2	Clear	60	A-15	Med.	120	630	2000	3½	Any
13746-3	BC60A15/FAN/CL/LL 120V 72/4TP	Clear	60	A-15	Med.	120	630	2000	3½	Any
13745-5	BC60A15/FAN/W/LL 120V 72/4 TP	White	60	A-15	Med.	120	570	2000	3½	Any

1) Based on an average of hours usage per day/7 days per week. Hours differ between products, and there are exceptions. See individual products for details.

2) Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.

## Philips DuraMax® Sparkling Clear

Ordering and Shipping Data (Subject to change without notice)

Product Number	Philips Product Description	UPC Code (0 46677-)	Case Bar Code (5 00 46677-)	Case Qty.	SKU Dimensions (W x D x H)(In.)	Case Dimensions (W x D x H)(In.)	Case Cube (cu.ft.)	Case Weight (lbs.)	SKUs per Pallet	No. of Layers	Case per Pallet	Pallet Dimensions (W x D x H)(In.)
<b>A-15</b>												
16934-2	BC40A15/FAN/CL/LL	169251	169348	6	2.00 x 5.38 x 7.00	6.75 x 11.13 x 7.75	0.34	1.00	864	6	144	40.50 x 44.52 x 46.50
16935-9	BC40A15/FAN/W/LL	169268	169355	6	2.00 x 5.38 x 7.00	6.75 x 11.13 x 7.75	0.34	1.00	864	6	144	40.50 x 44.52 x 46.50
<b>B-13</b>												
13743-0	BC40B13/FAN/CL/LL	137434	137439	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
13744-8	BC40B13/FAN/W/LL	137441	137446	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
<b>A-15</b>												
16946-6	BC60A15/FANCL/LL	169466	169461	6	2.00 x 5.38 x 7.00	6.75 x 11.13 x 7.75	0.34	1.00	864	6	144	40.50 x 44.52 x 46.50
16945-8	BC60A15/FAN/W/LL	169459	169454	6	2.00 x 5.38 x 7.00	6.75 x 11.13 x 7.75	0.34	1.00	864	6	144	40.50 x 44.52 x 46.50
14533-4	CS-BC60A15/FANW/LL	169459	145335	12	2.00 x 5.38 x 7.00	7.81 x 29.38 x 5.94	0.79	2.95	672	8	56	37.19 x 46.88 x 47.51
14532-6	CS-BC60A15/FANCL/LL	169466	145328	12	2.00 x 5.38 x 7.00	7.81 x 29.38 x 5.94	0.79	2.95	672	8	56	37.19 x 46.88 x 47.50
13746-3	60A15/FAN/CL/LL	137465	137460	72	2.00 x 9.85 x 6.58	22.25 x 27.00 x 21.63	7.52	31.00	288	2	4	27.00 x 44.50 x 43.26
13745-5	60A15/FAN/W/LL/LL	137458	137453	72	2.00 x 9.85 x 6.58	22.25 x 27.00 x 21.63	7.52	31.00	288	2	4	27.00 x 44.50 x 43.26

# DuraMax<sup>®</sup> Sparkling Clear

- Lasts at Least One Year!<sup>1</sup>
- Adds a Decorative Sparkle to Home Décor  
Use anywhere a decorative touch is desired
- Full Family of Products Available in a variety of wattages



## Philips DuraMax<sup>®</sup> Sparkling Clear Electrical and Technical Data (Subject to change without notice)

Philips Product Number	Product Description	Bulb Finish	Nominal Watts	Bulb Type	Base Type	Volts	Lumens	Rated Avg Life (Hrs.) <sup>2</sup>	M.O.L (In.)	Operating Position
<b>A-19</b>										
16797-2	40A/CL/LL 120V 12/2 TP	Clear	40	A-19	Med.	120	505	1500	4 $\frac{1}{16}$	Any
16794-0	60A/CL/LL 120V 12/2 TP	Clear	60	A-19	Med.	120	900	1500	4 $\frac{1}{16}$	Any
16801-3	75A/CL/LL 120V 12/2 TP	Clear	75	A-19	Med.	120	1080	1500	4 $\frac{1}{16}$	Any
15008-6	100A/CL/LL 120V 12/2 TP	Clear	100	A-19	Med.	120	1580	1500	4 $\frac{1}{16}$	Any
<b>A-21</b>										
15009-4	150A/CL/LL 120V 12/1 TP	Clear	150	A-21	Med.	120	2600	1500	5 $\frac{1}{16}$	Any

- 1) Based on an average of hours usage per day/7 days per week. Hours differ between products, and there are exceptions. See individual products for details.  
2) Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.

## Philips DuraMax<sup>®</sup> Sparkling Clear Ordering and Shipping Data (Subject to change without notice)

Product Number	Philips Product Description	UPC Code (0 46677-)	Case Bar Code (5 00 46677-)	Case Qty.	SKU Dimensions (W x D x H)(In.)	Case Dimensions (W x D x H)(In.)	Case Cube (cu.ft.)	Case Weight (lbs.)	SKUs per Pallet	No. of Layers	Case per Pallet	Pallet Dimensions (W x D x H)(In.)
<b>A-19</b>												
16797-2	40A/CL/LL	167974	167979	12	2.56 x 3.88 x 4.56	8.56 x 16.06 x 4.88	0.39	2.0	1680	10	140	41.74 x 48.18 x 48.80
16794-0	60A/CL/LL	167943	167948	12	2.56 x 3.88 x 4.56	8.56 x 16.06 x 4.88	0.39	2.0	1680	10	140	41.74 x 48.18 x 48.80
16801-3	75A/CL/LL	168018	168013	12	2.56 x 3.88 x 4.56	8.56 x 16.06 x 4.88	0.39	2.0	1680	10	140	41.74 x 48.18 x 48.80
15008-6	100A/CL/LL	167950	150087	12	2.56 x 3.88 x 4.56	8.56 x 16.06 x 4.88	0.39	2.0	1680	10	140	41.74 x 48.18 x 48.80
<b>A-21</b>												
15009-4	150A/CL/LL	167998	150094	12	2.75 x 2.75 x 5.44	9.25 x 11.69 x 5.81	0.36	1.9	1536	8	128	37.00 x 46.76 x 46.46

# DuraMax® Globes

- Lasts at Least Two Years!<sup>1)</sup>
- Adds a Decorative Touch to Vanity Strips and Hanging Light Fixtures Clear globes add decorative sparkle, while white globes emit soft white light
- Full Family of Products Available in clear and white, in a variety of sizes and wattages



## Philips DuraMax® Decorative Globes

Electrical and Technical Data (Subject to change without notice)

Philips Product Number	Product Description	Bulb Finish	Nominal Watts	Bulb Type	Base Type	Volts	Lumens	Rated Avg Life (Hrs.) <sup>2)</sup>	M.O.L (In.)	Operating Position
<b>G-25 Vanity Globe</b>										
16887-2	25G25/CL/LL 120V 12/I TP	Clear	25	G-25	Med.	120	235	2000	4.44	Any
16748-6	25G25/W/LL 120V 12/I TP	White	25	G-25	Med.	120	210	2000	4.44	Any
16747-8	40G25/CL/LL 120V 12/I TP	Clear	40	G-25	Med.	120	460	2000	4.44	Any
16746-0	40G25/W/LL 120V 12/I TP	White	40	G-25	Med.	120	415	2000	4.44	Any
16896-2	60G25/CL/LL 120V 12/I TP	Clear	60	G-25	Med.	120	775	2000	4.44	Any
16749-4	60G25/W/LL 120V 12/I TP	White	60	G-25	Med.	120	700	2000	4.44	Any
134239	100G25/W/LL 120V 12/I TP	White	100	G-25	Med.	120	1180	2000	4.44	Any
<b>G-25 Vanity Globe 3 Packs</b>										
16901-1	25G25/CL/LL 120V 4/3	Clear	25	G-25	Med.	120	235	2000	4.44	Any
16902-9	25G25/W/LL 120V 4/3	White	25	G-25	Med.	120	210	2000	4.44	Any
16903-7	40G25/CL/LL 120V 4/3	Clear	40	G-25	Med.	120	460	2000	4.44	Any
16904-5	40G25/W/LL 120V 4/3	White	40	G-25	Med.	120	415	2000	4.44	Any
16899-6	60G25/CL/LL 120V 4/3	Clear	60	G-25	Med.	120	775	2000	4.44	Any
16900-3	60G25/W/LL 120V 4/3	White	60	G-25	Med.	120	700	2000	4.44	Any
<b>G-16½ Globe</b>										
16847-6	BC25G16-1/2C/W/LL 120V 6/2TP	White	25	G-16½	Cand.	120	165	2000	3.00	Base Down to Horizontal
16845-0	BC25G16-1/2C/CL/LL 120V 6/2TP	Clear	25	G-16½	Cand.	120	200	2000	3.00	Base Down to Horizontal
13534-3	BC25G16-1/2/W/LL 120V 6/2 TP	White	25	G-16½	Med.	120	160	2000	2.75	Base Down to Horizontal
13535-0	BC25G16-1/2/CL/LL 120V 6/2 TP	Clear	25	G-16½	Med.	120	180	2000	2.75	Base Down to Horizontal
16848-4	BC40G16-1/2C/W/LL 120V 6/2 TP	White	40	G-16½	Cand.	120	245	2000	3.00	Base Down to Horizontal
16846-8	BC40G16-1/2C/CL/LL 120V 6/2TP	Clear	40	G-16½	Cand.	120	300	2000	3.00	Base Down to Horizontal
13536-8	BC40G16-1/2W/LL 120V 6/2 TP	White	40	G-16½	Med.	120	270	2000	2.75	Base Down to Horizontal
13537-6	BC40G16-1/2/CL/LL 120V 6/2 TP	Clear	40	G-16½	Med.	120	300	2000	2.75	Base Down to Horizontal
16700-7	BC60G16-1/2C/W/LL 120V 6/2 TP	White	60	G-16½	Cand.	120	450	2000	3.00	Base Down to Horizontal
16699-0	BC60G16-1/2C/CL/LL 120V 6/2TP	Clear	60	G-16½	Cand.	120	540	2000	3.00	Base Down to Horizontal
13538-4	BC60G16-1/2/CL/LL 120V 6/2 TP	Clear	60	G-16½	Med.	120	540	2000	2.75	Base Down to Horizontal
<b>G-30 Globe</b>										
16849-2	60G30/W/LL 120V 6/1 TP	White	60	G-30	Med.	120	580	3000	5.50	Any
16850-0	100G30/W/LL 120V 6/1	White	100	G-30	Med.	120	945	3000	5.50	Any
<b>G-40 Globe</b>										
16857-5	40G40/CL/LL 120V 6/1 TP	Clear	40	G-40	Med.	120	372	3000	6.94	Any
16858-3	40G40/W/LL 120V 6/1 TP	White	40	G-40	Med.	120	335	3000	6.94	Any
16852-6	60G40/CL/LL 120V 6/1 TP	Clear	60	G-40	Med.	120	665	3000	6.94	Any
16851-8	60G40/4W/LL 6/1 TP	White	60	G-40	Med.	120	595	3000	6.94	Any
16859-1	100G40/CL/LL 120V 6/1 TP	Clear	100	G-40	Med.	120	1100	3000	6.94	Any
16853-4	100G40/W/LL 120V 6/1 TP	White	100	G-40	Med.	120	985	3000	6.94	Any
16854-2	150G40/W/LL 120V 6/1 TP	White	150	G-40	Med.	120	1770	3000	6.94	Any

1) Based on an average of hours usage per day/7 days per week. Hours differ between products, and there are exceptions. See individual products for details.

2) Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.



## Philips DuraMax® Decorative Globes

Ordering and Shipping Data (Subject to change without notice)

Product Number	Philips Product Description	UPC Code (0 46677-)	Case Bar Code (5 00 46677-)	Case Qty.	SKU Dimensions (W x D x H)(In.)	Case Dimensions (W x D x H)(In.)	Case Cube (cu.ft.)	Case Weight (lbs.)	SKUs per Pallet	No. of Layers	Case per Pallet	Pallet Dimensions (W x D x H)(In.)
<b>G-25 Vanity Globe</b>												
16887-2	25G25/CL/LL	168872	168877	12	3.13 x 3.13 x 4.25	10.19 x 13.06 x 4.69	0.36	2.00	1440	10	120	39.18 x 49.70 x 49.40
16748-6	25G25/W/LL	167486	167481	12	3.13 x 3.13 x 4.25	10.19 x 13.06 x 4.69	0.36	2.00	1440	10	120	39.18 x 40.76 x 46.90
16747-8	40G25/CL/LL	167479	167474	12	3.13 x 3.13 x 4.25	10.19 x 13.06 x 4.69	0.36	2.00	1440	10	120	39.18 x 40.76 x 46.90
16746-0	40G25/W/LL	167462	167467	12	3.13 x 3.13 x 4.25	10.19 x 13.06 x 4.69	0.36	2.00	1440	10	120	39.18 x 40.76 x 46.90
16896-2	60G25/CL/LL	168964	168969	12	3.13 x 3.13 x 4.25	10.19 x 13.06 x 4.69	0.36	2.00	1440	10	120	39.18 x 49.70 x 49.40
16749-4	60G25/W/LL	167493	167498	12	3.13 x 3.13 x 4.25	10.19 x 13.06 x 4.69	0.36	2.00	1440	10	120	39.18 x 40.76 x 46.90
13423-9	100G25/W/LL	134235	134230	12	3.13 x 3.13 x 4.25	10.19 x 13.06 x 4.69	0.36	2.00	1440	10	120	39.18 x 40.76 x 46.90
<b>G-25 Vanity Globe 3-Packs</b>												
16901-1	25G25/CL/LL	169015	169010	4	3.13 x 9.50 x 4.25	9.94 x 13.06 x 4.94	0.37	2.00	600	10	150	39.18 x 49.7 x 49.40
16902-9	25G25/W/LL	169022	169027	4	3.13 x 9.50 x 4.25	9.94 x 13.06 x 4.94	0.37	2.00	600	10	150	39.18 x 49.7 x 49.40
16903-7	40G25/CL/LL	169084	169034	4	3.13 x 9.50 x 4.25	9.94 x 13.06 x 4.94	0.37	2.00	600	10	150	39.18 x 49.7 x 49.40
16904-5	40G25/W/LL	169107	169041	4	3.13 x 9.50 x 4.25	9.94 x 13.06 x 4.94	0.37	2.00	600	10	150	39.18 x 49.7 x 49.40
16899-6	60G25/CL/LL	169145	168990	4	3.13 x 9.50 x 4.25	9.94 x 13.06 x 4.94	0.37	2.00	600	10	150	39.18 x 49.7 x 49.40
16900-3	60G25/W/LL	169169	169003	4	3.13 x 9.50 x 4.25	9.94 x 13.06 x 4.94	0.37	2.00	600	10	150	39.18 x 49.7 x 49.40
<b>G-16½ Globe</b>												
16847-6	BC25G16-1/2/C/W/LL	168476	168471	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16845-0	BC25G16-1/2/C/CL/LL	168452	168457	6	1.75 x 4.00 x 7.00	4.40 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
13534-3	BC25G16-1/2/W	135348	135343	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
13535-0	BC25G16-1/2	135355	135350	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16848-4	BC40G16-1/2C/W/LL	168483	168488	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16846-8	BC40G16-1/2C/CL/LL	168469	168464	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	864	6	156	39.38 x 45.57 x 44.28
13536-8	BC40G16-1/2W	135362	135367	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
13537-6	BC40G16-1/2	135379	135374	6	2.13 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16700-7	BC60G16-1/2C/W/LL	167004	167009	6	3.13 x 4.00 x 1.75	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16699-0	BC60G16-1/2C/CL/LL	166991	166996	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
13538-4	BC60G16-1/2	135386	135381	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
<b>G-30 Globe</b>												
16849-2	60G30/W/LL	168490	168495	6	3.94 x 3.94 x 4.88	8.69 x 12.44 x 5.25	0.33	1.02	864	9	144	34.75 x 49.75 x 47.25
16850-0	100G30/W/LL	168506	168501	6	3.94 x 3.94 x 4.88	8.69 x 12.44 x 5.25	0.33	1.02	864	9	144	34.75 x 49.75 x 47.25
<b>G-40 Globe</b>												
16857-5	40G40/CL/LL	168575	168570	6	5.13 x 5.13 x 5.75	11.19 x 16.19 x 6.06	0.64	1.50	378	7	63	38.56 x 43.56 x 42.44
16858-3	40G40/W/LL	168582	168587	6	5.13 x 5.13 x 5.75	11.19 x 16.19 x 6.06	0.64	1.50	378	7	63	38.56 x 43.56 x 42.44
16852-6	60G40/CL/LL	168520	168525	6	5.13 x 5.13 x 5.75	11.19 x 16.19 x 6.06	0.64	1.50	378	7	63	38.56 x 43.56 x 42.44
16851-8	60G40/4W/LL	168513	168518	6	5.13 x 5.13 x 5.75	11.19 x 16.19 x 6.06	0.64	1.50	378	7	63	38.56 x 43.56 x 42.44
16859-1	100G40/CL/LL	168599	168594	6	5.13 x 5.13 x 5.75	11.19 x 16.19 x 6.06	0.64	1.50	378	7	63	38.56 x 43.56 x 42.44
16853-4	100G40/W/LL	168537	168532	6	5.13 x 5.13 x 5.75	11.19 x 16.19 x 6.06	0.64	1.50	378	7	63	38.56 x 43.56 x 42.44
16854-2	150G40/W/LL	168544	168549	6	5.13 x 5.13 x 5.75	11.19 x 16.19 x 6.06	0.64	1.50	378	7	63	38.56 x 43.56 x 42.44

# DuraMax<sup>®</sup> Decorative

- Lasts at Least One Year!<sup>1</sup>
- Full Family of Products Available in a variety of shapes, sizes, wattages and finishes

- Adds a Pleasant Touch to Home Décor
  - Clear light bulbs provide decorative sparkle
  - Frosted light bulbs add a soft glow
  - Iridescent and amber light bulbs add a dash of shimmer and color
  - White light bulbs provide a soft white glow

## Philips DuraMax<sup>®</sup> Decorative

Electrical and Technical Data (Subject to change without notice)

Philips Product Number	Product Description	Bulb Finish	Nominal Watts	Bulb Type	Base Type	Volts	Lumens	Rated Avg Life (Hrs.) <sup>2</sup>	M.O.L (In.)	Operating Position
<b>BA9</b>										
16811-2	BC15BA9C/LL 120V 6/2	Clear	15	BA-9	Cand.	120	110	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16696-6	BC15BA9C/CL/LL 120V 6/4 TP	Clear	15	BA-9	Cand.	120	110	2000	3 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16810-4	BC25BA9C/FLL 120V 6/2	Frost	25	BA-9	Cand.	120	145	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16806-2	BC25BA9C/LL 120V 6/2	Clear	25	BA-9	Cand.	120	150	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16719-7	BC25BA9C/CL/LL 6/4	Clear	25	BA-9	Cand.	120	150	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16809-6	BC40BA9C/3FLL 120V 6/2	Frost	40	BA-9	Cand.	120	295	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16807-0	BC40BA9C/LL 120V 6/2	Clear	40	BA-9	Cand.	120	300	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16720-5	BC40BA9C/CL/LL 6/4	Clear	40	BA-9	Cand.	120	300	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16808-8	BC60BA9C/LL 120V 6/2	Clear	60	BA-9	Cand.	120	550	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16805-4	BC60BA9C/3FLL 120V 6/2	Frost	60	BA-9	Cand.	120	545	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16721-3	BC60BA9C/CL/LL 6/4	Clear	60	BA-9	Cand.	120	550	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
<b>BA9<sup>1</sup>/<sub>2</sub></b>										
14480-8	BC25BA9-1/2/CL/LL 120V 6/4 TP	Clear	25	BA-9 <sup>1</sup> / <sub>2</sub>	Med.	120	150	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16819-5	BC25BA9-1/2/CL/LL 120V 6/2	Clear	25	BA-9 <sup>1</sup> / <sub>2</sub>	Med.	120	150	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16821-1	BC40BA9-1/2/F/LL 120V 6/2 TP	Frost	40	BA-9 <sup>1</sup> / <sub>2</sub>	Med.	120	295	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16820-3	BC40BA9-1/2/CL/LL 6/2 TP	Clear	40	BA-9 <sup>1</sup> / <sub>2</sub>	Med.	120	300	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16760-1	BC40BA9-1/2/CL/LL 120V 6/4	Clear	40	BA-9 <sup>1</sup> / <sub>2</sub>	Med.	120	300	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16823-7	BC60BA9-1/2/F/LL 6/2	Frost	60	BA-9 <sup>1</sup> / <sub>2</sub>	Med.	120	545	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16822-9	BC60BA9-1/2/CL/LL 6/2 TP	Clear	60	BA-9 <sup>1</sup> / <sub>2</sub>	Med.	120	550	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
<b>B10<sup>1</sup>/<sub>2</sub></b>										
16824-5	BC25B10-1/2C/CL/LL 120V 6/2TP	Clear	25	B-10 <sup>1</sup> / <sub>2</sub>	Cand.	120	150	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16825-2	BC40B10-1/2C/CL/LL 120V 6/2TP	Clear	40	B-10 <sup>1</sup> / <sub>2</sub>	Cand.	120	300	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
15030-0	BC40B10-1/2C/CL/LL 120V 6/4TP	Clear	40	B-10 <sup>1</sup> / <sub>2</sub>	Cand.	120	300	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16826-0	BC60B10-1/2C/CL/LL 120V 6/2TP	Clear	60	B-10 <sup>1</sup> / <sub>2</sub>	Cand.	120	550	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
<b>B13</b>										
16827-8	BC25B13/CL/LL 120V 6/2 TP	Clear	25	B-13	Med.	120	150	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16828-6	BC40B13/CL/LL 120V 6/2 TP	Clear	40	B-13	Med.	120	300	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16829-4	BC60B13/CL/LL 120V 6/2	Clear	60	B-13	Med.	120	550	2000	4 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
<b>F10</b>										
16831-0	BC15F10C/A/LL 120V 6/2	Amber	15	F-10	Cand.	120	—	2000	3 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16830-2	BC15F10/CL/LL 120V 6/2 TP	Clear	15	F-10	Cand.	120	95	2000	3 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
16832-8	BC25F10C/LL 120V 6/2	Clear	25	F-10	Cand.	120	105	2000	3 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
<b>F15</b>										
16841-9	BC25F15/A/LL 120 6/2	Amber	25	F-15	Med.	120	130	2000	4 <sup>1</sup> / <sub>2</sub>	Base Down to Horizontal
16840-1	BC25F15/W/LL 120V 6/2 TP	White	25	F-15	Med.	120	120	2000	4 <sup>1</sup> / <sub>2</sub>	Base Down to Horizontal
16839-3	BC25F15/IR/LL 120V 6/2 TP	Iridescent	25	F-15	Med.	120	150	2000	4 <sup>1</sup> / <sub>2</sub>	Base Down to Horizontal
16833-6	BC25F15/CL/LL 120V 6/2 TP	Clear	25	F-15	Med.	120	150	2000	4 <sup>1</sup> / <sub>2</sub>	Base Down to Horizontal
16838-5	BC40F15/W/LL 120V 6/2 TP	White	40	F-15	Med.	120	300	2000	4 <sup>1</sup> / <sub>2</sub>	Base Down to Horizontal
16837-7	BC40F15/IR/LL 120V 6/2 TP	Iridescent	40	F-15	Med.	120	370	2000	4 <sup>1</sup> / <sub>2</sub>	Base Down to Horizontal
16835-1	BC40F15/CL/LL 120V 6/2 TP	Clear	40	F-15	Med.	120	385	2000	4 <sup>1</sup> / <sub>2</sub>	Base Down to Horizontal
16842-7	BC60F15/CL/LL 6/2 TP	Clear	60	F-15	Med.	120	630	2000	4 <sup>1</sup> / <sub>2</sub>	Base Down to Horizontal
<b>F20</b>										
16844-3	I00F20/POSTLT/CL/LL 6/1 TP	Clear	100	F-20	Med.	120	1250	4000	5 <sup>3</sup> / <sub>16</sub>	Base Down to Horizontal
<b>G16<sup>1</sup>/<sub>2</sub></b>										
16847-6	BC25G16-1/2C/W/LL 120V 6/2 TP	White	25	G-16 <sup>1</sup> / <sub>2</sub>	Cand.	120	165	2000	3	Base Down to Horizontal
16845-0	BC25G16-1/2C/CL/LL 120V 6/2TP	Clear	25	G-16 <sup>1</sup> / <sub>2</sub>	Cand.	120	200	2000	3	Base Down to Horizontal
16848-4	BC40G16-1/2C/W/LL 120V 6/2 TP	White	40	G-16 <sup>1</sup> / <sub>2</sub>	Cand.	120	245	2000	3	Base Down to Horizontal
16846-8	BC40G16-1/2C/CL/LL 120V 6/2TP	Clear	40	G-16 <sup>1</sup> / <sub>2</sub>	Cand.	120	300	2000	3	Base Down to Horizontal
16700-7	BC60G16-1/2C/W/LL 120V 6/2 TP	White	60	G-16 <sup>1</sup> / <sub>2</sub>	Cand.	120	450	2000	3	Base Down to Horizontal
16699-0	BC60G16-1/2C/CL/LL 120V 6/2TP	Clear	60	G-16 <sup>1</sup> / <sub>2</sub>	Cand.	120	540	2000	3	Base Down to Horizontal

1) Based on an average of hours usage per day/7 days per week. Hours differ between products, and there are exceptions. See individual products for details.

2) Rated average life is the length of operation (in hours) at which point an average of 50% of the lamps will still be operational and 50% will not.



**Philips DuraMax® Decorative**  
**Ordering and Shipping Data** (Subject to change without notice)

Product Number	Philips Product Description	UPC Code (0 46677-)	Case Bar Code (5 00 46677-)	Case Qty.	SKU Dimensions (W x D x H)(In.)	Case Dimensions (W x D x H)(In.)	Case Cube (cu.ft.)	Case Weight (lbs.)	SKUs per Pallet	No. of Layers	Case per Pallet	Pallet Dimensions (W x D x H)(In.)
<b>BA9</b>												
16811-2	BC15BA9C/LL	168117	168112	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16696-6	BC15BA/C/CL/LL	166960	166965	6	1.38 x 6.38 x 7.00	6.88 x 10.50 x 7.44	0.31	1.25	792	6	132	38.02 x 42.00 x 44.64
16810-4	BC25BA9C/FLL	168100	168105	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16806-2	BC25BA9C/LL	168063	168068	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16719-7	BC25BA9C/CL/LL	168025	167191	6	1.38 x 6.38 x 7.00	6.75 x 8.88 x 7.69	0.27	1.00	1080	6	180	40.50 x 44.40 x 46.14
16809-6	BC40BA9C/3FLL	168094	168099	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16807-0	BC40BA9C/LL	168070	168075	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16720-5	BC40BA9C/CL/LL	168032	167207	6	1.38 x 6.38 x 7.00	6.75 x 8.88 x 7.69	0.27	1.00	1080	6	180	40.50 x 44.40 x 46.14
16808-8	BC60BA9C/LL	168087	168082	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16805-4	BC60BA9C/3FLL	168056	168051	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16721-3	BC60BA9C/CL/LL	168049	167214	6	1.38 x 6.38 x 7.00	6.75 x 8.80 x 7.69	0.26	1.00	1080	6	180	40.50 x 44.40 x 46.14
<b>BA9½</b>												
14480-8	BC25BA9-1/2/CL/LL	144807	144802	6	1.38 x 6.38 x 7.00	6.88 x 10.50 x 7.44	0.31	1.25	792	6	132	38.02 x 42.00 x 44.64
16819-5	BC25BA9-1/2/CL/LL	168193	168198	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16821-1	BC40BA9-1/2/F/LL	168216	168211	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
16820-3	BC40BA9-1/2/CL/LL	168209	168204	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
16760-1	BC40BA9-1/2/CL/LL	167608	167603	6	1.38 x 6.38 x 7.00	6.75 x 8.88 x 7.69	0.27	1.00	1152	6	192	40.50 x 44.40 x 46.14
16823-7	BC60BA9-1/2/F/LL	168230	168235	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16822-9	BC60BA9-1/2/CL/LL	168223	168228	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
<b>B10½</b>												
16824-5	BC25B10-1/2/CL/LL	168247	168242	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
16825-2	BC40B10-1/2/CL/LL	168254	168259	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
15030-0	BC40B10-1/2C/CL/LL 120V 6/4TP	150303	150308	6	1.38 x 6.38 x 7.88	6.75 x 8.88 x 7.69	0.27	1.00	1080	6	180	40.50 x 44.40 x 46.14
16826-0	BC60B10-1/2/CL/LL	168261	168266	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
<b>B13</b>												
16827-8	BC25B13/CL/LL	168278	168273	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
16828-6	BC40B13/CL/LL	168285	168280	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
16829-4	BC60B13/C/LL	168292	168297	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 43.50
<b>F10</b>												
16831-0	BC15F10C/A/LL	168315	168310	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
16830-2	BC15F10C/CL/LL	168308	168303	6	0.88 x 4.00 x 7.00	4.50 x 10.69 x 7.25	0.20	1.00	1152	6	192	36.00 x 42.76 x 44.64
16832-8	BC25F10C/LL	168322	168327	6	1.38 x 4.00 x 7.00	4.75 x 10.56 x 7.44	0.22	1.00	1152	6	192	38.00 x 42.24 x 44.64
<b>F15</b>												
16841-9	BC25F15/A/LL	168414	168419	6	2.00 x 5.38 x 7.00	6.13 x 14.81 x 7.44	0.39	1.80	648	6	108	36.78 x 44.43 x 44.64
16840-1	BC25F15/W/LL	168407	168402	6	2.00 x 5.38 x 7.00	6.06 x 15.13 x 7.50	0.40	1.80	648	1	108	36.38 x 45.38 x 45.00
16839-3	BC25F15/IR/LL	168391	168396	6	2.00 x 5.38 x 7.00	6.06 x 15.13 x 7.50	0.40	1.80	648	6	108	36.38 x 45.38 x 45.00
16833-6	BC25F15/CL/LL	168339	168334	6	2.00 x 5.38 x 7.00	6.06 x 15.13 x 7.50	0.40	1.80	684	6	114	39.37 x 45.39 x 45.00
16838-5	BC40F15/W/LL	168384	168389	6	2.00 x 5.38 x 7.00	6.06 x 15.13 x 7.50	0.40	1.80	684	6	114	39.37 x 45.39 x 45.00
16837-7	BC40F15/IR/LL	168377	168372	6	2.00 x 5.38 x 7.00	6.06 x 15.13 x 7.50	0.40	1.80	648	6	108	36.38 x 45.38 x 45.00
16835-1	BC40F15/CL/LL	168353	168358	6	2.00 x 5.38 x 7.00	6.06 x 15.13 x 7.50	0.40	1.80	648	6	108	36.38 x 45.38 x 45.00
16842-7	BC60F15/CL/LL	168421	168426	6	2.00 x 5.38 x 7.00	6.06 x 15.13 x 7.50	0.40	1.80	684	6	114	39.37 x 45.39 x 45.00
<b>F20</b>												
16844-3	100F20/POSTLT/CL/LL	168445	168440	6	2.88 x 2.88 x 6.38	6.69 x 9.50 x 6.75	0.25	1.00	1176	7	196	38.00 x 46.83 x 47.25
<b>G16½</b>												
16847-6	BC25G16-1/2/C/W/LL	168476	168471	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16845-0	BC25G16-1/2/C/CL/LL	168452	168457	6	1.75 x 4.00 x 7.00	4.40 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16848-4	BC40G16-1/2C/W/LL	168483	168488	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16846-8	BC40G16-1/2C/CL/LL	168469	168464	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	864	6	156	39.38 x 45.57 x 44.28
16700-7	BC60G16-1/2C/W/LL	167004	167009	6	3.13 x 4.00 x 1.75	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28
16699-0	BC60G16-1/2C/CL/LL	166991	166996	6	1.75 x 4.00 x 7.00	4.50 x 15.19 x 7.38	0.29	1.08	936	6	156	39.38 x 45.57 x 44.28



[www.philips.com](http://www.philips.com)

Philips Lighting Company 200 Franklin Square Drive P.O. Box 6800 Somerset, NJ 08875-6800 1-800-555-0050 A Division of Philips Electronics North America Corporation

Philips Lighting 281 Hillmount Road Markham, Ontario Canada L6C 2S3 1-800-555-0050 A Division of Philips Electronics Ltd.

P-849 I-A Printed in USA 07/06