

# emergency Lights



electrical accessories



## Emergency Flashlight/Night Light

75-047

### Features:

- LED flashlight with adjustable focus
- LED night light controlled by photocell.
- Emergency Power Failure Feature – LED lights stay on for up to 8 hours
- Uses 3 AAA rechargeable batteries (Included).

Packing: 12/Master



## Emergency Flashlight/Night Light

75-046

### Features:

- LED flashlight
- LED night light controlled by photocell.
- Emergency Power Failure Feature – LED lights stay on for up to 8 hours
- Uses 3 AAA rechargeable batteries (Included).

Packing: 12/Master



*Automatically lights*  
**WHEN POWER FAILS!**

## Power Failure & Automatic Night Light

76-529

7W bulb included

### Features:

- Replaceable 7W night light bulb.
- Separate On/Off switch for Power Failure Light.
- On at dusk/Off at dawn-photocell automatically controls night light.
- Replaceable emergency bulb.

Packing: 12/Master





led

# Specialty Lights

## LED Clip On Book Light

75-045

### Features:

- Uses 3 AAA batteries for up to 6 hours of use.
- Lights automatically when cover is lifted up.
- Narrow beam does not disturb others.

Packing: 12/Master



## LED Motion Sensing Utility Light

75-044

### Features:

- Built in photo Sensor – Light will only operate in darkness.
- Uses 3 AAA batteries.
- Velcro® mounting strips supplied.

Packing: 12/Master



Press the Color Button to select the color/mode:

- Steady Red, Green or Blue
- Fast color change
- Gradual color change



## LED Color Changing Clear Lens Night Light with Photo Cell

75-041

### Features:

- Life: 100,000 hours.
- On at dusk/Off at dawn–photocell automatically controls night light.
- Low power consumption: 0.8W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## LED Color Changing Window Night Light with Photo Cell

75-042

### Features:

- Life: 100,000 hours.
- On at dusk/Off at dawn–photocell automatically controls night light.
- Low power consumption: 0.8W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



electrical accessories



# Night Lights

## 75-043

LED Clear Prismatic Cylinder Night Light with Photo Cell

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-040

LED Multi Directional Night Light with Photo Cell

- Life: 100,000 hours
- Rotatable head directs light.
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-031

Sleeping Moon Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-032

Skyline Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-033

Flame Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



## 75-034

Light Bulb Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner





# night Lights

- Many Styles to choose from
- Full color selection
- Photo cell & manual controls
- Night light bulbs included
- U.L. listed
- Promotionally priced
- Attractively packaged on four color blister cards

Night lights with on/off switch include a 4 watt bulb	Night lights with photo cells include a 7 watt bulb
---	---



**75-023** Blue shell photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-024** Pink shell photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-022** Beige shell photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-021** White shell photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-019** Blue shell on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-020** Pink shell on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-018** Beige shell on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-017** White shell on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-010** Blue square on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-011** Pink square on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-009** Beige square on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-008** White square on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-015** Blue angled on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-016** Pink angled on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-014** Beige angled on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-013** White angled on/off switch 1/Card  
Packing: 72/Master, 12/Inner

electrical accessories

# night Lights



electrical accessories



**75-000** Clear angled photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-004** Clear strait on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-001** Clear straight photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-003** Clear rounded photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-053** Gold Grill on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-054** Black Grill on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-048** Deco Gold photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-049** Deco Silver photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-050** Gold Window photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-051** Silver Window photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-052** Clear/Silver on/off switch 1/Card  
Packing: 72/Master, 12/Inner



**75-006** Jewel light photo cell 1/Card  
Packing: 72/Master, 12/Inner



**75-007** Guide light constant on 2/Card  
Packing: 72/Master, 12/Inner



**75-029**  
Battery operated utility light push on push off 1/Card  
Uses 4 "AA" batteries  
Packing: 72/Master, 12/Inner

Night lights with on/off switch include a 4 watt bulb	Night lights with photo cells include a 7 watt bulb
---	---



# surge Suppressors

electrical accessories



91-222

6 Outlet professional metal surge strip 270 Joules  
Packing: 12/Master



91-221

6 Outlet superior surge strip 270 Joules  
Packing: 12/Master



91-220

6 Outlet standard surge strip 90 Joules  
Packing: 12/Master



# current Taps



electrical accessories



**91-223**  
6 Outlet Wall Plug In  
Tap/Surge  
540 Joules  
Packing: 36/Master



**91-228**  
6 Outlet Wall Plug In  
Tap/Coax/Surge  
6' Coax Cable Supplied  
540 Joules  
Packing: 36/Master



**91-227**  
3 Outlet wall plug in  
tap with glow light  
Packing: 36/Master



# hide- A-Cord



**S70-830** White  
Inside Elbow

Packing: 144/Master, 12/Inner



**S70-832** White  
Outside Elbow

Packing: 144/Master, 12/Inner



**S70-829** White  
Straight Coupling

Packing: 144/Master, 12/Inner



**S70-831** White  
Flat Elbow

Packing: 144/Master, 12/Inner

### A COMPLETE DO-IT-YOURSELF SELF STICKING WIRE COVER SYSTEM

**For:**

- Wall lamps
- Telephones
- Track lighting
- Speaker wire
- Extension cords
- Home alarm systems
- CATV cable
- Television wire
- Ceiling swag lighting
- Stereo and VCR

Wire covers available in white and brass.  
Couplings, available in white and can be painted.



**S70-826**  
40" White  
Packing: 24/Master

**S70-827**  
40" Brass  
Packing: 24/Master

# Coiled Extension Cords



electrical accessories



## 12 FT. COILED (Extended) EXTENSION CORDS

All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.



- 93-179 Blue
- 93-175 Yellow
- 93-170 White
- 93-174 Red
- 93-169 Green
- 93-173 Black

Packing: 48/Master, 12/Inner, 1/Card



**93-5012** Black  
Cord with dimmer switch  
Packing: 36/Master



**93-5011** White  
Cord with dimmer switch  
Packing: 36/Master



Full Range Table-Top Slide Dimmer  
Rated 300W-120V  
Indicator Light & Positive Off  
8 ft. # 18/2 SPT-2 105° Cord Set  
Female & Male Plug



# extension Cords

electrical accessories



**EXTENSION CORDS**  
16/2 SPT 2

*All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.*

**White**

93-192 6 ft.  
93-194 9 ft.  
93-196 12 ft.  
93-198 15 ft.



**EXTENSION CORDS**  
16/2 SPT 2

*All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.*

**Brown**

93-193 6 ft.  
93-195 9 ft.  
93-197 12 ft.  
93-199 15 ft.



# appliance, A/C & **SATCO**<sup>®</sup> Outdoor Extension Cords



electrical accessories



## #14/3 Ga. SPT-3 Gray Air Conditioning/Appliance Cords

Cat. No.	Footage	Description	Amps	Wattage	Packed
93-5000	3 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	24
93-5001	6 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	24
93-5002	9 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	12
93-5003	12 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	12
93-5004	15 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	12

## #16/3 Ga. SJTW-3 Orange Outdoor Extension Cords

Cat. No.	Footage	Description	Amps	Wattage	Packed
93-5005	25 ft.	16-3 SJTW-3 Orange Cord w/Sleeve	13A/125V	1625W	12
93-5006	50 ft.	16-3 SJTW-3 Orange Cord w/Sleeve	13A/125V	1625W	12
93-5007	100 ft.	16-3 SJTW-3 Orange Cord w/Sleeve	10A/125V	1250W	6



## #14/3 Ga. SJTW-3 Orange Outdoor Extension Cords

Cat. No.	Footage	Description	Amps	Wattage	Packed
93-5008	25 ft.	14-3 SJTW-3 Orange Cord w/Sleeve	15A/125V	1875W	12
93-5009	50 ft.	14-3 SJTW-3 Orange Cord w/Sleeve	15A/125V	1875W	6
93-5010	100 ft.	14-3 SJTW-3 Orange Cord w/Sleeve	13A/125V	1875W	6



# bulb Changers

**SATCO BULB CHANGERS**  
The easy way to change hard to reach bulbs. Available in PAR, incandescent and R type changers.



Par Type Bulb Changer

S70-3001



R Type Bulb Changer

S70-3002



Incandescent Bulb Changer

S70-0101



Aluminum Extension Pole

S70-9272 6-12 Ft

Two section handle, "nylon" threaded, fits all changers. Homeowner quality.



Alumiglass Extension Pole

S70-6516 8-16 Ft.


S70-6624 8-24 Ft.

Two section handle, threaded end fits all changers. Professional quality.

electrical accessories

# socket Adapters

150W Per Socket Max.



electrical accessories

**77-601**

One light ceiling swivel fixture

Packing: 6/Master, 1/Card



**77-602**

Two light ceiling swivel fixture

Packing: 6/Master, 1/Card



**77-622**

One light plug a light  
100W Max.

Packing: 6/Master, 1/Card



**77-607**

Two light socket light


Packing: 6/Master, 1/Card



**77-621**

Recessed light converter  
13.25" overall height

Packing: 6/Master, 1/Card



**77-608**

Recessed light  
converter 5" overall height

Packing: 6/Master, 1/Card



**77-606**

One light  
socket light

Packing: 6/Master, 1/Card