



Cisco Unified IP Phone 7970 Series for Cisco Unified CallManager 4.2(3)

INCLUDING LICENSE AND WARRANTY

Corporate Headquarters

Cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706 USA http://www.cisco.com Tel: 408 526-4000 800 553-NETS (6387) Fax: 408 526-4100



Common Phone Tasks

View online help on the phone	Press 🕜.
Place a call	Go-off hook before or after dialing a number.
Redial a number	Press Redial . Or press the Navigation button while on-hook to see your Placed Calls log.
Switch to the handset during a call	Pick up the handset.
Switch to the speaker or headset during a call	Press of or , then hang up the handset.
Mute your phone	Press 🔊 .
Use your call logs	Press to choose a call log. To dial, highlight a listing and go off-hook.
Edit a number	Press EditDial, << or >>.
Hold/resume a call	Press Hold or Resume.
Transfer a call to a new number	Press Transfer , enter the number, then press Transfer again.
Start a standard (ad hoc) conference call	Press more > Confrn, dial the participant, then press Confrn again.



Cisco, Cisco IOS, Cisco Systems, and the Cisco Systems logo are registered trademarks of Cisco Systems, Inc. or its affiliates in the United States and certain other countries. All other brands, names, or trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0501R)

© 2006 Cisco Systems, Inc. All rights reserved.

OL-10776-01

CISCO SYSTEMS



Cisco Unified IP Phone 7970 Series for Cisco Unified CallManager 4.2(3)

Softkey Definitions Phone Screen Icons Button Icons Common Phone Tasks

Softkey Definitions

Dial using a speed dial index number	
Answer a call	
Return to the previous Help topic	
Add yourself to a call on a shared line	
Receive notification when a busy extension becomes available	
Cancel an action or exit a screen without applying changes	
Add yourself to a call on a shared line and establish a conference	
Setup/cancel call forwarding	
Delete records or settings	
Close the current window View conference participants	
Remove characters to the right of the cursor when using EditDial	
Open the Details record for a multiparty call in the Missed Calls and Received Calls logs	
Dial a phone number	
Transfer two calls to each other	
Edit a number in a call log	
Disconnect the current call	
Reset settings to their defaults	
Return to the previous screen	
Answer a call ringing in another group	

HLog	Prevent hunt group calls from ringing on your phone by logging out of hunt groups	
iDivert	Send a call to your voice messaging system	
Join	Join several calls already on a single line to create a conference	
MeetMe	Host a Meet-Me conference call	
more	Display additional softkeys	
New Call	Make a new call	
OPickUp	Answer a call ringing in an associated group	
Park	Store a call using Call Park	
PickUp	Answer a call in your group	
QRT	Submit call problems to the system administrator	
Redial	Redial the most recently dialed number	
Remove	Remove a conference participant	
Resume	Resume a call on hold	
RmLstC	Drop the last party added to a conference call	
Save	Save the chosen settings	
Search	Search for a directory listing	
Select	Select a menu item or call	
Transfer	Transfer a call	
Update	Refresh content	
VidMode	Choose a video display mode	
<<	Delete entered characters	
>>	Move through entered characters	

Phone Screen Icons

Line and Call States		
7	Call Forwarding enabled	
6 <mark>11</mark>	Call on hold	
6	Connected call	
Ā	Incoming call	
6	Off-hook	
7	On-hook	
C.	Shared line in use	
Secure C	Calls	
<i>6</i>	Authenticated call	
G	Encrypted call	
Critical	Calls	
	Priority call	
ð	Medium priority call	
ð 1	High priority call	
	Highest priority call	
Selected	Device	
ſ	Handset in use	
0	Headset in use	
4	Speakerphone in use	

Other Features

• • • • • • • • • • • • • • • • • • • •		
#	Speed-dial button configured	
\times	Message waiting	
Ĭ	Video enabled	
\checkmark	Option selected	
0	Feature enabled	
3	Phone service URL assigned	

Button Icons

\boxtimes	Messages
\bigcirc	Services
?	Help
	Directories
	Settings
	Speaker
X	Mute
\bigcirc	Headset



Contents

Getting Started 1

Using this Guide 1 Finding Additional Information 2 Accessing Cisco Unified IP Phone 7900 Series eLearning Tutorials 2 More Information about Customizing Your Phone on the Web 2 Safety and Performance Information 2 Accessibility Features 12

Connecting Your Phone 13

An Overview of Your Phone 16

Understanding Buttons and Hardware 16
Understanding Touchscreen Features 19
Choosing Touchscreen Items 20
Cleaning and Maintaining the Touchscreen 20
Understanding Feature Buttons and Menus 21
Understanding the Help System on Your Phone 21
Understanding Lines vs. Calls 22
Understanding Line and Call Icons 22
Understanding Feature Availability 22

Basic Call Handling 23

Placing a Call—Basic Options 23 Placing a Call—Additional Options 24 Answering a Call 25 Ending a Call 26 Using Hold and Resume 26 Using Mute 27 Switching Between Multiple Calls 27 Viewing Multiple Calls 28 Transferring Calls 29 Forwarding All Calls to Another Number 30 Making Conference Calls 31 Understanding Types of Conference Calls 31 Starting and Joining a Standard Conference 31 Starting or Joining a Meet-Me Conference Call 33

Advanced Call Handling 34

Speed Dialing 34
Picking Up a Redirected Call on Your Phone 35
Using a Shared Line 36

Understanding Shared Lines 36
Adding Yourself to a Shared-Line Call 36
Preventing Others from Viewing or Barging a Shared-Line Call 38

Storing and Retrieving Parked Calls 39
Making and Receiving Secure Calls 40
Tracing Suspicious Calls 40
Prioritizing Critical Calls 41
Using Cisco Extension Mobility 42
Logging Out of Hunt Groups 43

Using a Handset, Headset, and Speakerphone 44

Obtaining a Headset **44** Using AutoAnswer **45**

Using Phone Settings 46

Customizing Rings and Message Indicators **46** Customizing the Touchscreen **47**

Using Call Logs and Directories 48

Using Call Logs **48** Using Corporate Directory on Your Phone **50**

Accessing Voice Messages 51

Accessing Your User Options Web Pages 52

Logging In to the User Options Web Pages 52 Subscribing to Phone Services 53

Understanding Additional Configuration Options 54

Troubleshooting Your Phone 56 General Troubleshooting 56 Viewing Phone Administration Data 57 Using the Quality Reporting Tool 57

Cisco One-Year Limited Hardware Warranty Terms 58

Index 61



Getting Started

Using this Guide

This guide provides you with an overview of the features available on your phone. You can read it completely for a solid understanding of your phone's capabilities or refer to the table below for pointers to commonly used sections.

If you want to	Then
Explore your phone on your own	Press 🕢 on the phone when you need assistance.
Review safety information	See Safety and Performance Information, page 2.
Connect your phone	See Connecting Your Phone, page 13.
Use your phone after it is installed	Start with An Overview of Your Phone, page 16.
Learn what the button lights mean	See Understanding Buttons and Hardware, page 16.
Learn about the touchscreen	See Understanding Touchscreen Features, page 19.
Make calls	See Placing a Call—Basic Options, page 23.
Put calls on hold	See Using Hold and Resume, page 26.
Mute calls	See Using Mute, page 27.
Transfer calls	See Transferring Calls, page 29.
Make conference calls	See Making Conference Calls, page 31.
Set up speed dialing	See Speed Dialing, page 34.
Share a phone number	See Using a Shared Line, page 36.
Use your phone as a speakerphone	See Using a Handset, Headset, and Speakerphone, page 44.
Change the ring volume or tone	See Using Phone Settings, page 46.
View your missed calls	See Using Call Logs, page 48.
Listen to your voice messages	See Accessing Voice Messages, page 51.
See softkey and icon definitions	Refer to the Quick Reference Card in the front of this guide.

Finding Additional Information

You can access the most current Cisco Unified IP Phone documentation on the World Wide Web at this URL:

http://www.cisco.com/univercd/cc/td/doc/product/voice/c_ipphon/index.htm

You can access the Cisco website at this URL:

http://www.cisco.com/

International Cisco websites can be accessed from this URL:

http://www.cisco.com/public/countries_languages.shtml

Accessing Cisco Unified IP Phone 7900 Series eLearning Tutorials

Cisco Unified IP Phone 7900 Series eLearning tutorials use audio and animation to demonstrate basic calling features. You can access eLearning tutorials online (for several phone models) from your personal computer. Look for the eLearning tutorial (English only) for your phone model in the documentation list at the following location:

http://cisco.com/en/US/products/hw/phones/ps379/products_user_guide_list.html

More Information about Customizing Your Phone on the Web

Your Cisco Unified IP Phone is a network device that can share information with other network devices in your company, including your computer. You can use your Cisco Unified CallManager User Options web pages to establish and customize phone services and to control phone features and settings from your computer. This guide provides a brief overview of these capabilities. For complete instructions, refer to *Customizing Your Cisco Unified IP Phone on the Web* at the following URL:

http://www.cisco.com/univercd/cc/td/doc/product/voice/c_ipphon/index.htm

Safety and Performance Information

Read the following safety notices before installing or using your Cisco Unified IP Phone:

Warning IMPORTANT SAFETY INSTRUCTIONS

This warning symbol means danger. You are in a situation that could cause bodily injury. Before you work on any equipment, be aware of the hazards involved with electrical circuitry and be familiar with standard practices for preventing accidents. Use the statement number provided at the end of each warning to locate its translation in the translated safety warnings that accompanied this device. Statement 1071

SAVE THESE INSTRUCTIONS

Waarschuwing BELANGRIJKE VEILIGHEIDSINSTRUCTIES

Dit waarschuwingssymbool betekent gevaar. U verkeert in een situatie die lichamelijk letsel kan veroorzaken. Voordat u aan enige apparatuur gaat werken, dient u zich bewust te zijn van de bij elektrische schakelingen betrokken risico's en dient u op de hoogte te zijn van de standaard praktijken om ongelukken te voorkomen. Gebruik het nummer van de verklaring onderaan de waarschuwing als u een vertaling van de waarschuwing die bij het apparaat wordt geleverd, wilt raadplegen.

BEWAAR DEZE INSTRUCTIES

Varoitus TÄRKEITÄ TURVALLISUUSOHJEITA

Tämä varoitusmerkki merkitsee vaaraa. Tilanne voi aiheuttaa ruumiillisia vammoja. Ennen kuin käsittelet laitteistoa, huomioi sähköpiirien käsittelemiseen liittyvät riskit ja tutustu onnettomuuksien yleisiin ehkäisytapoihin. Turvallisuusvaroitusten käännökset löytyvät laitteen mukana toimitettujen käännettyjen turvallisuusvaroitusten joukosta varoitusten lopussa näkyvien lausuntonumeroiden avulla.

SÄILYTÄ NÄMÄ OHJEET

Attention IMPORTANTES INFORMATIONS DE SÉCURITÉ

Ce symbole d'avertissement indique un danger. Vous vous trouvez dans une situation pouvant entraîner des blessures ou des dommages corporels. Avant de travailler sur un équipement, soyez conscient des dangers liés aux circuits électriques et familiarisez-vous avec les procédures couramment utilisées pour éviter les accidents. Pour prendre connaissance des traductions des avertissements figurant dans les consignes de sécurité traduites qui accompagnent cet appareil, référez-vous au numéro de l'instruction situé à la fin de chaque avertissement.

CONSERVEZ CES INFORMATIONS

Warnung WICHTIGE SICHERHEITSHINWEISE

Dieses Warnsymbol bedeutet Gefahr. Sie befinden sich in einer Situation, die zu Verletzungen führen kann. Machen Sie sich vor der Arbeit mit Geräten mit den Gefahren elektrischer Schaltungen und den üblichen Verfahren zur Vorbeugung vor Unfällen vertraut. Suchen Sie mit der am Ende jeder Warnung angegebenen Anweisungsnummer nach der jeweiligen Übersetzung in den übersetzten Sicherheitshinweisen, die zusammen mit diesem Gerät ausgeliefert wurden.

BEWAHREN SIE DIESE HINWEISE GUT AUF.

Avvertenza IMPORTANTI ISTRUZIONI SULLA SICUREZZA

Questo simbolo di avvertenza indica un pericolo. La situazione potrebbe causare infortuni alle persone. Prima di intervenire su qualsiasi apparecchiatura, occorre essere al corrente dei pericoli relativi ai circuiti elettrici e conoscere le procedure standard per la prevenzione di incidenti. Utilizzare il numero di istruzione presente alla fine di ciascuna avvertenza per individuare le traduzioni delle avvertenze riportate in questo documento.

CONSERVARE QUESTE ISTRUZIONI

Advarsel VIKTIGE SIKKERHETSINSTRUKSJONER

Dette advarselssymbolet betyr fare. Du er i en situasjon som kan føre til skade på person. Før du begynner å arbeide med noe av utstyret, må du være oppmerksom på farene forbundet med elektriske kretser, og kjenne til standardprosedyrer for å forhindre ulykker. Bruk nummeret i slutten av hver advarsel for å finne oversettelsen i de oversatte sikkerhetsadvarslene som fulgte med denne enheten.

TA VARE PÅ DISSE INSTRUKSJONENE

Aviso INSTRUÇÕES IMPORTANTES DE SEGURANÇA

Este símbolo de aviso significa perigo. Você está em uma situação que poderá ser causadora de lesões corporais. Antes de iniciar a utilização de qualquer equipamento, tenha conhecimento dos perigos envolvidos no manuseio de circuitos elétricos e familiarize-se com as práticas habituais de prevenção de acidentes. Utilize o número da instrução fornecido ao final de cada aviso para localizar sua tradução nos avisos de segurança traduzidos que acompanham este dispositivo.

GUARDE ESTAS INSTRUÇÕES

¡Advertencia! INSTRUCCIONES IMPORTANTES DE SEGURIDAD

Este símbolo de aviso indica peligro. Existe riesgo para su integridad física. Antes de manipular cualquier equipo, considere los riesgos de la corriente eléctrica y familiarícese con los procedimientos estándar de prevención de accidentes. Al final de cada advertencia encontrará el número que le ayudará a encontrar el texto traducido en el apartado de traducciones que acompaña a este dispositivo.

GUARDE ESTAS INSTRUCCIONES

Varning! VIKTIGA SÄKERHETSANVISNINGAR

Denna varningssignal signalerar fara. Du befinner dig i en situation som kan leda till personskada. Innan du utför arbete på någon utrustning måste du vara medveten om farorna med elkretsar och känna till vanliga förfaranden för att förebygga olyckor. Använd det nummer som finns i slutet av varje varning för att hitta dess översättning i de översatta säkerhetsvarningar som medföljer denna anordning.

SPARA DESSA ANVISNINGAR

Figyelem FONTOS BIZTONSÁGI ELOÍRÁSOK

Ez a figyelmezeto jel veszélyre utal. Sérülésveszélyt rejto helyzetben van. Mielott bármely berendezésen munkát végezte, legyen figyelemmel az elektromos áramkörök okozta kockázatokra, és ismerkedjen meg a szokásos balesetvédelmi eljárásokkal. A kiadványban szereplo ligyelmeztetések fordítása a készülékhez mellékelt biztonsági figyelmeztetések között található; a fordítás az egyes ligyelmeztetések végén látható szám alapján keresheto meg.

ORIZZE MEG EZEKET AZ UTASÍTÁSOKAT!

Предупреждение ВАЖНЫЕ ИНСТРУКЦИИ ПО СОБЛЮДЕНИЮ ТЕХНИКИ БЕЗОПАСНОСТИ

Этот символ предупреждения обозначает опасность. То есть имеет место ситуация, в которой следует опасаться телесных повреждений. Перед эксплуатацией оборудования выясните, каким опасностям может подвергаться пользователь при использовании электрических цепей, и ознакомьтесь с правилами техники безопасности для предотвращения возможных несчастных случаев. Воспользуйтесь номером заявления, приведенным в конце каждого предупреждения, чтобы найти его переведенный вариант в переводе предупреждений по безопасности, прилагаемом к данному устройству.

СОХРАНИТЕ ЭТИ ИНСТРУКЦИИ

警告 重要的安全性说明

此警告符号代表危险。您正处于可能受到严重伤害的工作环境中。在您使用设备开始工 作之前,必须充分意识到触电的危险,并熟练掌握防止事故发生的标准工作程序。请根 据每项警告结尾提供的声明号码来找到此设备的安全性警告说明的翻译文本。

请保存这些安全性说明

警告 安全上の重要な注意事項

「危険」の意味です。人身事故を予防するための注意事項が記述されています。 装置の取り扱い作業を行うときは、電気回路の危険性に注意し、一般的な事故防 止策に留意してください。警告の各国語版は、各注意事項の番号を基に、装置に 付属の「Translated Safety Warnings」を参照してください。

これらの注意事項を保管しておいてください。

주의 중요 안전 지침

이 경고 기호는 위험을 나타냅니다. 작업자가 신체 부상을 일으킬 수 있는 위 험한 환경에 있습니다. 장비에 작업을 수행하기 전에 전기 회로와 관련된 위험 을 숙지하고 표준 작업 관례를 숙지하여 사고를 방지하십시오. 각 경고의 마지 막 부분에 있는 경고문 번호를 참조하여 이 장치와 함께 제공되는 번역된 안전 경고문에서 해당 번역문을 찾으십시오.

이 지시 사항을 보관하십시오.

Aviso INSTRUÇÕES IMPORTANTES DE SEGURANÇA

Este símbolo de aviso significa perigo. Você se encontra em uma situação em que há risco de lesões corporais. Antes de trabalhar com qualquer equipamento, esteja ciente dos riscos que envolvem os circuitos elétricos e familiarize-se com as práticas padrão de prevenção de acidentes. Use o número da declaração fornecido ao final de cada aviso para localizar sua tradução nos avisos de segurança traduzidos que acompanham o dispositivo.

GUARDE ESTAS INSTRUÇÕES

Advarsel VIGTIGE SIKKERHEDSANVISNINGER

Dette advarselssymbol betyder fare. Du befinder dig i en situation med risiko for legemesbeskadigelse. Før du begynder arbejde på udstyr, skal du være opmærksom på de involverede risici, der er ved elektriske kredsløb, og du skal sætte dig ind i standardprocedurer til undgåelse af ulykker. Brug erklæringsnummeret efter hver advarsel for at finde oversættelsen i de oversatte advarsler, der fulgte med denne enhed.

GEM DISSE ANVISNINGER

إرشادات الأمان الهامة يوضح رمز التحذير هذا وجود خطر. وهذا يعني أنك متواجد في مكان قد ينتج عنه التعرض لإصابات. قبل بدء العمل، احذر مخاطر التعرض للصدمات الكهربائية وكن على علم بالإجراءات القياسية للحيلولة دون وقوع أي حوادث. استخدم رقم البيان الموجود في أخر كل تحذير لتحديد مكان ترجمته داخل تحذيرات الأمان المترجمة التي تأتي مع الجهاز. قم بحفظ هذه الإرشادات

Upozorenje VAŽNE SIGURNOSNE NAPOMENE

Ovaj simbol upozorenja predstavlja opasnost. Nalazite se u situaciji koja može prouzročiti tjelesne ozljede. Prije rada s bilo kojim uređajem, morate razumjeti opasnosti vezane uz električne sklopove, te biti upoznati sa standardnim načinima izbjegavanja nesreća. U prevedenim sigurnosnim upozorenjima, priloženima uz uređaj, možete prema broju koji se nalazi uz pojedino upozorenje pronaći i njegov prijevod.

SAČUVAJTE OVE UPUTE

Upozornění DŮLEŽITÉ BEZPEČNOSTNÍ POKYNY

Tento upozorňující symbol označuje nebezpečí. Jste v situaci, která by mohla způsobit nebezpečí úrazu. Před prací na jakémkoliv vybavení si uvědomte nebezpečí související s elektrickými obvody a seznamte se se standardními opatřeními pro předcházení úrazům. Podle čísla na konci každého upozornění vyhledejte jeho překlad v přeložených bezpečnostních upozorněních, která jsou přiložena k zařízení.

USCHOVEJTE TYTO POKYNY

Προειδοποίηση ΣΗΜΑΝΤΙΚΕΣ ΟΔΗΓΙΕΣ ΑΣΦΑΛΕΙΑΣ

Αυτό το προειδοποιητικό σύμβολο σημαίνει κίνδυνο. Βρίσκεστε σε κατάσταση που μπορεί να προκαλέσει τραυματισμό. Πριν εργαστείτε σε οποιοδήποτε εξοπλισμό, να έχετε υπόψη σας τους κινδύνους που σχετίζονται με τα ηλεκτρικά κυκλώματα και να έχετε εξοικειωθεί με τις συνήθεις πρακτικές για την αποφυγή ατυχημάτων. Χρησιμοποιήστε τον αριθμό δήλωσης που παρέχεται στο τέλος κάθε προειδοποίησης, για να εντοπίσετε τη μετάφρασή της στις μεταφρασμένες προειδοποιήσεις ασφαλείας που συνοδεύουν τη συσκευή.

ΦΥΛΑΞΤΕ ΑΥΤΕΣ ΤΙΣ ΟΔΗΓΙΕΣ

אזהרה

הוראות בטיחות חשובות

סימן אזהרה זה מסמל סכנה. אתה נמצא במצב העלול לגרום לפציעה. לפני שתעבוד עם ציוד כלשהו, עליך להיות מודע לסכנות הכרוכות במעגלים חשמליים ולהכיר את הנהלים המקובלים למניעת תאונות. השתמש במספר ההוראה המסופק בסופה של כל אזהרה כד לאתר את התרגום באזהרות הבטיחות המתורגמות שמצורפות להתקן.

שמור הוראות אלה

Opomena ВАЖНИ БЕЗБЕДНОСНИ НАПАТСТВИЈА

Симболот за предупредување значи опасност. Се наоѓате во ситуација што може да предизвика телесни повреди. Пред да работите со опремата, бидете свесни за ризикот што постои кај електричните кола и треба да ги познавате стандардните постапки за спречување на несреќни случаи. Искористете го бројот на изјавата што се наоѓа на крајот на секое предупредување за да го најдете неговиот период во преведените безбедносни предупредувања што се испорачани со уредот. ЧУВАЈТЕ ГИ ОВИЕ НАПАТСТВИЈА

Ostrzeżenie WAŻNE INSTRUKCJE DOTYCZĄCE BEZPIECZEŃSTWA

Ten symbol ostrzeżenia oznacza niebezpieczeństwo. Zachodzi sytuacja, która może powodować obrażenia ciała. Przed przystąpieniem do prac przy urządzeniach należy zapoznać się z zagrożeniami związanymi z układami elektrycznymi oraz ze standardowymi środkami zapobiegania wypadkom. Na końcu każdego ostrzeżenia podano numer, na podstawie którego można odszukać tłumaczenie tego ostrzeżenia w dołączonym do urządzenia dokumencie z tłumaczeniami ostrzeżeń.

NINIEJSZE INSTRUKCJE NALEŻY ZACHOWAĆ

Upozornenie DÔLEŽITÉ BEZPEČNOSTNÉ POKYNY

Tento varovný symbol označuje nebezpečenstvo. Nachádzate sa v situácii s nebezpečenstvom úrazu. Pred prácou na akomkoľvek vybavení si uvedomte nebezpečenstvo súvisiace s elektrickými obvodmi a oboznámte sa so štandardnými opatreniami na predchádzanie úrazom. Podľa čísla na konci každého upozornenia vyhľadajte jeho preklad v preložených bezpečnostných upozorneniach, ktoré sú priložené k zariadeniu.

USCHOVAJTE SI TENTO NÁVOD



Read the installation instructions before you connect the system to its power source.



Ultimate disposal of this product should be handled according to all national laws and regulations.



Do not work on the system or connect or disconnect cables during periods of lightning activity.




To avoid electric shock, do not connect safety extra low voltage (SELV) circuits to telephone network voltage (TNV) circuits. LAN ports contain SELV circuits, and WAN ports contain TNV circuits. Some LAN and WAN ports use RJ-45 connectors. Use caution when connecting cables.



Inline power circuits provide current through the communication cable. Use the Cisco provided cable or a minimum 24 AWG communication cable.

Using an External Power Supply

The following warnings apply when you use the external power supply with the Cisco Unified IP Phone:



Power Outage

Your accessibility to emergency service through the phone is dependent on the phone being powered. If there is an interruption in the power supply, Service and Emergency Calling Service dialing will not function until power is restored. In the case of a power failure or disruption, you may need to reset or reconfigure equipment before using the Service or Emergency Calling Service dialing.

Using External Devices

The following information applies when you use external devices with the Cisco Unified IP Phone:

Cisco recommends the use of good quality external devices (such as headsets) that are shielded against unwanted radio frequency (RF) and audio frequency (AF) signals.

Depending on the quality of these devices and their proximity to other devices such as mobile phones or two-way radios, some audio noise may still occur. In these cases, Cisco recommends that you take one or more of the following actions:

- Move the external device away from the source of the RF or AF signals.
- Route the external device cables away from the source of the RF or AF signals.
- Use shielded cables for the external device, or use cables with a better shield and connector.
- Shorten the length of the external device cable.
- Apply ferrites or other such devices on the cables for the external device.

Cisco cannot guarantee the performance of the system because Cisco has no control over the quality of external devices, cables, and connectors. The system will perform adequately when suitable devices are attached using good quality cables and connectors.




In European Union countries, use only external speakers, microphones, and headsets that are fully compliant with the EMC Directive [89/336/EC].

Accessibility Features

A list of accessibility features is available upon request.

Connecting Your Phone

Your system administrator will likely connect your new Cisco Unified IP Phone to the corporate IP telephony network. If that is not the case, refer to the to the graphic and table below to connect your phone.



1	DC adaptor port (DC48V)	6	Handset port
2	AC-to-DC power supply	7 Headset port	
3	AC power cord	8	Reserved for future use
4	Network port (10/100 ¹ SW)	9	Reserved for future use
5	Access port (10/100 ¹ PC)	10	Footstand button

Cisco Unified IP Phone 7970 Series for Cisco Unified CallManager 4.2(3)


1. Your phone may show 10/100/1000.

Adjusting the Footstand

To change the angle of the phone base, adjust the footstand while pressing the footstand button.

Adjusting the Handset Rest

When you connect your phone, you can adjust the handset rest to ensure that the receiver will not slip out of the cradle. See the table below for instructions.



1	Set the handset aside and pull the square plastic tab from the handset rest.		
2	Rotate the tab 180 degrees.		
	Slide the tab back into the handset rest. An extension protrudes from the top of the rotated tab. Return the handset to the handset rest.		

Registering with TAPS

After your phone is connected to the network, your system administrator might ask you to auto-register your phone using TAPS (Tool for Auto-Registered Phones Support). TAPS might be used either for a new phone or to replace an existing phone.

To register with TAPS, pick up the handset, enter the TAPS extension provided by your system administrator, and follow the voice prompts. You might need to enter your entire extension, including the area code. After your phone displays a confirmation message, hang up. The phone will re-start.

Headset Information

To use a headset, connect it to the headset port on the back of your phone.

Although Cisco Systems performs some internal testing of third-party headsets for use with the Cisco Unified IP Phones, Cisco does not certify or support products from headset or handset vendors. Because of the inherent environmental and hardware inconsistencies in the locations where

Cisco Unified IP Phones are deployed, there is not a single "best" solution that is optimal for all environments. Cisco recommends that customers test the headsets that work best in their environment before deploying a large number of units in their network.

In some instances, the mechanics or electronics of various headsets can cause remote parties to hear an echo of their own voice when they speak to Cisco Unified IP Phone users.

Cisco Systems recommends the use of good quality external devices, like headsets that are screened against unwanted radio frequency (RF) and audio frequency (AF) signals. Depending on the quality of these devices and their proximity to other devices such as cell phones and two-way radios, some audio noise may still occur. See Using External Devices, page 12 for more information.

The primary reason that support of a headset would be inappropriate for the Cisco Unified IP Phone is the potential for an audible hum. This hum can either be heard by the remote party or by both the remote party and you, the Cisco Unified IP Phone user. Some potential humming or buzzing sounds can be caused by a range of outside sources, for example, electric lights, being near electric motors, large PC monitors. In some cases, a hum experienced by a user may be reduced or eliminated by using a local power cube or power injector. See Using an External Power Supply, page 11 for more information.

Audio Quality Subjective to the User

Beyond the physical, mechanical and technical performance, the audio portion of a headset must sound good to you (the user) and to the party on the far end. Sound is subjective and Cisco cannot guarantee the performance of any headsets or handsets, but some of the headsets and handsets on the sites listed below have been reported to perform well with Cisco Unified IP Phones.

Nevertheless, it is ultimately still the customer's responsibility to test this equipment in their own environment to determine suitable performance.

For information about headsets, see: http://www.vxicorp.com/cisco http://www.plantronics.com/cisco

An Overview of Your Phone

Your Cisco Unified IP Phone 7970 Series is a full-feature telephone that provides voice communication over the same data network that your computer uses, allowing you to place and receive phone calls, put calls on hold, transfer calls, make conference calls, and so on.

In addition to basic call-handling features, your Cisco Unified IP Phone 7970 Series can provide enhanced productivity features that extend your call-handling capabilities. Depending on configuration, your phone supports:

- Access to network data, XML applications, and web-based services.
- Online customizing of phone features and services from your User Options web pages.
- A comprehensive online help system that displays information on the phone screen.

Understanding Buttons and Hardware

You can use the figure below to identify buttons and hardware on your phone.




	ltem	Description	For more information, see
1	Programmable buttons	Depending on configuration, programmable buttons provide access to:	Understanding Touchscreen Features, page 19
		• Phone lines (line buttons)	
		• Speed-dial numbers (speed-dial buttons)	
		• Web-based services (for example, a Personal Address Book button)	
		• Phone features (for example, a Privacy button)	
		Line buttons illuminate to indicate status:	
		Green, steady—Active call	
		Green, flashing—Held call	
		Amber, steady—Privacy in use	
		Amber, flashing—Incoming call	
		Red—Shared line in use	
		Red, flashing—Directed Call Park in use	
2	Footstand button	Allows you to adjust the angle of the phone base.	Adjusting the Footstand, page 14
3	Display button	Awakens the touchscreen from sleep mode or disables it for cleaning. No color—Ready for input Green flashing—Disabled Green steady—Sleep mode	Understanding Feature Buttons and Menus, page 21
4	Messages button	Auto-dials your voice message service (varies by service).	Accessing Voice Messages, page 51
5	Directories button	Opens/closes the Directories menu. Use it to access call logs and directories.	Using Call Logs, page 48
6	Help button	Activates the Help menu.	Understanding the Help System on Your Phone, page 21
7	Settings button	Opens/closes the Settings menu. Use it to change touchscreen and ring settings.	Using Phone Settings, page 46

8	Services button	Opens/closes the Services menu.	Accessing Your User Options Web Pages, page 52
9	Volume button	Controls the handset, headset, and speakerphone volume (off-hook) and the ringer volume (on-hook).	Using a Handset, Headset, and Speakerphone, page 44
10	Speaker button	Toggles the speakerphone on or off. When the speakerphone is on, the button is lit.	Using a Handset, Headset, and Speakerphone, page 44
11	Mute button	Toggles the Mute feature on or off. When Mute is on, the button is lit.	Using Mute, page 27
12	Headset button	Toggles the headset on or off. When the headset is on, the button is lit.	Using a Handset, Headset, and Speakerphone, page 44
13	Navigation button	Allows you to scroll through menus and highlight items. When the phone is on-hook, displays phone numbers from your Placed Calls log.	Using Call Logs, page 48
14	Keypad	Allows you to dial phone numbers, enter letters, and choose menu items.	Basic Call Handling, page 23
15	Softkey buttons	Each activates a softkey option (displayed on your touchscreen).	Understanding Touchscreen Features, page 19
16	Handset light strip	Indicates an incoming call or new voice message.	Accessing Voice Messages, page 51
17	Touchscreen	Shows phone features.	Understanding Touchscreen Features, page 19

Understanding Touchscreen Features

This is what your main touchscreen might look like with active calls and several feature menus open.



1	Primary phone line	Displays the phone number (directory number) for your primary phone line.	
2	Programmable button indicators	Programmable buttons () can serve as phone line buttons, speed-dial buttons, phone service buttons or phone feature buttons. Icons and labels indicate how these buttons are configured. For an icon reference, see Phone Screen Icons in the Quick Reference Card at the front of this guide.	
3	Softkey labels	Each displays a softkey function. Softkey labels are touch-sensitive.	
4	Status line	Displays audio mode icons, status information, and prompts.	
5	Call activity area	Displays current calls per line, including caller ID, call duration, and call state for the highlighted line (standard view). Items in this area are touch-sensitive. See Understanding Line and Call Icons, page 22 and Viewing Multiple Calls, page 28.	
6	Phone tab	Indicates call activity. Press this tab to return to the call activity area, if needed.	
7	Feature tabs	Each indicates an open feature menu. Tabs are touch-sensitive. See Understanding Feature Buttons and Menus, page 21.	

Choosing Touchscreen Items

To choose a touchscreen item	Do this
By touch	Press (or tap) touch-sensitive items on the touchscreen with your fingertip.
	Use only your fingertip to press the touchscreen, as using any other objects could damage the display. Be aware that pressing a phone number can cause the phone to dial the number.
By item number	Press the corresponding number on your keypad. For example, press 4 to choose the fourth item in a menu.
By scrolling	Press the Navigation button to highlight an item. Press a softkey to finish the action, or tap the item on the touchscreen with your fingertip.

There are three ways to choose items on your phone's touchscreen.

Cleaning and Maintaining the Touchscreen

You can use the Display button to disable and enable the touchscreen. The Display button illuminates to indicate changes in touchscreen status:

- Green, steady— Touchscreen is in sleep mode
- Green, flashing—Touchscreen is disabled

lf you want to	Then
Disable the touchscreen for cleaning	Press and hold for more than one second. flashes. The screen remains disabled for about a minute, unless you enable it.
Enable the touchscreen (after disabling it)	Press (flashing) and hold for more than one second.
Wake the touchscreen from sleep mode	Press the touchscreen or any button, or lift the handset. After a period of inactivity (determined by your system administrator), the touchscreen enters sleep mode to save power. In this mode, the touchscreen appears blank and remains lit.



Use only a soft, dry cloth to wipe the touchscreen. Do not use any liquids or powders on the phone, as they can contaminate phone components and cause failures.

Understanding Feature Buttons and Menus

lf you want to	Then		
Open or close a feature menu	Press a feature button:		
	Messages		
	Services		
	Help		
	Directories		
	Settings		
Scroll through a list or menu	Press the Navigation button.		
Go back one level in a feature menu	Press Exit. Pressing Exit from the top level of a menu closes the menu.		
Switch between open feature menus	Press a feature tab on your touchscreen. Each feature menu has a corresponding tab. The tab is visible when the feature menu is open.		

Understanding the Help System on Your Phone

Your phone provides a comprehensive online help system. Help topics appear on the touchscreen.

lf you want to	Then
View the main menu	Press ② on your phone and wait a few seconds for the menu to display. Main menu topics include:
	About Your Cisco Unified IP Phone—Details about your phone
	How do I?—Procedures for common phone tasks
	• Calling Features—Descriptions and procedures for calling features
Learn about a button or softkey	Press 🕜, then quickly press a button or softkey.
Learn about a menu item	Press (2), then quickly press the menu item on the touchscreen. Or, press (2) twice quickly with the menu item highlighted.
Get help using Help	Press ? After a second or two, press ? again, or choose Help from the main menu.

Understanding Lines vs. Calls

To avoid confusion about lines and calls, refer to these descriptions:

- Lines—Each corresponds to a directory number that others can use to call you. Your phone can support up to eight lines. To see your phone lines, look at the right side of your touchscreen. You have as many lines as you have directory numbers and phone line icons: _____.
- Calls—Each line can support multiple calls. By default, your phone supports four connected calls per line, but your system administrator can adjust this number according to your needs. Only one call can be active at any time; other calls are automatically placed on hold.

Understanding Line and Call Icons

lcon	Line or call state	Description
a	On-hook line	No call activity on this line.
£	Off-hook line	You are dialing a number or an outgoing call is ringing.
<i>6</i>	Connected call	You are connected to the other party.
	Ringing call	A call is ringing on one of your lines.
6 <mark>11</mark>	Call on hold	You have put the call on hold. See Using Hold and Resume, page 26.
G-	Remote-in-use	Another phone that shares your line has a connected call. See Using a Shared Line, page 36.
R a	Authenticated call	See Making and Receiving Secure Calls, page 40.
<u>r</u>	Encrypted call	See Making and Receiving Secure Calls, page 40.

Your phone displays icons to help you determine the line and call state.

Understanding Feature Availability

Depending on your phone system configuration, features included in this Phone Guide might not be available to you or might work differently on your phone. Contact your support desk or system administrator for information about feature operation or availability.

Basic Call Handling

You can perform basic call-handling tasks using a range of features and services. Feature availability can vary; see your system administrator for more information.

Placing a Call—Basic Options

Then	For more information, see
Pick up the handset and enter a number.	An Overview of Your Phone, page 16
Press 🕢 and enter a number.	Using a Handset, Headset, and Speakerphone, page 44
Press () and enter a number. Or, if () is lit, press New Call and enter a number.	Using a Handset, Headset, and Speakerphone, page 44
Press Redial to dial the last number, or press the Navigation button (with the phone idle) to see your Placed Calls.	Using Call Logs, page 48
 Press Hold. Press New Call. Enter a number. 	Using Hold and Resume, page 26
 Choose > Missed Calls, Received Calls, or Placed Calls. Prove the listing on the touchescreen 	Using Call Logs, page 48
	 Pick up the handset and enter a number. Press and enter a number. Press and enter a number. Or, if is lit, press New Call and enter a number. Press Redial to dial the last number, or press the Navigation button (with the phone idle) to see your Placed Calls. Press Hold. Press New Call. Enter a number. Choose See See Calls,

Here are some easy ways to place a call on your Cisco Unified IP Phone.

Tips

- You can dial on-hook, without a dial tone (pre-dial). To pre-dial, enter a number, then go off-hook by lifting the handset, pressing the number on the touchscreen, or pressing Dial, (a), or (a).
- When you pre-dial, your phone tries to anticipate the number you are dialing by displaying matching numbers (if available) from your Placed Calls log. This is called Auto Dial. To call a number displayed with Auto Dial, press the number, or scroll to it and go off-hook.
- If you make a mistake while dialing, press << to erase digits.

Cisco Unified IP Phone 7970 Series for Cisco Unified CallManager 4.2(3)

Placing a Call—Additional Options

You can place calls using special features and services that might be available on your phone. See your system administrator for more information about these additional options.

lf you want to	Then	For more information, see
Place a call while another call is active (using a different line)	 Press for a new line. The first call is automatically placed on hold. 	Using Hold and Resume, page 26
	2. Enter a number.	
Speed dial a number	Do one of the following:	Speed Dialing, page 34
	 Press () (a speed-dial button). 	
	• Use the Abbreviated Dial feature.	
	• Use the Fast Dial feature.	
Dial from a corporate directory on your phone	1. Choose > Corporate Directory (name can vary).	Using Call Logs, page 48
	2. Enter a name and press Search.	
	3. Highlight a listing and go off-hook.	
Dial from a corporate directory on your personal computer using	 Open a web browser and go to a WebDialer-enabled corporate directory. 	Customizing Your Cisco Unified IP Phone on the Web:
Cisco WebDialer	2. Click the number that you want to dial.	http://www.cisco.com/ univercd/cc/td/doc/product/ voice/c_ipphon/index.htm
Use Cisco CallBack to receive notification when a busy or	1. Press CallBack while listening to the busy tone or ring sound.	Your system administrator
ringing extension is available	2. Hang up. Your phone alerts you when the line is free.	
	3 . Place the call again.	
Make a priority (precedence) call	Enter the MLPP access number, then enter a phone number.	Prioritizing Critical Calls, page 41
Dial from a Personal Address Book (PAB) entry	1. Choose > PAB service (exact names might vary).	Accessing Your User Options Web Pages,
	2. Highlight the listing and go off-hook. Or press the listing on your touchscreen.	page 52

lf you want to	Then	For more information, see
Place a call using a billing or tracking code	 Dial a number. After the tone, enter a client matter code (CMC) or a forced authorization code (FAC). 	Your system administrator
Place a call using your Extension Mobility profile	Log in to the Extension Mobility service on a phone.	Using Cisco Extension Mobility, page 42

Answering a Call

You can answer a call by simply lifting the handset, or you can use other options if they are available on your phone.

lf you want to	Then	For more information, see
Answer with a headset	Press (), if unlit. Or, if () is lit, press Answer or () (flashing).	Using a Handset, Headset, and Speakerphone, page 44
Answer with the speakerphone	Press (), Answer, or () (flashing).	Using a Handset, Headset, and Speakerphone, page 44
Switch from a connected call to answer a new call	Press Answer , or if the call is ringing on a different line, press O (flashing).	Using Hold and Resume, page 26
Answer using call waiting	Press Answer.	Using Hold and Resume, page 26
Send a call to your voice messaging system	Press iDivert.	Accessing Voice Messages, page 51
Auto-connect calls	Use AutoAnswer.	Using AutoAnswer, page 45
Retrieve a parked call on another phone	Use Call Park or Directed Call Park.	Storing and Retrieving Parked Calls, page 39
Use your phone to answer a call ringing elsewhere	Use Call Pickup.	Picking Up a Redirected Call on Your Phone, page 35
Answer a priority call	Hang up the current call and press Answer.	Prioritizing Critical Calls, page 41

Ending a Call

To end a call, simply hang up. Here are some more details.

If you want to	Then
Hang up while using the handset	Return the handset to its cradle. Or press EndCall.
Hang up while using a headset	Press 💽. Or, to keep headset mode active, press EndCall.
Hang up while using the speakerphone	Press 👩 or EndCall.
Hang up one call, but preserve another call on the same line	Press EndCall. If necessary, remove the call from hold first.

Using Hold and Resume

You can hold and resume calls. When you put a call on hold, the Hold icon \mathcal{F}_{11} appears next to the caller ID and the corresponding line button flashes green \bigcirc .

If the Hold Reversion feature is enabled for your phone, calls that you leave on hold will revert back to ringing on your phone after a certain length of time. These "reverting" calls remain on hold until you resume them.

Your phone indicates the presence of a reverting call by:

- Alerting you at intervals with a single ring (or flash or beep, depending on your phone line setting).
- Briefly displaying a "Hold Reversion" message in the status bar at the bottom of the phone screen.
- Displaying the animated Hold Reversion icon 🍘 🖀 next to the caller ID for the held call.
- Displaying a flashing amber line button 🦲 (depending on the line state).

lf you want to	Then		
Put a call on hold	1.	. Make sure the appropriate call is highlighted.	
	2.	Press Hold.	
Remove a call from	1.	Make sure the appropriate call is highlighted.	
hold on the current line	2.	Press Resume.	
		Press the appropriate line button: Or (flashing). Doing so might cause a held call to resume automatically:	
		• If there is a reverting call on the line, that call will resume.	
		• If there is more than one reverting call on the line, the oldest reverting call will resume.	
		• If a non-reverting held call is the only call on the line, it will resume.	
	2 .	If necessary, scroll to the appropriate call and press Resume.	

Tips

- Engaging the Hold feature typically generates music or a beeping tone.
- If you receive an alert for an incoming call and a reverting call at the same time, by default your phone will shift the focus of the phone screen to display the incoming call. Your phone administrator can change this focus priority setting.
- If you use a shared line, Hold Reversion rings only on the phone that put the call on hold, not on the other phones that share the line.
- The duration between Hold Reversion alerts is determined by your phone administrator.

Using Mute

With Mute enabled, you can hear other parties on a call but they cannot hear you. You can use Mute in conjunction with the handset, speakerphone, or a headset.

If you want to	Then
Toggle Mute on	Press 🔊 .
Toggle Mute off	Press 👰.

Switching Between Multiple Calls

You can switch between multiple calls on one or more lines. If the call that you want to switch to is not automatically highlighted, press the call appearance on your touchscreen or scroll to it.

lf you want to	Then
Switch between connected calls on one line	 Make sure the call that you want to switch to is highlighted. Press Resume. Any active call is placed on hold and the selected call is resumed.
Switch between connected calls on different lines	Press of for the line that you are switching to. If a single call is holding on the line, the call automatically resumes. If multiple calls are holding, highlight the appropriate call and press Resume .
Switch from a connected call to answer a ringing call	Press Answer , or if the call is ringing on a different line, press () (flashing). Any active call is placed on hold and the selected call is resumed.

Viewing Multiple Calls

Understanding how multiple calls are displayed on your phone can help you organize your call-handling efforts.

In standard viewing mode, your phone displays calls as follows for the highlighted line:

- Calls with the highest precedence and longest duration display at the top of the list.
- Calls of a similar type are grouped together. For example, calls that you have interacted with are grouped near the top, and calls on hold are grouped last.

lf you want to	Then
View calls on another line	 Press (2). Immediately press the line button (2).
Switch to call overview mode	Press for the highlighted line. The phone switches to call overview mode, displaying only one call per line. The displayed call is either the active call or the held call with the longest duration. To return to standard viewing mode, press ?, then immediately press the line button.

You can use these additional methods to view multiple calls on multiple lines:

Transferring Calls

Transfer redirects a connected call. The *target* is the number to which you want to transfer the call.

If you want to	Then
Transfer a call without talking to the transfer	1. From an active call, press Transfer.
	2. Enter the target number.
recipient	3. Press Transfer again to complete the transfer or EndCall to cancel.
	Note If your phone supports on-hook transfer, you can alternately complete the transfer by hanging up.
Talk to the transfer	1. From an active call, press Transfer.
recipient before transferring a call (consult transfer)	2. Enter the target number.
a can (consult transfer)	3. Wait for the transfer recipient to answer.
	4. Press Transfer again to complete the transfer or EndCall to cancel.
	Note If your phone supports on-hook transfer, you can alternately complete the transfer by hanging up.
Transfer two current calls	1. Scroll to highlight any call on the line.
to each other (direct transfer) without staying on the line	2. Press Select.
	3. Repeat this process for the second call.
	4. With one of the selected calls highlighted, press DirTrfr. (To display DirTrfr, you might need to press more.)
	The two calls connect to each other and drop you from the call.
	Note If you want to stay on the line with the callers, use Join instead.
Redirect a call to your voice messaging system	Press iDivert . The call is automatically transferred to your voice message greeting. You can use iDivert with a call that is active, ringing, or on hold.

- If on-hook transfer is enabled on your phone, you can either hang up to complete the call, or press **Transfer** and then hang up.
- If on-hook transfer is *not* enabled on your phone, hanging up without pressing **Transfer** again places the call on hold.
- You cannot use **Transfer** to redirect a call on hold. Press **Resume** to remove the call from hold before transferring it.

Forwarding All Calls to Another Number

You can use Call Forward All to redirect incoming calls from your phone to another number.

If you want to	Then
Set up call forwarding on your primary line	Press CFwdALL and enter a target phone number.
Cancel call forwarding on your primary line	Press CFwdALL.
Verify that call forwarding is enabled on your primary line	 Look for: The call forward icon above the primary phone number: A constraint of the status line. The call forward target number in the status line.
Set up or cancel call forwarding remotely, or for a non-primary line	 Log in to your User Options web pages and select a device. Choose Forward all calls Choose your primary line or any secondary line. Choose to redirect calls to voice messaging or to another number.

Note

When call forwarding is enabled for any line other than the primary line, your phone does not provide you with confirmation that calls are being forwarded. Instead, you must confirm your settings in the User Options web pages. See Logging In to the User Options Web Pages, page 52.

- You must enter the call forward target number exactly as you would dial it from your phone. For example, enter an access code or the area code, if necessary.
- You can forward your calls to a traditional analog phone or to another IP phone, although your system administrator might restrict the call forwarding feature to numbers within your company.
- You must configure this feature per line; if a call reaches you on a line where call forwarding is not enabled, the call will ring as usual.

Making Conference Calls

Your Cisco Unified IP Phone allows you to combine three or more separate calls into one conversation, creating a conference call.

Understanding Types of Conference Calls

There are two types of conference calls: Standard (ad hoc) and Meet-Me.

Standard Conference Calls

You can create a standard conference in different ways, depending on your needs and the softkeys available on your phone:

- **Confrn**—Use this softkey to establish a standard conference by calling each participant. Standard conference calling is a default feature available on most phones.
- Join—Use this softkey to establish a standard conference by joining several calls already on one line.
- **cBarge**—Use this softkey to add yourself to an existing call on a shared line and to turn the call into a standard conference call. This feature is available only on phones that use shared lines.

See Starting and Joining a Standard Conference, page 31 for additional instructions.

Meet-Me Conference Calls

You can create a Meet-Me conference by calling the Meet-Me phone number at a specified time. See Starting or Joining a Meet-Me Conference Call, page 33 for additional instructions.

Starting and Joining a Standard Conference

A standard (ad hoc) conference allows at least three people to participate in a single call.

lf you want to	Then
• Create a conference by calling participants	1. From a connected call, press Confrn. (You may need to press the more softkey to see Confrn.)
• Add new participants to	2. Enter the participant's phone number.
an existing conference	3. Wait for the call to connect.
	4. Press Confrn again to add the participant to your call.
	5. Repeat to add additional participants.
	Check with your system administrator to see if non-initiators of a conference can add or remove participants.
Create a conference by joining	1. Make sure that you have two or more calls on a single line.
two or more existing calls	2. Highlight a call that you want to add to the conference.
	3. Press Select.
	The selected call displays this icon $\mathbf{\mathbf{\nabla}}$.
	4. Repeat this process for each call that you want to add.
	5. From one of the selected calls, press Join. (You may need to press the more softkey to see Join.)
	Note The active call is automatically selected.
Participate in a conference	Answer the phone when it rings.
Create a conference by barging a call on shared line	Highlight a call on a shared line and press cBarge . (You may need to press the more softkey to display cBarge .)
	See Using a Shared Line, page 36.
View a list of conference	1. Highlight an active conference.
participants	2. Press ConfList.
	Participants are listed in the order in which they join the conference with the most recent additions at the top.
Get an updated list of participants	While viewing the conference list, press Update.
See who started the conference	While viewing the conference list, locate the person listed at the bottom of the list with an asterisk (*) next to the name.
Remove any conference	1. While viewing the conference list, highlight a participant's name.
participant	2. Press Remove.
Drop the last party added to the conference	Press RmLstC.

lf you want to	Then
End your participation in a conference	Hang up or press EndCall.
Join together two standard conferences on the same line	Use the Join or DirTrfr softkeys. Check with your system administrator to see if this feature is available to you.

Tips

- Calls must be on the same line before you can add them to a conference. If calls are on different lines, transfer them to a single line before using **Confrn** or **Join**.
- Depending on how your phone is configured, if you leave a conference after creating it, the conference might end. To avoid this, transfer the conference before hanging up.

Starting or Joining a Meet-Me Conference Call

lf you want to	Then
Start a Meet-Me conference	1. Obtain a Meet-Me phone number from your system administrator.
	2. Distribute the number to participants.
	3 . When you are ready to start the meeting, go off-hook to invoke a dial tone, then press MeetMe .
	4. Dial the Meet-Me conference number.
	Participants can now join the conference by dialing in.
	Note Participants hear a busy tone if they call the conference before the initiator has joined. In this case, participants must call back.
Join a Meet-Me conference	Dial the Meet-Me conference number (provided by the conference initiator).
	Note You will hear a busy tone if you call the conference before the initiator has joined. In this case, try your call again.
End a Meet-Me conference	All participants must hang up.
	The conference does not automatically end when the conference initiator disconnects.

Meet-Me conferencing allows you to start or join a conference by dialing the conference number.

Advanced Call Handling

Advanced call-handling tasks involve special features that your system administrator might configure for your phone depending on your call-handling needs and work environment.

Speed Dialing

Speed dialing allows you to enter an index number, press a button, or select a phone screen item to place a call. Depending on configuration, your phone can support several speed-dial features:

- Speed-dial buttons
- Abbreviated Dialing
- Fast Dials



• To set up speed-dial features, you must access your User Options web pages. See Logging In to the User Options Web Pages, page 52.

• Alternately, your system administrator can configure speed-dial features for you.

lf you want to	Then
Use speed-dial	1. Set up speed-dial buttons from your User Options web pages.
buttons	2. To place a call, press 🔵 (a speed-dial button).
Use Abbreviated	1. Set up Abbreviated Dialing codes from your User Options web pages.
Dial	2. To place a call, enter the Abbreviated Dialing code and press AbbrDial.
Use Fast Dial	 Subscribe to the Fast Dial service and set up Fast Dial codes from your User Options web pages. See Subscribing to Phone Services, page 53.
	 To place a call, choose > Fast Dial on your phone (exact name might vary), then highlight a listing and go off-hook. Or press the listing on your touchscreen.

Picking Up a Redirected Call on Your Phone

Call PickUp allows you to answer a call that is ringing on a co-worker's phone by redirecting the call to your phone. You might use Call PickUp if you share call-handling with coworkers.

If you want to	Then
Answer a call that is ringing on another extension within your call	1. Do one of the following:
	• If the PickUp softkey is available, press it.
pickup group	• If the PickUp softkey is not available, go off-hook to display it, then press PickUp .
	If your phone supports auto-pickup, you are now connected to the call.
	2. If the call rings, press Answer to connect to the call.
Answer a call that is ringing on	1. Do one of the following:
another extension outside of your	• If the GPickUp softkey is available, press it.
group	• If the GPickUp softkey is not available, go off-hook to display it, then press GPickUp.
	2. Enter the group pickup code.
	If your phone supports auto-pickup, you are now connected to the call.
	3. If the call rings, press Answer to connect to the call.
Answer a call that is ringing on	1. Do one of the following:
another extension in your group or in an associated group	• If the OPickUp softkey is available, press it.
	 If the OPickUp softkey is not available, go off-hook to display it, then press OPickUp.
	If your phone supports auto-pickup, you are now connected to the call.
	2. If the call rings, press Answer to connect to the call.

- Depending on how your phone is configured, you might receive an audio and/or visual alert about a call to your pickup group.
- Pressing PickUp and GPickUp connects you to the call that has been ringing for the longest time.
- Pressing OPickUp connects you to the call in the pickup group with the highest priority.
- If you have multiple lines and want to pick up the call on a non-primary line, first press () for the desired line, then press a Call PickUp softkey.

Using a Shared Line

Your system administrator might ask you to use a shared line if you:

- Have multiple phones and want one phone number
- Share call-handling tasks with co-workers
- Handle calls on behalf of a manager

Understanding Shared Lines

Remote-in-Use Icon

The remote-in-use icon $\mathscr{G}_{\mathcal{P}}$ appears when another phone that shares your line has a connected call. You can place and receive calls as usual on the shared line, even when the remote-in-use icon appears.

Sharing Call Information and Barging

Phones that share a line each display information about calls that are placed and received on the shared line. This information might include caller ID and call duration. (See the Privacy topic, below, for exceptions.)

When call information is visible in this way, you and coworkers who share a line can add yourselves to calls using either **Barge** or **cBarge**. See Adding Yourself to a Shared-Line Call, page 36.

Privacy

If you do not want coworkers who share your line to see information about your calls, enable the Privacy feature. Doing so also prevents coworkers from barging your calls. See Preventing Others from Viewing or Barging a Shared-Line Call, page 38.



The maximum number of calls that a shared line supports can vary by phone.

Adding Yourself to a Shared-Line Call

Depending on how your phone is configured, you can add yourself to a call on a shared line using either **Barge** or **cBarge**.

lf you want to	Then
See if the shared line is in use	Look for the remote-in-use icon ${{ \hspace{1in} I}\hspace{1in}} _{P}$ next to a red line button ${ \hspace{1in} \bigcirc}$.
View details about current calls on the shared line	Press the red line button of for the remote-in-use line. All non-private calls appear in the call activity area of the touchscreen.

lf you want to	Then	
Add yourself to a call	1. Highlight a remote-in-use call.	
on a shared line using the Barge softkey	2. Press Barge. (You may need to press the more softkey to display Barge.)	
the barge sourcey	Other parties hear a beep tone announcing your presence.	
Add yourself to a call	1. Highlight a remote-in-use call.	
on a shared line using the cBarge softkey	2. Press cBarge. (You may need to press the more softkey to display cBarge.)	
	Other parties hear a tone and brief audio interruption, and call information changes on the phone screen.	
Add new conference	Barge the call using cBarge, if available.	
participants to a call that you have barged	Unlike Barge , cBarge converts the call into a standard (ad hoc) conference call, allowing you to add new participants. See Making Conference Calls, page 31.	
Leave a barged call	Hang up.	
	If you hang up after using Barge , the remaining parties hear a disconnect tone and the original call continues.	
	If you hang up after using cBarge , the call remains a conference call (provided at least three participants remain on the line).	

Tips

- If a phone that is using the shared line has Privacy enabled, call information and barge softkeys will not appear on the other phones that share the line.
- You will be disconnected from a call that you have joined using **Barge** if the call is put on hold, transferred, or turned into a conference call.

Preventing Others from Viewing or Barging a Shared-Line Call

If you share a phone line, you can use the Privacy feature to prevent others who share the line from viewing or barging (adding themselves to) your calls.

If you want to	Then
Prevent others from viewing or barging calls on a shared line	 Press Private . To verify that Privacy is on, look for the Privacy-enabled icon on next to an amber line button .
Allow others to view or barge calls on a shared line	 Press Private . To verify that Privacy is off, look for the Privacy-disabled icon next to an unlit line button .

- If the phone that shares your line has Privacy enabled, you can make and receive calls using the shared line as usual.
- The Privacy feature applies to all shared lines on your phone. Consequently, if you have multiple shared lines and Privacy is enabled, coworkers will not be able to view or barge calls on any of your shared lines.
- When you place a call on hold, the calling name and number (caller ID) displays on the shared line appearance even if Privacy is enabled. Your system administrator can change this setting so that the caller ID information will not display for held calls when Privacy is enabled. However, you will then only be able to retrieve the call from the phone used to place the call on hold.

Storing and Retrieving Parked Calls

You can park a call when you want to store the call so that you or someone else can retrieve it from another phone in the Cisco Unified CallManager system (for example, a phone at a co-worker's desk or in a conference room). You can park a call by using these methods:

- Call Park—Use the **Park** softkey to store the call. Your phone displays the call park number where the system stored your call. You must record this number and then use the same number to retrieve the call.
- Directed Call Park—Use the **Transfer** softkey to direct the call to a specific directed call park number that you dial or speed dial. To retrieve the call from a directed call park number, you must dial the park retrieval prefix and then dial or speed dial the same directed call park number.

You can use a Directed Call Park button to speed dial the directed call park number and to monitor whether a directed call park number is occupied or available.

lf you want to	Then
Store an active call using Call Park	1. During a call, press Park. (You may need to press the more softkey to see Park.)
	2. Note the call park number displayed on your phone screen.
	3. Hang up.
Retrieve a parked call	Enter the call park number from any Cisco Unified IP Phone in your network to connect to the call.
Direct and store an	1. During a call, press Transfer.
active call at a directed call park number	 Press the (Directed Call Park button) with the park-unoccupied icon (D) to speed dial the directed call park number. A blinking Directed Call Park button (O) and the park-occupied icon (O) indicate that the directed call park number is not available.
	3. Press Transfer again to finish storing the call.
Retrieve a parked call from a directed call park number	From any phone in the network, enter the park retrieval prefix and dial the directed call park number. Or after entering the park retrieval prefix, press the O (Directed Call Park button) with the park-occupied icon O.

- You have a limited amount of time to retrieve a parked call before it reverts to ringing at the original number. See your system administrator for details.
- Your system administrator can assign Directed Call Park buttons to available line buttons on your phone or on your Cisco Unified IP Phone Expansion Module 7914.
- You can dial directed call park numbers if you do not have Directed Call Park buttons on your phone. However, you will not be able to see the status of the directed call park number.

Making and Receiving Secure Calls

Depending on how your system administrator has configured your phone system, your phone might support making and receiving secure calls.

Your phone is capable of supporting these types of calls:

- Authenticated call—The identities of all phones participating in the call have been verified.
- *Encrypted* call—The phone is receiving and transmitting encrypted audio (your conversation) within the Cisco IP network. Encrypted calls are also authenticated.
- Non-secure call—At least one of the participating phones or the connection does not support these security features, or the phones cannot be verified.

If you want to	Then
Check the security level of a call	Look for a security icon in the top right corner of the call activity area, next to the call duration timer:
	🜈 Authenticated call
	Encrypted call
	Neither security icon appears if the call is non-secure.
Determine if secure calls can be made in your company	Contact your system administrator.



There are interactions, restrictions, and limitations that affect how security features work on your phone. For more information, ask your system administrator.

Tracing Suspicious Calls

If you are receiving suspicious or malicious calls, your system administrator can add the Malicious Call Identification (MCID) feature to your phone. This feature enables you to identify an active call as suspicious, which initiates a series of automated tracking and notification messages.

lf you want to	Then
Notify your system administrator about a suspicious or harassing call	Press MCID. Your phone plays a tone and displays the message, "MCID successful."

Prioritizing Critical Calls

In some specialized environments, such as military or government offices, you might need to make and receive urgent or critical calls. If you have the need for this specialized call handling, your system administrator can add Multilevel Precedence and Preemption (MLPP) to your phone.

Keep these terms in mind:

- *Precedence* indicates the priority associated with a call.
- *Preemption* is the process of ending an existing, lower priority call while accepting a higher priority call that is sent to your phone.

If you	Then
Want to choose a priority (precedence) level for an outgoing call	Contact your system administrator for a list of corresponding precedence numbers for calls.
Want to make a priority (precedence) call	Enter the MLPP access number (provided by your system administrator) followed by the phone number.
Hear a special ring (faster than usual) or special call waiting tone	You are receiving a priority (precedence) call. An MLPP icon on your phone screen indicates the priority level of the call.
Want to view priority level of a call	Look for an MLPP icon on your phone screen:
	Priority call
	🗗 Medium priority (immediate) call
	High priority (flash) call
	Highest priority (flash override) or Executive Override call
	Higher priority calls are displayed at the top of your call list. If you do not see an MLPP icon, the priority level of the call is normal (routine).
Want to accept a higher-priority call	Answer the call as usual. If necessary, end an active call first.
Hear a continuous tone interrupting your call	You or the other party are receiving a call that must preempt the current call. Hang up immediately to allow the higher priority call to ring through.

- When you make or receive an MLPP-enabled call, you will hear special ring tones and call waiting tones that differ from the standard tones.
- If you enter an invalid MLPP access number, a verbal announcement will alert you of the error.

- An MLPP-enabled call retains its priority and preemptive status when you:
 - Put the call on hold
 - Transfer the call
 - Add the call to a three-way conference
 - Answer the call using PickUp

Using Cisco Extension Mobility

Cisco Extension Mobility (EM) allows you to temporarily configure a Cisco Unified IP Phone as your own. Once you log in to EM, the phone adopts your user profile, including your phone lines, features, established services, and web-based settings. Your system administrator must configure EM for you.

lf you want to	Then
Log in to EM	1. Choose S > EM Service (name can vary).
	2. Enter your user ID and PIN (provided by your system administrator).
	3. If prompted, select a device profile.
Log out of EM	1. Choose S > EM Service (name can vary).
	2. When prompted to log out, press Yes.

- EM automatically logs you out after a certain amount of time. This time limit is established by your system administrator.
- Changes that you make to your EM profile (from the User Options web pages) take effect the next time that you log in to EM on a phone.
- Settings that are controlled on the phone only are not maintained in your EM profile.

Logging Out of Hunt Groups

If your organization receives a large number of incoming calls, you might be a member of a hunt group. A hunt group includes a series of directory numbers that share the incoming call load. When the first directory number in the hunt group is busy, the system hunts for the next available directory number in the group and directs the call to that phone.

When you are away from your phone, you can prevent hunt group calls from ringing your phone by logging out of hunt groups.

If you want to	Then
Log out of hunt groups to temporarily block hunt group calls	Press HLog. Your phone screen displays, "Logged out of Hunt Group."
Log in to receive hunt group calls	Press HLog.

Тір

Logging out of hunt groups does not prevent non-hunt group calls from ringing your phone.

If you want to	Then
Use the handset	Lift it to go off-hook; replace it to go on-hook.
Use a headset	Press (1) to toggle headset mode on and off. If you use AutoAnswer, see Using AutoAnswer, page 45 for exceptions.
	You can use the headset in conjunction with all of the controls on your phone, including and (2).
Use the speakerphone	Press 🕡 to toggle speakerphone mode on or off.
	Many of the actions you can take to dial a number or answer a call will automatically trigger speakerphone mode, assuming that the handset is in its cradle and () is not lit.
Switch to the speakerphone or a headset (from the handset) during a call	Press 🕣 or 💽, then hang up the handset.
Switch to the handset (from the speakerphone or headset) during a call	Lift the handset (without pushing any buttons).
Adjust the volume level for a	Press during a call or after invoking a dial tone.
call	This action adjusts the volume for the handset, speakerphone, or headset, depending on which device is in use.
	Press Save to preserve the volume level for future calls.

Obtaining a Headset

Your phone supports four- or six-wire headset jacks. For information about purchasing headsets, see Headset Information, page 14.

Using AutoAnswer

When AutoAnswer is enabled, your phone answers incoming calls automatically after a few rings. Your system administrator configures AutoAnswer to use either the speakerphone or a headset. You might use AutoAnswer if you receive a high volume of incoming calls.

lf you	Then
Use AutoAnswer with a headset	Keep headset mode active (in other words, keep () illuminated), even when you are not on a call.
	To keep headset mode active, do the following:
	• Press EndCall to hang up.
	• Press New Call or Dial to place new calls.
	If your phone is set up to use AutoAnswer in headset mode, calls are automatically answered only if () is illuminated. Otherwise, calls ring normally and you must manually answer them.
Use AutoAnswer with the speakerphone	Keep the handset in the cradle and headset mode inactive (unlit).
	Otherwise, calls ring normally and you must manually answer them.

Using Phone Settings

You can personalize your Cisco Unified IP Phone by adjusting the ring tone, background image, and other settings.

Customizing Rings and Message Indicators

You can customize how your phone indicates an incoming call and a new voice mail message. You can also adjust the ringer volume for your phone.

lf you want to	Then	
Change the ring tone per	1. Choose Vser Preferences > Rings.	
line	2. Choose a phone line or the default ring setting.	
	3 . Choose a ring tone to play a sample of it.	
	4. Press Select and Save to set the ring tone, or press Cancel.	
Change the ring pattern per line (flash-only, ring once, beep-only, etc.)	1. Log in to your User Options web pages and select a device. (See Logging In to the User Options Web Pages, page 52.)	
	2. Choose Change the Ring Settings for your phone.	
Adjust the volume level for the phone ringer	Press while the handset is in the cradle and the headset and speakerphone buttons are off. The new ringer volume is saved automatically.	
Change the way that the voice message light on your handset works	1. Log in to your User Options web pages and select a device. (See Logging In to the User Options Web Pages, page 52.)	
	2. Choose Change the Message Waiting Lamp policy	

- Before you can access the "Change the Ring Settings..." item from the User Options web pages, your system administrator might need to enable this option for your phone.
- Typically, the default system policy for the voice message light on your handset tells your phone to always light to indicate a new voice message.

Customizing the Touchscreen

lf you want to	Then	
Change the touchscreen brightness	1. Choose Vser Preferences > Brightness.	
	2. To make adjustments, press Up, Down or	
	3. Press Save, or press Cancel.	
Adjust the touchscreen	1. Choose Viewing Angle.	
to accommodate your viewing angle	2. To make adjustments, press Up, Down or	
viewing angle	3. Press Save, or press Cancel.	
Change the background	1. Choose Vser Preferences > Background Images.	
image	2. Scroll through available images and press Select to choose an image.	
	3. Press Preview to see a larger view of the background image.	
	4. Press Exit to return to the selection menu.	
	5. Press Save to accept the new image, or press Cancel.	
Change the language on your touchscreen	1. Log in to your User Options web pages and select a device. (See Logging In to the User Options Web Pages, page 52.)	
	2. Choose Change the Locale	
Create a text label for a phone line	1. Log in to your User Options web pages and select a device. (See Logging In to the User Options Web Pages, page 52.)	
	2. Choose Change the Line Text Label for your phone.	
	Note Your system administrator must enable access to this feature for you.	
Enable or disable the touchscreen	See Understanding Feature Buttons and Menus, page 21.	
Adjust contrast for	1. Choose Vser Preferences > Contrast.	
your Cisco Unified IP Phone Expansion Module 7914 (if applicable)	2. To make adjustments, press Up, Down or	
	3. Press Save, or press Cancel.	

You can adjust the characteristics of the touchscreen.

Using Call Logs and Directories

This section describes how you can use call logs and directories. To access both features, use the Directories button .

Using Call Logs

Your phone maintains call logs. Call logs contain records of your missed, placed, and received calls.

lf you want to	Then
View your call logs	Choose Missed Calls , Placed Calls , or Received Calls . Each stores up to 100 records.
Display details for	1. Choose Sissed Calls, Placed Calls, or Received Calls.
a single call record	2. Highlight a call record.
	3. Press Details . Doing so displays information such as called number, calling number, time of day, and call duration (for placed and received calls only).
Erase all call records in all logs	Press (III), then press Clear.
Erase all call records in a single log	1. Choose Sissed Calls, Placed Calls, or Received Calls.
	2. Highlight a call record.
	3. Press Clear. (You may need to press the more softkey to display Clear.)
Erase a single call record	1. Choose > Missed Calls, Placed Calls, or Received Calls.
	2. Highlight a call record.
	3. Press Delete.

lf you want to	Then
Dial from a call log (while not on another call)	1. Choose Sissed Calls, Placed Calls, or Received Calls.
	2 . Highlight a call record.
	 If you need to edit the displayed number, press EditDial followed by << or >>. To delete thenumber, press EditDial followed by Delete. (You may need to press the more softkey to display Delete.)
	4 . Go off-hook to place the call.
Dial from a call log	1. Choose Sissed Calls, Placed Calls, or Received Calls.
(while connected to another call)	2 . Highlight a call record.
	 3. If you need to edit the displayed number, press EditDial followed by << or >>. To delete the number, press EditDial followed by Delete. (You may need to press the more softkey to display Delete.)
	4. Press Dial.
	5. Choose a menu item to handle the original call:
	• Hold—Puts the first call on hold and dials the second.
	• Transfer —Transfers the first party to the second and drops you from the call. (Press Transfer again after dialing to complete the action.)
	• Confrn —Creates a conference call with all parties, including you. (Press Confrn again after dialing to complete the action.)
	• EndCall—Disconnects the first call and dials the second.

Тір

To view the complete call record of a multiparty call (for example, of call that has been forwarded or transferred to you), highlight the call record and press **Details**. The Details record shows two entries for each missed or received multiparty call. The entries are listed in reverse chronological order:

- The first logged entry is the name/number of the last completed call of a multiparty call received on your phone.
- The second logged entry is the name/number of the first completed call of a multiparty call received on your phone.

Using Corporate Directory on Your Phone

Depending on configuration, your phone can provide access to a corporate directory which you can use to place calls to coworkers. Corporate Directory is set up and maintained by your system administrator.

lf you want to	Then	
Dial from a corporate directory (while not on another call)	1. Choose Corporate Directory (exact name can vary).	
	2. User your keypad to enter a full or partial name and press Search.	
	3. To dial, select the listing that you want to dial, or scroll to the listing and go off-hook.	
Dial from a corporate directory (while connected to another	1. Choose Corporate Directory (exact name can vary).	
	2. User your keypad to enter a full or partial name and press Search.	
call)	3. Scroll to a listing and press Dial.	
/	4. Choose a menu item to handle the original call:	
	• Hold—Puts the first call on hold and dials the second.	
	• Transfer—Transfers the first party to the second and drops you from the call. (Press Transfer again after dialing to complete the action.)	
	• Conference —Creates a conference call with all parties, including you. (Press Confrn again after dialing to complete the action.)	
	• EndCall—Disconnects the first call and dials the second.	

Tip

Use the numbers on your keypad to enter characters on your phone screen. Use the Navigation button on your phone to move between input fields.

Accessing Voice Messages

To access voice messages, use the Messages button

NoteYour company determines the voice message service that your phone system uses. For the most
accurate and detailed information, refer to the documentation that came with your voice
message service.

If you want to	Then
Set up and personalize	Press and follow the voice instructions.
your voice message service	If a menu appears on your touchscreen, choose an appropriate menu item.
See if you have a new	Look for:
voice message	• A steady red light on your handset. (This indicator can vary. See Customizing Rings and Message Indicators, page 46.)
	• A flashing message waiting icon 🔀 and text message on your touchscreen.
Listen to your voice	Press .
messages or access the voice messages menu	Depending on your voice message service, doing so either auto-dials the message service or provides a menu on your touchscreen.
Send a call to your voice message system	Press iDivert.
	The iDivert feature automatically transfers a call (including a ringing or held call) to your voice message system. Callers hear your voice message greeting and can leave you a message.

Accessing Your User Options Web Pages

Because your Cisco Unified IP Phone is a network device, it can share information with other network devices in your company, including your computer and web-based services accessible using a web browser on your computer.

You can establish phone services, and control settings and features from your computer using the Cisco Unified CallManager User Options web pages. Once you configure features and services on the web pages, you can access them on your phone.

For example, you can set up speed-dial buttons from your web pages, then access them on your phone.

This section describes how to access your User Options web pages and how to subscribe to phone services. For more details about the features you can configure and the phone services to which you can subscribe, refer to *Customizing Your Cisco Unified IP Phone on the Web* at the following URL: http://www.cisco.com/univercd/cc/td/doc/product/voice/c_ipphon/index.htm

Logging In to the User Options Web Pages

Procedure

- Step 1 Obtain a User Options URL, user ID, and default password from your system administrator.
- **Step 2** Open a web browser on your computer and enter the URL (provided by your system administrator) and log on.
- **Step 3** From the general menu, select your device type (phone model) in the "Select a device" drop-down list.

After you make your selection, a context-sensitive menu appears with options appropriate for your device type.

Tips for Navigating the User Options Pages

- Select your device from the menu page to see all of your options.
- Click Update to apply and save your changes.
- Click Return to the Menu to get back to the context-sensitive menu.
- Click Log Off to exit the User pages.

Subscribing to Phone Services

Before you can access subscription phone services on your phone, you need to subscribe to them by using your computer to access the User Options web pages. (See Logging In to the User Options Web Pages, page 52 for help logging in.)

Phone services can include:

- Web-based information, such as stock quotes, movie listings, and weather reports
- Network data, such as corporate calendars and searchable directories
- Phone features, such as My Fast Dials and a Personal Address Book

Refer to the following table for more information.

If you want to	Then do this after you log in and select your device type
Subscribe to a service	From the main menu, choose Configure your Cisco Unified IP Phone Services . Select a service from the "Available Services" drop-down list and click Continue . Enter more information upon request (such as a zip code or PIN), then click Subscribe .
Change or end subscriptions	From the main menu, choose Configure your Cisco Unified IP Phone Services . Click a service in the "Your Subscribed Services" panel. Click Update after making changes, or click Unsubscribe .
Add a service to a programmable button	After subscribing to a service, choose Add/Update your Service URL Buttons from the main menu. For each available button, select a service from the drop-down list and enter a text description. Click Update after making changes. Your system administrator determines how many programmable buttons are available for services and might assign service buttons to your phone.
Access a service on your phone	Press on your phone. Or, if you have added a service to a programmable button, press the button .
Learn how to use phone services	See Customizing Your Cisco Unified IP Phone on the Web: http://www.cisco.com/univercd/cc/td/doc/product/voice/c_ipphon/index.htm

Understanding Additional Configuration Options

Your system administrator can configure your phone to use specific button and softkey templates along with special services and features, if appropriate. This table provides an overview of some configuration options that you might want to discuss with your phone system administrator based on your calling needs or work environment.



You can locate Phone Guides and other documents listed in this table on the web: http://www.cisco.com/univercd/cc/td/doc/product/voice/c_ipphon/index.htm

lf you	Then	For more information
Need to handle more calls on your phone line	Ask your system administrator to configure your line to support more calls.	Talk to your system administrator or phone support team.
Need more than one phone line	Ask your system administrator to configure one or more additional directory numbers for you.	Talk to your system administrator or phone support team.
Need more speed-dial buttons	First make sure that you are using all of your currently available speed-dial buttons. If you need additional speed-dial buttons, try using Abbreviated Dialing or subscribing to the Fast Dial service. Another option is to attach the Cisco Unified IP Phone Expansion Module 7914 to your phone.	 See: Speed Dialing, page 34 Subscribing to Phone Services, page 53 Cisco Unified IP Phone Expansion 7914 Module Phone Guide
Work with (or work as) an administrative assistant	 Consider using: Cisco Unified CallManager Assistant A shared line 	 See: Using a Shared Line, page 36 Cisco Unified CallManager Assistant User Guide
Want to use one extension for several phones	Request a shared line. This allows you to use one extension for your desk phone and lab phone, for example.	See Using a Shared Line, page 36.

lf you	Then	For more information
Share phones or office space with co-workers	 Consider using: Call Park to store and retrieve calls without using the transfer feature. Call Pickup to answer calls ringing on another phone. A shared line to view or join co-workers' calls. Cisco Extension Mobility to apply your phone number and user profile to a shared Cisco Unified IP Phone. 	 Ask your system administrator about these features and see: Advanced Call Handling, page 34 Using a Shared Line, page 36 Using Cisco Extension Mobility, page 42
Answer calls frequently or handle calls on someone's behalf	Ask your system administrator to set up the AutoAnswer feature for your phone.	See Using AutoAnswer, page 45.
Need to make video calls	Consider using Cisco Unified Video Advantage, which enables you to make video calls using your Cisco Unified IP Phone, your personal computer, and an external video camera.	Contact your system administrator for additional assistance and see the <i>Cisco Unified Video Advantage</i> <i>Quick Start Guide</i> and <i>User Guide</i> .
Want to temporarily apply your phone number and settings to a shared Cisco Unified IP Phone	Ask your system administrator about the Cisco Extension Mobility service.	See Using Cisco Extension Mobility, page 42.

This section provides troubleshooting information for your Cisco Unified IP Phone.

General Troubleshooting

This section provides information to help you troubleshoot general problems with your phone. For more information, see your system administrator.

Symptom	Explanation	
You cannot hear a dial	One or more of the following factors might apply:	
tone or complete a call	• You must log into the Extension Mobility service.	
	• You must enter a client matter code or forced authorization code after dialing a number.	
	• Your phone has time-of-day restrictions that prevent you from using some features during certain hours of the day.	
The Settings button is unresponsive	Your system administrator might have disabled	
The phone screen appears blank	The touchscreen has gone into sleep mode to save power after a period of inactivity. Wake the touchscreen by pressing it, by lifting the handset, or by pressing any button, such as See Understanding Feature Buttons and Menus, page 21.	
The softkey that you want to use does not appear	One or more of the following factors might apply:	
	• You must press more to reveal additional softkeys.	
	• You must change the line state (for example, go off-hook or have a connected call).	
	• Your phone is not configured to support the feature associated with that softkey.	
Join fails	Join requires multiple selected calls. Be sure that you have selected at least one call in addition to the active call, which is selected automatically. Join also requires the selected calls to be on the same line. If necessary, transfer calls to one line before joining them.	
Barge fails and results in a fast busy tone	You cannot barge an encrypted call if the phone you are using is not configured for encryption. When your barge attempt fails for this reason, your phone plays a fast busy tone.	

Symptom	Explanation
You are disconnected from a call that you joined using Barge	You will be disconnected from a call that you have joined using Barge if the call is put on hold, transferred, or turned into a conference call.
Cisco CallBack fails	The other party might have call forwarding enabled.

Viewing Phone Administration Data

Your system administrator might ask you to access administration data on your phone for troubleshooting purposes.

lf you are asked to	Then
Access network configuration data	Choose Network Configuration and select the network configuration item that you want to view.
Access status data	Choose Status and select the status item that you want to view.
Access phone model information	Choose Model Information .
Access phone call and voice quality information	Choose Status > Call Statistics.

Using the Quality Reporting Tool

Your system administrator may temporarily configure your phone with the Quality Reporting Tool (QRT) to troubleshoot performance problems. You can press **QRT** to submit information to your system administrator. Depending on configuration, use the QRT to:

- Immediately report an audio problem on a current call
- Select a general problem from a list of categories and choose reason codes

Cisco One-Year Limited Hardware Warranty Terms

There are special terms applicable to your hardware warranty and various services that you can use during the warranty period. Your formal Warranty Statement, including the warranties and license agreements applicable to Cisco software, is available on Cisco.com. Follow these steps to access and download the *Cisco Information Packet* and your warranty and license agreements from Cisco.com.

1. Launch your browser, and go to this URL:

http://www.cisco.com/univercd/cc/td/doc/es_inpck/cetrans.htm

The Warranties and License Agreements page appears.

- 2. To read the *Cisco Information Packet*, follow these steps:
 - **a.** Click the **Information Packet Number** field, and make sure that the part number 78-5235-03A0 is highlighted.
 - **b.** Select the language in which you would like to read the document.
 - c. Click Go.
 - d. The Cisco Limited Warranty and Software License page from the Information Packet appears.
 - **e.** Read the document online, or click the **PDF** icon to download and print the document in Adobe Portable Document Format (PDF).



You must have Adobe Acrobat Reader to view and print PDF files. You can download the reader from Adobe's website: http://www.adobe.com

- 3. To read translated and localized warranty information about your product, follow these steps:
 - **a.** Enter this part number in the Warranty Document Number field: 78-10747-01C0
 - **b.** Select the language in which you would like to view the document.
 - c. Click Go.

The Cisco warranty page appears.

d. Read the document online, or click the **PDF** icon to download and print the document in Adobe Portable Document Format (PDF).

You can also contact the Cisco service and support website for assistance:

http://www.cisco.com/public/Support_root.shtml.

Duration of Hardware Warranty

One (1) Year

Replacement, Repair, or Refund Policy for Hardware

Cisco or its service center will use commercially reasonable efforts to ship a replacement part within ten (10) working days after receipt of a Return Materials Authorization (RMA) request. Actual delivery times can vary, depending on the customer location.

Cisco reserves the right to refund the purchase price as its exclusive warranty remedy.

To Receive a Return Materials Authorization (RMA) Number

Contact the company from whom you purchased the product. If you purchased the product directly from Cisco, contact your Cisco Sales and Service Representative.

Complete the information below, and keep it for reference.

Company product purchased from	
Company telephone number	
Product model number	
Product serial number	
Maintenance contract number	



Index

Α

abbreviated dialing answering calls authenticated calls Auto Dial AutoAnswer

В

barge and privacy **38** and shared lines **36** using **36** buttons, identifying **16**

С

call activity area call forwarding call logs erasing **48** viewing and dialing from call overview mode call park call pickup call waiting CallBack **24** caller ID 19 call-handling, advanced 34 call-handling, basic 23 calls answering 25 compared to lines 22 conference features for 31 ending 26 forwarding 30 handling multiple 27 holding and resuming 26 icons for **22** maximum per line 22 multiple parties on 31 muting 27 parking 39 placing 23, 24 prioritizing 41 redirecting while ringing 25, 35 reporting problems with 57 secure 40 storing and retrieving 39 transferring 29 viewing 19, 28 cBarge See also barge using 36

Cisco Unified IP Phone adjusting height of 14 connecting 13 documentation for 2 feature configuration for 22, 54 illustration of **16** online help for 21 registering 14 securing handset rest 14 troubleshooting 56 web-based services for 52 conference calls Meet-Me 31. 33 standard 31 conference joining 33 corporate directory dialing from web page with 24 using on phone 48

D

Details softkey, viewing multiparty calls with 49 dialing, options for 23, 24 Directed Call Park 39 directories button 17 directory dialing from web page with 24 display button 17, 20, 21 documentation, accessing 2

Е

encrypted calls 40

ending a call, options for **26** Extension Mobility log in **42** log out **42** extension numbers, viewing **19**

F

Fast Dial service configuring 34 dialing with 25 subscribing to 53 feature buttons directories 17 help 17 messages 17 services 18 settings 17 feature menus 21 feature tabs 19 features, availability of 22, 54 footstand adjusting 14 button for **17** forwarding calls, options for 30

G

group call pickup 35

Η

handset

light strip 18 securing in cradle 14 using 44 hanging up, options for 26 headset answering calls with 25 button for 18 hanging up with 26 placing calls with 23 using 44 headset performance, general 14 help button 17, 28 help, using **21** hold and switching calls 27 and transferring 29 using 26 hunt group, logging out of 43

I

icons, for call states **22** installing, Cisco Unified IP Phone **13**

Κ

keypad 18

L

line buttons **17** lines description of **22** viewing 19

Μ

Malicious Call Identification (MCID) 40 Meet-Me conferences 31. 33 menus, using 21 messages indicator for 46. 51 listening to 51 messages button 17 missed calls, records of 48 MLPP, using **41** Multilevel Precedence and Preemption (MLPP) 41 multiparty calls viewing details of 49 multiple calls, handling 27 mute button **18** mute, using 27

Ν

navigation button **18** network configuration data, locating **56**

0

on-hook dialing **23** online help, using **21**

Ρ

Personal Address Book (PAB) dialing from 25 subscribing to 53 phone lines buttons for 17 description of 22 viewing 19 phone tab 19 placed calls, records of 48 placing calls, options for 23, 24 pre-dial 23 prioritizing calls 41 privacy and shared lines 36 using 38 programmable buttons description of 17 labels for 19

Q

QRT, using 57

R

received calls, records of redial **23** remote-in-use icon for shared lines resume, using ringer customizing indicator for

S

safety, warnings 2 secure calls 40 services button **18** services, subscribing to 53 settings button 17 settings, customizing 46 shared lines and remote-in-use icon 36 description of 36 with barge 36 with privacy 38 sleep mode, waking touchscreen from 20 softkey buttons description of 18 labels for 19 speakerphone answering calls with 25 button for **18** hanging up with 26 placing calls with 23 using 44 speed dial buttons for 17 configuring 34 labels 19 using 24 status data, locating 56 status line, viewing 19 suspicious calls, tracing 40

switching calls 27

Т

TAPS 14 Tool for Auto-Registered Phones Support 14 touchscreen adjusting contrast 47 changing language 47 cleaning 20 disabling/enabling 20 features of 19 sleep mode 20 transferring, options for 29 troubleshooting 56

U

User Options web pages accessing **52** and phone services **53**

V

voice message indicator **51** voice message service **51** volume button **18**

W

warnings, safety **2** WebDialer **24**



Corporate Headquarters Cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706 USA www.cisco.com Tel: 408 526-4000 800 553-NETS (6387) Fax: 408 526-4100 European Headquarters Cisco Systems International BV Haarlerbergpark Haarlerbergweg 13-19 1101 CH Amsterdam The Netherlands www-europe.cisco.com Tel: 31 0 20 357 1000 Fax: 31 0 20 357 1100 Americas Headquarters Cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706 USA www.cisco.com Tel: 408 526-7660 Fax: 408 527-0883 Asia Pacific Headquarters Cisco Systems, Inc. 168 Robinson Road #28-01 Capital Tower Singapore 068912 www.cisco.com Tel: +65 6317 7777 Fax: +65 6317 7779

Cisco Systems has more than 200 offices in the following countries. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices

Argentina • Australia • Australia • Australia • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica • Croatia • Cyprus • Czech Republic • Denmark • Dubai, UAE Finland • France • Germany • Greece • Hong Kong SAR • Hungary • India • Indonesia • Ireland • Israel • Italy • Japan • Korea • Luxembourg • Malaysia • Mexico The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal • Puerto Rico • Romania • Russia • Saudi Arabia • Scotland • Singapore Slovakia • Slovenia • South Africa • Spain • Sweden • Switzerland • Taiwan • Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vienam • Zimbabwe

CCSP, CCVP, the Cisco Square Bridge Jogo, Follow Me Browsing, and Stack Wise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDA, CCIP, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert Jogo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems Jogo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the Q logo, iQ Net Readiness Scorecard, LightStream, Linksys, Meetre, Pix, How Kers, Iogo, Networking Academy, Network Registrar, *Pazket*, PIX, Post-Routing, Protouting, Forentux, Stiefers, States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0601R)



© 2006 Cisco Systems, Inc. All rights reserved.

Java The Java logo is a trademark or registered trademark of Sun Microsystems, Inc. in the U.S. or other countries.