



Regulatory model: P09E

Regulatory type: P09E002


### Notes, Cautions, and Warnings



**NOTE:** A NOTE indicates important information that helps you make better use of your computer.



CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.



If you purchased a  $Dell^{\mathbb{N}}$  n Series computer, any references in this document to the Microsoft $^{\mathbb{Q}}$  Windows $^{\mathbb{Q}}$  operating systems are not applicable.

This item incorporates copy protection technology that is protected by U.S. patents and other intellectual property rights of Rovi Corporation. Reverse engineering and disassembly are prohibited.

Information in this document is subject to change without notice.

#### © 2010 Dell Inc. All rights reserved.

Reproduction of these materials in any manner whatsoever without the written permission of Dell Inc. is strictly forbidden.

Trademarks used in this text: Dell™, the DELL logo, XPS™, and DellConnect™ are trademarks of Dell Inc.; Intel® and Centrino® are registered trademarks and Core™ is a trademark of Intel Corporation in the U.S. and other countries; Microsoft®, Windows®, and the Windows start button logo 
are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries; Blu-ray Disc™ is a trademark of the Blu-ray Disc Association; Bluetooth® is a registered trademark owned by Bluetooth SIG, Inc. and is used by Dell under license.

Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell Inc. disclaims any proprietary interest in trademarks and trade names other than its own.

November 2010

P/N C4XC4

Rev. A00

Setting Up Your XPS Laptop7	Using Your XPS Laptop 26
Before Setting Up Your Computer 7	Right View Features
Connect the AC Adapter 8	Left View Features
Connect the Network Cable	Back View Features32
(Optional)	Computer Base and Keyboard
Press the Power Button	Features34
Set Up Microsoft Windows	Status Lights and Indicators
Create System Recovery Media	Disabling Battery Charging 39
(Recommended)12	Touch Pad Gestures
Install the SIM Card (Optional) 14	Multimedia Control Keys 42
Enable or Disable Wireless	Control Strip Features
(Optional)	Using the Optical Drive
Set Up Wireless Display (Optional) 18	Display Features
Set Up the TV Tuner (Optional) 19	Touch Screen Gestures (Optional) 50
Set Up Stereoscopic 3D (Optional) 20	Removing and Replacing the Battery 52
Set Up 3D TV (Optional)21	
Connect to the Internet (Optional)23	Software Features54

Dell DataSafe Online Backup	Restoring Your Operating
NVIDIA Optimus Technology	System 79
(Optional)	System Restore
NVIDIA 3DTV Play57	Dell DataSafe Local Backup81
Dell Dock (Optional) 61	System Recovery Media83
Dell Stage (Optional) 62	Dell Factory Image Restore
Free Fall Sensor	Getting Help 86
Solving Problems	Technical Support and Customer
Beep Codes	Service87
Touch Screen Problems66	DellConnect
Network Problems 67	Online Services88
Power Problems	Automated Order-Status Service 89
Memory Problems 69	Product Information89
Lockups and Software Problems70	Returning Items for Repair Under
Jsing Support Tools	Warranty or for Credit
•	Before You Call91
Dell Support Center	Contacting Dell93
My Dell Downloads	3
Hardware Troubleshooter	
Dell Diagnostics	

Finding More Information and
Resources
Specifications 96
Appendix 103
Information for NOM, or Official Mexican Standard (Only for Mexico) 103
Index

## **Setting Up Your XPS Laptop**

This section provides information about setting up your Dell XPS laptop.

## Before Setting Up Your Computer

When positioning your computer, ensure that you allow easy access to a power source, adequate ventilation, and a level surface to place your computer.

Restricting airflow around your laptop may cause it to overheat. To prevent overheating ensure that you leave a minimum of 5.1 cm (2 inches) on the right and left sides. You should never place your computer in an enclosed space, such as a cabinet or drawer while it is powered on.

WARNING: Do not block, push objects into, or allow dust to accumulate in the air vents. Do not place your Dell computer in a low-airflow environment, such as a closed briefcase, or on fabric surfaces, such as carpets or rugs, while it is powered on. Restricting the airflow can damage the computer, deteriorate the computer performance, or cause a fire. The computer turns on the fan when the computer gets hot. Fan noise is normal and does not indicate a problem with the fan or the computer.


CAUTION: Placing or stacking heavy or sharp objects on the computer may result in permanent damage to the computer.

### Connect the AC Adapter

Connect the AC adapter to the computer and then plug it into an electrical outlet or surge protector.




MARNING: The AC adapter works with electrical outlets worldwide. However, power connectors and power strips vary among countries. Using an incompatible cable or improperly connecting the cable to a power strip or electrical outlet may cause fire or permanent damage to your computer.




### **Connect the Network Cable (Optional)**

To use a wired network connection, connect the network cable.



### **Press the Power Button**



### **Set Up Microsoft Windows**

Your Dell computer is preconfigured with the Microsoft Windows operating system. To set up Windows for the first time, follow the instructions on the screen. These steps are mandatory and may take some time to complete. The Windows setup screens will take you through several procedures including accepting license agreements, setting preferences, and setting up an Internet connection.

- CAUTION: Do not interrupt the operating system's setup process. Doing so may render your computer unusable and you will need to reinstall the operating system.
- **NOTE:** For optimal performance of your computer, it is recommended that you download and install the latest BIOS and drivers for your computer available at **support.dell.com**.
- **NOTE:** For more information on the operating system and features, go to support.dell.com/MyNewDell.

### **Create System Recovery Media (Recommended)**



NOTE: It is recommended that you create a system recovery media as soon as you set up Microsoft Windows

The system recovery media can be used to restore your computer to the operating state it was in when you purchased the computer, while preserving data files (without the need of the Operating System disc). You can use the system recovery media if changes to the hardware. software, drivers, or other system settings have left the computer in an undesirable operating state.

You will require the following to create the system recovery media:

- Dell DataSafe Local Backup
- USB kev with a minimum capacity of 8 GB or DVD-R/DVD+R/Blu-ray Disc



To create a system recovery media:

- 1. Ensure that the AC adapter is connected (see "Connect the AC Adapter" on page 8).
- **2.** Insert the disc or USB key in the computer.
- 4. Click Create Recovery Media.
- 5. Follow the instructions on the screen.
- **MOTE:** For information on restoring your operating system using the system recovery media, see "System Recovery Media" on page 83.

### **Install the SIM Card (Optional)**

- **NOTE:** Installing a SIM card is not required if you are using an EVDO card to access the Internet.
- **NOTE:** Installing a mini B-CAS card into the SIM card slot is required to set up and view ISDB-T digital TV in Japan.

Installing a Subscriber Identity Module (SIM) card on your computer allows you to connect to the Internet. To access the Internet you must be within the network of your cellular service provider.


To install the SIM card:

- 1. Turn off your computer.
- 2. Remove the battery (see "Removing and Replacing the Battery" on page 52).
- **3.** In the battery bay, slide the SIM card into the SIM card slot.
- 4. Replace the battery (see "Removing and Replacing the Battery" on page 52).
- **5.** Turn on your computer.


To remove the SIM card, press and eject the SIM card.

### **Setting Up Your XPS Laptop**

- 1 SIM card
- 2 battery bay
- **3** SIM card slot



### **Enable or Disable Wireless (Optional)**



To enable or disable wireless:

- 1. Ensure that your computer is turned on.
- Press the <Fn><F2> keys on the keyboard.The current status of the wireless radios appears on the screen.

Wireless enabled



Wireless disabled



- **3.** Press the <Fn><F2> keys again to switch between the wireless enabled or disabled states.
- **NOTE:** Pressing the <Fn><F2> keys allows you to quickly turn off wireless radios (Wi-Fi and Bluetooth), such as when you are asked to disable all wireless radios on an airplane flight.

# Set Up Wireless Display (Optional)

NOTE: The wireless display feature may not be supported on all computers. For information about the hardware and software requirements for setting up wireless display, go to www.intel.com.

The Intel wireless display feature allows you to share your computer display to a TV without the use of cables. You must connect a wireless display adapter to your TV before setting up wireless display.

**NOTE:** The wireless display adapter does not ship with your computer and must be purchased separately.

If your computer supports the wireless display feature, the Intel Wireless Display icon will be available on the Windows desktop.

To set up wireless display:

- 1. Turn on your computer.
- **2.** Ensure that wireless is enabled (see "Enable or Disable Wireless" on page 16).
- **3.** Connect the wireless display adapter to the TV.
- 4. Turn on the TV.
- Select the appropriate video source for your TV, such as HDMI1, HDMI2, or S-Video.
- Double-click the Intel Wireless Display icon on the desktop.
   The Intel Wireless Display window appears.
- 7. Select Scan for available displays.
- **8.** Select your wireless display adapter from the **Detected wireless displays** list.
- **9.** Enter the security code that appears on your TV.

To enable wireless display:

- Double-click the Intel Wireless Display icon not the desktop.
   The Intel Wireless Display window appears.
- 2. Select Connect to Existing Adapter.
- MOTE: You can download and install the latest driver for "Intel Wireless Display Connection Manager" from support.dell.com.
- **NOTE:** For more information about wireless display, see the wireless display adapter documentation.

# Set Up the TV Tuner (Optional)

**NOTE:** Availability of the TV tuner may vary by region.

To set up the TV tuner:

- If not already inserted, turn off the computer and insert the mini B-CAS card into the SIM card slot on your computer (Japan only).
- Connect the TV/digital antenna cable or the cable adapter to the antenna-in connector on your computer.
- **3.** Turn on your computer.
- 4. Click Start → All Programs → Windows Media Center → Tasks → Settings → TV.
- **5.** Follow the instructions on the screen.

# Set Up Stereoscopic 3D (Optional)

Stereoscopic 3D allows you to view 3D content with visible depth.

- Right-click the desktop and select NVIDIA Control Panel.
- In the NVIDIA Control Panel window, click Stereoscopic 3D to expand the selection (if not already expanded) and then click Setup Stereoscopic 3D.
  - **a.** Select the **Enable stereoscopic 3D** check box.
  - b. From the Stereoscopic 3D display type drop-down menu select Dell 3D Vision Laptop.

- MOTE: If the Stereoscopic 3D display type section displays 3D TV Play, your computer display will not support Stereoscopic 3D. You can view content in Stereoscopic 3D by connecting your computer to a 3DTV. For more information, see "Set Up 3D TV" on page 21
  - c. From the Test stereoscopic 3D drop-down menu select Run Setup Wizard. The Set up NVIDIA 3D Vision wizard appears.
- **3.** Follow the instructions on the screen to complete the setup.
- NOTE: If you experience discomfort while viewing 3D display, stop viewing the display, remove your 3D glasses, and take rest.

### Set Up 3D TV (Optional)

- NOTE: To know if your TV supports the 3D features available on your computer, see System Requirements at www.nyidia.com/3dtv.
- **1.** Connect your computer to the 3D TV using a HDMI cable.
- **NOTE:** The HDMI cable transmits both audio and video signals.
- 2. Set up the HDMI 1.4 3D TV:
  - a. Browse to the TV's 3D settings menu.
  - **b.** Set the 3D mode to **Automatic**.
  - **c.** Set the eye order for the glasses to **default** or **normal**.
- **NOTE:** Do not change the eye order settings when using NVIDIA 3DTV Play as the application controls the timing of the glasses.

- NOTE: If you are unable to view the entire Windows desktop on your TV, use the 3D TV's settings to reduce the display resolution.
- NOTE: For more information about configuring the 3D settings, see the documentation that shipped with your TV.
- **3.** Set your TV as the primary display:
  - a. Right-click the desktop and select
     NVIDIA Control Panel.
  - b. In the NVIDIA Control Panel window, click Display to expand the selection (if not already expanded) and then click Set up multiple display.
  - c. In the Verify the display configuration section, right-click the 3D TV and select Make this the Windows primary display.

#### **Setting Up Your XPS Laptop**

- **4.** Set up the NVIDIA 3DTV Play application:
  - a. In the NVIDIA Control Panel window, click Stereoscopic 3D to expand the selection (if not already expanded) and then click Set up stereoscopic 3D.
  - b. Select the Enable stereoscopic 3D check box. The 3DTV Play setup wizard appears.
  - **c.** Ensure that the 3DTV Play logo appears in the control panel.
- **5.** Change the desktop resolution to match the resolution of the 3D content type:
  - a. In the NVIDIA Control Panel window, click Display to expand the selection (if not already expanded) and then click Change resolution.
  - b. For 3D gaming, set the resolution to 720p, 1280x720 and refresh rate to 60/59 Hz in HD 3D mode.

- c. For Blu-ray 3D playback, set the resolution to 1080p, 1920x1080 and refresh rate to 24/23 Hz in HD 3D mode.
- NOTE: For TVs using PAL system with refresh rates of 50 Hz or 100 Hz or NTSC system with refresh rates of 60 Hz or 120 Hz, set the resolution to 720p and refresh rate to 60/59 Hz.
- NOTE: The performance of games may reduce in HD 3D mode even if 3DTV Play is disabled. To maximize performance, select HD or SD mode when 3DTV Play is disabled.
- Check the HDMI audio on the TV by playing a video, game, or music and adjusting the volume on the TV.
- **NOTE:** For more information on 3D TV, see "NVIDIA 3DTV Play" on page 57.

# Connect to the Internet (Optional)

To connect to the Internet, you need an external modem or network connection and an Internet Service Provider (ISP).

If an external USB modem or WLAN adapter is not a part of your original order, you can purchase one from **dell.com**.

### **Setting Up a Wired Connection**

- If you are using a dial-up connection, connect the telephone line to the optional external USB modem and to the telephone wall connector before you set up your Internet connection.
- If you are using a DSL or cable/satellite modem connection, contact your ISP or cellular telephone service for setup instructions.

To complete setting up your wired Internet connection, follow the instructions in "Setting Up Your Internet Connection" on page 24.

#### **Setting Up a Wireless Connection**

**NOTE:** To set up your wireless router, see the documentation that shipped with your router.

Before you can use your wireless Internet connection, you need to connect to your wireless router.

To set up your connection to a wireless router:

- Ensure that wireless is enabled on your computer (see "Enable or Disable Wireless" on page 16).
- **2.** Save and close any open files, and exit any open programs.
- In the search box, type network, and then click Network and Sharing Center→ Connect to a network.
- **5.** Follow the instructions on the screen to complete the setup.

## Setting Up Your Internet Connection

ISPs and ISP offerings vary by country. Contact your ISP for offerings available in your country.

If you cannot connect to the Internet but have successfully connected in the past, the ISP might have a service outage. Contact your ISP to check the service status, or try connecting again later.

Have your ISP information ready. If you do not have an ISP, the **Connect to the Internet** wizard can help you get one.

To set up your Internet connection:

- **1.** Save and close any open files, and exit any open programs.
- In the search box, type network, and then click Network and Sharing Center→ Set up a new connection or network→ Connect to the Internet.

The **Connect to the Internet** window appears.


- NOTE: If you do not know which type of connection to select, click Help me choose or contact your ISP.
- Follow the instructions on the screen and use the setup information provided by your ISP to complete the setup.

**Setting Up Your XPS Laptop** 


## **Using Your XPS Laptop**

This section provides information about the features available on your Dell XPS laptop.

## **Right View Features**



- **1 Optical drive** Plays or records CDs, DVDs, and Blu-ray Discs (optional). For more information, see "Using the Optical Drive" on page 46.
- **2 Optical drive light** Blinks when you press the optical drive eject button or when you insert a disc and it is being read.
- **3 Optical drive eject button** Opens the optical drive tray when pressed.
- **4 Emergency eject hole** Use to open the optical drive tray if it does not open when you press the eject button. For more information, see "Using the Emergency Eject Hole" on page 46.
- 5 Audio-out/Headphone connector Connects to a pair of headphones or to a powered speaker or sound system.
- 6 Headphone/digital S/PDIF combo connector Connects to amplifiers, speakers, or TVs for digital audio output. Can also be used to connect to a pair of headphones.
  - **NOTE**: You must use a S/PDIF (mini-TOSLINK) adapter to connect a S/PDIF cable. The S/PDIF (mini-TOSLINK) adapter does not ship with your computer and must be purchased separately.
- 7 Audio-in/Microphone connector Connects to a microphone or inputs signal for use with audio programs.
- **NOTE:** You can set up 5.1 channel speakers by using the three audio connectors (5, 6, and 7) or by using the S/PDIF connector (6).



8 eSATA/USB combo connector with USB PowerShare — Connects to eSATA compatible storage devices (such as external hard drives or optical drives) or USB devices (such as a mouse, keyboard, printer, external drive, or MP3 player). The USB PowerShare


(such as a mouse, keyboard, printer, external drive, or MP3 player). The USB PowerShare feature allows you to charge USB devices when the computer is powered on/off or in sleep state.

**NOTE:** Certain USB devices may not charge when the computer is powered off or in sleep state. In such cases, turn on the computer to charge the device.

**NOTE:** If you turn off your computer while charging a USB device, the device stops charging. To continue charging, disconnect the USB device and connect it again.

**NOTE:** The USB PowerShare feature is automatically shut off when only 10% of the total battery life remains.

### **Left View Features**



- **1** USB 2.0 connector Connects to USB devices, such as a mouse, keyboard, printer, external drive, or MP3 player.
- 2 SDXC/MMC-MS/Pro 9-in-1 Media Card Reader Provides a fast and convenient way to view and share digital photos, music, videos, and documents stored on memory cards. For the supported memory cards, see "Specifications" on page 98.

**NOTE**: Your computer ships with a plastic blank installed in the media card slot. Blanks protect unused slots from dust and other particles. Save the blank for use when no media card is installed in the slot; blanks from other computers may not fit your computer.

### **Back View Features**




- **1** Antenna-in connector (on supported models) Connects to an external antenna (included) or coaxial cable (adapter included) to view programs using the TV tuner card (optional).
- 2 Mini-DisplayPort connector Digital interface standard connector that connects to external DisplayPort monitors and projectors.
- **HDMI connector** Connects to a TV for both 5.1 audio and video signals.


**NOTE:** When used with a monitor, only the video signal is read.

- 4 Network connector Connects your computer to a network or a broadband device if you are using a wired network.
- 5 Security cable slot Attaches a commercially available security cable to the computer.
  NOTE: Before you buy a security cable, ensure that it fits into the security cable slot on your computer.
- 6 AC adapter connector Connects to the AC adapter to power the computer and charge the battery.
- 7 USB 3.0 connectors (2) Connect to USB devices, such as a mouse, keyboard, printer, external drive, or MP3 player. Provide faster data transmission between your computer and USB devices.

### **Computer Base and Keyboard Features**



- **1** Battery status light Indicates the battery charge status. For more information on the battery status light, see "Status Lights and Indicators" on page 38.
- 2 Hard drive activity light Turns on when the computer reads or writes data. A solid white light indicates hard drive activity.
  - CAUTION: To avoid loss of data, never turn off the computer when the hard drive activity light is on.
- 3 Control strip The power button, status lights, and touch-sensitive controls are located in this strip. For more information on the control strip, see "Control Strip Features" on page 44.
- **4 XPS logo light** The light on the XPS logo indicates the power states. For more information on the logo light, see "Status Lights and Indicators" on page 38.
- 5 Function key row The dual display enable or disable key □□, wireless enable or disable key □□, brightness increase □□ and decrease □□ keys, touch pad enable or disable key □□, and the multimedia keys are located in this row.
  - For more information on the multimedia keys, see "Multimedia Control Keys" on page 42.



- **6 Keyboard/Backlit Keyboard (optional)** If you have purchased the optional backlit keyboard, the F6 key has the backlit keyboard icon \*\*\*\* on it. The optional backlit keyboard provides visibility in dark environments by illuminating all symbols on the keys.
  - \* Backlit keyboard brightness settings Press the <Fn><F6> keys to toggle the three lighting states (in the given order):
    - · half keyboard brightness
    - full keyboard brightness
    - no lighting
- 7 Touch pad buttons (2) Provide left-click and right-click functions like those on a mouse.
- **8 Touch pad status light** Turns on if the touch pad is disabled.
- 9 Touch pad Provides the functionality of a mouse to move the cursor, drag or move selected items, and left-click by tapping the surface.

The touch pad supports the **Scroll, Flick, Zoom**, and **Rotate** features. To change the touch pad settings, double-click the **Synaptics Pointing Device** icon in the notification area of your desktop. For more information, see "Touch Pad Gestures" on page 40.

**NOTE:** To enable or disable the touch pad, press the <Fn><F3> keys on the keyboard.

## **Status Lights and Indicators**

## Battery Status Light 19

	Indicator light status	Computer state(s)	Battery charge status
AC adapter	solid white	on/standby/off/ hibernate	charging
	off	on/standby/off/ hibernate	fully charged
Battery	solid amber	on/standby	low battery (<= 10%)
	off	on/standby/off/ hibernate	not charging

## Power Button Light $\circlearrowleft$ or XPS Logo Light × $\approx$ 5

Indicator light status	Computer state(s)
solid white	on
breathing white	standby
off	off/hibernate



**NOTE:** For information on power problems, see "Power Problems" on page 68.

## **Disabling Battery Charging**

You may be required to disable the battery charging feature while on an airplane flight. To quickly disable the battery charging feature:

- 1. Ensure that your computer is turned on.
- 2. Click Start 🚱.
- 3. In the search box, type Power Options and press <Enter>.
- 4. In the Power Options window, click Dell Battery Meter.
- 5. In the Battery Settings window, click Turn off Battery Charging and then click OK.
- NOTE: Battery charging can also be disabled in the System Setup (BIOS) utility.

## **Touch Pad Gestures**

### Scroll

Allows you to scroll through content. The scroll feature includes:

**Scroll Vertical** — Allows you to scroll up or down on the active window.



Move two fingers up or down to scroll the selected object.



Move two fingers up or down at a fast pace to activate vertical auto scrolling.

Tap on the touch pad to stop auto scrolling

**Scroll Horizontal** — Allows you to scroll left or right on the active window.



Move two fingers left or right to scroll the selected object.



Move two fingers left or right at a fast pace to activate horizontal auto scrolling.

Tap on the touch pad to stop auto scrolling

#### **Flick**

Allows you to flip content forward or backward based on the direction of the flick.



Move three fingers quickly in the desired direction to flip content in the active window.

## Zoom

Allows you to increase or decrease the magnification of the screen content. The zoom feature includes:

**Pinch** — Allows you to zoom-in or zoom-out by moving two fingers apart or bringing them closer together on the touch pad.



To zoom in: Move two fingers apart to enlarge the view of the active window.



To zoom out: Move two fingers close together to reduce the view of the active window.

#### **Rotate**

Allows you to rotate the active content on the screen. The rotate feature includes:

**Twist** — Allows you to rotate the active content using two fingers where one finger is anchored and the other rotates.



Keeping the thumb in place, move the index finger in an arced direction right or left to rotate the selected item clockwise or counterclockwise.

## **Multimedia Control Keys**

The multimedia control keys are located on the function key row on the keyboard. To use the multimedia controls, press the required key. You can configure the multimedia control keys using the **System Setup** (BIOS) utility or **Windows Mobility Center**.

## **System Setup**

- 1. Press <F2> during POST (Power On Self Test) to enter the System Setup (BIOS) utility.
- 2. In the Function Key Behavior, select Multimedia Key First or Function Key First.

**Function Key First** — This is the default option. Press any function key to perform the associated function. For multimedia action, press <Fn> + the required multimedia key.

**Multimedia Key First** — Press any multimedia key to perform the associated multimedia action. For function, press <Fn> + the required function key.



**NOTE:** The **Multimedia Key First** option is active only in the operating system.

## Windows Mobility Center

- 1. Press the <●><X> keys or touch the Windows Mobility Center control ☆ on the control strip to launch Windows Mobility Center.
- 2. In the Function Key Row, select Function Key or Multimedia Key.



Play the previous track or chapter

Decrease the volume level


Number of the previous track or chapter

Play or pause

Number of the previous track or chapter

Mute the sound

## **Control Strip Features**



- Power button and light Turns the computer on or off when pressed. The light on the button indicates the power states. For more information on the power button light, see "Status Lights and Indicators" on page 38.
- Wireless status light Turns on if wireless is enabled. For more information, see "Enable or Disable Wireless" on page 16.
- 3 Battery status light Indicates the battery charge status. For more information on the battery status light, see "Status Lights and Indicators" on page 38.

**NOTE:** The battery is charging when the computer is powered using the AC adapter.

- 4 Windows Mobility Center control Touch to launch the Windows Mobility Center.
- 5 Instant launch control Touch to launch a predefined application of your choice.
- **4** Audio control-panel control Touch to launch the **Dell Audio** control panel. The control panel allows you to setup studio-quality audio output on your computer. You can also change the audio settings such as volume, external speaker setup, and microphone setup.

## **Using the Optical Drive**

CAUTION: Do not press down on the optical drive tray when you open or close it. Keep the optical drive tray closed when you are not using the drive.

 $\bigwedge$  CAUTION: Do not move the computer while playing or recording a disc.

The optical drive plays or records CDs, DVDs, and Blu-ray Discs (optional). Ensure that the side with print or writing is facing upward when placing discs on the optical drive tray.

To place a disc in the optical drive:

- 1. Press the eject button on the optical drive.
- 2. Pull out the optical drive tray.
- **3.** Place the disc, label-side up, in the center of the optical drive tray and snap the disc onto the spindle.
- 4. Push the optical drive tray back into the drive.


## **Using the Emergency Eject Hole**

If the optical drive tray does not eject when you press the eject button, you can use the emergency eject hole to open the drive tray. To open the drive tray using the emergency eject hole:


- 1. Turn off the computer.
- Insert a small pin or unfolded paper clip into the emergency eject hole and push firmly until the drive tray opens.

## **Using Your XPS Laptop**

- 1 disc2 spindle
- **3** optical drive tray
- 4 emergency eject hole
- 5 eject button



## **Display Features**



- 1 Microphone Provides high quality sound for video conferencing and voice recording.
- **2 Camera indicator light** Indicates if the camera is on or off.
- **3 Camera** Built-in camera for video capture, conferencing, and chat. The camera supports the H.264 video compression codec, which provides high quality video at low data transmission rates.
- 4 **Display** Your display can vary based on selections you made when purchasing your computer. The display may support the touch screen feature if you selected the option at the time of purchase. For information on the touch screen features, see "Touch Screen Gestures (Optional)" on page 50.

## **Touch Screen Gestures** (Optional)



**NOTE:** Some of these gestures are application-specific and may not work across applications.

#### 700m

Allows you to increase or decrease the magnification of the screen content. **Pinch** — Allows you to zoom-in or zoomout by moving two fingers apart or bringing them closer together on the screen.



To zoom in: Move two fingers apart to enlarge the view of the active window.



To zoom out: Move two fingers close together to reduce the view of the active window

#### Dwell

Allows you to access additional information by simulating a right-click.



Press and hold a finger on the touch screen, to open context-sensitive menus.

#### **Flick**

Allows you to flip content forward or backward based on the direction of the flick



Move a finger quickly in the desired direction to flip through content in the active window like pages in a book Flick also works vertically when navigating content such as images or songs in a playlist.

#### Scroll

Allows you to scroll through content. The scroll features include:

**Pan** — Allows you to move the focus on the selected object when the entire object is not visible.



Move two fingers in the desired direction to pan scroll the selected object.

**Scroll Vertical** — Allows you to scroll up or scroll down on the active window.



Move a finger up or down to activate vertical scrolling.

**Scroll Horizontal** — Allows you to scroll right or left on the active window.



Move a finger to the right or left to activate horizontal scrolling.

#### Rotate

Allows you to rotate the active content on the screen

**Twist** — Allows you to rotate the active content using two fingers.



Keeping a finger or thumb in place, move the other finger in an arced direction right or left. You can also rotate the active content by moving both the fingers in a circular motion.

# Removing and Replacing the Battery

- MARNING: Before you begin any of the procedures in this section, follow the safety instructions that shipped with your computer.
- WARNING: Using an incompatible battery may increase the risk of fire or explosion. This computer should only use a battery purchased from Dell. Do not use batteries from other computers.
- MARNING: Before removing the battery, shut down the computer, and remove external cables (including the AC adapter).

To remove the battery:


- **1.** Turn off the computer and turn it over.
- 2. Slide the battery release latch to the side.
- **3.** Lift the battery up at an angle and remove it from the battery bay.

To replace the battery:

- **1.** Align the tabs on the battery with the slots on the battery bay.
- **2.** Press the battery down until the battery release latch clicks.

## **Using Your XPS Laptop**

- **1** battery release latch
- 2 battery
- **3** tabs (3)



## **Software Features**

## **FastAccess Facial Recognition**

Your computer may have the FastAccess facial recognition feature. This feature helps keep your Dell computer secure by learning the unique appearance of your face and uses this to verify your identity to automatically supply login information when you would normally enter this information yourself (such as for logging on to a Windows account or secure websites). For more information, click

Start → All Programs → FastAccess.

## **Productivity and Communication**

You can use your computer to create presentations, brochures, greeting cards, fliers, and spreadsheets. You can also edit and view digital photographs and images. Check your purchase order for software installed on your computer.

After connecting to the Internet, you can access websites, setup an e-mail account, and upload or download files.

#### **Entertainment and Multimedia**

You can use your computer to watch videos, play games, create your own CDs/DVDs, listen to music and Internet radio stations.

You can download or copy pictures and video files from portable devices, such as digital cameras and cell phones. Optional software applications enable you to organize and create music and video files that can be recorded to disc, saved on portable products such as MP3 players and handheld entertainment devices, or played and viewed directly on connected TVs, projectors, and home theater equipment.

# Dell DataSafe Online Backup

- **NOTE:** Dell DataSafe Online is supported only on Windows operating systems.
- NOTE: A broadband connection is recommended for fast upload/download speeds.

Dell DataSafe Online is an automated backup and recovery service that helps protect your data and other important files from catastrophic incidents like theft, fire, or natural disasters. You can access the service on your computer using a password-protected account.

For more information, go to **DellDataSafe.com**. To schedule backups:

- Double-click the Dell DataSafe Online icon in the notification area of your desktop.
- 2. Follow the instructions on the screen.

# NVIDIA Optimus Technology (Optional)

Your XPS laptop is equipped with NVIDIA's Optimus technology. The Optimus technology enhances the performance of your computer, while minimizing the impact on battery life. It enables you to combine the graphic processing capability of the integrated Intel graphic processing unit (GPU) with the discrete NVIDIA GPU while running graphic-intensive applications such as 3D games. The NVIDIA GPU is turned on only for preset applications and thus extends the battery life.

The Optimus technology is enabled through an application profile. When an application is launched, the video drivers check if the application has an associated application profile.

- If an application profile exists, the NVIDIA GPU is enabled and the application runs in performance mode. The NVIDIA GPU is disabled automatically when the application is closed.
- If an application profile does not exist, only the integrated Intel GPU is used.

The default list of application profiles is updated frequently by NVIDIA and is automatically downloaded to your computer when you are connected to the Internet.

You can also create application profiles for any application on your computer. This may be required for newly released games or applications that do not have a default application profile.

## Changing the Application Profile Settings

- 1. Right-click the desktop and select NVIDIA Control Panel
- 2. In the NVIDIA Control Panel window. click **3D Settings** to expand the selection (if not already expanded) and then click Manage 3D Settings.
- 3. In the **Program Settings** tab, click **Add** and browse to select the application's executable file (.exe). Once added, you can change the settings for that application.

To change the settings for a specific application, select the application in the Select a program to customize: list and make the desired changes.

**NOTE:** For more information on the NVIDIA control panel's options and settings, click Help.

## **NVIDIA 3DTV Play**

The NVIDIA 3DTV Play application installed on your computer allows you to play 3D games, watch Blu-ray 3D videos, and browse 3D photos.

### **3D Games**

The NVIDIA 3DTV Play application supports the same games as NVIDIA 3D Vision.



**NOTE:** For a list of supported 3D games, go to www.nvidia.com.

#### Playing Games in 3D

- 1. Launch the game in full-screen mode.
- 2. If you see a message stating that the current mode is not HDMI 1.4 compatible, set the in-game resolution to 720p. **1280x720** in HD 3D mode

## **Using Your XPS Laptop**

## **Keyboard Shortcuts**

The following are some of the keyboard shortcuts available for 3D gaming:

Keys	Description	Function
<ctrl><t></t></ctrl>	Show/hide	Turns 3DTV Play on/off.
	stereoscopic 3D effects	<b>NOTE:</b> The gaming performance may reduce when using HD 3D mode even if 3DTV Play is disabled. To maximize performance, select HD or SD mode when 3DTV Play is disabled.
<ctrl><f4></f4></ctrl>	Increases 3D depth	Increases the 3D depth real-time in the current game.
<ctrl><f3></f3></ctrl>	Decreases 3D depth	Decreases the 3D depth real-time in the current game.
<ctrl><f11></f11></ctrl>		Captures a 3D screenshot of the current game, and saves the file in the
		My Documents\NVSteroscopic3D.IMG folder. To view the file, use the NVIDIA 3D Photo Viewer.
<ctrl><alt><insert></insert></alt></ctrl>	Show/hide in-game compatibility message	Displays the settings recommended by NVIDIA for the current game.

<ctrl><f6></f6></ctrl>	Increases convergence	Moves objects towards you; maximum convergence places all objects in front of the scene in your space; also used to place the laser sight.
<ctrl><f5></f5></ctrl>	Decreases convergence	Moves objects away from you; minimum convergence places all objects behind the scene in your space; also used to place the laser sight.

#### **Customizing Shortcut Keys**

To customize the keyboard shortcuts:

- 1. Right-click the desktop and select NVIDIA Control Panel.
- 2. In the NVIDIA Control Panel window, click Stereoscopic 3D to expand the selection (if not already expanded) and then click Set keyboard shortcuts.
- **3.** Click the box displaying the shortcut you want to change.
- 4. Press the desired key combination.
- 5. Click OK to save and exit.

#### 3D Photos

You can view stereoscopic 3D photos using the NVIDIA Photo Viewer available in the NVIDIA 3DTV Play application. The photo viewer also allows you to edit the 3D effects on the photo.



**NOTE:** For more information on using the photo viewer and to download 3D photos, go to www.nvidia.com.

## Blu-ray 3D

The NVIDIA 3DTV Play application allows you to watch Blu-ray 3D videos at 1080p resolution. For 3D Blu-ray playback, set the resolution to 1080p, 1920x1080 and refresh rate to 24/23 Hz in HD 3D mode. To watch Blu-ray 3D videos, use the CyberLink Power DVD application installed on your computer. The CyberLink PowerDVD application detects your 3D TV automatically.



**NOTE**: For more information on the CyberLink PowerDVD's configuration options and settings, click Help within the application.

**NOTE:** For more information about using Blu-ray 3D, go to www.nvidia.com.



**NOTE:** To see knowledge base articles and frequently asked questions, go to support.nvidia.com.

## **Dell Dock (Optional)**

The Dell Dock is a group of icons that provides easy access to frequently-used applications, files, and folders. You can personalize the Dock by:

- Adding or removing icons
- Grouping related icons into categories

- Changing the color and location of the Dock
- Changing the behavior of the icons





















## Add a Category

- **1.** Right-click the Dock, click **Add**→ **Category**. The Add/Edit Category window appears.
- 2. Enter a title for the category in the Title field.
- 3. Select an icon for the category from the Select an image: box.
- 4. Click Save

#### Add an Icon

Drag and drop the icon to the Dock or a category.

## Remove a Category or Icon

- 1. Right-click the category or icon on the Dock and click **Delete shortcut** or **Delete** category.
- 2. Follow the instructions on the screen

#### Personalize the Dock

- 1. Right-click the Dock and click Advanced Setting...
- 2. Choose the desired option to personalize the Dock

## **Dell Stage (Optional)**

The Dell Stage software provides access to your favorite media and multi-touch applications.

To launch Dell Stage, click **Start** ♠ → All Programs → Dell Stage → Dell Stage.



**NOTE:** Some of the applications on Dell Stage can also be launched from the All Programs menu.

You can customize Dell Stage as follows:

- Rearrange an application shortcut Select and hold the application shortcut until it blinks and then drag the application shortcut to a desired location on Dell Stage.
- Minimize Drag the Dell Stage window to the bottom of the screen.
- Personalize Select the settings icon and then choose the desired option.

The following are the applications available on Dell Stage:



- **NOTE:** Some of the applications may not be available based on the selections you made while purchasing your computer.
- MUSIC Play music or browse through your music files by album, artist, or song title. You can also listen to radio stations from across the globe. The optional Napster application allows you to download songs when connected to the Internet
- YOUPAINT Draw and edit pictures.
- GAMES Play touch-enabled games.
- DOCUMENTS Provides quick access to the Documents folder on your computer.

- PHOTO View, organize, or edit your pictures. You can create slideshows and collections of your pictures and upload them to Facebook or Flickr when connected to the Internet.
- DELL WEB Provides a preview of up to four of your favorite web pages. Click or tap the web page preview to open it in the web browser.
- VIDEO View videos. The optional CinemaNow application allows you to purchase or rent movies and TV shows when connected to the Internet.
- SHORTCUTS Provides quick access to your frequently-used programs.

- STICKYNOTES Create notes or reminders using the keyboard or touch screen. These notes will appear on the bulletin board the next time you access STICKYNOTES. You can also save notes on your desktop.
- Web Tile Provides a preview of up to four of your favorite web pages. The tile allows you to add, edit, or delete a web page preview. Click or tap the web page preview to open it in the web browser. You can also create multiple Web Tiles through the Apps Gallery.

## Free Fall Sensor

Free fall sensor protects your computer hard drive from possible damage, by detecting a free fall state caused by accidentally dropping the computer. When a free fall state is detected, the hard drive is placed in a safe state to protect against damage to the read/write head and possible data loss. Your hard drive returns to normal operation, when the free fall state is no longer detected.

## **Solving Problems**

This section provides troubleshooting information for your computer. If you cannot solve your problem using the following guidelines, see "Using Support Tools" on page 72 or "Contacting Dell" on page 93.

MARNING: Only trained service personnel should remove the computer cover. See the Service Manual at support.dell.com/manuals for advanced service instructions.

## **Beep Codes**

Your computer might emit a series of beeps during start-up if there are errors or problems. This series of beeps, called a beep code, identifies a problem. If this occurs, write down the beep code and contact Dell (see "Contacting Dell" on page 93) for assistance.



**NOTE:** To replace parts, see the *Service Manual* at **support.dell.com**.

Beep Code	Possible Problem
One	Possible system board failure — BIOS ROM checksum failure
Two	No RAM detected  NOTE: If you installed or replaced the memory module, ensure that the memory module is seated properly.
Three	Possible system board failure — Chipset error
Four	RAM read/write failure
Five	Real Time Clock failure
Six	Video card or chip failure
Seven	Processor failure
Eight	Display failure

## **Touch Screen Problems**

Some or all multi-touch features are not working -

- Certain touch and multi-touch features may be disabled. To enable them, doubleclick the **Flicks** icon **1** in the notification area of your desktop. In the Pen and Touch window, select the Touch tab and ensure that Use your finger as an input device and Enable multi-touch gestures and inking options are selected.
- The multi-touch feature may not be supported by the application.
- The touch screen is calibrated at the factory, and does not require recalibration. If you choose to calibrate the touch screen, click **Start ②** → **Control** panel→ Hardware and Sound→ Tablet PC Settings→ Calibrate...

NOTE: Improper calibration may lead to inaccurate touch sensitivity.

If the touch screen starts losing its **sensitivity** — The touch screen may have foreign particles (such as sticky notes) that are blocking the touch sensors. To remove these particles:

- 1. Turn off the computer.
- 2. Disconnect the AC adapter from the wall outlet.
- CAUTION: Do not use water or a cleaning liquid to wipe the touch screen.
- 3. Use a clean, lint-free cloth (can spray mild, non abrasive cleaner or water on cloth if needed, but not on the screen) and wipe the surface and sides of the touch screen to remove any dirt or fingerprints.

## **Network Problems**

## **Wireless Connections**

If the wireless network connection is lost — The wireless router is offline or wireless has been disabled on the computer.

- Check your wireless router to ensure it is powered on and connected to your data source (cable modem or network hub).
- Check if wireless is enabled on the computer (see "Enable or Disable Wireless" on page 16).
- Re-establish your connection to the wireless router (see "Setting Up a Wireless Connection" on page 23).
- Interference may be blocking or interrupting your wireless connection.
   Try moving the computer closer to your wireless router.

#### Wired Connections

If the wired network connection is lost — The network cable is loose or damaged.

• Check the network cable to ensure it is plugged in and not damaged.

## **Power Problems**

If the power light is off — The computer is either turned off, in hibernate mode, or is not receiving power.

- Press the power button. The computer resumes normal operation if it is off or in hibernate mode.
- Reseat the AC adapter cable into both the power connector on the computer and the electrical outlet.
- If the AC adapter cable is plugged into a power strip, ensure that the power strip is plugged into an electrical outlet and that the power strip is turned on. Also bypass power protection devices, power strips, and power extension cables to verify that the computer turns on properly.
- Ensure that the electrical outlet is working by testing it with another device, such as a lamp.

 Check the AC adapter cable connections.
 If the AC adapter has a light, ensure that the light on the AC adapter is on.

If the power light is solid white and the computer is not responding — The display may not be responding.

- Press the power button until the computer turns off and then turn it back on.
- If the problem persists, contact Dell (see "Contacting Dell" on page 93).

If the power light is breathing white — The computer is in standby or the display may not be responding.

- Press a key on the keyboard, move the connected mouse or a finger on the touch pad, or press the power button to resume normal operation.
- If the display is not responding, press the power button until the computer turns off and then turn it back on.
- If the problem persists, contact Dell (see "Contacting Dell" on page 93).

If you encounter interference that hinders reception on your computer — An unwanted signal is creating interference by interrupting or blocking other signals. Some possible causes of interference are:

- Power, keyboard, and mouse extension cables.
- Too many devices connected to a power strip.
- Multiple power strips connected to the same electrical outlet.

## **Memory Problems**

## If you receive an insufficient memory message —

- Save and close any open files and exit any open programs you are not using to see if that resolves the problem.
- See the software documentation for minimum memory requirements. If necessary, install additional memory (see the Service Manual at support.dell.com/manuals).
- Reseat the memory module(s) into the connector(s) (see the Service Manual at support.dell.com/manuals).
- If the problem persists, contact Dell (see "Contacting Dell" on page 93).

## If you experience other memory problems —

- Run Dell Diagnostics (see "Dell Diagnostics" on page 74).
- If the problem persists, contact Dell (see "Contacting Dell" on page 93).

## **Lockups and Software Problems**

If the computer does not start up — Ensure that the AC adapter cable is firmly connected to the computer and to the electrical outlet.

## If a program stops responding —

End the program:

- 1. Press <Ctrl><Shift><Esc> simultaneously.
- 2. Click Applications.
- **3.** Select the program that is no longer responding
- 4. Click End Task

**If a program crashes repeatedly** — Check the software documentation. If necessary, uninstall and then reinstall the program.



**NOTE:** Software usually includes installation instructions in its documentation or on the CD.

## If a program is designed for an earlier Microsoft Windows operating system -

Run the Program Compatibility Wizard. The Program Compatibility Wizard configures a program so that it runs in an environment similar to an earlier version of Microsoft Windows operating system.

To run the Program Compatability Wizard:

- Programs → Run programs made for previous versions of Windows.
- 2. In the welcome screen, click Next.
- **3.** Follow the instructions on the screen.

# If the computer stops responding or a solid blue screen appears —

CAUTION: You might lose data if you are unable to perform an operating system shutdown.

If you are unable to get a response by pressing a key on your keyboard, or by moving your mouse, press the power button for at least 8 to 10 seconds until the computer turns off and then restart your computer.

### If you have other software problems -

- Back up your files immediately.
- Use a virus-scanning program to check the hard drive or CDs
- Save and close any open files or programs and shut down your computer through the Start menu.

- Check the software documentation or contact the software manufacturer for troubleshooting information:
  - Ensure that the program is compatible with the operating system installed on your computer.
  - Ensure that your computer meets the minimum hardware requirements needed to run the software. See the software documentation for information.
  - Ensure that the program is installed and configured properly.
  - Verify that the device drivers do not conflict with the program.
  - If necessary, uninstall and then reinstall the program.
  - Write down any error message that is displayed to help in troubleshooting when contacting Dell.

# **Using Support Tools**

## **Dell Support Center**

All the support you need – one convenient location.

The **Dell Support Center** provides system alerts, performance improvement offers, system information, and links to other Dell tools and diagnostic services.

The **Dell Support Center** home page displays your computer's model number, service tag, express service code, warranty status, and alerts on improving the performance of your computer.

The home page also provides links to access:

**PC Checkup** — Run hardware diagnostics, see which program occupies the maximum memory on your hard drive, and track the changes made to your computer each day.

### **PC Checkup Utilities**

- Drive Space Manager Manage your hard drive using a visual representation of the space consumed by each type of file.
- Performance and Configuration
   History Monitor system events and changes over time. This utility displays all hardware scans, tests, system changes, critical events and restoration points on the day they occurred.

**Detailed System Information** — View detailed information about your hardware and operating system configurations; access copies of your service contracts, warranty information, and warranty renewal options.

**Get Help** — View Dell Technical Support options, Customer Support, Tours and Training, Online Tools, Owner's Manual, Warranty Information, FAOs, and so on.

**Backup and Recovery** — Create recovery media, launch recovery tool, and online file backup.

System Performance Improvement Offers - Acquire software and hardware solutions that will help improve your system performance.

For more information about **Dell** Support Center and to download and install the available support tools, go to DellSupportCenter.com.

### My Dell Downloads



**NOTE:** My Dell Downloads may not be available in all regions.

Some of the software pre-installed on your new Dell computer do not include a backup CD or DVD. This software is available on the My Dell Downloads website. From this website you can download available software for reinstallation or create your own backup media

To register and use My Dell Downloads:

- Go to DownloadStore.dell.com/media.
- 2. Follow the instructions on the screen to register and download the software.
- 3. Reinstall the software or create a backup media for future use.

### Hardware Troubleshooter [

If a device is either not detected during the operating system setup or is detected but incorrectly configured, you can use the **Hardware Troubleshooter** to resolve the incompatibility.

To start the Hardware Troubleshooter:

- 1. Click Start 

  → Help and Support.
- Type hardware troubleshooter in the search field and press <Enter> to start the search.
- In the search results, select the option that best describes the problem and follow the remaining troubleshooting steps.

## **Dell Diagnostics**

If you experience a problem with your computer, perform the checks in "Lockups and Software Problems" on page 70 and run Dell Diagnostics before you contact Dell for technical assistance.

- **NOTE:** Dell Diagnostics works only on Dell computers.
- **NOTE:** The *Drivers and Utilities* disc may not ship with your computer.

Ensure that the device that you want to test is displayed in the system setup program and is active. Press <F2> during POST (Power On Self Test) to enter the System Setup (BIOS) utility.

Start Dell Diagnostics from your hard drive or from the *Drivers and Utilities* disc.

# Starting Dell Diagnostics From Your Hard Drive

Dell Diagnostics is located on a hidden diagnostic utility partition on your hard drive.

- NOTE: If your computer cannot display a screen image, contact Dell (see "Contacting Dell" on page 93) for assistance.
- Ensure that the computer is connected to an electrical outlet that is known to be working properly.
- 2. Turn on (or restart) your computer.
- **3.** When the DELL logo appears, press <F12> immediately. Select **Diagnostics** from the boot menu and press <Enter>. This may invoke the Pre-Boot System Assessment (PSA) on your computer.
- NOTE: If you wait too long and the operating system logo appears, continue to wait until you see the Microsoft Windows desktop; then, shut down your computer and try again.

NOTE: If you see a message stating that no diagnostics utility partition has been found, run Dell Diagnostics from the Drivers and Utilities disc.

#### If PSA is invoked:

- a. The PSA will start running tests.
- b. If the PSA completes successfully, the following message appears: "No problems have been found with this system so far. Do you want to run the remaining memory tests? This will take about 30 minutes or more. Do you want to continue? (Recommended)."

#### **Using Support Tools**

- c. If you are experiencing memory issues, press <y>, otherwise press <n>. The following message appears: "Booting Dell Diagnostic Utility Partition. Press any key to continue."
- d. Press any key to go to the Choose An Option window.

#### If PSA is not invoked:

Press any key to start Dell Diagnostics from the diagnostic utility partition on your hard drive and to go to the **Choose An Option** window.

**4.** Select the test you want to run.

- 5. If a problem is encountered during a test, a message with an error code and a description of the problem appears on your screen. Write down the error code and problem description and contact Dell (see "Contacting Dell" on page 93) for assistance.
- **NOTE:** The Service Tag for your computer is displayed at the top of each test screen. The Service Tag helps you identify your computer when you contact Dell.
- When the tests complete, close the test screen to return to the Choose An Option window.
- **7.** To exit Dell Diagnostics and restart the computer, click **Exit**.

# Starting Dell Diagnostics From the Drivers and Utilities Disc

- **NOTE:** The *Drivers and Utilities* disc may not ship with your computer.
- 1. Insert the Drivers and Utilities disc.
- Shut down and restart the computer. When the DELL logo appears, press <F12> immediately.
- NOTE: If you wait too long and the operating system logo appears, continue to wait until you see the Microsoft Windows desktop; then, shut down your computer and try again.
- **MOTE:** The next steps change the boot sequence for one time only. On the next start-up, the computer boots according to the devices specified in the system setup program.

- When the boot device list appears, highlight CD/DVD/CD-RW and press <Enter>.
- Select the Boot from CD-ROM option from the menu that appears and press <Enter>.
- **5.** Type 1 to start the CD menu and press <Enter> to proceed.
- Select Run the 32 Bit Dell Diagnostics from the numbered list. If multiple versions are listed, select the version appropriate for your computer.
- 7. Select the test you want to run.

#### **Using Support Tools**

- 8. If a problem is encountered during a test, a message with an error code and a description of the problem appears on your screen. Write down the error code and problem description and contact Dell (see "Contacting Dell" on page 93) for assistance.
- **MOTE:** The Service Tag for your computer is displayed at the top of each test screen. The Service Tag helps you identify your computer when you contact Dell.
- When the tests complete, close the test screen to return to the Choose An Option window.
- 10.To exit Dell Diagnostics and restart the computer, click Exit.
- 11. Remove the Drivers and Utilities disc.

# **Restoring Your Operating System**

You can restore the operating system on your computer using any of the following options:

CAUTION: Using Dell Factory Image Restore or the Operating System disc to restore your operating system permanently deletes all data files on your computer. If possible, backup your data files before using these options.

Option	Use
System Restore	as the first solution
Dell DataSafe Local Backup	when System Restore does not resolve your problem
System recovery media	when operating system failure prevents the use of System Restore and DataSafe Local Backup
	when installing the Dell factory-installed software on a newly installed hard drive
Dell Factory Image Restore	to restore your computer to the operating state it was in when you received your computer
Operating System disc	to reinstall only the operating system on your computer

**NOTE:** The *Operating System* disc may not ship with your computer.

### **System Restore**

The Microsoft Windows operating systems provide a System Restore option which allows you to return your computer to an earlier operating state (without affecting data files) if changes to the hardware, software, or other system settings have left the computer in an undesirable operating state. Any changes that System Restore makes to your computer are completely reversible.

 $\triangle$ 

CAUTION: Make regular backups of your data files. System Restore does not monitor your data files or recover them.

### **Starting System Restore**

- 1. Click Start 🙆
- 2. In the search box, type System Restore and press <Enter>.
- NOTE: The User Account Control window may appear. If you are an administrator on the computer, click Continue; otherwise, contact your administrator to continue the desired action.

**3.** Click **Next** and follow the instructions on the screen.

In the event that System Restore did not resolve the issue, you may undo the last system restore.

### **Undoing the Last System Restore**

- NOTE: Before you undo the last system restore, save and close all open files and exit any open programs. Do not alter, open, or delete any files or programs until the system restoration is complete.
- 1. Click Start 📀
- In the search box, type System Restore and press <Enter>.
- Click Undo my last restoration and click Next.

# Dell DataSafe Local Backup

CAUTION: Using Dell DataSafe Local Backup to restore your operating system permanently removes any programs or drivers installed after you received your computer. Create backup media of applications you need to install on your computer before using Dell DataSafe Local Backup. Use Dell DataSafe Local Backup only if System Restore did not resolve your operating system problem.

CAUTION: Although Dell Datasafe
Local Backup is designed to preserve
the data files on your computer, it is
recommended that you backup your
data files before using Dell DataSafe
Local Backup.

NOTE: If Dell DataSafe Local Backup is not available on your computer, use Dell Factory Image Restore (see "Dell Factory Image Restore" on page 84) to restore your operating system.

You can use Dell DataSafe Local Backup to restore your hard drive to the operating state it was in when you purchased your computer, while preserving the data files.

Dell DataSafe Local Backup allows you to:

- Backup and restore your computer to an earlier operating state
- Create system recovery media (see "Create System Recovery Media (Recommended)" on page 12)

### Dell DataSafe Local Backup Basic


To restore the operating system and Dell factory-installed software while preserving the data files:

- **1.** Turn off your computer.
- Disconnect all the devices (USB drive, printer, and so on) connected to the computer and remove any newly added internal hardware.
- **NOTE:** Do not disconnect the AC adapter.

### **Restoring Your Operating System**

- **3.** Turn on your computer.
- When the DELL logo appears, press <F8> several times to access the Advanced Boot Options window.
- NOTE: If you wait too long and the operating system logo appears, continue to wait until you see the Microsoft Windows desktop; then, shut down your computer and try again.
- 5. Select Repair Your Computer.
- Select Dell DataSafe Restore and Emergency Backup from the System Recovery Options menu and follow the instructions on the screen.
- **NOTE:** The restoration process may take an hour or more depending on the size of the data to be restored.
- NOTE: For more information, see knowledge base article 353560 at support.dell.com.

# Upgrading to Dell DataSafe Local Backup Professional



Dell DataSafe Local Backup Professional provides additional features that allow you to:

- Backup and restore your computer based on file types
- Backup files to a local storage device
- Schedule automated backups

To upgrade to Dell DataSafe Local Backup Professional:

- Double-click the Dell DataSafe Local Backup icon in the notification area of your desktop.
- 2. Click UPGRADE NOW!
- **3.** Follow the instructions on the screen.

### **System Recovery Media**

CAUTION: Although the system recovery media is designed to preserve the data files on your computer, it is recommended that you backup your data files before using the system recovery media.

You can use the system recovery media, created using Dell DataSafe Local Backup, to return your hard drive to the operating state it was in when you purchased the computer while preserving the data files on your computer.

Use the system recovery media in case of:

- Operating system failure that prevents the use of the recovery options installed on your computer.
- Hard drive failure that prevents data from being recovered.

To restore the operating system and Dell factory-installed software on your computer using the system recovery media:

- **1.** Insert the system recovery disc or USB key and restart the computer.
- When the DELL logo appears, press <F12> immediately.
- NOTE: If you wait too long and the operating system logo appears, continue to wait until you see the Microsoft Windows desktop; then, shut down your computer and try again.
- **3.** Select the appropriate boot device from the list and press <Enter>.
- 4. Follow the instructions on the screen.

### Dell Factory Image Restore

CAUTION: Using Dell Factory Image Restore to restore your operating system permanently deletes all data on the hard drive and removes any programs or drivers installed after you received your computer. If possible, back up the data before using this option. Use Dell Factory Image Restore only if System Restore did not resolve your operating system problem.

- **NOTE:** Dell Factory Image Restore may not be available in certain countries or on certain computers.
- NOTE: If Dell Factory Image Restore is not available on your computer, use Dell DataSafe Local Backup (see "Dell DataSafe Local Backup" on page 81) to restore your operating system.

Use Dell Factory Image Restore only as the last method to restore your operating system. This option restores your hard drive to the operating state it was in when you purchased the computer. Any programs or files added since you received your computer—including data files—are permanently deleted from the hard drive. Data files include documents, spreadsheets, e-mail messages, digital photos, music files, and so on. If possible, back up all data before using Dell Factory Image Restore.

# Starting Dell Factory Image Restore

- 1. Turn on the computer.
- When the DELL logo appears, press <F8> several times to access the Advanced Boot Options window.
- NOTE: If you wait too long and the operating system logo appears, continue to wait until you see the Microsoft Windows desktop; then, shut down your computer and try again.

### **Restoring Your Operating System**

- Select Repair Your Computer. The System Recovery Options window appears.
- 4. Select a keyboard layout and click Next.
- To access the recovery options, log on as a local user. To access the command prompt, type administrator in the User name field, then click OK.
- Click Dell Factory Image Restore.
   The Dell Factory Image Restore welcome screen appears.
- NOTE: Depending upon your configuration, you may need to select Dell Factory Tools, then Dell Factory Image Restore.
- Click Next.
   The Confirm Data Deletion screen appears.
- NOTE: If you do not want to proceed with the Factory Image Restore, click Cancel.

- 8. Select the check box to confirm that you want to continue to reformat the hard drive and restore the system software to the factory condition, then click Next.
  - The restore process begins and may take five or more minutes to complete. A message appears when the operating system and factory-installed applications have been restored to factory condition.
- **9.** Click **Finish** to restart the computer.

# **Getting Help**

If you experience a problem with your computer, you can complete the following steps to diagnose and troubleshoot the problem:

- See "Solving Problems" on page 65 for information and procedures that pertain to the problem your computer is experiencing.
- **2.** See "Dell Diagnostics" on page 74 for procedures on how to run Dell Diagnostics.
- **3.** Fill out the "Diagnostic Checklist" on page 92.
- 4. Use Dell's extensive suite of online services available at Dell Support (support. dell.com) for help with installation and troubleshooting procedures. See "Online Services" on page 88 for a more extensive list of Dell Support online.
- **5.** If the preceding steps have not resolved the problem, see "Before You Call" on page 91.

- **NOTE:** Call Dell Support from a telephone near or at the computer so that the support staff can assist you with any necessary procedures.
- NOTE: Dell's Express Service Code system may not be available in all countries.

When prompted by Dell's automated telephone system, enter your Express Service Code to route the call directly to the proper support personnel. If you do not have an Express Service Code, open the Dell Accessories folder, double-click the Express Service Code icon, and follow the directions.

NOTE: Some of the services are not always available in all locations outside the continental U.S. Call your local Dell representative for information on availability.

# Technical Support and Customer Service

Dell's support service is available to answer your questions about Dell hardware. Our support staff use computer-based diagnostics to provide fast, accurate answers.

To contact Dell's support service, see "Before You Call" on page 91 and then see the contact information for your region or go to **support.dell.com**.

### **DellConnect**

DellConnect is a simple online access tool that allows a Dell service and support associate to access your computer through a broadband connection, diagnose your problem and repair it all under your supervision. For more information, go to dell.com/DellConnect.

### **Online Services**

You can learn about Dell products and services on the following websites:

- dell.com
- dell.com/ap (Asian/Pacific countries only)
- dell.com/jp (Japan only)
- euro.dell.com (Europe only)
- dell.com/la (Latin American and Caribbean countries)
- dell.ca (Canada only)

You can access Dell Support through the following websites and e-mail addresses:

### **Dell Support Websites**

- support.dell.com
- support.jp.dell.com (Japan only)
- support.euro.dell.com (Europe only)
- supportapj.dell.com (Asia Pacific only)

### **Dell Support E-mail Addresses**

- · mobile\_support@us.dell.com
- · support@us.dell.com
- la-techsupport@dell.com (Latin America and Caribbean countries only)
- apsupport@dell.com (Asian/Pacific countries only)

# Dell Marketing and Sales E-mail Addresses

- apmarketing@dell.com (Asian/Pacific countries only)
- sales\_canada@dell.com (Canada only)

# Anonymous File Transfer Protocol (FTP)

• ftp.dell.com

Log in as user: anonymous, and use your e-mail address as your password.

# Automated Order-Status Service

To check on the status of any Dell products that you have ordered, you can go to **support.dell.com**, or you can call the automated order-status service. A recording prompts you for the information needed to locate and report on your order.

If you have a problem with your order, such as missing parts, wrong parts, or incorrect billing, contact Dell for customer assistance. Have your invoice or packing slip handy when you call.

For the telephone number to call for your region, see "Contacting Dell" on page 93.

### **Product Information**

If you need information about additional products available from Dell, or if you would like to place an order, go to the Dell website at **dell.com**. For the telephone number to call for your region or to speak to a sales specialist, see "Contacting Dell" on page 93.

## Returning Items for Repair Under Warranty or for Credit

Prepare all items being returned, whether for repair or credit, as follows:

- NOTE: Before you return the product to Dell, ensure that you back up any data on the hard drive(s) and on any other storage device in the product. Remove any and all confidential, proprietary and personal information, as well as removable media, such as CDs and media cards. Dell is not responsible for any of your confidential, proprietary or personal information; lost or corrupted data; or damaged or lost removable media that may be included with your return.
- Call Dell to obtain a Return Material Authorization Number, and write it clearly and prominently on the outside of the box. For the telephone number to call for your region, see "Contacting Dell" on page 93.


- **2.** Include a copy of the invoice and a letter describing the reason for the return.
- Include a copy of the Diagnostics Checklist (see "Diagnostic Checklist" on page 92), indicating the tests that you have run and any error messages reported by Dell Diagnostics (see "Dell Diagnostics" on page 74).
- Include any accessories that belong with the item(s) being returned (AC adapter cable, software, guides, and so on) if the return is for credit.
- **5.** Pack the equipment to be returned in the original (or equivalent) packing materials.
- NOTE: You are responsible for paying shipping expenses. You are also responsible for insuring any product returned, and you assume the risk of loss during shipment to Dell. Collect On Delivery (C.O.D.) packages are not accepted.
- **NOTE:** Returns that are missing any of the preceding requirements will be refused at Dell's receiving dock and returned to you.

### **Before You Call**

NOTE: Have your Express Service Code ready when you call. The code helps Dell's automated-support telephone system direct your call more efficiently. You may also be asked for your Service Tag.

### **Locating Your Service Tag**

The Service Tag for your computer can be found on a label at the bottom of your computer.



1 Service Tag

#### **Getting Help**

Remember to fill out the following Diagnostic Checklist. If possible, turn on your computer before you call Dell for assistance and call from a telephone at or near the computer. You may be asked to type some commands at the keyboard, relay detailed information during operations, or try other troubleshooting steps possible only at the computer itself. Ensure that the computer documentation is available.

### **Diagnostic Checklist**

- Name:
- Date:
- Address:
- Phone number:
- Service Tag (bar code on the bottom of the computer):
- Express Service Code:
- Return Material Authorization Number (if provided by Dell support technician):
- Operating system and version:
- Devices:
- Expansion cards:
- Are you connected to a network? Yes/No
- Network, version, and network adapter:
- Programs and versions:

See your operating system documentation to determine the contents of the computer's start-up files. If the computer is connected to a printer, print each file. Otherwise, record the contents of each file before calling Dell.

- Error message, beep code, or diagnostic code:
- · Description of problem and troubleshooting procedures you performed:

### Contacting Dell

For customers in the United States, call 800-WWW-DELL (800-999-3355).



**NOTE**: If you do not have an active Internet connection, you can find contact information on your purchase invoice, packing slip, bill, or Dell product catalog.

Dell provides several online and telephonebased support and service options. Availability varies by country and product, and some services may not be available in your area.

To contact Dell for sales, technical support, or customer service issues:

- 1. Go to dell.com/ContactDell
- 2. Select your country or region.
- 3. Select the appropriate service or support link based on your requirement.
- **4.** Choose the method of contacting Dell that is convenient for you.

# **Finding More Information and Resources**

If you need to:	See:
reinstall your operating system	"System Recovery Media" on page 83
run a diagnostic program for your computer	"Dell Diagnostics" on page 74
reinstall system software	"My Dell Downloads" on page 73
for more information about the Microsoft Windows operating system and features	support.dell.com
find your Service Tag/Express Service Code — You must use the service tag to identify your computer on <b>support.dell.com</b> or to contact technical support	the bottom of your computer "Dell Support Center" on page 72
upgrade your computer with new or additional components like a new hard drive	the Service Manual at support.dell.com/manuals
reinstall or replace a worn or defective part	NOTE: In some countries, opening and replacing parts of your computer may void your warranty. Check your warranty and return policies before working inside your computer.

If you need to:	See:
find safety best practices information for your computer	the safety and regulatory documents that shipped with your computer and also see the
review Warranty information, Terms and Conditions (U.S. only), Safety instructions, Regulatory information, Ergonomics information, and End User License Agreement	Regulatory Compliance Homepage at dell.com/regulatory_compliance
find drivers and downloads; readme files	support.dell.com
access technical support and product help	
check on your order status for new purchases	
find solutions and answers to common questions	
locate information for last-minute updates about technical changes to your computer or advanced technical-reference material for technicians or experienced users	

# **Specifications**

This section provides information that you may need when setting up, updating drivers for, and upgrading your computer.



NOTE: Offerings may vary by region. For more information regarding the configuration of your computer, see the **Detailed System Information** section in the Dell Support Center. To launch the Dell Support Center, click **Start** → **All Programs** → **Dell** → **Dell Support Center** → **Launch Dell Support Center**.

Computer Model		Memory		
Dell XPS L702X  Computer Information		Memory module connector	two or four user-accessible SODIMM connectors 1 GB, 2 GB, and 4 GB	
System chipset Mobile Intel 6 series express chipset HM67		Memory module capacities		
Processor type Intel Core i5 Intel Core i7	Minimum memory	3 GB		
		Maximum memory	16 GB	

Memory		Connectors		
Memory type	1066 MHz/1333 MHz SODIMM DDR3	Network adapter	one RJ45 connector	
NOTE: For instructions on upgrading the memory, see the Service Manual at support.dell.com/manuals.  Connectors		USB	two 4-pin USB 3.0-compliant connectors	
			one 4-pin USB 2.0-compliant connector	
		Mini-	one 20-pin connector	
Audio	one microphone-in connector, one stereo headphones/speakers connector	DisplayPort	·	
		eSATA	one 7-pin/4-pin eSATA/ USB combo connector with PowerShare	
S/PDIF	one headphone/digital S/PDIF combo connector	Media Card Reader	one 9-in-1 slot	
Mini-Card	one full Mini-Card slot	Antenna-in	one MCX connector	
	one half Mini-Card slot	connector	222011110000	
HDMI connector	one 19-pin connector	(optional)		

Media Card Reader		Communic	Communications		
Cards Secure Digital (SD) supported memory card  Secure Digital Input Output (SDIO) Secure Digital High Capacity (SDHC) Secure Digital eXtended Capacity (SDXC)		Modem (optional)	external V.92 56 K USB modem		
		Network adapter	10/100/1000 Ethernet LAN on system board		
		Wireless	WLAN, WWAN (optional), WiMAX/Wi-Fi abgn/agn,		
			and Bluetooth wireless technology (optional)/		
	Memory Stick		WiDi (optional)		
	Memory Stick PRO	TV	TV tuner card (optional)		
	MSXC Memory Card MultiMedia Card (MMC)				
	xD-Picture Card	Audio controller	Realtek ALC665		
Camera		Speakers	2 x 5 Watt main speakers + 12 Watt subwoofer		
Туре	2.0 megapixel HD with H.264 support	Volume controls	software program menus and media controls		
Video resolution 1280 x 720		337013	and media controts		

Video		Display			
Integrated:		Dimensions:	Dimensions:		
Video	Intel HD Graphics	Height	214.81 mm (8.46 inches)		
controller		Width	381.89 mm (15.04 inches)		
Video memory		Diagonal	439.42 mm (17.30 inches)		
Discrete:		Maximum resolution	HD+: 1600 x 900 FHD: 1920 x 1080		
Video controller		Refresh rate	HD+: 60 Hz FHD: 120 Hz		
Video memory	1 GB DDR3 (GT 550M) 3 GB DDR3 (GT 555M)	Operating angle	0° (closed) to 135°		
Display	Display		HD+: 40/40 FHD: 60/60		
Туре	17.3-inch HD+ WLED, TrueLife	Vertical viewing angle	HD+: 15/30 (H/L) FHD: 50/50 (H/L)		
	17.3-inch Full HD WLED, TrueLife	Pixel pitch	HD+: 0.2388 mm x 0.2388 mm		
	Multi-touch 17.3-inch HD+ WLED, TrueLife (Optional)		FHD: 0.1989 mm x 0.1989 mm		

### **Battery**

9-cell "smart" lithium ion:

 Height
 221.07 mm (8.70 inches)

 Width
 54.35 mm (2.14 inches)

 Depth
 42.53 mm (1.67 inches)

 Weight
 0.52 kg (1.14 lb)

6-cell "smart" lithium ion:

 Height
 209.19 mm (8.24 inches)

 Width
 54.35 mm (2.14 inches)

 Depth
 20.40 mm (0.80 inches)

 Weight
 0.34 kg (0.74 lb)

 Voltage
 11.1 V (6-/9-cell)

Charge time 4 hours (when the computer is turned off)

### **Battery**

Operating time battery operating time

varies depending on operating conditions

Coin-cell CR-2032 battery

### **AC Adapter**

**NOTE:** Use only AC adapters specified for use with your computer. See the safety information that shipped with

your computer.

Input voltage 100-240 VAC

Input current 1.8 A/2.1 A

(maximum)

Input 50-60 Hz

frequency

Output power 130 W/150 W

AC Adapter		Touch Pad		
Output current:		X/Y position resolution (graphics table	240 срі	
130 W	6.70 A (continuous)			
150 W	7.70 A (continuous)	mode)		
Rated output	19.5 VDC	Size:		
voltage		Width	100 mm (3.94 inches)	
Operating temperature	0° to 40°C (32° to 104°F)	Height	56 mm (2.2 inches)	
Storage -40° to 70°C temperature (-40° to 158°F)		Physical		
Keyboard		Height	32.9 mm to 38.5 mm (1.29 inches to 1.51 inches)	
Number of	102 (U.S. and Canada);	Width	414.9 mm (16.33 inches)	
keys	103 (Europe); 105 (Brazil); 106 (Japan)	Depth	287.3 mm (11.31 inches)	
Layout	QWERTY/AZERTY/Kanji	Weight (with 6-cell battery)	3.5 kg (7.7 lb)	

### **Computer Environment**

Temperature range:

Operating 0° to 35°C

(32° to 95°F)

Storage -40° to 65°C

(-40° to 149°F)

Relative humidity (maximum):

Operating 10% to 90%

(noncondensing)

Storage 5% to 95%

(noncondensing)

Maximum vibration (using a random vibration spectrum that simulates user environment):

Operating 0.66 GRMS

Non- 1.30 GRMS

Operating

### **Computer Environment**

Maximum shock (for operating — measured with Dell Diagnostics running on the hard drive and a 2-ms half-sine pulse; for non-operating — measured with the hard drive in head-parked position and a 2-ms half-sine pulse):

Operating 110 G

Non- 160 G

Operating

Altitude (maximum):

Operating -15.2 to 3048 m

(-50 to 10,000 ft)

Storage -15.2 to 10,668 m

(-50 to 35,000 ft)

Airborne G2 or lower as defined contaminant level by ISA-S71.04-1985

# **Appendix**

# Information for NOM, or Official Mexican Standard (Only for Mexico)

The following information is provided in the device(s) described in this document in accordance with the requirements of the Official Mexican Standard (NOM):

### Importer:

Dell México S.A. de C.V. Paseo de la Reforma 2620 – Flat 11° Col. Lomas Altas 11950 México. D.F.

Regulatory model number	Voltage	Frequency	Electricity consumption	Output voltage	Output intensity
P09E	100-240 VAC	50-60 Hz	1.80 A/2.10 A	19.5 VDC	6.70 A/7.70 A

For details, read the safety information that shipped with your computer.

For additional safety best practices information, see the Regulatory Compliance Homepage at **dell.com/regulatory\_compliance**.

## Index

### Α

airflow, allowing **7**Audio control panel **45** 

### B

backup and recovery **55** battery status light **35** B-CAS card **14** 

### C

calling Dell **91** Camera **49** CDs, playing ar

CDs, playing and creating **55** computer capabilities **54** computer, setting up **7** connect(ing)

Contacting Dell online **93**Control strip **35**customer service **87** 

### D

DataSafe Local Backup **81**DellConnect **87**Dell Diagnostics **74**Dell Factory Image Restore **84**Dell Stage **62**Diagnostic Checklist **92**drivers and downloads **95**DVDs, playing and creating **55** 

### Ε

email addresses for technical support **88** 

F	M
finding more information 94	memory problems
flick 50	solving <b>69</b>
FTP login, anonymous 88	mini-DisplayPort connector 33
Н	Multimedia Control Keys 42
hard drive activity light 35	N
hardware problems	network connection
diagnosing <b>74</b>	fixing <b>67</b>
Hardware Troubleshooter 74	NVIDIA Optimus Technology 56
help	0
getting assistance and support 86	
1	Optical Drive
1	Using <b>46</b>
Internet connection 23	Р
ISP	Г
Internet Service Provider 23	power problems, solving <b>68</b>
	power strips, using 8
	problems, solving 65

Index	
products information and purchasing 89  R resources, finding more 94 restoring factory image 84	System Recovery Media 83 system reinstall options 79 System Restore 80 System Setup entering 42 function key behavior 42
setup, before you begin 7 shipping products for return or repair 90 SIM card 14 software features 54 software problems 70 solving problems 65 specifications 96 support email addresses 88	T Touch Pad Gestures 40 Touch screen Gestures 50 TV tuner 19 U USB PowerShare 29
support emait addresses 66	

support sites worldwide **88** 

### W

warranty returns 90

Windows


Program Compatibility Wizard 70

Windows Mobility Center 42

wired network

network cable, connecting 9

wireless network connection 67





Printed in the U.S.A.

www.dell.com | support.dell.com



0C4XC4A00