Portégé M400-S933 Detailed Product Specification¹

Control Buttons:

Model Name	Description	Part Number	UPC
	Description		
M400-S933	Microsoft® Windows® XP Tablet Edition 2005, Intel® Core [⊤] 512MB DDR2, 80GB 5400rpm (S-ATA), CD-RW/DVD-ROM		032017513969
	Media Accelerator 950, Intel® PRO/Wireless 3945ABG (802		
	limited warranty.		
Operating Sys	stem ²	 Toshiba Assist button to laun 	ch Toshiba Assist control
	Windows XP Tablet Edition 2005	panel	
		 Presentation button to quickly 	<pre>connect to projectors</pre>
Processor and	d Chineat ³		
1100003301 and	d ompset	Communications	
Intol® Contrin	on Mahila Taabaalagu faaturingu	 Toshiba V.92 software modem⁹ 	
	o® Mobile Technology featuring:	 Intel® 10 Base-T/100 Base-TX/1000 Base-TX/10	ise-T Ethernet
	re™ Solo Processor T1300	 Integrated Intel® PRO/Wireless Networ 	k Connection 3945ABG
	1.66GHz, 2MB L2, 667MHz FSB	(802.11a/b/g) ¹⁰	
Chipset	Mobile Intel® 945GM Express Chipset		
	d Wi-Fi® compliant wireless LAN	Expandability	
	Intel® PRO/Wireless 3945ABG (802.11a/b/g)	 2 main memory slots. 	
		 1 PC Card slot support 1 Type II, PCM0 	CIA R2.01, PC Card16,
Memory ⁴		CardBus	
-	ed with 512MB DDR2 667MHz SDRAM (using one	5-in-1 Bridge Media Adapter	
0	y module, one memory expansion slot open)	 Secure Digital, miniSD™ (with Memory Stick PRO™, xD Pi 	1 adapter), Memory Stick ¹ ,
	nin)/4096MB (max), 512MB in service-accessible memory	 Memory Stick PRO⁺, XD PI Secure Digital slot supports S 	
	s one available user-accessible memory slot for 256MB,		
	, 1024MB, or 2048MB PC5300 DDR2 667MHz SDRAM,	Ports	
	annel support requires two memory modules of same		
capacit	y and clockspeed	Video GB (monitor) output port	
	5	 S-Video output por 	
Hard Disk Driv	ve	Audio	
• 80GB (54	100 RPM) Serial-ATA (S-ATA) hard disk drive; 9.5mm	 Microphone input port 	
height		 Headphone output port 	
	e	• Data	
Ultra SlimBay	⁷ Optical Disk Drive ⁶	 i.LINK(tm) IEEE-1394 	
 CD-RW/E 	DVD-ROM	 Universal Serial Bus (USB v2 RJ-45 LAN port 	.0) – 3 ports
0	Maximum speed and compatibility: CD-ROM (24x:read),	• RJ-11 modem port	
	CD-R (24x:write), CD-RW (10x:write), DVD-ROM	 240-pin docking connector 	
	(8x:read)		
D:7		Physical Description for this Product S	eries
Display ⁷		• Dimensions (WxDxH): 11.6" (295.0mm)	
	gonal TFT wide viewing angle active-matrix LCD display at	(38.9)	x 5.00 (2+5.0mm) x 1.00
1024x7	'68 native resolution (XGA)	Weight: Starting at 4.5 lbs (2.038 kg) d	epending upon
- · · · 8		configuration ¹¹	
Graphics ⁸		 Indicators: Main Battery Charging, DC-I 	N, Power/Sleep, HDD
 Intel® Grade 	aphics Media Accelerator 950 with 8MB-128MB	Activity, Wireless On, Caps Lock, Arro	ow Mode, Numeric Lock
dynami	cally allocated shared graphics memory	Chassis Description	Dolygorhonata ABS
		 Case material: Magnesium + LCD Cover Color: Titanium S 	
Sound		Physical Security	
 Built-in st 	ereo speakers	 Slot for cable lock; 	
	I STAC9200 24-bit stereo software sound	 Items protected by a screw: H 	IDD, Memory, Ultra SlimBay
0	Supports Direct 3D Sound, DirectSound, Direct Music,	Device	
	MIDI (playback)	Software Security	
	Connected BUS: High Definition Audio	 Passwords: User power-on password 	assword, supervisor
 Built-in m 		 Hotkey locks: Screen Blank 	
Dant in fil	·····		
Input Devices		Power Supply	
-			AC Adaptor 100 0401/ 50
Keyboard		 75W (15V x 5A) Auto sensing external 60Hz frequency (Universal) input. 	AC Adapter, 100-240V / 50-
	84 key US keyboard Hot Key Functions (Fn)	 Dimensions (WxDxH): 5.00" (127.0mm) 	x 2.01" (51 0mm) x 1 20"
	Windows Key Function	(30.5mm)	A 2.01 (01.0000) A 1.20
	Application Key Function	Weight: starting at 0.78 lbs (355 g)	
 TouchPage 	d [™] pointing device		
 TouchPace 	d™ Enable/Disable (FN+F9 or by help of software)		

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Portege M400-S933 BTS Rev. 1.03 2006-01-26 KK T20051212 CB1.00

Battery¹²

- 6-cell (4700mAh) rechargeable, removable Lithium Ion (Li-Ion) battery pack
- Dimensions (WxDxH): 4.93" (125.1mm) x 2.68" (68.1mm) x 0.80" (20.4mm)
- Weight: starting at 0.75 lbs (338 g)
- Battery Life (measured by MobileMark[™])¹³
- o Included 6-cell battery: 5 hours, 7 minutes Recharge Time
 - Main Battery Off/On approximately 3.0 hrs/approximately 3.0 to 13.0 hrs

Toshiba EasyGuard^{™14}

- Protect & Fix
 - Shock Absorbing Design¹⁵
 - LCD Panel Shock Absorber
 - LCD Inverter Shock Absorber .
 - **Chassis Shock Protector**
 - o Hard Disk Drive Protection
 - **3D** Accelerometer
 - HDD Dome Shock Protector
 - HDD Shock Absorber
 - Spill-Resistant Keyboard¹⁶
 - Magnesium Alloy Casework ο
 - o TOSHIBA PC Diagnostic Tool
 - **TOSHIBA Software RAID** 0
- Secure
 - o Multiple-Level Password Utilities
 - o Fingerprint Reader (includes software for password and identity management)
 - Trusted Platform Module (TPM v1.2)
 - TOSHIBA Secure Digital Token Utility
 - Advanced Instant Security
 - 0 Reinforced Security Cable Lock Slot
 - o Execute Disable Bit
- Connect
 - o Diversity Antenna
 - TOSHIBA ConfigFree®
 - Voice-over-IP Ready Design
- Optimize
 - o Presentation Button
 - TOSHIBA Zooming Utility
 - LCD Rotation Utility
 - o One-touch Resolution Change
 - o TOSHIBA Power Saver Utility
 - TOSHIBA Optical Disc Drive Power On/Off Utility
 - Wireless On/Off Switch
 - TOSHIBA Fn-esse® Shortcut Utility
 - o TOSHIBA Mouse Utility
 - o FN Shortcut Keys

BIOS

• TSETUP, ACPI, PNP, VESA, DPMS, DDC, SM BIOS v2.4, PCI BIOS v2.1 support

Software¹⁷

- Toshiba Software and Utilities
 - TOSHIBA ConfigFree®
 - TOSHIBA Custom Utilities
 - o Electronic User's Guide
- Third-party Software
 - Microsoft Office® OneNote® 2003
 - Microsoft Works® Version
 - o Intuit® Quicken® New User Edition 2005
 - Sun® Java™ 2 Runtime Environment 0
 - Adobe® Acrobat® Reader
 - InterVideo® WinDVD®
 - o InterVideo® WinDVD Creator 2 Platinum
 - Sonic Solutions® RecordNow!™ Basic for Toshiba 0
 - Sonic Solutions® Drive Letter Access™ (DLA) 0
 - Microsoft® Windows Media Player version 10
 - o Zinio® Reader

- Trial Software
 - McAfee® VirusScan® (30-day trial)
 - o McAfee® antiSpyware (30-day trial)
 - McAfee® Personal Firewall Plus (30-day trial) 0
 - McAfee® SpamKiller® (30-day trial)
 AOL® Internet Service (90-day trial)¹⁸

Environmental Specifications

	Operating	Non-operating
Temperature ¹⁹	5° to 35° C	-20° to 65° C
-	(41° to 95° F)	(-4° to 149° F)
Thermal Gradient	15° C per hour (max)	20° C per hour (max)
Relative Humidity	20% to 80%	10% to 90%
(non-condensing)		
Altitude	-60 to 3,000 meters	-60 to 10,000 meters
(relative to sea level)		
Shock	7G, 1.5G with CD-	60G
	ROM installed	
Vibration	0.2G, 0.25G with CD-	1.0G
	ROM installed	

• This product is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS)²⁰ restricting use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE.

TECRA / PORTEGE – 3 YEAR STANDARD LIMITED WARRANTY²¹

Service Upgrades and Extensions

Toshiba offers many different enhanced services such as SystemGuard®, At-Home Repair, and Service Express to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit www.pcsupport.toshiba.com.

Recommended Services

Extended Service Plans

Provides an extended service plan for up to 4 total years from the original notebook purchase date.

Part Number Description

WSN-PTQQ4V 4th Year Extended Service Plan

SystemGuard Accidental Damage Service w/ ServiceExpress²²

Provides advanced protection from damage caused from handling. Select your express repair service with either Depot Express or Carry-In Express and go to the front of the line. Extended Service Plan included with 4 Year plan. SystemGuard coverage must be purchased within the first 30 days of notebook purchase.

Part Number Description WSN-PQGP3V 1st/2nd/3rd Year

WSN-PTGP4V 1st/2nd/3rd/4th Year + Extended Service Plan

SystemGuard Accidental Damage Service + Business On-Site Repair

Combines SystemGuard and Business On-Site Repair coverage. Extended Service Plan included with 4 Year plan. SystemGuard coverage must be purchased within the first 30 days of notebook purchase. Part Number Description

WSN-PQGN3V 1st/2nd/3rd Year WSN-PTGN4V

1st/2nd/3rd/4th Year + Extended Service Plan

ServiceExpress

Select your express repair service with either Depot Express or Carry-In Express. Depot Express: Your notebook will be repaired and returned via overnight shipment (excluding weekends and holidays). Carry-In Express: Take your notebook into a Premier ASP and go to the front of the line for expedited repair service. Extended Service Plan included with 4 Year plan. Part Number Description

WSN-PQQP3V	1st/2nd/3rd Year
WSN-PTQP4V	1st/2nd/3rd/4th Year + Extended Service Plan

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Portege M400-S933 BTS Rev. 1.03 2006-01-26 KK T20051212 CB1.00

Business On-Site Repair

On-site service will be provided at the customer's business location (excluding weekends and holidays) to perform the necessary hardware repairs. Extended Service Plan included with 4 Year plan. Part Number Description WSN-PQQN3V 1st/2nd/3rd Year lan

WSN-PTQN4V	1st/2nd/3rd/4th Year + Extended Service Pl

Accessories

For memory compatibility and the most updated accessories, please visit www.accessories.toshiba.com

Power

Part Number	Description
PA3283U-2ACA	Toshiba 75W Global AC Adapter
PA3191U-4BRS	Toshiba Primary Li Ion Battery Pack (6 Cell)
PA3510U-1BRL	Toshiba Slice Expansion Li Ion Battery (6 Cell)
PA3091U-1CHG	Toshiba Battery Charger w/Integrated AC Adapter

Expansion

Part Number	Description
PA3508U-1PRP	Toshiba Express Port Replicator
PA3409U-1CD2	Toshiba Ultra Slim Bay CD-RW/DVD-ROM Drive Kit (Black)
PA3410U-1DV2	Toshiba Ultra Slim Bay DVD Super Multi Drive Kit (Black)

PA3438U-1CD2	Toshiba External USB 2.0 CD-RW/DVD-ROM Combination Drive (Clamshell type, Silver)
PA3454U-1DV2	Toshiba External USB 2.0 DVD SuperMulti Drive (Clamshell type, Silver)
Security & Pro	otection
Part Number	Description
PA1371U-1ETC	Toshiba Keyboard Protector (Portege/Tablet PC)
PA1331U-1NCS	Toshiba 3-in-1 Tablet PC Leather Portfolio
PA410U	Targus DEFCON CL Notebook Cable Lock
Storage	
Part Number	Description
PA3109U-3FDD	Toshiba USB Floppy Disk Drive Kit
PA3407U-1H80	Toshiba 80GB HDD Kit, (with Bracket) 5400 rpm SATA
PA3430U-1HA0	Toshiba 100GB HDD Kit, (with Bracket) 5400 rpm SATA
PA3408U-1ETC	Toshiba Ultra Slim Bay HDD Adapter (Black Bezel)
Wireless/Blue	tooth
Part Number	Description
PA3455U-1BTM	Toshiba USB Adapter with Bluetooth 2.0+EDR Capability

Input Devices

Part Number	Description
PA3316U-2ETC	Toshiba Tablet PC Pen II
PA3317U-1ETC	Toshiba Tablet PC Reserve Pen \

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.pcsupport.toshiba.com

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618 ToshibaDirect website: http://www.toshibadirect.com TAIS website for resellers: http://sell.toshiba.com TAIS PC Support website: http://pcsupport.toshiba.com

Portégé, Satellite, Tecra, SelectBay, ConfigFree and SystemGuard are registered trademarks and Qosmio and EasyGuard are trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. Intel, Celeron, Centrino, Intel Inside, Pentium, the Intel Centrino logo, and the Intel Inside logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Microsoft and Windows are registered trademarks and OneNote registered is a trademark of Microsoft Corporation in the United States and/or other countries. Winstone® is a registered trademark and BatteryMark™ is a trademark of Ziff Davis Publishing Holdings Inc. in the U.S. and other countries. MobileMark™ is a trademark of the Business Applications Performance Corporation. Wi-Fi is a registered certification mark of the Wi-Fi Alliance. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Toshiba is under license. NVIDIA and GeForce are registered trademarks or trademarks of NVIDIA Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

¹ Product Series Legal Footnote. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice.

² Operating System. Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

³ Processor (Central Processing Unit).

CPU performance in your computer product may vary from specifications under the following conditions: © Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Portege M400-S933 BTS Rev. 1.03 2006-01-26 KK T20051212 CB1.00

- 1. use of certain external peripheral products
- 2. use of battery power instead of AC power
- 3. use of certain multimedia, computer generated graphics or video applications
- 4. use of standard telephone lines or low speed network connections
- 5. use of complex modeling software, such as high end computer aided design applications
- use of several applications or functionalities simultaneously
 use of computer in areas with low air pressure (high altitude
 - use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
- 8. use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are approximate and may vary depending on the specific computer model please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

⁴ <u>Memory (Main System)</u>. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. For PC's configured with 4 GB of system memory, the full system memory space for computing activities will be considerably less and will vary by model and system configuration.

⁵ Hard Disk Drive (HDD) Capacity.

1 Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = $2^{30} = 1,073,741,824$ bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the product includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

⁶ **Optical Drive**. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Copy protection technology may also prevent or limit recording or viewing of certain optical media.

⁷ <u>Display</u>. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology.

When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

⁸ Graphics (Graphics Processing Unit).

GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

⁹ <u>Modem Speed</u>. Due to FCC limitations, speeds of 53 kbps are the maximum permissible transmission rates during download. Actual data transmission speeds will vary depending on line conditions.

¹⁰ <u>Wireless</u>. Wireless connectivity and some features may require you to purchase additional software, external hardware or services. Availability of public wireless LAN access points may be limited. The transmission speed over the wireless LAN and the distance over which wireless LAN can reach may vary depending on surrounding electromagnetic environment, obstacles, access point design and configuration, and client design and software/hardware configurations. The actual transmission speed will be lower than the theoretical maximum speed. To use the Atheros SuperAGTM or SuperGTM wireless function, if available, your client and access point must support the corresponding feature. Performance of these functions may vary depending on the format of data transmitted.

¹¹ Weight. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

¹² Battery Life. Battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. Published battery life numbers are achieved on select models and configurations tested by Toshiba at the time of publication. See "Detailed Specs" for specific battery measurement test. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see the accessories information that shipped with your computer or visit the Toshiba web site at <u>www.accessories.toshiba.com</u>.

¹³ Battery Life - MobileMark™. Measured by MobileMark. MobileMark is a trademark of the Business Applications Performance Corporation.

¹⁴ <u>EasyGuard</u>. Toshiba EasyGuard[™] technology comprises a number of features some of which may or may not be available on a particular Toshiba notebook depending on the model selected. See <u>www.easyguard.toshiba.com</u> for detailed information.

¹⁵ <u>Shock Protection</u>. Toshiba's shock absorption technology provides higher impact protection for your system as compared to Toshiba systems without similar shock protection features based on Toshiba's drop tests. Toshiba's standard limited warranty terms and limitations apply. Visit www. warranty.toshiba.com for details.

¹⁶ <u>Spill-Resistant Keyboard</u>. Under Toshiba testing conditions, the spill-resistant keyboard delayed the time for a water spill to reach the PC's main board to allow more time to properly close down the machine.

¹⁷ Software. Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).


¹⁸ <u>AOL® Internet Service</u>. Availability may be limited, especially during peak times. TO AVOID BEING CHARGED A MONTHLY MEMBERSHIP FEE, SIMPLY CANCEL BEFORE THE THREE-MONTH PROMOTIONAL PERIOD ENDS. Premium services carry surcharges and communication surcharges may apply, including AK, even during promotional period. Members may incur telephone charges on their phone bill, depending on their location and calling plan, even during promotional period. Available to new AOL members in the United States, age 18 or older; a major credit card or checking account is required.

¹⁹ <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

²⁰ <u>RoHS.</u> This product is compatible with European Union Directive 2002/95/EC, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE.


²¹ Warranty: The terms and conditions of Toshiba's standard limited warranty are available at <u>www.warranty.toshiba.com</u>.

²² SystemGuard: SystemGuard coverage must be purchased within the first 30 days of notebook purchase. See Toshiba Service Plan Agreement for program terms and conditions at <u>www.pcsupport.toshiba.com</u>.




Front with display open


Front with display closed




Left side



Right side







Underside

