

TOSHIBA	
Portégé M200 Series ¹	
Model Description	Part Number UPC
M200-S218TD Intel® Pentium® M 745 (1.80GHz 2MB L2 400MHz FSB), PC2700 DDR 333MHz SDRAM, 12.1" Poly-silicon TFT L0 Intel 802.11b/g Wi-Fi™ Wireless-LAN, 10/100Base-TX Ett Tablet PC 2005, 1-year standard limited warranty	40GB(P-ATA/5400rpm), 256MB PPM21U-15ZVK4 032017409002 CD 1400x1050 (SXGA+), 6-cell,
System Characteristics ²	
Operating System ³	Choice of integrated Wi-Fi™ Wireless-LAN ¹¹ : Integrated Wireless-LAN Antenna only
 Microsoft® Windows® XP Tablet PC 2005 	 Integrated Wireless-LAN Antenna only Intel PRO/Wireless Network Connection 2200BG (802.11b/g)
Choice of Processor ⁴	 Intel PRO/Wireless Network Connection 2915ABG
 Intel Pentium M Processor 745 [1.80GHz, 2MB L2, 400MHz 	<mark>(802.11a/b/g)</mark>
FSB]	 Atheros® 802.11b/g wireless-LAN supporting Atheros
Intel Pentium M Processor 755 [2.00GHz, 2MB L2, 400MHz	SuperG™ technology o Atheros 802.11a/b/g wireless-LAN supporting Atheros
FSB States of	 Atheros 802.11a/b/g wireless-LAN supporting Atheros SuperAG™ technology
Chipset	Ports
Intel 855PM Chipset	RGB (monitor) port
Memory ⁵	 240 Pin Expansion Bus w/shutter cover
 256MB(Minimum)/2048MB (Maximum), 2 memory slots using 256MB, 512MB, or 1024MB PC2700 DDR 333MHz SDRAM, 	 2 Universal Serial Bus (USB) ports (v2.0)
(both memory slots may be occupied).	External Microphone jack (monaural)
Mass Storage ⁶	Headphone jack (stereo)
Choice of Hard Disk Drives:	RJ-45 LAN port
 40GB (5400 RPM), 60GB (5400 RPM), 80GB (5400 RPM), 	RJ-11 modem port
60GB (7200 RPM), or 80GB (7200 RPM) Enhanced IDE (ATA-	Physical Description
6) hard disk drive; 9.5mm height, user removable	 Dimensions (WxDxH Front/H Rear): 11.6" (295.0mm) x 9.8". (249.0mm) x 1.3" (33.2mm) / 1.5" (36.9mm)
Display ⁷	 Weight¹²: From 4.4lbs to 4.6lbs (2.0 to 2.1 kg) depending on
 12.1" diagonal Poly-silicon Wide-view angle TFT active-matrix 	configuration
LCD display at 1400 x 1050 native resolution (SXGA+),	 Indicators: DC-In, Power/Sleep, Hard Drive, CD-DVD ROM
Graphics ⁸	Access, Caps Lock, Numeric Lock, Battery Charging Status,
 nVIDIA® GeForce™ Go 5200 32M 4X AGP (32MB DDR 	Wireless, Secure Digital Card Slot
discrete graphics memory)	Power Supply
Sound ⁹	 60W (15V 4A) Auto sensing external AC Adapter 100-240V / 50
Analog Devices AD1981B integrated 16-bit stereo software	60Hz frequency (Universal) Input
soundStereo speakers	 Weight: starting at 0.6 lbs (262g) Dimensions (WxDxH): 4.3" (111.5mm) x 1.1" (29.0mm) x 1.9"
Built-in microphone:	(49.5mm)
 Direct 3D Sound (supported by driver); DirectSound (supported 	Battery ¹³
by driver), Direct Music (supported by driver), MIDI (play back)	6-cell (4400mAh) rechargeable, removable Lithium Ion (Li-Ion)
support,	battery pack
Sound Volume Control Dial	 Weight: Starting at 0.7 lbs (320g)
nput Devices	 Dimensions (WxDxH): 4.9" (125.1mm) x 2.7" (68.1mm) x 0.
Keyboard	 (20.4mm) Battery Life¹⁴: Up to 4.34 hrs (hours:minutes) (6-cell battery
 84 key US keyboard, 1.7mm key stroke, 4.5mm keyboard height, 19.00mm key pitch 	when using in Windows® mode)
 Hot Key Functions (FN); please see electronic User's Guide 	 Recharge Time: Main Battery On / Off – up to 3 hrs / up to
for more information	10 hrs
 Windows Key Function 	Security
Application Key Function	Physical Security
Toshiba Digitizer Tablet PenPointing Devices:	 Slot for cable lock
 Follow Devices. Toshiba TouchPad™ 	 Items protected by a screw: Memory, Hard Disk Drive, Built in Modem/LAN
 Enable/Disable (FN+F9 or by help of software) 	 Items protected by a sliding latch: Battery
Buttons	Software Security
 Windows Security Button 	 Passwords: User Power-on password, Supervisor Password
 ESC/Display Rotation Button Cross Functional Button 	Setup Password
 Cross Functional Button 4 Tablet Pen Programmable Buttons 	 Hotkey locks: Screen Blank (by Hotkey), Screen Saver (by software)
	software)
 2 main memory slots. Both slots may be occupied. 	BIOS
 1 Type II, PCMCIA R2.01, PC Card16, CardBus PC Card slot 	 TSETUP, APM V1.2, ACPI v1.0b, PNP v1.0, VESA v2.0, DPMS DDC2B, SM BIOS v2.3, PCI BIOS v2.1 support
Secure Digital® Card Slot	Software ¹⁵
Communications	Software and Utilities
 Integrated V.92 modem¹⁰ 	Toshiba ConfigFree™
 Integrated Intel 10Base-T / 100Base-TX Ethernet 	Toshiba Custom Utilities

- Integrated V.92 modem¹⁰
- Integrated Intel 10Base-T / 100Base-TX Ethernet ٠
- Integrated Fast Infrared (4Mbps) Optional Bluetooth Version 1.1 ٠
- •

- Toshiba Custom Utilities •
- Toshiba Audio Effect ٠
- Electronic User's Guide

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Portégé M200-S218TD BTO Rev 1.03 2005-08-25 SK T20050418 CB1.50

TOSHIBA

Third-party Software

- Microsoft® Works™ •
- Microsoft® Office[™] OneNote[™]
- Software Decoder: Intervideo® (WinDVD™ 5)
- Symbol Commander •
- Zinio Reader •
- Franklin Covey Tablet Planner (30 Day Trial) •
- Alias® SketchBook™ (30 Day Trial Version) McAfee® VirusScan™ (30-Day Trial) •
- •
- Adobe® Acrobat® Reader
- Computer Associates eTrust EZ Firewall™ (30-Day Trial)
- Windows Media Player 10 with Napster plug-in AOL® Internet Service (3-months free)¹⁶

Environmental Specifications

	Operating	Non-Operating
Temperature ¹⁷	5° to 35° C	-20° to 65°C
	(41° to 95°F)	(-4° to 149°F)
Thermal Gradient	15°C per hour	20°C per hour
	maximum	maximum
Relative Humidity	20% to 80%	10% to 95%
Altitude (relative to sea	-60 to 3000 meters	-60 to 10,000
level)		meters
Shock	10G	60G
Vibration	0.50G	1.0G

Limited Warranty¹⁸

1-year Standard Limited Warranty

Standard Limited Warranty Upgrades and Extensions

Toshiba offers many different standard limited warranty extensions and enhanced service plans such as SystemGuard®, At-Home Repair, and Service Express to provide additional support to your notebook PC. For a full description and complete list of programs and program extensions, please visit www.pcsupport.toshiba.com

Recommended Services

Limited Warranty Extensions

Extends the standard limited warranty for up to 3 years from the original notebook purchase date. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

Part Number	Description
SWC-PEQQ2V	2 nd Year Limited Warranty Extension
SWP-PEQQ3V	2nd/3rd Year Limited Warranty Extension

SystemGuard¹⁹ Advanced Protection Coverage w/ ServiceExpress

Provides advanced protection from damage caused by accidental drops, spills and even screen breakage. Select your express repair service with either Depot Express or Carry-In Express and go to the front of the line. Limited Warranty Extension included except with 1 Year plan.

Part Number	
SWC-PSGQ1V	
SWC-PEGQ2V	
SWP-PEGQ3V	

Description 1st Year 1st/2nd Year + Limited Warranty Extension $1^{st}/2^{nd}/3^{rd}$ Year + Limited Warranty Extension

SystemGuard¹⁹ Advanced Protection Coverage + Business On-Site Repair

Combines SystemGuard and Business On-Site Repair coverage. Limited Warranty Extension included except with 1 Year plan. ¹SystemGuard coverage must be purchased within the first 30 days of purchase. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

Part Number	Description
SWC-PSGH1V	1 st Year
SWC-PEGH2V	1 st /2 nd Year + Limited Warranty Extension
SWP-PEGH3V	1st/2nd/3rd Year + Limited Warranty Extension

ServiceExpress

Select your express repair service with either Depot Express or Carry-In Express. Depot Express: Toshiba will make reasonable efforts to

complete repair of your notebook and return the notebook to you by the next business day via overnight shipment (excluding weekends and holidays). Instructions and box will be provided to you for packing and shipping the notebook to Toshiba. Carry-In Express: A Premier ASP will make reasonable efforts to complete repair of your notebook by the next business day (excluding weekends and holidays). Limited Warranty Extension included except with 1 Year plan. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

Part Number	Description
SWC-PSQP1V	1 st Year
SWC-PEQP2V	1 st /2 nd Year + Limited Warranty Extension
SWP-PEQP3V	1 st /2 nd /3 rd Year + Limited Warranty Extension

Business On-Site Repair

Toshiba will make reasonable efforts to provide on-site service at customer's business location by the next business day (excluding weekends and holidays) to perform the necessary hardware repairs. Limited Warranty Extension included except with 1 Year plan. See Toshiba Service Plan Agreement for program terms and conditions at www.pcsupport.toshiba.com.

Part Number	Description
SWC-PSQN1V	1 st Year
SWC-PEQN2V	1 st /2 nd Year + Limited Warranty Extension
SWP-PEQN3V	1 st /2 nd /3 rd Year + Limited Warranty Extension

Accessories

Me

Memory	
Part Number	Description
KTT3311/256	Kingston DDR 333MHz, 256MB
KTT3311/512	Kingston DDR 333MHz, 512MB
KTT3311/1G	Kingston DDR 333MHz, 1GB
Power	
Part Number	Description
PA3283U-2ACA	Toshiba 75W Global AC Adapter

Toshiba Primary Li-Ion Battery (6-cell)

Expansion

PA3191U-4BRS

Part Number	Description
PA3314U-1PRP	Toshiba Advanced Port Replicator III w/75W AC
	Adapter
PA3315U-2PRP	Toshiba Tablet Multi Dock II
PA3401U-1DVD	Toshiba External DVD-Rom Drive (USB 2.0)
PA3352U-2CD2	Toshiba External CDRW/DVD-Rom Drive (USB 2.0)
PA3438U-1CD2	Toshiba Ultra Slim CDRW/DVD-Rom Drive (USB
	2.0)
PA3402U-1DV2	Toshiba External DVD SuperMulti Drive (USB 2.0)
PA3454U-1DV2	Toshiba Ultra Slim DVD SuperMulti Drive (USB 2.0)

Input Devices

Part Number	Description
PA3316U-2ETC	Toshiba Tablet PC Pen II
PA3317U-1ETC	Toshiba Tablet PC Reserve Pen
PA1357U-3ETC	Toshiba Tablet Pen Tether DLX

Security & Protection

Part Number	Description
PA1371U-1ETC	Toshiba Keyboard Protector (Portégé)
NWDEFCL	Targus-Noteworthy DEFCON CL Cable Lock

Wireless/Bluetooth

Part Number	Description
PA3318U-2MPC	Wireless LAN Kit Mini-PCI (802.11a/g) (Atheros)
	(Dealer Install Only)
PA3235U-5BTM	Toshiba Bluetooth Module Kit v1.1 (Dealer Install
	Only)
PA3455U-1BTM	Toshiba USB Adapter w/Bluetooth 2.0 + EDR
	Capability
PA3370U-1BTM	Toshiba Bluetooth SD Card v1.2
Storage	
Part Number	Description
PA3109U-1FDD	Toshiba USB Floppy Disk Drive Kit

PA3204U-1H60 Toshiba 60GB HDD Kit (with Bracket) 5400 rpm (P-ATA)

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Portégé M200-S218TD BTO Rev 1.03 2005-08-25 SK T20050418 CB1.50

TOSHIBA

PA3306U-1H60

Toshiba 60GB HDD Kit (with Bracket) 7200 rpm (P-ATA)

Carrying Cases	
Part Number	Description
PA1331U-1NCS	Toshiba 3-in-1 Portfolio Leather
PA1329U-1NCS	Toshiba Portégé M200 Enhanced Protection Case
PA1372U-1NCS	Accessory pouch for Tablet Enhanced Protection
	Case
PA1330U-1ETC	Toshiba User Harness for M200 Enhanced
	Protection Case
For additional and most updated accessories, please visit	
www.accessories.toshiba.com	

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.pcsupport.toshiba.com.

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618 ToshibaDirect website: <u>http://www.toshibadirect.com</u> TAIS website for resellers: <u>http://sell.toshiba.com</u> TAIS PC Support website: <u>http://pcsupport.toshiba.com</u>

Portégé, Satellite, Tecra, Slim SelectBay and SystemGuard are registered trademarks and ConfigFree is a trademark of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. Intel, Celeron, Centrino, Intel Inside, Pentium, the Intel Centrino logo, and the Intel Inside logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Microsoft and Windows are registered trademarks and OneNote is a trademark of Microsoft Corporation in the United States and/or other countries. Winstone® is a registered trademark and BatteryMark[™] is a trademark of Ziff Davis Publishing Holdings Inc. in the U.S. and other countries. MobileMark[™] is a trademark of the Business Applications Performance Corporation. Wi-Fi is a registered certification mark of the Wi-Fi Alliance. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Toshiba is under license. NVIDIA and GeForce are registered trademarks or trademarks of NVIDIA Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

¹ <u>Product Series Legal Footnote</u>. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated.

<u>**Product Offering Legal Footnote.</u>** Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice.</u>

² <u>Build-to-Order/Configure-to-Order</u>. Certain notebook chassis are designed to accommodate all possible configurations for an entire product series. Your select model may not have all the features and specifications corresponding to all of the icons or switches shown on the notebook chassis, unless you have selected all those features. Configuring (customization) of your notebook takes an additional 12 to 15 working days. with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

⁴ Processor (Central Processing Unit).

CPU performance in your computer product may vary from specifications under the following conditions:

- 1. use of certain external peripheral products
- 2. use of battery power instead of AC power
- 3. use of certain multimedia, computer generated graphics or video applications
- 4. use of standard telephone lines or low speed network connections
- 5. use of complex modeling software, such as high end computer aided design applications
- 6. use of several applications or functionalities simultaneously
- use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
- use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are approximate and may vary depending on the specific computer model – please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shutdown. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

⁵ <u>Memory (Main System)</u>. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors.

⁶ <u>Hard Disk Drive (HDD) Capacity</u>. 1 Gigabyte (GB) means 1000 x 1000 x 1000 = 1,000,000,000 bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = 1024 x 1024 x 1024 = 1,073,741,824 bytes, and therefore may show less storage capacity. Available storage capacity will also be less if the product includes one or more pre-installed operating systems, such as Microsoft Operating System and/or preinstalled software applications, or media content. Actual formatted capacity may vary.

⁷ <u>Display</u>. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology.

When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while

³ <u>Operating System</u>. Certain Microsoft® software product(s) included

© Copyright 2005 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Portégé M200-S218TD BTO Rev 1.03 2005-08-25 SK T20050418 CB1.50

TOSHIBA

on battery power

⁸ <u>Graphics (Graphics Processing Unit)</u>. GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

⁹ AC97 Compliant

¹⁰ <u>Modem Speed</u>. Due to FCC limitations, speeds of 53 kbps are the maximum permissible transmission rates during download. Actual data transmission speeds will vary depending on line conditions.

¹¹ <u>Wireless</u>. Wireless connectivity and some features may require you to purchase additional software, external hardware or services. Availability of public wireless LAN access points may be limited. The transmission speed over the wireless LAN and the distance over which wireless LAN can reach may vary depending on surrounding electromagnetic environment, obstacles, access point design and configuration, and client design and software/hardware configurations. The actual transmission speed will be lower than the theoretical maximum speed. To use the Atheros SuperAG[™] or SuperG[™] wireless function, if available, your client and access point must support the corresponding feature. Performance of these functions may vary depending on the format of data transmitted.

¹² <u>Weight</u>. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected

¹³ <u>Battery Life</u>. Battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. Published battery life numbers are achieved on select models and configurations tested by Toshiba at the time of publication. See "Detailed Specs" for specific battery measurement test. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see the accessories information that shipped with your computer or visit the Toshiba web site at <u>www.accessories.toshiba.com</u>.

Express Media Player is not a Windows based application. Battery life will be less than when using similar applications in the Windows Operating System.

¹⁴ <u>Battery Life - MobileMark</u>[™]. Measured by MobileMark. MobileMark is a trademark of the Business Applications Performance Corporation.

¹⁵ <u>Software</u>. Some software may differ from its retail version (if available), and may not include user manuals or all program functionality. Certain Microsoft® software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

¹⁶ <u>AOL® Internet Service</u>. Availability may be limited, especially during peak times. TO AVOID BEING CHARGED A MONTHLY MEMBERSHIP FEE, SIMPLY CANCEL BEFORE THE THREE-MONTH PROMOTIONAL PERIOD ENDS. Premium services carry surcharges and communication surcharges may apply, including AK, even during promotional period. Members may incur telephone charges on their phone bill, depending on their location and calling plan, even during promotional period. Available to new AOL members in the United States, age 18 or older; a major credit card or checking account is required.


¹⁷ <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended

temperature range.


¹⁸ <u>Warranty</u>. Toshiba's standard limited warranty, extended warranty and service upgrade terms and conditions are available at <u>http://www.warranty.toshiba.com</u>

¹⁹ <u>SystemGuard</u> is only available within 30 days of hardware purchase.


Front with display open




Front with display closed




Left side



Right side



Back



Underside

