Lenovo® N200 15W (0769) - October 2007

The model of		- M	Widescreen				EIDE	Mini PCle 802.11		Finger- print	Chip-	Dual i d	Avail	
		z Memory		era	controller		optical	wireless		reader		Preload	date	
cor69-ALU Celerol cor69-AMU Celerol cor69-ANU Pentiur cor69-APU Pentiur cor69-ASU Celerol cor69-AUU Pentiur cor69-AUU Pentiur cor69-AUU Pentiur cor69-AUU Pentiur cor69-AUU Pentiur cor69-F8U Celerol cor69-F9U Pentiur cor69-F8U Celerol cor69-F8U Celerol cor69-F8U Celerol cor69-F8U Pentiur	n 530 1.73 n T2310 1.44 n 5210 1.44 n 540 1.84 n T2330 1.66 n T2330 1.66 n 550 2.00 n T2390 1.88 n T2390 1.88 n 550 2.00	3 512MB 6 1GB 6 1GB 6 512MB 6 512MB 0 1GB 0 1GB 0 1GB 6 1GB 6 1GB 6 1GB 0 1GB	15.4" WXGA 15.4" WXGA	Cam Cam	GMA GMA GMA GMA GMA GMA GMA	80GB 120G 80GB 80GB 120G 120G 80GB 120G 120G 80GB	Combo Combo DVD±RW DVD±RW Combo DVD±RW DVD±RW Combo DVD±RW DVD±RW Combo DVD±RW	Lenovo 11b/g Lenovo 11b/g Lenovo 11b/g	Blue Blue	Finger Finger Finger Finger	GM GM GM GM GM GM GM GM GM GM	Home Basic XP Pro XP Pro Home Basic XP Pro Home Prem Home Basic Home Prem Business 32 Business 32 XP Pro	Oct 07 Oct 07 Oct 07 Dec 07 Dec 07 Dec 07 Dec 07 Apr 08 Apr 08 Apr 08	
	These Leno	vo N200 m	odels use a <u>1</u> :	5.4" и	videscree	<u>ı</u> displa	y							
Positioning Processor Memory Diskette drive EIDE Combo EIDE DVD±RW	Intel 64 Tech Intel 9entiuu Intel 64 Tech 533MHz sys 512MB or 10 dual-channe Non-italics: None (use of Some: DVE	on® Proces inclogy, 53 m® Proces inclogy, Ex tem bus, a GB std / 40 I capable, t standard ptional US D-ROM/CD	ssor 530, 540 3MHz system sor T2310, T ecute Disable aB max ⁷ / PC2 wo 200-pin S memory in o B-based diske	bus, 2330, Bit, E d L2 -5300 O-DII ne so ette di X/242	and 1MB or T2390 EIST, cache 0 667MHz MM socke cket; one rive) X/8X ²¹ spe	L2 cach with du DDR2, ts; socket a eed, fixe	ne or Ial-core, non-parity, available ed, not remo	ovable, 12.7mm	Preloaded operating system ²⁰ - Some: Microsoft Windows XP Professional with Vista® COA - Some: Microsoft Windows Vista Home Basic Edition (32-bit - Some: Microsoft Windows Vista Home Premium Ed (32-bit - Some: Microsoft Windows Vista Business Edition (32-bit - Some: Microsoft Windows Vista Business Edition (32-bit • Vista models: Vista Basic logo Preloaded applications ¹⁴ (all OSes • Lenovo Care SM Tools - Rescue and Recovery TM - System Update - Password Manager - Access Connections TM					
SATA disk	80GB ⁸ (5400) rpm), 120	IGB (5400 rpr nigh, removat	m), or	160GB (5400 rp		rngn						
Widescreen display	CCFL backli	ght, 185 ni	A (1280x800) ts, 16:10 aspe	ect rat	io, 400:1	contrast	ratio							
Camera Graphics			of screen, 1. Accelerator				is, internar i	JSB 2.0	 Norton Internet Security™ (90 days of virus definitions) 					
Keyboard	Full-size key	board, 6-ro	w, 84-key, mu	ultime	dia Fn ke	/s, Lend	ovo Care ^s ™ b	outton	 Softex OmniPass (on fingerprint models) PC-Doctor™ (diagnostics) Adobe® Reader Picasa from Google Diskeeper® Lite (XP models) Diskeeper Home (Vista models) Corel® Small Business Center™ 					
Case color Case material	6-cell (WxDx 9-cell (WxDx with optical d Silver top; sil ABS plastic	<i>(H):</i> 14.2"x <i>(H):</i> 14.2"x lrive and ba lver bottom) 1.5") 1.5"	360.1mm 360.1mm	n x 266. n x 286.	6mm x 31.4							
Battery - type Battery - life ¹⁰	Lithium Ion 6 6-cell: up t		otional 9-cell:	up to	4.9 hr							ct [®] Office 12 nancial Cente	٩r	
Chipset ExpressCard/54 Multicard Reader Ports	Mobile Intel ICH8M I/O C PCI 2.3), LPI One slot (Ex 5-in-1 reader Secure Digit Four USB 2. S-video out p	GM965 E Controller H C bus (EN pressCard r (MultiMec al, xD-Picto 0, external port (TV ou	kpress Chips lub (SATA 3.0 E KB925 Sup /34, Express0 lia Card, Men	Set (G Gb/s, er I/O Card/5 nory S A DB- ndusti	raphics M ATA-100) 54) Stick®, Me 15), mode y standar	EIDE, U mory St em (RJ- d conne	JSB 2.0, PC ick PRO™, 11), etherne ector),	CI Express® 1.1,	 QuickBooks Financial Center Network Magic™ (Vista only) Windows Live™ Toolbar Windows Live™ Toolbar QuickBooks Financial Center (Vista only) Microsoft Office 2007 Trial (60-day) EarthLink (Vista Home Basic models only) 					
Mini PCI Express Lenovo 11b/g ¹¹ Intel 11a/b/g ¹¹ Intel 11n ²⁸	Some: 11b/ Some: 11a/ Some: 11a/	g wireless⁴ b/g wireles	s⁴, Mini PCI E ss⁴, Mini PCI	/g Mir Expres	i PCI Exp ss adapter	ress Ac , Intel P	RO/Wireles							
	 Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator Some: Bluetooth 2.0 wireless via ICH8M, LED indicator Some: Bluetooth 2.0 wireless via ICH8M, LED indicator Some: Bluetooth 2.0 wireless via ICH8M, LED indicator Some: Bluetooth 2.0 wirel								e ¹⁷ port					
2GB PC2-5300 DDR2 SODIMM (TopSeller) 43R2000 USB 2.0 Essential Memory Key 32GB USB 2.0 Ultra Secure Memory Key 8GB USB 2.0 Ultra Secure Memory Key 8GB USB 2.0 Super Multi-Burner Drive45K1258 45K1258 45K1258 HinkPad® and Lenovo 65W AC Adapter ThinkPad® and Lenovo 65W AC Adapter ThinkVision® L2240p Wide 22" Monitor41U5027 40Y7696 41N8460 Lenovo Care 2-year LOR 9x5 NI 47K Lenovo Care 2-year P&L PU De ThinkVision L2240p Wide 24" MonitorLenovo Care 2-year LOR 9x5 NI 40Y7696 41N8460 Lenovo Care 2-year P&L PU De ThinkVision L2240p Wide 24" MonitorLenovo Care 2-year CAR 9x5 NI 422HB6 422HB6 4420HB2Lenovo Laser Mouse (USB, PS/2)41U3074 41U3074Lenovo Care - Messenger Max Lenovo Case - Performance Backpack41U5253 41U5254Lenovo Care 3-year P&L PU De 41W2554									1K0547 NBD 1K0548 Depot 1K0545 NBD 1K0549					

See footnotes for important warranty information See footnotes for important warranty information See US model announced June 24, 2008; previous models on Oct 2, Dec 4, 2007, Apr 8, or May 6, 2008 See US models withdrawn effective December 2007

Lenovo® N200 Accessories

				,
Partial list of accessories supported on: • Lenovo N200 14W originally announced o • Lenovo N200 15W originally announced o				
Memory 1GB PC2-5300 DDR2 SODIMM (TopSeller) 2GB PC2-5300 DDR2 SODIMM (TopSeller)		ann 03/25/08 ann 03/25/08	Power AccessoriesN200 14W (0687) only:Lenovo N200 14W Li-lon Battery 6-cellLenovo N200 14W Li-lon Battery 9-cell41U5025 ann 05/2241U5026 ann 05/22	
Storage and removable storage USB 2.0 Essential Memory Key 2GB USB 2.0 Essential Memory Key 4GB USB 2.0 Essential Memory Key 8GB USB 2.0 Essential Memory Key 32GB USB 2.0 Security Memory Key 4GB USB 2.0 Ultra Secure Memory Key 2GB USB 2.0 Ultra Secure Memory Key 4GB USB 2.0 Ultra Secure Memory Key 4GB USB 2.0 Ultra Secure Memory Key 4GB USB 2.0 Ultra Secure Memory Key 8GB USB 2.0 Super Multi-Burner Drive	45J7904 45J7905 45K1258 41U5120 45J5915 45J5916 45J5917 45J5918	ann 10/28/08 ann 07/17/07 ann 08/26/08 ann 08/26/08 ann 08/26/08	N200 15W (0769) only: Lenovo C200/N200 15W Li-lon Battery 6-cell40Y8322 ann 10/12 Lenovo N200 15W Li-lon Battery 9-cell 41U5027 ann 05/08 All models: ThinkPad and Lenovo 65W AC Adapter ⁴⁵ 40Y7696 ann 09/20 ⁴⁵ Only compatible with the 945GM and GM965 chipset models ThinkPad and Lenovo 90W AC Adapter 40Y7659 ann 09/20 Lenovo 90W Slim AC/DC Combo Adapter Belkin Surge Protector 31P7659 Belkin 1 outlet Notebook Surge	7/06 9/07 0/05 s. 0/05
Expansion USB 2.0 Lenovo Enhanced Port Replicator ThinkPad Adjustable Notebook Stand Keyboard		ann 02/26/08 ann 09/20/05	Carrying Cases Lenovo Carrying Case - Messenger Max 41U5253 ann 05/0 Lenovo Carry Case - Performance Backpack 41U5254 ann 05/0 Lenovo Standard Case 45K1697 ann 11/2 Lenovo Standard Backpack 45K1698 ann 11/2	1/07 5/08
USB Numeric Keypad Preferred Pro USB Keyboard Enhanced Performance USB Keyboard Wireless Kybd & Opt Wheel Mouse (via USB) USB Keyboard with UltraNav USB Travel Keyboard with UltraNav	73P4067 31P8950	ann 06/21/05 ann 03/23/04 ann 12/07/04	Monitors9227AE1ann 04/11ThinkVision L1700p 17" Monitor9417HE2ann 09/11ThinkVision L1900p 19" Monitor4431HE1ann 11/11ThinkVision L1940p Wide 19" Monitor4424HB6ann 09/11ThinkVision L200p Wide 20.1" Monitor4438HB6ann 09/11	5/08 7/08 1/08 7/08
Mouse Optical Wheel Mouse (USB) Optical ScrollPoint [®] Mouse (USB, PS/2) Optical Wheel Travel Mouse (USB, PS/2) Laser Tilt Wheel Mouse (USB, PS/2) Lenovo Wireless Laser Mouse (blk, via USB) Laser Tilt Wheel Travel Mouse (red, via USB) Laser Tilt Wheel Travel Mouse (Bluetooth) Wireless Kybd & Opt Wheel Mouse (via USB)	31P7405 31P7410 41U3074 45K1696 51J0198 41U5008	ann 01/22/08	ThinkVision L2240p Wide 22" Monitor4422HB6 ann 09/12ThinkVision L2440p Wide 24" Monitor4420HB2 ann 09/12ThinkVision L2440x Wide 24" Monitor4421HB2 ann 09/12Monitor Accessories464421HB2 ann 09/12ThinkVision USB Soundbar40Y7616 ann 08/22ThinkVision Soundbar45K1263 ann 09/12Kensington Cable Lock from Lenovo73P2582 ann 12/28Kensington Twin Head Cable Lock45K1620 ann 09/32ThinkPad Convertible Monitor Stand40Y7620 ann 01/02	7/08 7/08 7/08 3/05 6/08 9/03 0/08
Security Kensington [®] Cable Lock from Lenovo Kensington Twin Head Cable Lock USB Gemplus GemPC Smart Card Reader	45K1620	ann 12/29/03 ann 09/30/08 ann 02/21/06	Radial Arm 19K464 ann 05/02 ⁴⁶ Compatible on selected Lenovo and ThinkVision monitors. More information at www.lenovo.com/support/monitoraccesso	5/00
ExpressCard/54 slot: ExpressCard Gemplus Smart Card Reader	41N3043	ann 06/27/06		
Multimedia USB 2.0 Lenovo Multimedia Headset USB 2.0 Lenovo Webcam		ann 06/27/06 ann 08/29/06	Other accessories at www.lenovo.com/accessories Accessories Guide pdf at www.lenovo.com/accessoriesguide	
			Lenovo Cares maintenance services	
			3-year Lenovo Onsite Repair (LOR) 9x5 Next Business Day 41K0	0548 0545
			1-year maintenance 9x5 Next Business Day response 41K0 2-year maintenance Parts and Labor Pickup Depot SBD 41K0	0550 0551 0552 0553
			Lenovo Care maintenance services at www.lenovo.com/warran	ity

© Lenovo (O-N200) February 2009





Lenovo N500



Lenovo® N500 15W (4233)

Personal Systems Reference (PSREF)

Proc- Type-model essor	Wide- screen GHz Memory display	Screen Cam- type era	Inte- grated graphics	Disk SATA GB ⁸ rpm	SATA optical	Mini PCle 802.11 wireless	Mini PCle WWAN		Blue/ te	at- ery Vista ells preloac	Ava d da			
4233-53U T3200 4233-54U T3400 4233-62U T3200 4233-63U T3400	5 2.00 1GB 15.4" WXGA 2.00 1GB 15.4" WXGA 2.16 2GB 15.4" WXGA 2.00 1GB 15.4" WXGA 2.16 2GB 15.4" WXGA 2.16 1GB 15.4" WXGA	Glossy Cam Glossy Cam Glossy Cam Glossy Cam	GMA GMA GMA GMA	160G 5400 250G 5400 160G 5400 250G 5400	DVD±RW DVD±RW DVD±RW DVD±RW	Lenovo 11b/g Lenovo 11b/g Lenovo 11b/g Lenovo 11b/g	¹ None None None None None	None None None None None	No No No No	6 Home B 6 Bus 32 6 Bus 32 6 XP Pro 6 XP Pro 6 XP Pro 6 XP Pro	Nov Nov Nov			
	• These Lenovo N500 m	odels use a <u>1</u>	5.4" wide	<u>escreen</u> disp	lay									
Processor	Intel® Celeron® Proces 667MHz system bus, ar Intel Pentium® process 667MHz system bus, a	d 1MB L2 cac or T3200 or 1	he or '3400 wi) ,			ome: Mic XP						
Memory	1GB or 2GB std / 4GB r dual-channel capable, tr <i>Non-italics:</i> standard n	nax ⁷ / PC2-53 vo 200-pin SC	00 667M D-DIMM s	sockets;				ome: Mic Ho come: Mic	crosoft me Bas crosoft	Windows sic Edition Windows \	(32-b √ista			
SATA DVD±RW SATA disk	DVD burner, SATA 1.5G 160GB ⁸ (5400 rpm) or 2 SATA 1.5Gb/s, 9.5mm h	50GB (5400 r	'pm) /		able, tray-ir	١	Pre	ista Basic Ioaded a i	: logo oplicat	Edition (32	2-011)			
Widescreen display Camera	15.4" (391.2mm) WXGA CCFL backlight, 185 nits Camera on top of scree	s, `16:10 aspéc	t ratio, 4	00:1 contras			• R • A	 Lenovo Care™ Tools Rescue and Recovery™ Access Connections™ 						
Integrated graphics	Intel Graphics Media A HDMI port supporting H Max external resolution.	DCP to output	t protecte	ed content		(HDMI port)	• N • P	 Adobe[®] Reader 						
Keyboard Touch controls Touch pad	Full-size keyboard, 6-ro Touch-sensitive audio co Two-button touch pad w	ontrol panel (N	/lute, vol	up, vol dowr	Fn keys, W n, enable/di	/indows/Appl ke sable touchpac) a							
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	6-cell 15.4W" (WxDxH): 6-cell: starting at 5.95 Silver top cover; black b Scratch-resistant ABS p Lithium Ion 6-cell 6-cell: up to 3.8 hr	b (2.7kg) ottom	x 1.22–1	l.46"; 358.5 :	x 256.5mm	x 31–37mm	 Windows Live™ Toolbar Windows Live Search Microsoft Office 2007 Trial (60-da Roxio[®] Creator[®] Small Business Edition Corel WinDVD[®] (DVD±RW) 							
Chipset ExpressCard/54 Multicard reader PC Card Smart Card read	Mobile Intel GL40 Exp ICH9M I/O Controller Hi security chip, ethernet M One slot (ExpressCard/ 4-in-1 reader (MultiMedi None None	ub (SATA 3.00 1AC) 34, ExpressCa	ib/s, USI ard/54)	3 2.0, PCÍ E	xpress [®] 1.1	, PCI 2.3,	al)							
Ports	Four USB 2.0, external	,	DB-15, H	HDMI), mode	em (RJ-11),	ethernet (RJ-4	.5)							
Mini PCI Express Lenovo 11b/g ¹¹ WWAN upg 2G Turbo	One Mini PCI Express s 11b/g wireless ⁴ , Lenovo None		CI Expres	ss Adapter, I	Broadcom®	chipset	65-1	watt (GM)	Agraph		lanto			
UWB Modem Bluetooth™ Ethernet Intel AMT Audio support	None None 56K V.92 ⁶ modem None 10/100 ethernet, Broadcom [®] BCM5906M None High Definition (HD) Audio, CX20561-15Z codec / stereo speakers, 2 watt / volume up,								65-watt (GMA graphics) AC adapt ENERGY STAR® 4.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378 Lenovo Care SM 1-year LOR 9x5 NBI <i>41K0</i> Lenovo Care 2-year LOR 9x5 NBI					
Security Security chip Fingerprint reader	down, mute buttons / microphone, mic input jack, headphone jack Power-on password, hard disk password, supervisor password, security keyhole None													
Limited warranty ¹²	1-year - EasyServ™.19 d	epot repair se	rvice / se	ervice upgrad	les ²² availal	ble				4	1K05			
1GB PC2-5300 D 2GB PC2-5300 D USB 2.0 Essentia USB 2.0 Essentia USB 2.0 Portable USB 2.0 Lenovo USB 2.0 Lenovo	DR2 SODIMM (TopSelle DR2 SODIMM (TopSelle I Memory Key 8GB I Memory Key 32GB Secure 320GB Hard Dis	r) 43R1999 N r) 43R2000 L 45J7905 L 45K1258 E k 43R2019 L 40Y8519 T r 43R8770 T	1500 Ser enovo 9 enovo 9 Business Deluxe E ThinkVisio ThinkVisio	ies Li-Ion Ba 0W AC Adap 0W AC Adap Topload Cas xpander Cas on® L2240p on L2440x W	attery 6-cell oter for N50 oter for Y Se se wide 22" M Vide 24" Mc	51J02 0 Series 41R4 eries 41R4 43R2 43R2 onitor 4422	26 515 Len 322 176 Len 178 1B6 Pos 1B2 http	ovo Care ovo Care t-warranty	3-year 3-year / agree	LOR 9x5 4 P&L PU E 41	1 K05 NBD 1 K05 0 epot 1 K05			

See footnotes for important warranty information ^{IIII} US model announced January 6, 2009; previous models on November 11 or November 25, 2008 ^{IIIII} US models withdrawn effective January 2009

© Lenovo (DOV1-1) February 2009

Lenovo® V200 12W (0764)

Personal Systems Reference (PSREF)

	Inte- Mini PCIe	Finger-Bat-									
	Widescreen Screen Cam- grated SATA EIDE 802.11 ccessor GHz Memory display type era graphics disk optical wireless	Blue- print tery Avail tooth reader cells Preload date									
0764-2CU Core 2 0764-2DU Core 2 0764-2NU Core 2 0764-2PU Core 2 0764-2WU Core 2 0764-2XU Core 2	Duo T7100 1.80 <i>1GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T7300 2.00 <i>1GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T7300 2.00 <i>2GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T5250 1.50 <i>2GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T5250 1.50 1GB 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T5550 1.83 1GB 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T5550 1.83 2 <i>GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T5550 1.83 2 <i>GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T5550 1.83 2 <i>GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T5550 1.83 <i>2GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Duo T5550 1.83 <i>2GB</i> 12.1" WXGA Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. Puo T5550 1.63 <i>1GB</i> 12.1" <i>WXGA</i> Glossy Cam GMA 160GB DVD±RW *Intel 11a/b. <i>U T T T T T T T T T T</i>	g Blue Fing 6 Business 32 May 0 Blue Fing 6 Ultimate 32 May 0 Blue Fing 6 Ultimate 32 July 0 g Blue Fing 6 Ultimate 32 July 0 g Blue Fing 6 XP Pro Oct 0 g Blue Fing 3 XP Pro Jan 0 Blue Fing 6 Business 32 Jan 0 g Blue Fing 6 Business 32 Jan 0 g Blue Fing 3 Business 32 Jan 0 g Blue Fing 3 Business 32 Jan 0									
	Multimedia ready: press button to load InterVideo InstantON music and movie player	without loading OS									
Positioning Processor	Widescreen ultraportable; two spindles Intel® Core™ 2 Duo processor T5250, T5550, or T5750 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep® technology ¹ , Execute Disable Bit, 667MHz system bus, and 2MB shared L2 cache or Intel Core 2 Duo processor T7100 or T7300 with dual-core, Intel 64 Technology, Enhanced Intel SpeedStep technology ¹ , Intel Dynamic Acceleration, Execute Disable Bit, Virtualization Technlogy, and 800MHz system bus; <i>T7100</i> : 2MB L2 cache (shared); <i>T7300</i> : 4MB L2 cache (shared)	 Preloaded operating system²⁰ Some: Microsoft[®] Windows[®] XP Professional with Vista[®] COA Some: Microsoft Windows Vista Home Premium Ed (32-bit) Some: Microsoft Windows Vista Business Edition (32-bit) 									
Memory	1GB or 2GB std / 4GB max ⁷ / PC2-5300 667MHz DDR2, non-parity, dual-channel capable, two 200-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket: one socket available - Some: Microsoft Windows Vista Ultimate Edition (32-bit) ♦ 2YU model: Vista Basic logo ♦ Other Vista models: Vista Premiuti										
Diskette drive EIDE DVD±RW SATA disk	tette drive None (use optional USB-based diskette drive) E DVD±RW DVD burner, DL support, fixed, not removable, 12.7mm high A disk 160GB ⁸ (5400 rpm) / SATA 1.5Gb/s, 9.5mm high, removable and upgradable • Lenovo Care [™] Tools										
Widescreen display	12.1 " (307.3mm) WXGA (1280x800) TFT color , VibrantView (glossy), CCFL backlight, 180 nits, 16:9 aspect ratio, 400:1 contrast ratio, no latch open dosp mechanism										
Camera	Camera on top of screen, 1.3-megapixel, fixed focus, internal USB 2.0	 Access Connections™ Lenovo Multimedia Center (Vista) 									
Graphics	Intel Graphics Media Accelerator X3100, in GM965	 Norton Internet Security[™] 									
Keyboard Touch pad InstantON	Full-size keyboard, 6-row, 84-key, multimedia Fn keys; Buttons across top: on-off, Lenovo Care [™] , instant on, mute, volume down, volume up Two-button touch pad with scroll feature (no TrackPoint [®]) Press button to load InterVideo InstantON music and movie player without loading OS	 (90 days of virus definitions) Softex OmniPass (on fingerprint models) PC-Doctor™ (diagnostics) Network Magic™ 									
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	3-cell (WxDxH): 12.01"x 8.94"x 1.25"; 305.1mm x 227.0mm x 31.7mm 6-cell (WxDxH): 12.01"x 9.68"x 1.25"; 305.1mm x 246.0mm x 31.7mm with optical drive and battery: 4.0 lb (1.81kg) to 4.4 lb (1.99kg) Silver top; black bottom ABS plastic Lithium Ion 3-cell or 6-cell, 2600 mAH, smart battery 3-cell: up to 2.1 hr; 6 cell: up to 4.2 hr	 Windows Live™ Toolbar Windows Live Search Adobe® Reader Picasa from Google Diskeeper® Home Corel® Small Business Center™ 									
Chipset ExpressCard/54 Multicard reader Ports Mini PCI Express	Mobile Intel GM965 Express Chipset (Graphics Memory Controller Hub); ICH8M I/O Controller Hub (SATA 3.0Gb/s, ATA-100 EIDE, USB 2.0, PCI Express [®] 1.1, PCI 2.3), LPC bus (ENE KB925 Super I/O) One slot (ExpressCard/34, ExpressCard/54) 5-in-1 reader (MultiMedia Card, Memory Stick [®] , Memory Stick PRO [™] , Secure Digital, xD-Picture Card [™]) Three USB 2.0, external monitor (VGA DB-15), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard) One Mini PCI Express slot, not customer upgradable	 with WordPerfect® Office 12 QuickBooks Financial Center Microsoft Office 2007 Trial EarthLink (Vista Home Basic and Home Premium models only) InterVideo InstantON Roxio Digital Media LE (DVD±RW for XP only) Corel WinDVD® (DVD±RW for XP only) Corel WinDVD Croater 									
Intel 11a/b/g¹¹ Intel 11n² ⁸ Bluetooth™ Modem	 Some: 11a/b/g wireless⁴, Mini PCI Express adapter, Intel PRO/Wireless 3945ABG Some: 11a/b/g/n wireless⁴, Mini PCI Express adapter, Intel Wireless WiFi Link 4965AGN, MIMO 2x3 (Kedron) Bluetooth 2.0 wireless, USB 2.0 interface via ICH8M, LED indicator 56K V.92⁶ modem 										
Audio support Audio support Security Fingerprint reader Fingerprint reader Fingerprint reader Audio Support Security Fingerprint reader Fingerprint reader F											
-		via 800-426-7378									
2GB PC2-5300 D USB Portable Dis USB 2.0 Lenovo I USB 2.0 Essentia USB 2.0 Lenovo I USB 2.0 Super M 160GB Disk 9.5m Laser Tilt Wheel I	Multimedia Headset40Y8518ThinkPad and Lenovo 90W AC Adapter40Y7659al Memory Key 8GB45J790590W Slim AC/DC Combo Adapter41N8460Enhanced Port Replicator43R8770Lenovo Carrying Case - Messenger Max41U5253	Lenovo Care SM 1-year LOR 9x5 NBD 41K0547 Lenovo Care 2-year LOR 9x5 NBD 41K0548 Lenovo Care 2-year P&L PU Depot 41K0545 Lenovo Care 3-year LOR 9x5 NBD 41K0549 Lenovo Care 3-year P&L PU Depot 41K0546									

See footnotes for important warranty information * Intel Centrino® processor technology ^{IIII} US model announced March 18, 2008; previous models on May 22, July 17, October 2, 2007, or January 8, 2008 ^{IIIII} US models withdrawn effective December 2007 or May 2008

© Lenovo (FS2-1) February 2009

Partial list of accessories supported on:				
Memory 1GB PC2-5300 DDR2 SODIMM (TopSeller) 2GB PC2-5300 DDR2 SODIMM (TopSeller)		ann 03/25/08 ann 03/25/08		40Y8319 ann 05/16/06 40Y8321 ann 05/16/06
Storage and removable storage USB 2.0 Essential Memory Key 2GB USB 2.0 Essential Memory Key 4GB USB 2.0 Essential Memory Key 8GB USB 2.0 Essential Memory Key 32GB USB 2.0 Security Memory Key 4GB USB 2.0 Ultra Secure Memory Key 2GB USB 2.0 Ultra Secure Memory Key 4GB	45J7904 45J7905 45K1258 41U5120 45J5915 45J5916 45J5917	ann 07/15/08 ann 10/28/08 ann 07/17/07 ann 08/26/08 ann 08/26/08 ann 08/26/08	ThinkPad and Lenovo 90W AC Adapter Lenovo 90W Slim AC/DC Combo Adapter Belkin Surge Protector Belkin 1 outlet Notebook Surge Carrying Cases Lenovo Carrying Case - Messenger Max Lenovo Carry Case - Performance Backpack	40Y7696 ann 09/20/05 40Y7659 ann 09/20/05 41N8460 ann 11/27/07 31P7659 31P7658 41U5253 ann 05/01/07 41U5254 ann 05/01/07 45K1697 ann 11/25/08
USB 2.0 Ultra Secure Memory Key 8GB USB Portable Diskette Drive USB 2.0 CD-RW/DVD-ROM Combo II Drive USB 2.0 Portable 160GB Hard Disk USB 2.0 Portable 320GB Hard Disk USB 2.0 Portable Secure 160GB Hard Disk USB 2.0 Portable Secure 320GB Hard Disk USB 2.0 Super Multi-Burner Drive 160GB Disk 9.5mm SATA 1.5Gb/s (5400 rpm)	40Y8637 43R1784 45K1689 43R2018 43R2019 41N5565	ann 06/05/00 ann 01/05/06 ann 09/23/08 ann 03/17/09 ann 11/18/08 ann 11/18/08 ann 01/23/07	Lenovo Standard Backpack Monitors ThinkVision [®] L174 17" Monitor ThinkVision L1700p 17" Monitor ThinkVision L1900p 19" Monitor ThinkVision L1940p Wide 19" Monitor ThinkVision L200p Wide 20.1" Monitor ThinkVision L2240p Wide 22" Monitor	45K1698 ann 11/25/08 9227AE1 ann 04/15/08 9417HE2 ann 09/17/08 4431HE1 ann 11/11/08 4424HB6 ann 09/17/08 4438HB6 ann 04/15/08
Expansion				4420HB2 ann 09/17/08 4421HB2 ann 09/17/08
USB 2.0 Lenovo Enhanced Port Replicator ThinkPad Adjustable Notebook Stand Keyboard USB Numeric Keypad Preferred Pro USB Keyboard Enhanced Performance USB Keyboard Wireless Kybd & Opt Wheel Mouse (via USB) USB Keyboard with UltraNav USB Travel Keyboard with UltraNav	40Y7676 33L3225 73P5220 73P2620 73P4067 31P8950	ann 06/21/05 ann 03/23/04	ThinkVision Soundbar Kensington Cable Lock from Lenovo Kensington Twin Head Cable Lock	
Mouse Optical Wheel Mouse (USB) Optical ScrollPoint® Mouse (USB, PS/2) Optical Wheel Travel Mouse (USB, PS/2) Laser Tilt Wheel Mouse (USB, PS/2) Lenovo Wireless Laser Mouse (blk, via USB) Laser Tilt Wheel Travel Mouse (Bluetooth) Wireless Kybd & Opt Wheel Mouse (via USB)	31P7405 31P7410 41U3074 45K1696 51J0198 41U5008	ann 01/22/08	Medialess License Key (MLK) Microsoft® Office 2007 Basic, English Microsoft Office 2007 Small Business, Engl Microsoft Office 2007 Professional, English	
Security Kensington [®] Cable Lock from Lenovo Kensington Twin Head Cable Lock USB Gemplus GemPC Smart Card Reader	45K1620	ann 12/29/03 ann 09/30/08 ann 02/21/06		
ExpressCard/54 slot: ExpressCard Gemplus Smart Card Reader	41N3043	ann 06/27/06	Other accessories at www.lenovo.com/acce	essories
Multimedia USB 2.0 Lenovo Multimedia Headset USB 2.0 Lenovo Webcam		ann 06/27/06 ann 08/29/06	Accessories Guide pdf at www.lenovo.com/a	accessoriesguide
			Lenovo Cares maintenance services	
			Warranty service upgrade: ²² 1-year Lenovo Onsite Repair (LOR) 9x5 Nexi 2-year Lenovo Onsite Repair (LOR) 9x5 Nexi 2-year Parts and Labor (P&L) Pickup Depot 3-year Lenovo Onsite Repair (LOR) 9x5 Nexi 3-year Parts and Labor (P&L) Pickup Depot	t Business Day 41K0548 41K0545
			Post-warranty maintenance services: ⁵ 1-year maintenance Parts and Labor Pickup 1-year maintenance 9x5 Next Business Day 2-year maintenance Parts and Labor Pickup 2-year maintenance 9x5 Next Business Day [SBD=Second Business Day average respon	response 41K0551 Depot SBD 41K0552 response 41K0553
			Lenovo Care maintenance services at www.	enovo.com/warranty





Lenovo® G530 (4151) - GMA

Type-model Proces	sor GHz	Memory	Widescreen display	Cam- era	Integrated graphics	SATA disk	SATA optical	Mini PCle 802.11 wireless		Blue- tooth	Battery cells	Vista preload	Avail date	
4151-X2U T340 4151-38U T340 4151-3BU T340 4151-X3U T340	0 2.16 0 2.16	2GB <mark>3GB</mark> 3GB 3GB	15.4" WXGA 15.4" WXGA 15.4" WXGA 15.4" WXGA	Cam Cam	GMA GMA GMA GMA	160GB ⁸ 160GB 250GB 250GB	DVD±RW DVD±RW	Lenovo 11b/g ¹ Lenovo 11b/g Lenovo 11b/g Lenovo 11b/g	Black Black	None None None	4-cell	Basic Prem 32 Prem 32 Prem 32	Mar C	
	 Bold I Integr helps Lenov 	black col ated 0.3 control	access to you le System pro	finish mera Ir note	n and Lenov book by re	ecognizin	g your fac	cognition soft e. ⁄ Antivirus witł						
Positioning Processo	Intel [®] Pe	entium® I	<i>bility; two-spind</i> Processor T3 4 bus, and 1MB I	100 wit		e,				<i>ne:</i> Mic	crosoft® V	system ²⁰ Vindows® \ Edition (3		
Memory		nnel cap	4GB max ³¹ / F able, two 200- ard memory in	pin SO	-DIMM soc	kets;			- Some: Microsoft Windows Vista Home Premium Edition (32-bit)					
Diskette drive SATA DVD±RW SATA disk	None (use optional USB-based diskette drive) DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in								 					
Widescreen display Camera	15.4 " (391.2mm) WXGA (1280x800) TFT color, VibrantView (glossy), CCFL backlight, 200 nits, 16:10 aspect ratio, 400:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus								 listed) Lenovo[™] OneKey Recovery Lenovo ReadyComm Norton Internet Security[™] 					
Integrated graphics	Intel Graphics Media Accelerator 4500M (GMA 4500M), in GL40, Max external resolution: 2048x1536@75Hz (DB-15 port) • Adobe® Reader								f virus de					
Keyboard	Full-size keyboard, 6-row, 84-key, multimedia Fn keys, recovery key olsTouch-sensitive volume control panel with one user defined button Two-button touch pad with scroll feature (no TrackPoint®)								 Windows Live™ Toolbar Easy Capture VeriFace™ Facial Recognition Lenovo Energy Management 					
Dimensions ³ Weight ² Case color		cal drive a	10.1" x 1.22" f and battery: 6-c ottom				nm x 31 to 3	37mm	Sof	tware	0,	io (DVD±R		
Case material Battery - type Battery - life ¹⁰	ABS plastic; Palm rest: ABS plastic Lithium Ion 4-cell or 6-cell 4-cell: Up to 2.5 hr; 6-cell: up to 4.5 hr Fry's									tailers				
Chipset ExpressCard/54	Mobile Intel GL40 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC)								-watt AC adapter ireless on/off switch oHS-compliant					
Multicard reader Ports	None Four US	B 2.0, ex	ternal monitor	(VGA	DB-15), mc	odem (RJ-	11), etherne	et (RJ-45)		Lir	nited Wa	arranty ¹²		
TV tuner Mini PCI Express Lenovo 11b/g ¹¹ Bluetooth™ Modem Ethernet Audio support Security Fingerprint reader	None ses One Mini PCI Express slot /g ¹¹ 11b/g wireless ⁴ , Lenovo 11b/g Mini PCI Express Adapter, Broadcom® BCM4312 None 56K ⁶ V.92 ¹⁵ modem 10/100 ethernet, Broadcom® BCM5906M High Definition (HD) Audio, CX20561-15Z codec / two main speakers (2 watt) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole, der None									air servic ograde op location accidenta on via d enovo C t Busine enovo O t Busines	labor vice ¹⁹ options ons): ⁹ ntal damage depot 43R888 o Onsite Repair ¹³ ness Day 43R888 Onsite Repair ¹³			
									d ∽ 24x iss	7 ¹⁶ toll-	protection free sup ring the v	on 4: port for wa warranty p		

See footnotes for important warranty information I US models announced March 17, 2001; previous model on January 27, 2009 See US model withdrawn effective March 2009

© Lenovo (ACN1-1) March 2009

Lenovo® G530 (4446) - GMA

Personal Systems Reference (PSREF)

Proc- Type-model essor	GHz Memory	Widescreen	Camera (mega- pixel)	Integrated graphics	Chipset	Disk SATA GB [®] rpm	SATA optical	Mini P 802.1 wirele	1	Blue- tooth	Battery cells	Preload	Avail date	
4446-23U T3400 4446-24U T3400 4446-25U T6400	2.16 <i>3GB</i>	15.4" WXGA 15.4" WXGA 15.4" WXGA	0.3 GN	1A 4500M	GL40 GL40 D GM45	250G 540	0 DVD±RW 0 DVD±RW 0 DVD±RW	RealTe RealTe * Intel 51	k b/g	None None None	6 6 6	Home B Prem 32 XP Pro	Mar 0	
	• 15.4" wide • Matte blac	escreen, glos ck finish	sy disp	lay										
Processor	667MHz sys Intel Core™	um [®] Process tem bus, and 2 Duo proce tem bus, and	1MB L2 ssor T64	cache or 400 with du	,					<i>ne:</i> Mic XP				
Memory	dual-channe Italics:	std / 4GB ma capable, two standard me standard me	o 200-pin mory in l	SO-DIMM	sockets; s; no socl	kets availab				Ho <i>ne:</i> Mic Ho	me Bas crosoft \ me Pre	Vindows ^v ic Edition Vindows ^v mium Edi	(32-bit) Vista	
SATA DVD±RW SATA disk	160GB ⁸ (540	SATA 1.5Gb/ 00 rpm) or 25 /s, 9.5mm hig	0GB (54)	00 rpm) /		novable, tra	y-in		<i>⇔ Oth</i>	16-25Ù: Iers:	Vista E	Premium I Basic logo		
Widescreen display Camera	15.4 " (391.2 CCFL backli <i>Some:</i> cam	mm) WXGA ght, 200 nits, era on top of era on top of	(1280x80 16:10 as screen, (10) color , V spect ratio, 4 D.3-megapix	ibrantVie 400:1 con cel, fixed f	trast ratio			 Preloaded applications¹⁴ Lenovo Care[™] Tools Rescue and Recovery[™] Access Connections[™] Presentation Director 					
Integrated graphics	Some: Intel	Graphics M Graphics M external reso	edia Aco	celerator 4	500MHD	(GMA 4500		145,	Easy Capture Adobe® Reader Norton Internet Security™					
Keyboard Touch controls Touch pad	Touch-sensi	board, 6-row, tive volume co ouch pad with	ontrol pai	nel with one	user def	ined button	, Windows/A	,	(00 days of virus definitions)					
Dimensions ³ Weight ² Case color Case material Battery - type Battery - life ¹⁰	6-cell 15.4W	/" (WxDxH): 1 ing at 5.95 lb finish 5-cell	4.1" x 10			,	nm x 31–37n							
Chipset ExpressCard/54 Multicard reader PC Card Smart Card read Ports Mini PCI Express RealTek b/g ¹¹	Mobile Intel ICH9M I/O C ethernet MA One slot (Ex 4-in-1 reade None None Four USB 2. One Mini PC	GL40/GM45 Controller Hub C) pressCard/34 r (Memory St 0, external m CI Express slo	o (SATA 3 I, Expres ick, Mem onitor (Vo t	3.0Gb/s, US sCard/54) ory Stick Pl GA DB-15),	B 2.0, PC RO™, Seo modem	Cl Express® cure Digital, (RJ-11), eth	1.1, PCI 2.3, xD-Picture (ernet (RJ-45	Card™)						
Intel 5100 ²⁸ WWAN upg UWB Modem Bluetooth™	00 ²⁸ Some: 11a/b/g/n wireless⁴, Mini PCle adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak) upg None None 56K V.92 ⁶ modem								65-watt (GMA graphics) AC adapte Wireless on/off switch RoHS-compliant					
thernet 10/100 ethernet, Broadcom® BCM5906M tel AMT None udio support High Definition (HD) Audio, CX20561-15Z codec / stereo speakers, 2 watt / volume up, down, mute buttons / microphone, mic input jack, headphone jack ecurity Power-on password, hard disk password, supervisor password, security keyhole ecurity chip None									ajor electronic (including battery),					
1GB PC2-5300 E 2GB PC2-5300 E USB 2.0 Essentia USB 2.0 Lenovo USB 2.0 Lenovo USB 2.0 Lenovo Optical Wheel Tra Lenovo Wireless Lenovo Wireless	DR2 SODIMI al Memory Ke Multimedia He Webcam Enhanced Po Ivel Mouse (U Laser Mouse Laser Mouse	M (TopSeller) y 4GB y 32GB eadset rt Replicator ISB, PS/2) (blk, USB)	43R2000 45J7904 45K1258 40Y8518 40Y8519 43R8770 31P7410 45K1690 51J0198	0 Lenovo 9 1 Lenovo 0 3 Lenovo 0 3 Kensingt 9 Kensingt 0 ThinkVisi 0 ThinkVisi 6 Other act	00W AC A Carrying (Case - Pe on® Cable on Twin H ion® L224 ion L2440 cessories	Case - Mess rformance E e Lock from lead Cable 0p Wide 22 0x Wide 24" at lenovo.c	4 enger Max 4 Backpack 4 Lenovo 7 Lock 4 " Monitor 4 Monitor 4 om/accessor	1U5254 3P2582 5K1620 422HB6 421HB2	 ⇒ Sei (in 2 2 v 2 v 24> 	rvice up eligible 2-year I 2-year L warrant 2-year L warrant	ograde (locatio Mail In v enovo (y 9x5 enovo (y 9x5 w warrant	options ons): ⁹ Warranty Onsite Re 5 Onsite Re ith ADP 5 y support	55Y2506 pair 55Y2509 pair 55Y2515	

See footnotes for important warranty information US models announced March 31, 2009

* Intel Centrino[®] processor technology

© Lenovo (DOV2-1) April 2009

Personal Systems Reference (PSREF)

Partial list of Lenovo [®] Care Services ²² for Lenovo Value Line notebooks	
For more information see:	
http://www.lenovo.com/services_warranty/us/en/index.html	
·····	
Lenovo Care service upgrade options	
Lenovo Value Line notebooks with 1-year Depod warranty	
Mail in = Mail In repair, ADP = Accidental Damage Protection	
2-year Mail In warranty 9x5 55Y2506	
3-year Mail In warranty 9x5 55Y2507 1-year Mail In warranty 9x5 with ADP 55Y2511	
2-year Mail In warranty 9x5 with ADP 55Y2512	
3-year Mail In warranty 9x5 with ADP 55Y2513	
LOR = Lenovo Onsite Repair, ADP = Accidental Damage Protection	
1-year LOR warranty 9x5 55Y2508	
2-ýear LOR warrantý 9x5 55Y2509	
3-year LOR warranty 9x5 55Y2510 1-year LOR warranty 9x5 with ADP 55Y2514	
2-year LOR warranty 9x5 with ADP 55Y2515	
3-year LOR warranty 9x5 with ADP 55Y2516	
	© L

© Lenovo (S-VLN) March 2009 **Availability:** All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

Warranty: For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

Footnotes:

- Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.
- ² Weight includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.
- ³ **Thinness** may vary at certain points on the system.
- ⁴ Wireless capability: Requires compatible wireless-enabled options sold separately.
- ⁵ Post-warranty annual maintenance agreement: Service begins at the end of the base warranty or the end of any other applied warranty and maintenance option, whichever occurs last. Service delivery is not available the same day the maintenance agreement is purchased. Maintenance agreements must be purchased and the registration successfully completed prior to the service being available.
- ⁶ Public network download modem speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- ⁷ Maximum memory capacity may require the replacement of standard component with largest supported component available. On ThinkPad systems, even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems Windows XP Professional 64-bit and Windows Vista 64-bit Editions.

- ⁸ Hard drive: GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.
- ¹⁰ Battery: These model numbers achieved Battery Rundown Time of at least the time shown during testing. A description of the testing available at **lenovo.com**/ pc/ww/thinkpad/batterylife. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.
- ¹¹ Wireless: Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.
- ¹² Limited warranty: Support unrelated to a warranty issue may be subject to additional charges.
- ¹³ Onsite Service: If a machine is listed as having "On-site", this means that on-site service is available for the replacement of parts for warranty repairs. Certain parts, referred to as Customer Replaceable Unit ("CRU") parts, are easy to install and require little or no tools or technical knowledge. Some examples of CRU parts are mice, keyboards, hard disk drives, speakers, and memory. If your problem can be resolved with a CRU, the Support Center will offer to ship the part to you for you to install.
- ¹⁴ Included software may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.
- ¹⁵ Modem speeds: Public network download speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- ¹⁷ International Warranty Service is available for most products in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

- ¹⁸ Telephone support may be subject to additional charges, even during the limited warranty period. Response times may vary and may exclude some holidays.
- ¹⁹ EasyServ depot repair: The customer may be asked certain diagnostic questions before a courier is sent. Your purchase includes this depot repair service, available in the U.S. during the limited warranty period.
- ²⁰ Operating System: Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/pc/support and enter your machine type and model number for more information.
- ²¹ For combination drives, maximum possible speeds only are given in the following order: CD write, CD rewrite, CD read, DVD read.
- ²² Lenovo Care Services: These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part can be express shipped to you for quick replacement. For notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See terms and conditions for complete details and restrictions.
- ²⁵ Wireless WAN Cards: Wireless data service requires separate agreement with Verizon Wireless. Verizon Wireless, not Lenovo, is solely responsible for service. Monthly and airtime charges may apply. Service may not be available in all areas; purchaser is responsible for verifying with Verizon Wireless that service is available for the intended location before the purchase of the card. For complete details, including service plans, additional required hardware or software, and service coverage, visit www.verizonwireless.com.

²⁸ The IEEE 802.11n specification (MIMO) has not been finalized and is currently in draft release. The Lenovo 11a/b/g/n (11n) Wireless LAN Mini PCI Express Adapters are based on the Draft Release, Version 1.0, of the IEEE 802.11n specification. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, or 11a/b/g/n can communicate on any of its supported formats. This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.



Trademarks: Lenovo, the Lenovo logo, New World. New Thinking, Access Connections, Rescue and Recovery, ThinkCentre, ThinkPad, ThinkStation, ThinkVantage, and ThinkVision are trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other company, product, or service names may be trademarks or service marks of others.

ENERGY STAR: As an ENERGY STAR Partner, Lenovo has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

Visit **www.lenovo.com/safecomputing** periodically for the latest information on safe and effective computing.

Visit **www.lenovo.com/psref** for the latest version of Personal Systems Reference.

© Lenovo, 2009. All rights reserved.

> Lenovo 1009 Think Place Morrisville, NC 27560 U.S.A.

April 2009 3book.pdf