



DR-17



► FEATURES

- Distinctive metal housing for added strength
- DC 24V medical-grade power adaptor allows longer distance connection
- A display handler* for easy display movement
- NeoV™ Optical Glass
- Swift 3 ms response time
- High 3000:1 contrast ratio
- DVI ready for high quality signal
- S-Video and CVBS inputs
- Auto-adjustment for optimal setting
- Kensington® security socket
- VESA standard arm mount



► SPECIFICATION

Panel	Panel Type	TFT LCD
	Panel Size	17.0" (432mm)
	Max. Resolution	SXGA 1280 x 1024
	Pixel Pitch	0.264 mm
	Brightness	300 cd/m ² (Typical)
	Contrast Ratio	3000:1 (DCR)
	Viewing Angle (H/V)	160°/160° (Typical)
	Display Color	16.2 M
	Response Time	3 ms (GTG)
	Panel Life Time	50,000 hrs (Minimum)
Frequency (H/V)		H: 30 kHz – 80 kHz V: 56 Hz – 76 Hz
Max. Pixel Clock		160 MHz
Input	Analogue	15-Pin D-Sub
	Digital	24-Pin DVI-D
	S-Video	4-Pin Mini Din S-Video
	CVBS	CVBS Jack
Power	AC-DC Adaptor	External
	Power	AC 100 – 240 V, 50 – 60 Hz
	Consumption	<48 W (On) <2 W (Stand-by) <1 W (Off)
NeoV™	Thickness	3.0 mm (0.18")
Optical Glass	Reflection Rate	<1%
	Transmission Rate	>96%
	Hardness	>6 H (MOH's Rating)
Plug & Play	VESA	DDC 2B/DDC/C1
Operating Condition	Temperature	0 ~40
	Humidity	10% ~ 90%
Storage Condition	Temperature	-20 ~60
	Humidity	5% ~ 95%
Mounting	VESA FPMPMI	Yes (100mm)
Tilt	Tilt	0° ~ +15°
Dimensions	Product (W x H x D)	408 x 398 x 175 mm (16.1" x 15.7" x 6.9")
	Packaging (W x H x D)	495 x 510 x 228 mm (19.5" x 20.0" x 9.0")
Weight	Product Weight	6.8 kg (13.9 lbs)
	Packaging Weight	9.5 kg (20.9 lbs)
Regulation Approval	Certifications & Compliance	FCC, UL/CUL, TUV/Baurt, CE, BSMI, CB, ISO 13406-2, Energy Star, GOST, WEEE, RoHS, NOM
	Supplied	D-Sub cable, DVI cable, warranty card, user manual, AC power cord 1.8M, DC power cord 5M, AC-DC-Adapter
Optional*		Display handler, display base

"*" indicates an optional accessory

All specifications are subject to change without prior notice

www.agneovo.com

Copyright © 2008 AG Neovo. All rights reserved.
The name AG Neovo is a trademark of Associated Industries China, Inc.
All other trademarks are the property of their respective owners.