Parts Manual for

SNAPPER®

REAR ENGINE RIDER 42" MOWER SERIES 23


MODEL

421823BVE 422023BVE




SNAPPER. McDonough, GA, 30253 U.S.A.

| PAGE | GROUP |
|------|---|
| 4 | WHEELS - FRONT |
| 6 | WHEELS - REAR |
| 8 | FRONT END, STEERING |
| 10 | FRONT END, STEERING (Water Bottle) |
| 12 | MAIN CASE PT.1 |
| 16 | MAIN CASE PT.2 |
| 18 | DIFFERENTIAL, R. H. FENDER |
| 20 | CHAIN CASE, L. H. FENDER |
| 22 | SMOOTH CLUTCH ASSEMBLY |
| 24 | MAIN CASE (Yoke View) |
| 26 | FUEL TANK AND OPERATORS SEAT |
| 28 | EXHAUST MUFFLER, ENGINE |
| 30 | DRIVE DISC ASSEMBLY |
| 32 | THROTTLE CONTROL |
| 34 | RAILS, LIFT ARMS, CAM LIFT PT.1 |
| 38 | RAILS, LIFT ARMS, CAM LIFT PT.2 |
| 40 | 42" MOWER DECK ASSEMBLY PT.1 |
| 44 | 42" MOWER DECK ASSEMBLY PT.2 |
| 46 | DECK COVER, BELTS, BLADE BRAKE |
| 48 | SPINDLE ASSEMBLY |
| 50 | DECALS |
| 52 | ELECTRICAL SYSTEMS (For 18 & 20HP Briggs) |
| 54 | WIRING SCHEMATIC for 18 & 20HP Briggs |
| 56 | SNAPPER REAR ENGINE RIDER ACCESSORIES |




WHEELS - FRONT

| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|---------------------------|
| 1 | 7058943 | 2 | ASSEMBLY, Front Tire & Rim (11.0") (Complete) | (Includes Items 2 thru 6) |
| 2 | 7073563 | 1 | TIRE, 11 x 4.00-4 (Kenda) | per front tire ass'y. |
| 3 | 7017146 | 1 | RIM (For 11.0 x 4.0 x 4 Tire) | per front tire ass'y. |
| 4 | 7011807 | 2 | BALL BEARING, Flange (3/4" I.D.) | per front tire ass'y. |
| 5 | 7012234 | 1 | VALVE STEM, Snap In | per front tire ass'y. |
| 6 | 7014669 | 1 | LUBE Fitting | per front tire ass'y. |
| 7 | 7010935 | 3 | WASHER, .77 x 1.13 x .06 Flat | per front tire ass'y. |
| 8 | 7011022 | 1 | HUB CAP | per front tire ass'y. |
| 9 | 7011032 | 1 | FELT SEAL | per front tire ass'y. |
| 10 | 7031038 | 1 | CAP, Dust | per front tire ass'y. |
| 11 | 7091516 | 1 | COTTER PIN, 5/32 x 1" | per front tire ass'y. |
| 12 | 7010821 | 1 | TUBE, Inner (For 4.10/3.50 x 4 Tire) | per front tire ass'y. |




WHEELS - REAR

| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|---------------------------------|
| 1 | 7058951 | 2 | ASSEMBLY, Rear Tire & Rim | (Includes 2, 3, & 4) |
| 2 | 7073584 | 1 | TIRE, 16 x 6.50-8 (Kenda) | (per rear tire ass'y) |
| 3 | 7012163 | 1 | RIM, Extra Wide (For 16/7.50 x 8 Tire) | Was 17147 (per rear tire ass'y) |
| 4 | 7012234 | 1 | VALVE STEM, Snap In | (per rear tire ass'y) |
| 5 | 7012332 | 1 | CLAMP, Right Hand (for 2" Hose) | (per rear tire ass'y) |
| 6 | 7091502 | 3 | BOLT, 1/2-20 x 3/4" Lug, GR5 | (per rear tire ass'y) |
| 7 | 7031732 | 1 | BOOT, Right Hand | (per rear tire ass'y) |
| 8 | 7011817 | 1 | SEAL, Oil | (per rear tire ass'y) |
| 9 | 7040433 | 1 | HUB, Rear Wheel R. H. (Weldment) | (per right rear tire ass'y) |
| 10 | 7023895 | 1 | CAP, Hub | (per rear tire ass'y) |
| 11 | 7023522 | 1 | CAP, Hub, L. H. (Long Axle) | (per left rear tire ass'y) |
| 12 | 7040434 | 1 | HUB, Rear Wheel L. H. (Weldment) | (per left rear tire ass'y) |
| 13 | 7092062 | 1 | NUT, 5/16-24 Hex Lock, GR C | Was 11201 (per rear tire ass'y) |
| 14 | 7011035 | 1 | AXLE BOLT, 5/16-24 x 1-5/8" Tapered (Left Hand) | (per left rear tire ass'y) |
| 15 | 7011013 | 1 | WHEEL BOLT, 5/16-24 x 2" Tapered (Right Hand) | (per right rear tire ass'y) |




FRONT END, STEERING

| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|--------------------------|
| 1 | 7058030 | 1 | ASSEMBLY, Steering Wheel (for 5/8" shaft) | Includes item 2 |
| 2 | 7023781 | 1 | LOGO, Steering Wheel | |
| 3 | 7013862 | 1 | PIN, 1/4 x 1-1/2" Roll | |
| 4 | 7038243 | 1 | LATCH, Parking Brake | |
| 5 | 7074131 | 1 | CABLE, Clutch/Brake (55" long) | used on 33" & 42" Models |
| 6 | 7090122 | 2 | WASHER, 3/8" Flat SAE | |
| 7 | 7011815 | 1 | PAD, Clutch/Brake Pedal | |
| 8 | 7010694 | 1 | BUSHING, Nylon | |
| 9 | 7047888 | 1 | WELDMENT, Clutch/Brake Pedal | |
| 10 | 7010986 | 4 | BEARING, Nylon | |
| 11 | 7046232 | 1 | WELDMENT, Steering Shaft | |
| 12 | 7013321 | 4 | BUSHING, Tie Rod | |
| 13 | 7012541 | 1 | TIE ROD, Left Hand (9.91" long) | |
| 14 | 7041687 | 1 | KING PIN Weldment, Left Hand | |
| 15 | 7012540 | 1 | TIE ROD, Right Hand (9.91" long) | |
| 16 | 7041688 | 1 | KING PIN Weldment, Right Hand | |
| 17 | 7053266 | 1 | WELDMENT, Front Axle, Wide | |
| 18 | 7014048 | 2 | FOOT PAD, Long | |
| 19 | 7015444 | 1 | SPRING, Parking Brake Latch | |
| 20 | 7090183 | 2 | WASHER, .66 x 1.31 x .09 Flat | |
| 21 | 7046158 | 2 | BUSHING, Nylon | |
| 22 | 7011714 | 1 | HAIR PIN 2-1/4" | |
| 23 | 7023667 | 1 | FOAM COVER, Steering Shaft | |
| 24 | 7090296 | 1 | PIN, 3/16 x 1" Cotter | |
| 25 | 7090122 | 2 | WASHER, 3/8" Flat | Was 91514 |
| 26 | 7091515 | 1 | PIN, 3/16 x 1-1/2" Cotter | Was 90753 |
| 27 | 7091516 | 2 | PIN, 5/32 x 1" Cotter | Was 90364 |
| 28 | 7010776 | 1 | RING, 1/2" External Retaining (Heavy Duty) | |
| 29 | 7010746 | 2 | RING, 3/4" External Retaining | |
| 30 | 7091598 | 2 | PIN, 1/8 x 3/4" Cotter | Was 90365 |
| 31 | 7010935 | 6 | WASHER, .77 x 1.13 x .06 Flat | |
| 32 | 7023671 | 1 | COVER, Steering Shaft | |
| 36 | 7072648 | 1 | CABLE, Brake (29" long) | |
| 37 | 7034174 | 2 | CONNECTOR, Cable | |
| 38 | 7091495 | 1 | SCREW, 1/4-20 x 3/4" Hex Head Cap, GR5 | |
| 39 | 7090372 | 1 | NUT, 1/4-20 Hex Center Lock, GR5 or B | |




FRONT END, STEERING (Water Bottle)

| <u>Item</u> | Part No | Qty | Description | Note |
|-------------|---------|-----|---|------|
| 33 | 7074560 | 1 | HOLDER, Bottle (Wire) | |
| 34 | 7090913 | 2 | SCREW, #10-24 x 1/2" Hex Washer Self-Tap (Torx) | |
| 35 | 7074561 | 1 | BOTTLE, Water | |




MAIN CASE PT.1

| ltem | Part No | Qty | Description | Note |
|------|---------|-----|---|---|
| 1 | 7053698 | 1 | WELDMENT, Main Case (Commercial) | |
| 2 | 7033587 | 1 | BUMPER (1-Piece) (42" Deck) | |
| 3 | 7037285 | 1 | FENDER, Left Hand (Standard) | see Chain Case, L.H. Fender Page for related parts |
| 4 | 7090595 | 2 | BOLT, 5/16-18 x 3/4" Hex Flange Lock, GR5 | |
| 7 | 7047189 | 1 | BRACKET, Drive Support | |
| 8 | 7091601 | 2 | NUT, 5/16-18 Hex Flange Lock, GR5 | Was 90585 |
| 9 | 7090793 | 4 | SCREW, 5/16-18 x 3/4" Hex Washer Self-Tap | |
| 10 | 7023676 | 1 | SHIFT LINK, Long | |
| 11 | 7041384 | 1 | WELDMENT, Shift Arm | |
| 12 | 7033799 | 1 | CROSS BRACE | |
| 13 | 7011018 | 1 | SHFT LINK, Short (5/16-24 thread) | |
| 22 | 7074650 | 1 | BUSHING, Pivot | |
| 23 | 7090391 | 1 | WASHER, 5/16" Internal Tooth Lock | |
| 29 | 7090361 | 8 | SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap | |
| 30 | 7012652 | 1 | CLIP, Wire | |
| 31 | 7034299 | 2 | WING, Rear Deck | |
| 32 | 7028200 | 2 | SWIVEL, Adjustable | |
| 33 | 7091272 | 7 | FASTENER, 1/4" Ratchet | |
| 34 | 7091506 | 4 | SCREW, 5/16-18 x 1-1/2" Hex Washer Self-Tap | |
| 35 | 7090238 | 4 | SCREW, 5/16-24 x 1" Hex Head Cap, GR5 | |
| 36 | 7011791 | 4 | RETAINER, 5/16" Bolt | |
| 37 | 7090324 | 4 | SCREW, 3/8-16 x 1" Hex Washer Self-Tap | |
| 38 | 7091315 | 5 | WASHER, .32 x .58 x .08 Split Lock | |
| 39 | 7091297 | 5 | NUT, 5/16-24 Hex, GR5 | |
| 40 | 7027972 | 1 | ASSEMBLY, Oil Valve | |
| 41 | 7028769 | 1 | BELT GUIDE, 4216 | |
| 42 | 7010969 | 1 | NUT, 5/16-24 Flange Lock (Large) | |
| 43 | 7074946 | 1 | PLATE, Engine (Kohler Engine) | |
| 44 | 7091503 | 2 | HAIR PIN, 3/32 x 1-1/2" | |
| 45 | 7090188 | 2 | WASHER, 5/16" Flat | Was 91296 |
| 48 | 7091318 | 2 | SCREW, 5/16-18 x 3/4" Hex Head Cap, GR5 | Was 90206 |
| 49 | 7091513 | 1 | SCREW, 5/16-24 x 1-3/4" Hex Head Cap, GR5 | |
| 50 | 7073735 | 1 | BRACKET, Switch | |
| 51 | 7090981 | 2 | SCREW, #10-32 x 1/4" Hex Washer Self-Tap | |
| 52 | 7031100 | 1 | TUBE CLAMP | |
| 53 | 7090358 | 1 | SCREW, 5/16-24 x 2-1/2" Hex Head Cap, GR5 | |
| 54 | 7071754 | 2 | PLATE, Bumper Spacer | |




MAIN CASE PT.1

| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|------|
| 55 | 7074210 | 1 | BRACKET, Belt Adjuster | |
| 56 | 7091198 | 2 | SCREW, 3/8-16 x 5/8" Hex Washer Self-Tap | |




MAIN CASE PT.2

| <u>Item</u> | Part No | Qty | Description | Note |
|-------------|---------|-----|---|---------------------------------------|
| 5 | 7028990 | 1 | COVER, Battery | |
| 6 | 7073268 | 1 | COVER, Solenoid (Kohler) | |
| 14 | 7091511 | 2 | NUT, 5/16-18 Hex, GR 5 or B | Was 90196 |
| 15 | 7040598 | 1 | ARM, Shift Handle (weldment) | |
| 16 | 7010754 | 1 | SPRING, Shift Detent | |
| 17 | 7058763 | 1 | ASSEMBLY, Speed Adjustment Latch | Includes Spring, Part Number 26292 |
| 18 | 7059212 | 1 | HANDLE, Shift (weldment) | |
| 19 | 7015761 | 1 | SHOULDER BOLT, 5/16-18 | |
| 20 | 7023656 | 1 | GRIP, Shift Handle | |
| 21 | 7073289 | 1 | LEVER, Over-Ride | |
| 24 | 7091597 | 1 | COTTER PIN, 3/32 x 3/4" | Was 90037 |
| 25 | 7023914 | 1 | PIN, 1/4 x 1-3/4" Tapered Clevis | |
| 26 | 7019245 | 1 | BUSHING, 3/4 x 1.62 Flange (Nylon) | |
| 27 | 7031036 | 2 | WASHER, Thrust | |
| 28 | 7019246 | 2 | BUSHING, 3/4 x I.O. Flange (Nylon) | |
| 29 | 7090361 | 2 | SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap | |
| 38 | 7091315 | 2 | WASHER, .32 x .58 x .08 Split Lock | |
| 39 | 7091297 | 2 | NUT, 5/16-24 Hex, GR5 | |
| 46 | 7091595 | 1 | WASHER, .47 x .92 x .065 Flat | |
| 47 | 7091298 | 1 | NUT, 5/16-18 Hex Nyloc | |




DIFFERENTIAL, R. H. FENDER

| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|---|
| 1 | 7054372 | 1 | ASSEMBLY, R.H. Fender Bearing & DX Bearing | |
| 2 | 7091819 | 13 | SCREW, 1/4-20 x 5/8" Hex Washer Head Self-Tap | Was 90362 |
| 3 | 7031079 | 1 | WASHER, Thrust | |
| 4 | 7010969 | 1 | NUT, 5/16-24 Flange Lock (Large) | |
| 5 | 7038067 | 1 | PLATE, Differential | |
| 6 | 7022115 | 8 | SPACER, Pinion | |
| 7 | 7021127 | 8 | GEAR, Differential Pinion (12T 12P) | |
| 8 | 7011072 | 1 | WASHER, Thrust | |
| 9 | 7051584 | 1 | ASSEMBLY, Drive Hex Tube | |
| 10 | 7010988 | 1 | WASHER, Hex Insert (nylon) | |
| 11 | 7010964 | 1 | GEAR, 11 Tooth, 10 Pitch | |
| 12 | 7010941 | 1 | CHAIN, 46 Pitch (#35 Endless) | |
| 13 | 7021129 | 1 | SPROCKET, 34T, 3/8P | |
| 14 | 7010965 | 1 | RING, 1-3/16" External Retaining | |
| 15 | 7021128 | 1 | SPACER, Differential Case | |
| 16 | 7012332 | 2 | BOOT CLAMP (for 2" Hose) | |
| 17 | 7075115 | 1 | BOOT, Oil Seal (Short Axle) | |
| 18 | 7011024 | 1 | PLUG, 1/2" Cup Insert | |
| 19 | 7037279 | 1 | CASE, Transmission | |
| 20 | 7028762 | 1 | GASKET, Transmission Case | |
| 21 | 7037280 | 1 | FENDER, R. H. (1.62" Dia. Hole) | |
| 22 | 7027644 | 1 | GEAR, 63 Tooth 10 Pitch | |
| 23 | 7075479 | 1 | AXLE, Long | Was 47763 |
| 24 | 7074431 | 1 | SPACER, Differential Case | |
| 25 | 7057398 | 1 | ASSEMBLY, Short Axle, 23T (Includes Gear) | Use only with Long Axle P/N 47763 |
| 26 | 7012333 | 8 | BOLT, 5/16-24 x 1-5/8" Hex Special Lock (Vibresist) | |
| 27 | 7011156 | 2 | O-RING, 5/16" | |
| 28 | 7011782 | 2 | WASHER, 5/16" Belleville | |
| 29 | 7090395 | 1 | WASHER, 5/16" External Tooth Lock | |
| 30 | 7090188 | 1 | WASHER, .34 x .69 x .08 Flat | |
| 31 | 7011042 | 1 | SCREW, 5/16-24 x 2-5/8" Hex Head Cap | |
| 32 | 7090361 | 11 | SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap | |
| 33 | 7061017 | | GREASE, Transmission (24 oz. Required) | |
| - | 7057260 | 1 | ASSEMBLY, Differential (Incl. items 5, 6, 7, 23, 24, 25 & 26) | |
| - | 7060662 | 1 | KIT, Differential (Incl. 18822, Ball Bearing & 37957 Fender) | |
| - | 7060411 | 1 | KIT, Differential | (Incl. 12296 p.m. bearing for item 1 &N 37280 fender) |



CHAIN CASE, L. H. FENDER


| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|---|
| 1 | 7052683 | 1 | ASSEMBLY, Primary Chain Case | Includes Items 2 thru 13 & 15, 16, 30 & 31 |
| 2 | 7041136 | 1 | WELDMENT, Primary Chain Case, Right Hand | |
| 3 | 7028761 | 1 | GASKET, Primary Chain Case | |
| 4 | 7011121 | 2 | WASHER, 5/8" Belleville | |
| 5 | 7010756 | 2 | BEARING, .625 x 1.37 x .435 | |
| 6 | 7018963 | 1 | WELDMENT, Sprocket & Shaft | |
| 7 | 7010614 | 1 | KEY,#5 Woodruff | |
| 8 | 7039778 | 1 | CHAIN CASE HALF, Primary | |
| 9 | 7010942 | 2 | BEARING, Needle | |
| 10 | 7011086 | 2 | THRUST WASHER, Nylon | |
| 11 | 7040355 | 1 | WELDMENT, Hub & Sprocket | |
| 12 | 7010941 | 1 | CHAIN, 46 Pitch (#35 Endless) | |
| 13 | 7090913 | 10 | SCREW, #10-24 x 1/2" Hex Washer Self-Tap (Torx) | Was 90307 |
| 14 | 7011024 | 1 | PLUG, 1/2" Cup Insert | |
| 15 | 7022785 | 1 | ROLLER, 1-3/8 Long | |
| 16 | 7010776 | 1 | RING, 1/2" External Retaining (Heavy Duty) | |
| 17 | 7059183 | 1 | ASSEMBLY, Left Hand Fender (Incl. items 18 & 19) | |
| 18 | 7037285 | 1 | FENDER, Left Hand (1.628" I. D. Hole) | |
| 19 | 7052827 | 1 | ASSEMBLY, Axle Bearing (Incl. items 20 thru 23) | |
| 20 | 7052827 | 1 | BEARING, Left Hand Fender, 3/4" | Was 74184 |
| 21 | 7013324 | 1 | FITTING, Lube, 45 Degree, 3/16" w/Hex | |
| 22 | 7074500 | 1 | SEAL, Dust/Grease Axle | |
| 23 | 7074182 | 2 | BEARING, 3/4" I.D. DX | |
| 24 | 7012271 | 1 | WASHER, Shim | or quantity as required |
| 25 | 7011070 | 1 | TIE ROD (5/16-24 thread- both ends) | |
| 26 | 7012332 | 2 | BOOT CLAMP (for 2" Hose) | |
| 27 | 7075115 | 1 | BOOT, Rear Axle, Thick Flange | |
| 28 | 7011071 | 1 | THRUST WASHER (Nylon) | |
| 29 | 7011072 | 1 | WASHER, Thrust | |
| 30 | 7091505 | 1 | NUT, 5/8-18 Hex Nyloc | |
| 31 | 7010969 | 1 | NUT, 5/16-24 Flange Lock (Large) | |
| 32 | 7019260 | 2 | O-RING, 1/2 x 5/8" | |
| 33 | 7027981 | 1 | WASHER, Shim .625 x .875 | |
| - | 7061017 | | GREASE, Transmission (2 oz. Maximum) | |
| - | 7051451 | 1 | ASSEMBLY, Left Hand Fender (Incl. Fender 37958 & Bearing 14624) | |



SMOOTH CLUTCH ASSEMBLY


| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|--------------|
| 1 | 7053114 | 1 | ASSEMBLY, Smooth Clutch (Incl. items 2 thru 6) | Non-Asbestos |
| 2 | 7059443 | 1 | ASSEMBLY, Driven Disc Hub | Was 54243 |
| 3 | 7053103 | 1 | DISC, Driven (rubber tire bonded to rim) | |
| 4 | 7014523 | 1 | THRUST WASHER | |
| 5 | 7032331 | 1 | PLATE, Drive Disc | |
| 6 | 7091601 | 4 | NUT, 5/16-18 Hex Flange Lock, GR5 | Was 90585 |
| 7 | 7052497 | 1 | ASSEMBLY, Brake Lever (Includes brake pad & rivet) | |
| 8 | 7012313 | 1 | RING, 3/8" External Retaining | |
| 9 | 7090303 | 1 | NUT, 1/4-28 Hex Top Lock | |
| 10 | 7091294 | 1 | WASHER, .28 x .63 x .06 Flat, GR5 | |
| 11 | 7072593 | 1 | SPACER, Brake Arm Pivot | |
| 12 | 7091504 | 1 | SCREW, 1/4-28 x 1" Hex Head Cap, (Washer Face) GR5 | |
| 13 | 7072406 | 1 | SPRING, Torsional Brake Return | |
| 14 | 7013885 | 1 | SPRING, Clutch & Brake | |
| 15 | 7046162 | 1 | LIFT, Yoke | |
| 16 | 7011048 | 2 | BEARING, Yoke | |
| 17 | 7092062 | 2 | NUT, 5/16-24 Hex Center Lock | Was 11201 |
| 18 | 7090238 | 2 | SCREW, 5/16-24 x 1" Hex Head Cap, GR5 | |
| 19 | 7091198 | 1 | SCREW, 3/8-16 x 5/8" Hex Washer Self-Tap | |
| 20 | 7033291 | 1 | COLLAR, Yoke | |
| 21 | 7011763 | 2 | FENDER WASHER, 5/16" | |
| 22 | 7073733 | 1 | ARM, Yoke | |
| 23 | 7091122 | 2 | SCREW, 1/4-20 x 1/2" Hex Washer Self-Tap | Was 90539 |
| 24 | 7015464 | 1 | STUD, Clutch Link (3/8-24 thread) | |
| 25 | 7090390 | 1 | WASHER, 3/8" Internal Tooth Lock | |
| 26 | 7091630 | 1 | NUT, 3/8-24 Hex, GR5 or B | |
| 27 | 7047190 | 1 | BRACKET, Slide | |
| 28 | 7091597 | 1 | PIN, 3/32 x 3/4" Cotter | Was 90037 |
| 29 | 7014663 | 2 | SLIDE HALF | |
| 30 | 7014664 | 1 | BOLT, 5/16-18 Shoulder | |
| 31 | 7090187 | 1 | WASHER, 5/16" Split Lock | |
| 32 | 7091511 | 1 | NUT, 5/16-18 Hex, GR 5 or B | Was 90196 |
| 33 | 7090122 | 2 | WASHER, 3/8" Flat SAE | |
| 34 | 7059068 | 1 | ASSEMBLY, Leaf Spring | |

SMOOTH CLUTCH ASSEMBLY




MAIN CASE (Yoke View)

| Item Part N | lo Qty | Description | Note |
|-------------|--------|-----------------------------------|------|
| | 1 | View shows assembly of PT.1 parts | |



FUEL TANK AND OPERATORS SEAT

| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|----------------|
| 1 | 7075071 | 1 | SEAT, V2400 w/slotted Switch Hole | |
| 2 | 7051905 | 1 | ASSEMBLY, Fuel Tank (Includes item 3) | |
| 3 | 7012515 | 1 | CAP, Fuel Tank | |
| ЗА | 7019377 | 1 | CAP, Fuel Tank w/Gauge | |
| 4 | 7016325 | 1 | VALVE, Fuel Shut-Off (Accessory) | |
| 5 | 7029900 | 4 | CLAMP, Fuel Line | replaces 12222 |
| 6 | 7076272 | 1 | HOSE, Fuel (1/4" I.D. x 8-1/2" long) | |
| 7 | 7014359 | 1 | FILTER, Fuel (In-Line) | |
| 8 | 7036549 | 1 | BRACKET, Tank, Tall (for Briggs 16HP) | |
| 9 | 7091542 | 2 | SCREW, 5/16-18 x 1/2" Pan Head Self-Tap (Torx #T-40) | |
| 10 | 7033377 | 1 | BRACKET, Fuel Tank (Rear) | |
| 11 | 7091038 | 2 | BOLT, 5/16-18 x 1/2" Hex Flange Nyloc | |
| 12A | 7023735 | 2 | KNOB, Seat Adjusting, 5/16-18 thread | |
| 12B | 7023191 | 2 | KNOB, Seat Adjusting (5/16-18 thread) | |
| 13 | 7011791 | 4 | RETAINER, 5/16" Bolt | |
| 14 | 7090858 | 2 | SCREW, 5/16-18 x 1/2" Hex Washer Self-Tap | |
| 15 | 7073240 | 1 | HOSE, Fuel (5" long) | Was 32038 |
| 16A | 7029211 | 1 | SWITCH, Seat (NC) (for 3" round hole) | |
| 16B | 7023354 | 1 | SWITCH, Seat (NC) (for slotted hole) | |
| 17 | 7075018 | 2 | BRACKET, Seat | |
| 18 | 7091714 | 4 | BOLT, 5/16-18 x 1" Square Neck Carriage, GR5 | |
| 19 | 7090672 | 2 | NUT, 5/16-18 Hex Flange Top Lock | |
| 20 | 7013849 | 2 | SPACER, .33 x .63 x .156 | |




EXHAUST MUFFLER, ENGINE

| Item | Part No | Qty | Description | Note |
|------|---------|--------|---|----------------|
| | | 1 | ENGINE, 18 HP Briggs (Model 40F777, Type 0122, Trim E1) | electric start |
| | | 1 | ENGINE, 20 HP (B&S 40G777-0114-E1) | electric start |
| 1 | 7071755 | 1 | MUFFLER (B&S 18HP Intek V-Twin) | |
| 2 | 7091738 | 2 or 4 | SET SCREW, 5/16-18 x 3/4" Socket Head, GR 8 | |
| 3 | 7063283 | 1 | GASKET, 20HP B&S Intek | |


Footnotes:

Purchase engine parts from engine manufacture dealer.



DRIVE DISC ASSEMBLY

| <u>Item</u> | Part No | Qty | Description | Note |
|-------------|---------|-----|---------------------------------|------|
| 1 | 7072658 | 1 | WELDMENT, 5.75" O.D. Drive Disc | |
| 2 | 7090132 | 2 | SET SCREW, HRSS, 3/8-16 x 3/8" | |
| 3 | 7010210 | 1 | KEY,1/4" Square x 2" Long | |




THROTTLE CONTROL

| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|--------------------|
| 1 | 7074321 | 1 | CONTROL, Throttle (33.6" long) (Briggs 18 & 20 HP Engine) | |
| 2 | 7090913 | 2 | SCREW, #10-24 x 1/2" Hex Washer Self-Tap (Torx) | |
| 3 | 7033470 | 1 | PLATE, Throttle Control | |
| 4 | 7075006 | 1 | CONTROL, Choke (44" long) | Was 24185 36" long |
| 5 | 7091122 | 2 | SCREW, 1/4-20 x 1/2" Hex Washer Self-Tap | Was 90539 |
| 6 | 7091630 | 1 | NUT, 3/8-24 Hex, GR B | Was 90155 |
| 7 | 7090390 | 1 | WASHER, 3/8" Internal Tooth Lock | |


Footnotes:

NOTE: SNAPPER part number & revision is stamped on throttle and choke cables.




RAILS, LIFT ARMS, CAM LIFT PT.1

| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|-----------|
| 1 | 7041248 | 1 | ASSEMBLY, Rear Lift Arm | |
| 3 | 7073269 | 1 | RAIL, Left Half | |
| 4 | 7036430 | 4 | RAIL, Deck Lift, Right Hand | Was 43848 |
| 5 | 7041578 | 1 | STUCTURE, Front Lift Arm | |
| 6 | 7040502 | 1 | WELDMENT, Top Brace | |
| 7 | 7018574 | 1 | IDLER, 4-1/8" Flat | |
| 8 | 7034759 | 1 | BRACE, R.H. Spindle | |
| 9 | 7038096 | 2 | BRACE, L.H. Spindle | |
| 10 | 7034763 | 1 | BRACE/IDLER Mounting Bracket | |
| 11 | 7091497 | 1 | SCREW, 3/8-16 x 1-1/2" Hex Head Cap, GR5 | |
| 12 | 7034213 | 1 | PIVOT, Leveling | |
| 13 | 7027944 | 1 | ROD, Leveling | |
| 14 | 7090499 | 3 | NUT, 3/8-24 Hex Top Lock | |
| 16 | 7034857 | 1 | BELT GUIDE, 42" | |
| 17 | 7042613 | 1 | GUIDE, Belt, 42" RER (Weldment) | |
| 19 | 7013861 | 1 | KEY, 3/16 x 7/8" Woodruff | |
| 21 | 7091290 | 1 | NUT, #10-24 Hex Nyloc | |
| 22 | 7090815 | 6 | SCREW, 3/8-16 x 3/4" Hex Washer Self-Tap | |
| 23 | 7091585 | 3 | NUT, 3/8-16 Hex Center Lock | Was 90546 |
| 24 | 7090134 | 2 | SCREW, 3/8-16 x 3/4" Hex Head Cap, GR5 | |
| 25 | 7091299 | 1 | NUT, 3/8-16 Hex Nyloc | |
| 26 | 7028200 | 2 | SWIVEL, Adjustable | |
| 27 | 7090390 | 1 | WASHER, 3/8" Internal Tooth Lock | |
| 28 | 7091619 | | NUT, 3/8-16 Hex Flange Lock | Was 90613 |
| 30 | 7012067 | 2 | RING, Front Lift Arm (Red) | |
| 31 | 7090858 | 4 | SCREW, 5/16-18 x 1/2" Hex Washer Self-Tap | |
| 32 | 7022717 | 1 | ROD, Deck Support (Front Lift Arm to Front End) | |
| 33 | 7017847 | 2 | RING, .438 External Retaining | |
| 34 | 7012068 | 2 | RING, Rear Lift Arm (Blue) | |
| 36 | 7015447 | 1 | ECCENTRIC, Leveling | |
| 37 | 7015495 | 1 | BOLT, 3/8-24 x 3/4" Shoulder, GR5 | |
| 38 | 7032997 | 1 | ARM, Front Lift (Left Side) | |
| 39 | 7027198 | 1 | BOLT, 3/8-16 x 1" Hex Flange Lock, GR5 | |
| 40 | 7090606 | 4 | BOLT, 5/16-18 x 5/8" Hex Flange Lock | |
| 48 | 7091503 | 2 | HAIR PIN, 3/32 x 1-1/2" | |
| 49 | 7028728 | 2 | ADJUSTER, Chain (5/16-18 thread) | |
| 50 | 7090122 | 1 | WASHER, 3/8" Flat SAE | |




RAILS, LIFT ARMS, CAM LIFT PT.1

| Item | Part No | Qty | Description | Note |
|------|---------|-----|---|------|
| 51 | 7010935 | 2 | WASHER, .77 x 1.13 x .06 Flat | |
| 52 | 7014526 | 2 | SPACER | |
| 53 | 7014532 | 2 | PULLEY, 5" O. D. | |
| 54 | 7074467 | 2 | NUT, 3/4-16 Hex Jam, GR 8 | |
| 55 | 7073066 | 1 | DECAL, Blade Engagement, 42" | |
| 56 | 7090361 | 1 | SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap | |
| 57 | 7032368 | 1 | BELT GUIDE | |
| 58 | 7058969 | 1 | ASSEMBLY, Clutch Plate | |
| 59 | 7073216 | 1 | CABLE, No-Mow-In-Reverse | |
| 60 | 7092051 | 1 | BOLT, #10-24 x 1" Flat Head Square Neck | |
| | | | | |



RAILS, LIFT ARMS, CAM LIFT PT.2


| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|-----------|
| 2 | 7053300 | 1 | LEVER, Height Adjustment Lift (Weldment) | |
| 15 | 7090390 | 1 | WASHER, 3/8" Internal Tooth Lock | |
| 18 | 7034069 | 1 | QUADRANT, Lift Lever | |
| 20 | 7010746 | 1 | RING, 3/4" Retaining | Was 27920 |
| 22 | 7090815 | 6 | SCREW, 3/8-16 x 3/4" Hex Washer Self-Tap | |
| 29 | 7090844 | 1 | ROLL PIN, 3/16 x 3/4" | |
| 35 | 7023658 | 1 | GRIP, Height Adjustment Lever | |
| 41 | 7024914 | 1 | SPRING Extension | |
| 42 | 7012122 | 1 | SPRING, Latch | |
| 43 | 7091515 | 2 | PIN, 3/16 x 1-1/2" Cotter | Was 90753 |
| 44 | 7041581 | 1 | LATCH Weldment | |
| 45 | 7026286 | 1 | GRIP, Lift Latch | |
| 46 | 7011021 | 1 | PIN, 1/4 x 1-1/4" Clevis | |
| 47 | 7090360 | 1 | COTTER PIN, 1/16 x 3/4" | |



 $^{^{}f \star}$ Note: the heads of these fasteners are located inside the deck.

42" MOWER DECK ASSEMBLY PT.1


| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|-----------|
| 1 | 7063040 | 1 | WELDMENT, 42" Deck | Was 42645 |
| 2 | 7051401 | 1 | ASSEMBLY, Side Chute (Includes decal 26831) | |
| 3 | 7059628 | 2 | ASSEMBLY, Spindle | |
| 4 | 7026691 | 2 | BLADE, 21" Standard Lift | |
| 5 | 7014168 | 1 | SPRNG, Blade Handle | |
| 6 | 7012055 | 1 | ROD, Idler Control | |
| 7 | 7038021 | 1 | MOUNT, Handle/Switch | |
| 8 | 7046874 | 1 | GRIP, Handle | |
| 9 | 7053034 | 2 | ASSEMBLY, Spindle Ring | |
| 10 | 7029264 | 4 | WHEEL, Gage | |
| 11 | 7035835 | 4 | POST, Anti-Scalp | |
| 12 | 7029265 | 4 | BOLT, Gage Wheel, 3/8-16 x 3-3/8" Hex Head Shoulder | |
| 13 | 7014852 | 1 | DECAL, Caution | |
| 14 | 7013010 | 1 | DECAL, Danger | Was 26831 |
| 15 | 7091619 | 6 | NUT, 3/8-16 Hex Flange Lock | Was 90613 |
| 16 | 7091508 | 4 | BOLT, 5/16-18 x 3/4" Short Neck Carriage, GR5 | |
| 17 | 7029303 | 2 | STAND-OFF, 3-1/2" long, 5/16-18 top, 3/8-16 bottom threads | |
| 18 | 7091619 | 6 | NUT, 3/8-16 Hex Flange Lock | Was 90613 |
| 19 | 7059254 | 1 | WELDMENT, Blade Engagement Handle | |
| 20 | 7090299 | 1 | SCREW, #10-32 x 1" Hex Washer Head Self-Tap | |
| 21 | 7018524 | 1 | SWITCH, Deck Interlock (NO) | |
| 22 | 7091294 | 1 | WASHER, 1/4" Flat | Was 90055 |
| 23 | 7091597 | 1 | PIN, 3/32 x 3/4" Cotter | Was 90037 |
| 24 | 7012063 | 4 | WASHER, 13/32" I.D. Cone | |
| 25 | 7090824 | 1 | SCREW, 3/8-24 x 1-1/4" Hex Head Cap, GR5 | |
| 26 | 7012670 | 2 | TOLERANCE RING, 2.0 | |
| 27 | 7014526 | 2 | SPACER | |
| 28 | 7011791 | 2 | RETAINER, 5/16" Bolt | |
| 29 | 7091537 | 2 | WING-NUT, 5/16-18 Lock | |
| 30 | 7090188 | 2 | WASHER, 5/16" Flat | Was 91296 |
| 31 | 7091585 | 4 | NUT, 3/8-16 Hex Center Lock | |
| 32 | 7091049 | 4 | WING-NUT, 3/8-16 Nyloc | |
| 33 | 7091328 | 4 | SCREW, 3/8-16 x 1-1/4" Hex Head Cap, GR5 | |
| 34 | 7046567 | 1 | HANDLE, Blade Engagement | |
| 35 | 7091974 | 1 | PIN, 3/16 x 1" Clevis | |
| 36 | 7046648 | 1 | SPRING, Torsion | |
| 37 | 7091597 | 1 | PIN, 3/32 x 1/2" Cotter | Was 90555 |



 $^{^{}f \star}$ Note: the heads of these fasteners are located inside the deck.


42" MOWER DECK ASSEMBLY PT.1

| Item | Part No | Qty | Description | Note | |
|------|---------|-----|---|-----------|--|
| 38 | 7091819 | 2 | SCREW, 1/4-20 x 5/8" Hex Washer Head Self-Tap | Was 90362 | |




42" MOWER DECK ASSEMBLY PT.2

| <u>Item</u> | Part No | Qty | Description | Note |
|-------------|---------|-----|--|-----------|
| 39 | - | 1 | ASSEMBLY, Rail (see Rails, Lift Arms, Cam Lift page for parts breakdown) | |
| 40 | 7073267 | 1 | FOOT PEDAL, Blade Stop Control | |
| 41 | 7034758 | 1 | ARM, Idler | |
| 42 | 7028200 | 1 | SWIVEL, Adjustment (with 5/16-18 internal thread) | |
| 43 | 7073217 | 1 | CABLE CLIP | |
| 44 | 7015448 | 1 | SPRING, Pedal | |
| 45 | 7090606 | 5 | BOLT, 5/16-18 x 5/8" Hex Flange Lock | |
| 46 | 7010740 | 4 | RING, 2" External Retaining | |
| 47 | 7029244 | 1 | EYE-BOLT, 5/16-18 x 3" | |
| 48 | 7091503 | 1 | HAIR PIN, 3/32 x 1-1/2" | |
| 49 | 7091601 | 5 | NUT, 5/16-18 Hex Flange Lock, GR5 | Was 90585 |
| 50 | 7090289 | 1 | NUT, 3/8-24 Hex Center Lock | |
| 51 | 7014795 | 2 | WASHER, Nylon | |
| 52 | 7015446 | 1 | SHOULDER BOLT, 3/8-24 x 9/16" | |
| 53 | 7090250 | 3 | WASHER, 1/2" Flat SAE | |
| 54 | 7024341 | 1 | SPRING, Return | |
| 55 | 7074649 | 1 | SPRING, Latch | |
| 56 | 7090122 | 1 | WASHER, 3/8" Flat | Was 91514 |
| 57 | 7034754 | 1 | BRAKE PAD, Spring | |
| 58 | 7091584 | 1 | NUT 1/4-20 Hex Flange Lock | Was 90583 |
| 59 | 7090584 | 2 | BOLT, 1/4-20 x 1/2" Hex Flange Lock | |
| 60 | 7028786 | 1 | BUSHING, .375 Nylon Snap | |
| 61 | 7076978 | 1 | NUT, 1/4-20 Hex Nyloc | |
| 62 | 7028754 | 1 | LINK, Spindle Brake, 1/4-20 thread | |
| 63 | 7090673 | 1 | PIN, 1/16 x 1/2" Cotter | |
| 64 | 7091530 | 1 | BOLT, 1/4-20 x 3/4" Square Neck Carriage, GR5 | Was 91776 |
| 65 | 7091576 | 1 | NUT, 1/4-20 Hex, GR5 or B | |




DECK COVER, BELTS, BLADE BRAKE

| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|-----------|
| 1 | 7043834 | 1 | COVER, Belt, 42" RER | |
| 2 | 7029624 | 1 | PULLEY, Seam Welded Idler | |
| 3 | 7091537 | 2 | WING-NUT, 5/16-18 | Was 90492 |
| 4 | 7090188 | 2 | WASHER, 5/16" Flat | Was 91296 |
| 5 | 7090741 | 5 | SCREW, 1/4-20 x 5/8" Hex Head w/Free Spinning Washer | Was 91016 |
| 6 | 7027921 | 1 | COVER, Lift Quadrant | |
| 7 | 7028995 | 1 | DECAL, Brake/Blade Operation | |
| 8 | 7074467 | 1 | NUT, 3/4-16 Hex Jam, GR 8 | |
| 9 | 7028784 | 1 | BELT, 5L Section (110.28" effective length) | |
| 10 | 7090122 | 2 | WASHER, 3/8" Flat SAE | |
| 11 | 7091294 | 1 | WASHER, 1/4" Flat | Was 90055 |
| 12 | 7091597 | 2 | PIN, 3/32 x 3/4" Cotter | Was 90037 |
| 13 | 7014304 | 1 | PIN, 1/4 x 1-5/8" Clevis | |
| 14 | 7014314 | 1 | SPACER, .39 x 1.0 x .31 Nylon | |
| 15 | 7034852 | 1 | BAND, Brake (Formed) | |
| 16 | 7035378 | 1 | DRUM, Brake Spindle | |
| 17 | 7014526 | 1 | SPACER | |
| 18 | 7010935 | 2 | WASHER, .77 x 1.13 x .06 Flat | |
| 19 | 7010740 | 2 | RING, 2" External Retaining | |
| 20 | 7014795 | 2 | WASHER, Nylon | |
| 21 | 7014527 | 2 | SPACER | |
| 22 | 7047862 | 1 | WELDMENT, Brake Arm | |
| 23 | 7090289 | 1 | NUT, 3/8-24 Hex Center Lock | |
| 24 | 7034297 | 1 | LINK | |
| 25 | 7090160 | 1 | SCREW, 3/8-24 x 1" Hex Head Cap, GR5 | |
| 26 | 7091299 | 2 | NUT, 3/8-16 Hex Nyloc | |
| 27 | 7090122 | 2 | WASHER, 3/8" Flat | Was 91514 |
| 28 | 7018574 | 1 | IDLER, 4-1/8" Flat | |
| 29 | 7091497 | 2 | SCREW, 3/8-16 x 1-1/2" Hex Head Cap, GR5 | |




SPINDLE ASSEMBLY



Manual No. 7006154 REAR ENGINE RIDER
TP 400-5020-4-RE-N 50 SERIES 23


DECALS

| <u>Item</u> | Part No | Qty | Description | Note |
|-------------|---------|-----|-------------------------------------|-----------|
| 1 | 7071916 | 1 | DECAL, SNAPPER | |
| 2 | 7046440 | 1 | DECAL, Warning, Safety Instructions | |
| 3 | 7046720 | 1 | DECAL, Chute/Deflector | |
| 4 | 7015691 | 1 | DECAL, Battery Caution | |
| 5 | 7013010 | 1 | DECAL, Danger (Heavy Adhesive) | Was 26831 |
| 6 | 7028995 | 1 | DECAL, Brake/Blade Operation | |
| 7 | 7074481 | 1 | DECAL, No-Mow-In-Reverse | |
| 8 | 7012358 | 1 | DECAL, Battery | |
| 9 | 7029113 | 1 | DECAL, Caution, Fuel (English) | |
| 10 | 7073066 | 1 | DECAL, Blade Engagement, 42" | |
| 11 | 7075165 | 1 | DECAL, B&S AIR Index/Emission Label | |
| 12 | 7024910 | 1 | DECAL - 42 Inch | |
| 13 | 7034206 | 1 | DECAL, Fuel Routing | |
| 14 | 7024506 | 1 | DECAL, Fuel Shut-Off | |
| 15 | 7073335 | 1 | DECAL OPEL Ride-On | |
| 16 | 7029470 | 1 | DECAL, Patent Numbers | |
| 17 | 7075607 | 1 | DECAL, Service Parts, RER Domestic | |



ELECTRICAL SYSTEMS (For 18 & 20HP Briggs)

| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|----------------|
| 1 | 7060753 | 1 | KIT, 12 Volt Dry Charge Battery | |
| 2 | 7075671 | 1 | SOLENOID, Super-Trombetta | replaces 18817 |
| 3 | 7015430 | 1 | HARNESS, Starter Wiring (Briggs) | |
| 4 | 7074406 | 1 | HARNESS, Ignition Wiring (14.5 B&S) | |
| 5 | 7016168 | 1 | HOLDER, Fuse (Includes Fuse) | |
| - | 7016169 | 1 | FUSE, 10 Amp | |
| 6 | 7063064 | 1 | INTERLOCK MODULE, Briggs | Was 28606 |
| 7 | 7028386 | 1 | HARNESS (Deck Interlock Wiring) | |
| 8 | 7018524 | 1 | SWITCH, Deck Interlock (NO) | |
| 9 | 7012444 | 1 | COVER, Battery Cable | |
| 10 | 7019326 | 1 | WIRE, Positive (Red, 17" long) | |
| 11 | 7026343 | 1 | SWITCH, Ignition-Afterfire Solenoid | |
| 12 | 7091546 | 1 | WASHER, 5/8" Internal Tooth Lock | Was 90880 |
| 13 | 7015438 | 1 | NUT, 5/8-32 Hex | |
| 14 | 7011138 | 1 | IGNITION KEY, Pair | |
| 15 | 7091122 | 3 | SCREW, 1/4-20 x 1/2" Hex Washer Self-Tap | Was 90539 |
| 16 | 7012485 | 2 | RETAINER, 1/4" Bolt | |
| 17 | 7028675 | 1 | HARNESS WIRE, Operator Presence Control (OPC) | |
| 18 | 7090053 | 2 | WASHER,1/4" Internal Tooth Lock | |
| 19 | 7090072 | 2 | SCREW, 1/4-20 x 5/8" Hex Head Cap. GR5 | Was 27172 |
| 20 | 7028027 | 1 | WIRE, Negative, Black (15" long) | |
| 21 | 7091576 | 2 | NUT, 1/4-20 Hex, GR5 or B (attaches to starter terminal) | |
| 22 | 7012080 | 2 | CABLE TIE, 7" | |
| 23 | 7090372 | 2 | NUT, 1/4-20 Hex Center Lock, GR5 or B | |
| 24 | 7022886 | 1 | SWITCH, Operator Presence Control (OPC) Traction (NO/NC) | |
| 25 | 7023354 | 1 | SWITCH, Seat (Normally Closed) | |



WIRING SCHEMATIC for 18 & 20HP Briggs

| Item | Part No | Qty | Description | Note |
|------|---------|-----|--|------|
| - | - | 1 | Wiring schematic includes harness #'s 15430, 74406, 28386, & 28675 | |

No Diagram Available

Parts List Only

SNAPPER REAR ENGINE RIDER ACCESSORIES

| Item | Part No | Qty | Description | Note |
|------|---------|-----|-----------------------------------|--|
| - | 7061987 | 1 | KIT, Ninja Mulching | used on all 42" Deck Rear Engine Riders |
| - | 7060944 | 1 | KIT, Single Bag Collector (5 Bu.) | used on all 42" Deck Rear Engine Riders |
| - | 7060948 | 1 | KIT, Thatcherizer, 28" | used on all 42" Deck Rear Engine Riders |
| - | 7060959 | 1 | KIT, Dozer Blade (36" Blade) | used on all 42" Deck Rear Engine Riders |
| - | 7061822 | 1 | KIT, Tire Chains | used on all 42" Deck Rear Engine Riders |
| - | 7060697 | 1 | KIT, Dump Cart (6 Cu. Ft.) | used on all 42" Deck Rear Engine Riders |
| - | 7063023 | 1 | KIT, 42" Dual Idler Deck | used on all 42" Deck Rear Engine Riders |

Parts Manual for



REAR ENGINE RIDER 42" MOWER SERIES 23

IT IS THE POLICY OF SNAPPER TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.

SNAPPER, McDonough, GA, 30253 U.S.A.