BINOCULARS 20 X 60

Model 41491

Operating Instructions



3491 Mission Oaks Blvd. / Camarillo, CA 93011

Copyright © 1999 by Harbor Freight Tools. All rights reserved.

No portion of this manual or any artwork contained herein may be reproduced in an shape or form without the express written consent of Harbor Freight Tools.

For technical questions and replacement parts, please call 1-800-444-3353.

THANK YOU for choosing a **HARBOR FREIGHT TOOLS** product. For future reference, please complete the owner's record below:

Model	Serial No.	Purchase Date
Model	Serial NO	Fulchase Date

SAVE THE RECEIPT, WARRANTY AND THESE INSTRUCTIONS. It is important that you read the entire manual to become familiar with the unit BEFORE you begin using it.

Technical Specifications

Tool Name:

Binoculars 20 x 60

Item Number:

41491

Magnification:

20X

Optics: Weight:

High Quality Russian Optics

4.2 Lbs.

Also Included:

Amber Eyepieces for better twilight viewing

Carrying Case



IMPORTANT SAFETY INSTRUCTIONS!



READ ALL INSTRUCTIONS BEFORE USING THIS PRODUCT!

Warning:

The warnings, cautions and instructions discussed in this instruction manual cannot cover all possible conditions and situations that may occur. It must be understood by the operator that COMMON SENSE AND CAUTION ARE FACTORS WHICH CANNOT BE BUILT INTO THIS PRODUCT, BUT MUST BE SUPPLIED BY THE OPERATOR.

Before Operating

Before operating the Binoculars any part that appears damaged should be carefully checked to determine at it will operate properly and perform its intended function.

Before operating your Binoculars, check for damaged parts.

Warning:

Never look directly at the Sun as this may cause serious and permanent damage to your € 'es.

Assembly

Your Binoculars come fully assembled. It is important that you read the entire manual to become familiar ith the unit **BEFORE** you use it.

#41491 Pa ie 2

Operation

Step 1)	With one hand on each side of the binoculars, move the binoculars so that you are seeing through both eyepieces. You should be able to view with both eyes open as you would when seeing normally.
Step 2)	Located in-between the eyepieces in the middle of the binoculars is a knurled wheel. This is the focusing mechanism. While holding the binoculars up to your eyes, turn the center focusing mechanism. Turning this mechanism will quickly bring your target into focus.
Step 3)	For fine-tuning; there is a smaller mechanism located on the right eyepiece tube. Turn this wheel for small adjustments in viewing.
Note:	The fine-tuning is located on the right eyepiece. The left-hand eyepiece contains no adjusting mechanisms.
Maintenance a	and Storage
Step 1)	Avoiding the lens, wipe down the body of the binoculars with a soft cloth. Always replace the lens caps when the Scope is not in use. This will protect the lens from scratches and othe damage resulting from exposure to dust, wind and the elements. This will also protect it if the Binoculars are bumped or dropped.
Step 2)	Only clean your lens with a non-scratch type cloth. This cloth can be purchased in a camera store. Other rough cloths or tissues can scratch and damage the lens!
Step 3)	Set the right hand eyepiece to "0" diopters. Rotate the central focusing mechanism in order to pull in the eyepieces as far as they will go.
Step 3)	Store the Binoculars in the case provided.
Step 4)	Store the Binoculars in a cool dry place. It should be stored in room temperature between 40F and 90F.
	IF THERE IS ANY QUESTION ABOUT A CONDITION BEING SAFE OR UNSAFE, DO NOT OPEHATE.
	,

The 20 x 60 Binoculars are a self-contained unit. Replacement parts are not sold.

ţ