PLATINUM FURNITURE

MODEL PFV36sb-01 Digital TV Stand

Assembly Instructions



BUS5308P1

Congratulations and thank you for purchasing your new Sanus Platinum Furniture Product. If you have any questions regarding this or any other Sanus product, please contact our customer service department at (800)359-5520, or www.sanus.com. It is not necessary to contact the retailer with any questions or problems, as parts can be sent directly to you.

Please follow these assembly instructions. This will save you time, make assembly easier and prevent possible damage to your new Digital TV Stand. Assistance may be required for some assembly procedures. Correct assembly is your responsibility.

BUS5308

We recommend that the unit is assembled on a soft surface such as carpet. Please record your serial number in the space provided below and retain this manual for future reference.

Serial No

This unit was manufactured using ISO 9000 certified systems. For improvement purposes, design and specifications are subject to change without notice.



THE UNION OF FORM AND FUNCTION

UNPACK AND IDENTIFY PARTS



CUSTOMER SERVICE INFORMATION

IN THE UNLIKELY EVENT OF PARTS BEING FAULTY OR MISSING, CHECK PACKAGING. REPLACEMENT PARTS CAN BE OBTAINED BY CALLING THE TOLL FREE NUMBER WITHIN 14 DAYS OF PURCHASE.

TOLL-FREE NUMBER - (800) 359-5520 (USA ONLY)

THE FOLLOWING INFORMATION MUST BE SUPPLIED IN FULL:

1. YOUR NAME, ADDRESS AND TELEPHONE NUMBER.

2. PRODUCT MODEL NAME/NUMBER AND COLOR. 3. DESCRIPTION, PART NUMBER AND QUANTITY

OF REQUIRED PARTS.

- 4. PURCHASE DETAILS: -STORE THE UNIT WAS PURCHASED FROM.
- 5. SERIAL NUMBER OF THE UNIT PURCHASED. (LOCATED ON REAR OF UNIT)

Hardware Contents: CAUTION There are many small components used in the construction of this unit. These loose items should be kept away from young children while assembling your unit. Scale 1:1 (unless stated otherwise) Shelf pin P815235 x 8 P860036 x 6 P860212 x 8 Barrel nut Connector rod Cam Dowel P800201 x 8 P840050 x 8 P820015T x 8 P820016T x 8











If furniture is shifted we recommend that it is lifted not dragged.