

1.8" Portable Hard Disk

User's Manual



Your Supplier, Your Partner, Your Friend.

Table of Contents

Introduction

Package Contents	1
Features	1
System Requirements	2
Hardware Setup	2

Driver Installation

Driver Installation for Windows 98/98SE	3
Remove 1.8" Portable Hard Disk in Windows 98/98SE	4
Uninstall Driver	5
Using in Windows Me/2000/XP	5
Remove 1.8" Portable Hard Disk in Windows Me/2000/XP	6
Using the 1.8" Portable Hard Disk in Mac OS	7

ExBoot Express Backup Software

Features of ExBoot Express	
Supported Operating Systems	
ExBoot Express console	
Backup a drive to your 1.8" Portable Hard Disk	
Rescan disks	11
Restore a drive	11
Note Book Compatibility Test Matrix	
Warning	13
Specifications	13
Ordering Information	13
Warranty	

Introduction

Thank you very much for purchasing the Transcend **1.8**" **Portable Hard Disk**. This device is designed to expedite exchanging huge amounts of data between the **1.8**" **Portable Hard Disk** and any desktop or notebook computers. With the astonishing storage capacity and strong data retention ability available on a 1.8" HDD, the ultra fast data transfer rate, super high mobility, and impressive appearance of the Transcend **1.8**" **Portable Hard Disk**, you will enjoy an exciting new user experience.

Package Contents

The **1.8**" **Portable Hard Disk** package should include the following items:

- **1.8" Portable Hard Disk** (TS20GHDU1/ TS40GHDU1)
- Leather Case
- USB Cable
- Driver CD
- Quick Installation Guide

Features

The 1.8" Portable Hard Disk has the following features:

- Fully compatible with USB 2.0 specification
- Fully backward compatible with USB 1.1 specification
- Easy Plug and Play installation
- LED indicates Power On and Data Access
- Powered by USB port
- High Transfer Rate: Up to 480Mbits (60MB) per second at high speed

*Note: If your desktop or notebook computer only supports the USB 1.1 specification rather than the USB 2.0 specification, the data transfer rate of the **1.8**" Portable Hard Disk will be restricted to within 12M bits (1.5MB) per second.

System Requirements

Desktop or notebook computer with USB port and one of following operating systems:

- Windows[®] 98/98SE (Driver needed)
- Windows[®] 2000
- Windows[®] Me
- Windows[®] XP
- Mac[™] OS 9.1 or later

Hardware Setup

Please see the figure.





Driver Installation

Driver Installation for Windows 98/98SE

Power on the computer where you will connect the **1.8**" **Portable Hard Disk** and make sure the USB port is enabled and working properly.

***Note:** If you are using Windows 98/98SE, please don't connect your **1.8**" **Portable Hard Disk** to the computer until the driver is installed.

- Insert the Driver CD into the CD-ROM drive. Run the Setup.exe program located within folder D:\Driver\Win98\ of the Driver CD (Where "D" is the CD-ROM drive letter).
- 3. The Setup Wizard guides you through the installation process.



- 4. Click OK to complete driver installation and restart your computer.
- Connect the 1.8" Portable Hard Disk to the USB port of your computer. Your computer will automatically detect the 1.8" Portable Hard Disk and install the files needed to use this device.



6. The **1.8**" **Portable Hard Disk** is now ready for use. You can find a new USB device in the Device Manager on System Properties window.

201 0 2 0			onnarioo I	
View devices I	by type C	View devices by	connection	
E-■ Network	adapters			-
Contraction of the second	hultimedia Audio I	levice		
ି PCI I	Iniversal Serial Bu	18		
Unkr	iown Device			
E- J Ports (CO	M & LPT)			
🕀 🏰 Sound, v	ideo and game co	ontrollers		
🗄 进 🛄 System d	evices			
🖻 🥰 Universal	Serial Bus contro	llers		
SiS 7	001 PCI to USB ()pen Host Contr	oller	
SiS 7	001 PCI to USB ()pen Host Contr	oller	
	UUT PLI to USB (Jpen Host Contr	oller	
2 1100	Mass Storage De Doot Hub	vice bridge		
	Boot Hub			
A MAN	JSB Mass Storage	e Device		_
	-		(1.)	-
Properties	Refresh	Remove	Print.	

Remove 1.8" Portable Hard Disk in Windows 98/98SE

1. Locate the green arrow icon Solon on the system tray. Click left button of the mouse on the icon.



2. The **Stop USB Mass Storage Device** pop-up menu will appear. Click to enter the window.



3. An Information window will appear. Click **OK** to continue.



4. Your **1.8**" **Portable Hard Disk** is now ready to be disconnected from your computer.

Uninstall Driver

The driver of the **1.8**" **Portable Hard Disk** can be uninstalled by running **Add/Remove Programs** in **Settings/Control Panel.** Please follow the on-screen instructions to complete the process.

Using in Windows Me/2000/XP

- 1. Power on the computer where you will connect **1.8**" **Portable Hard Disk** and make sure the USB port is enabled and working properly.
- Connect the 1.8" Portable Hard Disk to the USB port of your computer. Your computer will automatically detect the 1.8" Portable Hard Disk and install the files needed to use this device.



3. The **1.8" Portable Hard Disk** is now ready for use. You can find a new USB device in the Device Manager on System Properties window.



Remove 1.8" Portable Hard Disk in Windows Me/2000/XP

1. Locate the green arrow icon ^{SS} on the system tray. Click left button of the mouse on the icon.



2. The **Stop USB Mass Storage Device** pop-up menu will appear. Click to remove the hardware.



3. The Safe To Remove Hardware window will appear. Click OK.



4. Your **1.8**" **Portable Hard Disk** is now ready to be removed.

*Note: If you don't follow the above steps to remove the 1.8" Portable Hard Disk in Windows 2000, the Unsafe Removal of Device message will appear.

S Unsafe Removal of Device
You have unplugged or ejected a device without stopping it. Unplugging or ejecting devices without first stopping them can often cause your computer to crash and lose valuable data.
To safely unplug or eject any of the following devices, first use the Hardware wizard in the Control Panel to stop the device.
📽 USB Mass Storage Device
C25N020 ATCS05-0 USB Device
If you frequently need to unplug this device, Windows can give you an icon on the taskbar to quickly unplug or eject your device. If you would like to use this option, check the following:
Show Unplug/Eject icon on the taskbar.
2:01 PM
ОК

Using the 1.8" Portable Hard Disk in Mac OS

- 1. Complete hardware setup. You don't need any advance driver for Mac.
- 2. Connect the **1.8**" **Portable Hard Disk** to your Mac. A disk icon will appear on the desktop. You may use this device as if it were a Mac Hard Disk.
- 3. If you want to remove the **1.8**" **Portable Hard Disk**, you must first drag and drop the corresponding disk icon into the trashcan. After the disk icon disappears, you can disconnect the **1.8**" **Portable Hard Disk**.



ExBoot Express Backup Software

ExBoot Express allows you to backup your computer's hard drive to **1.8**" **Portable Hard Disk**. Upon hard drive failure, you can rapidly boot your system from the external USB drive and restore the entire drive to the new hard drive.

Features of ExBoot Express

- Full backup and restore of C drive
- Synchronization (obsolete files deleted from destination)

Supported operating systems

ExBoot Express can run on the Windows 2000 Professional, XP Home Edition and XP Professional.

ExBoot Express console

ExBoot Express features an easy-to-use console.

🚰 Transcend ExBoot - Express Editio	m	_ 🗆 ×
Eile View Drive Schedule He	lp	
Be (* ?		
DUNCAN_HUNG Disks Disk 0 - IDE Partition 1 - C Disk 1 - IDE Disk 2 - USB History Log	Disk Type Vendor Product Model Revised Version Total Space	USB TRANSCEN TS20GHDU1 1234 38146 MB
, Ready	2	NUM

Backup a drive to your 1.8" Portable Hard Disk

When you perform a full backup, your entire hard drive is copied to your **1.8**" **Portable Hard Disk**. With ExBoot's built-in synchronization feature, after the backup is complete, you will have the same files on your hard drive and **1.8**" **Portable Hard Disk**. To back up your hard drive:

E

- 1. Highlight your hard drive and click the Backup System Drive button.
- 2. Select the external USB drive that is the destination for the backup.

ackup Drive - Select Backup I	Drives		×
Source Drive (MB)	Destination Drive (MB)	Backup Mode	
C-1755/2996, NTFS		71	
T.			
Destination Disk:	isk: 1 - USB, Size:19069 MB	•	
Warning: For full backup drive, which exist in destination drive b	destination drive will be synchronized out don't exist in source drive will be o	I to source drive, and all files deleted.	
Franscend ExBoot	< Back	Next > Cancel	

If this is the first time that the drive has been used for backup, you will be led through a wizard to prepare it for backup.

3. (First time drive use) Select how the external USB drive should be partitioned.



Transcend ExBoot Express needs one partition. Therefore, if your disk

is new or has previously been configured with one large partition, you can select Use Existing Partition Table. If your disk has previously been configured with multiple small partitions, you should select Re-arrange Partition Table.

4. (First time drive use) If you chose to re-arrange the partition table, specify the size and format type for your partition(s).

Destination Size (MB)	File Sy	stem
19069		NTFS	<u>×</u>
Set Size			×
Rest of Space:	19069	мв	
Size:	19069		МВ
Use Rest of Space		ОК	Cancel
:9 MB			
	Set Size Rest of Space: Size Use Rest of Space	Set Size Rest of Space: 19069 Size: 19069 Use Rest of Space	Set Size Rest of Space: 19069 MB Use Rest of Space OK

By default, the size of the first partition will be equal to the full size of your C drive. You can reduce this number if you are not using the full disk, but be sure to allow for expansion.

5. (First time drive use) Click Start to begin preparing your disk.

Task		Status	10
 Re-arrange Pa Format Partition Save Change 	artition Table m 1 -> NTFS s	Processing	
urrent Status	Clear Old Partition Tal	ble	
^p ercentage:			

6. Click Start to begin the backup.

Task ▶ C -> D - Full E	lackup		Status Processing	- 0
urrent Status				
Status:	Copying Registry t	o Destination Drive		
	C:\WINNT\syster	n32\\system		
rercentage:				
			· · · · · · · · · · · · · · · · · · ·	

Rescan disks

Click the Rescan Disks button any time you want to rescan your computer to discover new disks or remove disks that are no longer attached to your computer.

Restore a drive

The ability to quickly restore a drive after is crucial. With ExBoot, instead of needing to install the operating system and all of your applications on your replacement hard drive, you can rapidly boot your system from **1.8**" **Portable Hard Disk** and restore the new hard drive to match the original one.

If you have a hard drive failure, you should do the following:

***Note:** Because the restore feature in ExBoot restores the *entire* drive, the menu option and button will not be available until you have booted your computer from the external USB drive.

- 1. Access your computer's BIOS settings.
- 2. Change the boot order on your computer to boot from your external USB hard drive.
- 3. Load the ExBoot console and click the Restore System Drive button to restore the drive.

Note Book Compatibility Test Matrix

	MODEL NUMBER	BIOS	OS	
VENDER	Thinkpad R32	IBM	XP Home	PASS
	Thinkpad T30	IBM	2000 Pro	PASS
	G40 2388GV1	IBM 1TET57WW	XP Home	PASS
	R40 2723CV1	IBM 1PET45WW (1.13) 2003/7/9	XP HOME	PASS
	R40 26823V4	IBM 10ET43WW (1.09) 2003/7/10	XP HOME	PASS
IBM	R40 27222V1	IBM 1PET41WW (1.09) 2003/3/3	XP HOME	PASS
	R40 2722CV1	IBM 1PET41WW (1.09) 2003/3/3	XP HOME	PASS
T40 237392V		IBM 1RET34WW (1.05) 2003/5/15	XP Pro	PASS
	X30 267233T	IBM 1KET43WW (1.04) 2003/3/14	XP HOME	PASS
	X31 2672I4V	IBM 1QET63WW (2.01A) 2003/8/22	XP HOME	PASS
	Aspire T100		2000 Pro	PASS
	TravelMate 240	Phoenix Tech. LTD V1.12 2003/9/5	XP Home	PASS
Acer Travel Travel	TravelMate 800	ACER 4A11 2003/7/22	XP Pro	PASS
	TravelMate C110	Phoenix Tech. LTD R01-A1E 2003/6/13	XP Pro	PASS
	AL10	Phoenix	XP MC	PASS
Compal	CL31	Compaq	XP Pro	PASS
Compar	Presario 2100 (DR216A)	Phoenix KE.M1.64 2003/8/7	XP Home	PASS
HP	ZD7000	phoenix b.25t04	XP Home	PASS
Sharp	Mebius		XP Home	PASS

For the future Compatibility list, please visit Transcend Global Site to update.

http://www.transcendusa.com/

Warning

Never disconnect the USB cable while data is being transmitted. To avoid improper shutdown, open the transmitted file from its new location to ensure transmission has been completed.

Any unauthorized attempt to disassemble the 1.8" Portable Hard Disk will void the limited warranty.

Specifications

Transfer Rate	Up to 480Mbits per second at high speed
Power supply	DC 5V from USB port
Storage media	1.8" HDD
LED Indicators	Always On: Power on
	Blinking: Data Access
Operating Temperature ·····	5°C ~ 60°C
Storage Temperature	-40 [°] C ~ 70 [°] C
Humidity	8% ~ 90% RH
Emission/Safety	FCC Class B, CE, BSMI
Dimensions	95 mm (L) x 72 mm (W) x 15 mm (H)
Weight	-118 g / 130 g (20GB / 40GB)

Ordering Information

HDD Capacity	Transcend P/N	
20GB	TS20GHDU1	(20GB HDD Inside)
40GB	TS40GHDU1	(40GB HDD Inside)

1.8" Portable Hard Disk Limited Warranty

"Above and beyond" is the standard we set ourselves for customer service at Transcend. We consistently position ourselves to be significantly above the industry norm. It's all part of our commitment to Customer Satisfaction.

All Transcend Information, Inc. (Transcend) products are warranted and tested to be free from defects in material and workmanship and to conform to the published specifications. During the warranty period should this Transcend 1.8" Portable Hard Disk fail under normal use in the recommended environment due to improper workmanship or materials, Transcend will repair the product or replace it with a comparable one. This warranty is subject to the conditions and limitations set forth herein.

Duration of Warranty: Transcend 1.8" Portable Hard Disks and 1.8" HDD inside are covered by this warranty for a period of two (2) years from the date of purchase. Proof of date of purchase is required. Transcend will inspect the product and make the decision for repair or replacement. Transcend reserves the right to provide a functionally equivalent refurbished replacement product.

Limitations: This warranty does not apply to product failure due to accident, abuse, mishandling, improper installation, alteration, acts of nature, improper usage, or problems with electrical power. Transcend products must be used with devices that conform to the recommended industry standards. Transcend will not be liable for damages resulting from a third party device that causes the Transcend product to fail. Transcend shall in no event be liable for any consequential, indirect, or incidental damages, lost profits, lost business investments, lost goodwill, or interference with business relationships as a result of lost data. Transcend is also not responsible for damage or failure of any third party equipment, even if Transcend has been advised of the possibility. This limitation does not apply to the extent that it is illegal or unenforceable under applicable law.

Disclaimer: The foregoing limited warranty is exclusive. There are no other warranties, including any implied warranty of merchantability or fitness for a particular purpose. This warranty is not affected in any part by Transcend providing technical support or advice.

Online Registration: To expedite warranty service, please register your Transcend Product within 30 days of purchase.

Register online at <u>http://www.transcendusa.com/registration</u>.



Your Supplier, Your Partner, Your Friend. Transcend Information, Inc.

www.transcendusa.com

The Transcend logo is a registered trademark of Transcend Information, Inc. *All logos and marks are trademarks of their respective companies.