



Overview—Supported Network Elements in Cisco ANA 3.6

This chapter provides an overview of network elements (NEs) that are supported by Cisco ANA 3.6 and includes the following sections:

- [Supported Cisco Routers in Cisco ANA 3.6, page 5](#)
- [Supported Cisco Switches in Cisco ANA 3.6, page 7](#)
- [Supported Alcatel-Lucent Devices in Cisco ANA 3.6, page 7](#)

Supported Cisco Routers in Cisco ANA 3.6

[Table 4](#) lists the Cisco routers that are supported in Cisco ANA 3.6.

Table 4 *Supported Cisco Routers in Cisco ANA 3.6*

Device Series	NE Type	SysOID	Certification Level
Cisco 7200 Series Routers	cisco7202	1.3.6.1.4.1.9.1.194	V
	cisco7206	1.3.6.1.4.1.9.1.108	V
	cisco7204	1.3.6.1.4.1.9.1.125	V
	cisco7204VXR	1.3.6.1.4.1.9.1.223	V
	cisco7206VXR	1.3.6.1.4.1.9.1.222	V
Cisco 7600 Series Routers	cisco7604	1.3.6.1.4.1.9.1.658	V
	cisco7606	1.3.6.1.4.1.9.1.402	V
	cisco7609	1.3.6.1.4.1.9.1.509	V
	cisco7613	1.3.6.1.4.1.9.1.528	V
	cisco7604sysID	1.3.6.1.4.1.9.5.63	V
	ciscoOSR7603	1.3.6.1.4.1.9.1.401	V

Table 4 **Supported Cisco Routers in Cisco ANA 3.6 (continued)**

Device Series	NE Type	SysOID	Certification Level
Cisco 12000 Series Routers	cisco12004	1.3.6.1.4.1.9.1.181	V
	cisco12006	1.3.6.1.4.1.9.1.590	V
	cisco12008	1.3.6.1.4.1.9.1.182	V
	cisco12010	1.3.6.1.4.1.9.1.348	V
	cisco12012	1.3.6.1.4.1.9.1.173	V
	cisco12016	1.3.6.1.4.1.9.1.273	V
	cisco12404	1.3.6.1.4.1.9.1.423	V
	cisco12406	1.3.6.1.4.1.9.1.388	V
	cisco12410	1.3.6.1.4.1.9.1.394	V
	cisco12416	1.3.6.1.4.1.9.1.385	V
	cisco12810	1.3.6.1.4.1.9.1.478	V
	cisco12816	1.3.6.1.4.1.9.1.477	V
Cisco XR 12000 Series Routers	cisco12004	1.3.6.1.4.1.9.1.181	V
	cisco12006	1.3.6.1.4.1.9.1.590	V
	cisco12008	1.3.6.1.4.1.9.1.182	V
	cisco12010	1.3.6.1.4.1.9.1.348	V
	cisco12012	1.3.6.1.4.1.9.1.173	V
	cisco12016	1.3.6.1.4.1.9.1.273	V
	cisco12404	1.3.6.1.4.1.9.1.423	V
	cisco12406	1.3.6.1.4.1.9.1.388	V
	cisco12410	1.3.6.1.4.1.9.1.394	V
	cisco12416	1.3.6.1.4.1.9.1.385	V
	cisco12810	1.3.6.1.4.1.9.1.478	V
	cisco12816	1.3.6.1.4.1.9.1.477	V
Cisco Carrier Routing System (CRS-1) Routers	ciscoCrs14S	1.3.6.1.4.1.9.1.613	V
	ciscoCrs8S	1.3.6.1.4.1.9.1.643	V
	ciscoCrs14S	1.3.6.1.4.1.9.1.822	V

Supported Cisco Switches in Cisco ANA 3.6

Table 5 lists the Cisco switches that are supported in Cisco ANA 3.6.

Table 5 *Supported Cisco Switches in Cisco ANA 3.6*

Device Series	NE Type	SysOID	Certification Level
Cisco Catalyst 4500 Series Switches	cisco4500	1.3.6.0.1.4.1.9.1.14	V
	cat4506	1.3.6.0.1.4.1.9.1.502	V
	wsc4506sysID	1.3.6.0.1.4.1.9.5.59	V
	cat4507	1.3.6.0.1.4.1.9.1.501	V
Cisco Catalyst 6500 Series (IOS) Switches	cat6006	1.3.6.1.4.1.9.1.280	V
	cat6500FirewallSm	1.3.6.1.4.1.9.1.522	V
	cat6500SsISm	1.3.6.1.4.1.9.1.554	V
	cat6509NEBAIOS	1.3.6.1.4.1.9.1.534	V
	cat6509NEBIOS	1.3.6.1.4.1.9.1.310	V
	cisco6503	1.3.6.1.4.1.9.1.449	V
	cisco6506IOS	1.3.6.1.4.1.9.1.282	V
	cisco6509IOS	1.3.6.1.4.1.9.1.283	V
	ciscoWSC6504E	1.3.6.1.4.1.9.1.657	V
	ciscoWSC6513	1.3.6.1.4.1.9.1.400	V
Cisco Catalyst 6500 Series (CatOS) Switches	wsc6009sysID	1.3.6.1.4.1.9.5.39	V
	wsc6506sysID	1.3.6.1.4.1.9.5.45	V
	wsc6509nebasysID	1.3.6.1.4.1.9.5.61	V
	wsc6509nebsysID	1.3.6.1.4.1.9.5.47	V
	wsc6513sysID	1.3.6.1.4.1.9.5.50	V
	wsc6509sysID	1.3.6.1.4.1.9.5.44	V
	wsc6504esysID	1.3.6.1.4.1.9.5.64	V

Supported Alcatel-Lucent Devices in Cisco ANA 3.6

Table 6 lists the Alcatel-Lucent devices that are supported in Cisco ANA 3.6.

Table 6 *Supported Alcatel-Lucent Devices in Cisco ANA 3.6*

Device Series	NE Type	SysOID	Certification Level
Alcatel-Lucent 7450 Ethernet Service Switch	ess-7450	1.3.6.1.4.1.6527.1.6.1	V
	ess-7450	1.3.6.1.4.1.6527.1.6.3	V

Table 6 *Supported Alcatel-Lucent Devices in Cisco ANA 3.6 (continued)*

Device Series	NE Type	SysOID	Certification Level
Alcatel-Lucent 7301 ASAM DSLAMs	asam 7301 HD	.1.3.6.1.4.1.637.61.1	V
	asam 7301 SD	.1.3.6.1.4.1.637.61.1	V
	asam 7301 UD	.1.3.6.1.4.1.637.61.1	V
	asam 7301 XD	.1.3.6.1.4.1.637.61.1	V