

Mini Timer Module SA-026

The ENFORCER SA-026 is a low-voltage miniature delay timer module which operates on 12 to 24 volts AC or DC. This timer module will extend the activation time of a momentary contact switch for 1~60 seconds via a field-adjustable rotary pot. It is ideal for electrical locks which do not have a built-in time delay function. Its compact size makes it small enough to fit in a single-gang box or inside a door frame cavity.



(Actual size)

Features:

- ▶ Adjustable timer from 1~60 seconds via a pot on board.
- ▶ N.O./N.C. switch trigger.
- ▶ Compact design: 1.2" X 2.28" X 0.62" (30 x 58 x 16 mm)
- ▶ Operating voltage: 12~24 volts AC or DC.
- ▶ Current: 2mA (stand-by), 75mA (active).
- ▶ Relay output: Form-C (SPDT) via terminal blocks.
- ▶ Contact rating: 2 Amps @ 24VDC.
- ▶ With built-in beeper output (100mA @ 24VDC).
- ▶ Includes double-sided foam tape.

Also available:



SD-7201GA-PT1

Push-To-Exit Plate with
Built-in Timer



SA-025

Multi-Function
Programmable Timer



SD-7202GC-PT

Illuminated Push-To-Exit
Plate with Built-in Timer



SR-2224-C5

DPST Relay Board

Sample Connection Diagram:

For Fail-Safe Electronic Locks

