

Overview





- 1. Power Button
- 2. Color Display
- 3. Rubber Side Grips
- 4. Speaker
- 5. iTask Button
- 6. Messaging Button
- 8. Contacts Button
- 9. Calendar Button
- 10. Microphone
- 11. Voice Record Button (side)
- 12. Wireless LED
- 13. Charging/Notification LED
- 7. 5-way Navigation Button



## Back Image

- 1. Serial number under battery door
- 2. Battery Door Cover Release
- 3. Battery Door Cover


**NOTE**: This image shows the product with the battery door removed.

### Overview

## At A Glance


- Intel® PXA270 Processor 520 MHz
- Integrated WiFi (802.11b)<sup>1</sup>
- Integrated Bluetooth® wireless technology<sup>1</sup>
- Integrated Compact Flash type II (CF) and Secure Digital (SDIO) slots
- HP ProtectTools secured by Credant Technologies security application<sup>2</sup>
- 3.5" transflective TFT QVGA with 64K color LED backlight display, landscape and portrait display modes
- Microsoft® Windows Mobile™ 5.0 Software for Pocket PC , Premium Edition
- Removable/rechargeable 1440 mAh battery
- Integrated Serial IR
- Protective plastic flip cover
- Pocket versions of familiar applications like Microsoft® Outlook®, Word, Excel, and PowerPoint

**NOTE:** <sup>1</sup> A standard WLAN (Wi-Fi) infrastructure, other Bluetooth-enabled devices, separately purchased equipment, and a service contract with a wireless airtime provider may be required for applicable wireless communication. Wireless Internet use requires a separately purchased service contract. Check with wireless network service providers for availability and coverage in your area. Not all web content available.



Top Image

- 1. Headphone/Headset Jack
- 2. Compact Flash (CD) Expansion Slot
- 3. Stylus
- 4. Serial IR (Infrared) Port
- 5. Secure Digital (SDIO) Expansion Slot



**Bottom Image** 

- 1. Reset Button
- 2. Charging/ActiveSync Connector

### Standard Features

### Models

iPAQ Pocket PC hx2490b - 192 MB ROM, 64 MB SDRAM, WiFi (802.11b), Bluetooth, and Serial IR

FA675B#ABA - US Commercial, English

iPAQ Pocket PC hx2495b - 192 MB ROM, 64 MB SDRAM, WiFi (802.11b), Bluetooth and Serial IR

FA674B#ABA – US Retail, English

Intel® PXA270 Processor 520 MHz Processor

NOTE: Intel's processor numbering is not a measurement of higher performance.

User Available Memory 256 MB total memory (192 MB ROM and 64 MB SDRAM) Memory

Up to 128 MB user available persistent storage memory

Display Type Transflective TFT QVGA color with LED backlight with power save mode

> Modes Portrait and landscape

Number of Colors 64K color (65,536 colors) 16-bit

Touch Screen

Resolution (W x H) 240 x 320 pixels

Dot Pitch 0.24 mm

Viewable Image Size 3.5 in (89 mm)

Hardware Buttons/

Reset Buttons

Power, soft reset, 5-way navigation, voice record, calendar, contacts, messaging, and iTask buttons.

(The last 5 buttons are re-programmable.)

One - Included in the box Stylus

Audio Integrated microphone, speaker and one 3.5 mm stereo headphone jack

LED 1 - Power Indicators Solid amber LED – battery in unit fully charged

Flashing amber LED – battery in unit charging

Flashing green – event alarm/notification

LED 2 – Wireless Flashing blue LED – wireless radio enabled

Cradle Interfaces Connector 1 - 22 pin

> DC Power jack connector 1 for AC/DC Adapter

connection



### Standard Features

Other interfaces IrDA (SIR)

USB 2.0 Client – supported via HP standard 22-pin cradle interface

Serial RS232 – supported via HP standard 22-pin cable interface (cable must be purchased separately)

NOTE: Some HP authorized options may not be supported. See

http://www.hp.com/go/ipaqaccessories.

SD Slot Support 1-bit SDIO and 4-bit SD/MMC type memory standard

CF Slot 1 Type II

Power Supply Battery Removable/rechargeable 1440 mAh Lithium-lon (user changeable).

Optional extended 2880 mAh Lithium-Ion battery available for purchase

separately (http://www.hp.com/go/ipaqaccessories).

AC Power AC Input: 100~240 Vac, 50/60 Hz, AC Input current: 0.3 Aac max

Output Voltage: 5Vdc (typical), Output Current: 2A (typical)

NOTE: Battery run time varies based on the usage pattern of an individual user and the configuration of the handheld. Use of internal wireless capabilities and backlight will significantly decrease battery run

time.

AC Adapter Dimensions (H x W xD) 3 x 1.9 x 1.8 in (76 x 48 x 44 mm – including prongs), (may vary by model)

Cord Length (approx.) 6 ft (1.83 m)

Power Supply Ratings Voltage Range 100 to 240 V Switching

Input Current 0.3 Aac
Input Frequency 50 to 60 Hz
Output Voltage 5 VDC
Output Current 2 Amp

**System Unit** Dimensions (H x W x D) 4.71 x 3.01 x .65 in (119.4 x 76.6 x 16.3mm)

Weight 5.8 oz (164.4 g)

 $\begin{array}{ll} \textbf{Operating Temperature} & 32^{\circ} \text{ to } 104^{\circ} \text{ F (0° to } 40^{\circ} \text{ C)} \\ \textbf{Storage Temperature} & -4^{\circ} \text{ to } 140^{\circ} \text{ F (-20° to } 60^{\circ} \text{ C)} \\ \end{array}$ 

Operating Humidity 90% RH

Regulatory Marks Electrical FCC Class B, UL or CSA NRTL

Safety C-UL, NOM

Design Features 4 programmable application quick-launch buttons, 5-way navigation button, touch-sensitive display for

stylus or fingertip, voice record button, microphone and speaker, rubber sides for comfortable grip

### Standard Features

#### **Operating System**

Microsoft® Windows Mobile™ 5.0 for Pocket PC, Premium Edition

 $Mobile \ versions \ of \ Microsoft \ software \ are \ included \ (Outlook @, \ Word @, \ Excel @, \ PowerPoint @, \ Windows \ PowerPoint @, \ Wind$ 

Media® Player, and Internet Explorer®)

## Operating System Applications

Powered by Microsoft® Windows Mobile™ 5.0 Software for Pocket PC, Premium Edition; Calendar, Contacts, Messaging (with Spell Checker for email), Tasks, Voice Recorder, Notes, Word Mobile (with Spellchecker), Excel Mobile, PowerPoint Mobile Internet Explorer Mobile, Windows Media Player 10 Mobile, Calculator, Solitaire, Jawbreaker, File Explorer, Terminal Services Client, Beam, Clock, Align Screen, Memory, Volume.

#### In the box

HP iPAQ hx2490 Pocket PC, lithium-lon 1440 mAh removable/rechargeable battery, AC adapter, charger adapter, USB desktop synchronization cradle, stylus, protective plastic flip cover, HP iPAQ Product Information Guide and HP iPAQ Getting Started disc.

## Additional Software and links

Microsoft ActiveSync 4.1, Microsoft Reader eBooks, and links to Microsoft websites for additional downloadable applications (NOTE: some programs may require purchase of additional desktop software to utilize Pocket PC versions).

### Service and Support

One-year parts and labor in most regions; 90 days technical support for software in most regions. Additional offers may vary by region.

#### **HP Exclusive Applications**

- HP ProtectTools secured by Credant Technologies: help secure your device and your data<sup>2</sup>
- Bluetooth Phone Manager: connect to a Bluetooth-enabled phone and browse the Internet<sup>1,3,4</sup>
- Bluetooth Manager: manage your Bluetooth connections and settings
- iPAQ Wireless: manage wireless connections
- iTask: launch and switch between tasks and application
- HP Image Zone for Pocket PC: view images and create slide shows
- Utilities: Self Test, iPAQ Audio, Power Status, Certificate Enroller

## Getting Started Disc from HP

Applications

## Full Versions

**Trial Versions**Audible Player

pplications ActiveSync 4.1

Adobe Reader for PC BVRP Live Update

Funk Odyssey® Client for Windows

Mobile™

WorldMate (NA Retail only) Windows Media Player 10

CD Links Handango

#### Additional Documentation

Important Safety Information on PDF, and Additional Product Information on PDF

NOTE: Programs may vary based on model. Some programs are accessed through CD links to download web sites.



### Standard Features

WiFi (802.11b) Specifications<sup>1,5</sup> **Technology** High-speed wireless access to the Internet, email and corporate data

RF Network Standard IEEE 802 Part 11b (802.11b)
Frequency Band 2.4000 to 2.4835 GHz

2.4465 to 2.4835 GHz (France) 2.4000 to 2.497 GHz (Japan)

Antenna type Embedded Antenna

Security WEP 64/128-bit compliant to IEEE 802.11

Compliant to 802.1X (EAP-TLS, PEAP)

LEAP, WPA

Network Architecture Ad-hoc (Peer to Peer)

Models

Infrastructure (Access Points Required)

Modulation Technique Direct Sequence Spread Spectrum
Modulation Schemes DBPSK, DQPSK, CCK

Modulation Schemes Receiver Sensitivity – Packet Error Rate

11 Mbps: <-80 dBm 5.5 Mbps: <-82 dBm

(8E-2)

2 Mbps: <-86 dBm 1 Mbps: <-89 dBm

Maximum Receive Level -10dBm (1/2/5.5/11 Mbps)

Output Power 15 dBm

Power Management Radio On/Off control through iPAQ wireless

Power Save mode available in Power Settings

**Power Consumption** Transfer mode: < 300 mA, average

Receive mode: < 200 mA, average

Power Saving Option 802.11 Compliant Power Saving, idle mode 20 mA

Media Access Protocol CSMA/CA (Collision Avoidance) with ACK

Protocols Supported TCP/IP

IPX/SPX

UDP

Operating Distance

Up to 1000 feet - Open sight

Certifications All necessary regulatory approvals for countries we support including:

WECA Wi-Fi approval

FCC (47 CFR) Part 15C, Section 15.247&15.249

ETS 300 328, ETS 301 489-6 Low Voltage Directive IEC950

UL, CSA, and CE Mark

### **NOTES:**

<sup>1</sup> A standard WLAN (Wi-Fi) infrastructure, other Bluetooth-enabled devices, separately purchased equipment, and a service contract with a wireless airtime provider may be required for applicable wireless communication. Wireless Internet use requires a separately purchased service contract. Check with wireless network service providers for availability and coverage in your area. Not all web content available.

<sup>5</sup> Wireless access point required and is not included. Availability of public wireless access points limited. Wireless Internet use may require separately purchased Internet service contract.

Bluetooth®

Technology

High-speed, low-power, short-range wireless communication with other



### Standard Features

Specifications<sup>1</sup>

Bluetooth devices

Bluetooth specification

1.2 compliant (2.4-GHz Industrial Scientific Medical Band)

System interface

High-speed UART processor interface

User Interface

Bluetooth Manager

Device type

Class II device; up to 4 dBm transmit, typical 10 meter range

Power

3.3V 5% Peak current — typical TX current at approximately 30 mA

- typical RX current at approximately 50 mA

Receiver sensitivity

-83 dBm

Regulatory standards

R&TT#-EN 300 328 and EN 300 826, UL 1950, CB Safety Scheme

inclusive of EN 60950 and IEC 950, FCC Part 15 subpart C, Canadian, CE

Profile Support

General Access Profile

Service Discovery Application Profile

Serial Port Profile

Generic Object Exchange Profile

File Transfer Profile

Dial-Up Networking Profile

LAN Access Profile Object Push Profile

Personal Area Networking Profile

Basic Printing Profile

Hard Copy Replacement Profile (printing)

Headset Support Profile

Human Interface Device Profile Advanced Audio Distribution Profile Audio Video Remote Control Profile

Hands Free Profile Basic Imaging Profile

Usage Models

Service Discovery

Determine what Bluetooth devices are within range and support

authorization

File Transfer

File and directory browsing and navigation on another Bluetooth device.

File copying

Object manipulation – including add, delete, create new folders etc.

Serial Port

Synchronization between PDAs and PCs

Dial Up Networking

Wireless link to WAN thru Bluetooth enabled cell phone 1,3,4

Agnostic to WAN technology Send/receive SMS messages

LAN Access

Wireless link to Corporate LAN using Bluetooth and appropriate Bluetooth

access point<sup>1</sup>

Corporate email, network neighborhood, access to LAN applications, file

transfer, ftp, Internet browsing, etc, using TCP/IP1

Access the Internet by connecting to your desktop or notebook over

Bluetooth and using its network connection<sup>1</sup>

Generic Object Exchange and Object Push

Exchange business cards, tasks, documents, appointments and more



## Standard Features

Personal Area Networking

Collaborate, chat, play games, exchange data<sup>1</sup>

Adhoc peer to peer networking<sup>1</sup>

Basic Printing and Hard Copy Replacement Profiles

Print to any HP Bluetooth enabled printer without the need for cables or

specific print drivers

**Certifications**All necessary regulatory approvals for countries supported including:

Bluetooth logo (FCC (47 CFR) Part 15C, Section 15.247&15.249 ETS 300

328, ETS 301 489-1/17 Low Voltage Directive IEC950 UL and CE Mark

#### NOTE:

<sup>1</sup> A standard WLAN (Wi-Fi) infrastructure, other Bluetooth-enabled devices, separately purchased equipment, and a service contract with a wireless airtime provider may be required for applicable wireless communication. Wireless Internet use requires a separately purchased service contract. Check with wireless network service providers for availability and coverage in your area. Not all web content available.



## Options

	Custom Cases: to view and order go to: http://www.casesonline.com.	
	Premier Leather Belt Case	FA350A#AC3
	Leather Belt Case	FA160A#AC3
	Nylon Slim Case	FA161A#AC3
	iPAQ Rugged Case	FA288A#AC3
Cases	Premier Leather Case	FA662A#AC3
Headphones	Bluetooth Stereo Headphones	FA303A#ABA
Navigation	iPAQ Navigation System — (U.S. only)	FA196A#ABA
	Thumb keyboard	FA302A#AC3
	Foldable Keyboard	FA118A#ABA
Input Devices	Stylus Three-pack	FA261A#AC3
	AutoSync Cable (USB and Serial)	FA122A#AC3
Synchronization	Desktop Cradle	FA260B#AC3
	AC Adapter (WW)	FA372x#AC3
	Charger Adapter	FA133A#AC3
		Or FA690B#AC3
	Automobile Adapter	FA125A#AC3
	2880 mAh Lithium Ion Extended Battery	FA286x#AC3
Power	1440 mAh Lithium Ion Standard Battery	FA285x#AC3
	* Models with full-sized SD slots will require the use of an SD adapter (included).	
	512 MB miniSD Memory Card*	FA604A#AC3
	256 MB miniSD Memory Card*	FA603A#AC3
	128 MB miniSD Memory Card*	FA602A#AC3
	1 GB SD Memory Card	FA283A#AC3
	512 MB SD Memory Card	FA184A#AC3
	256 MB SD Memory Card	FA136A#AC3
Memory/Storage	NOTE: Optional accessories are available at additional cost.  128 MB SD Memory Card	FA135A#AC3



### **Options**

#### **NOTES:**

- <sup>1</sup> A standard WLAN (Wi-Fi) infrastructure, other Bluetooth-enabled devices, separately purchased equipment, and a service contract with a wireless airtime provider may be required for applicable wireless communication. Wireless Internet use requires a separately purchased service contract. Check with wireless network service providers for availability and coverage in your area. Not all web content available.
- <sup>2</sup> User must have HP ProtectTools features enabled.
- <sup>3</sup> Requires Bluetooth enabled mobile, separately purchased wireless carrier/Internet service plan(s) and supporting IT infrastructure.
- <sup>4</sup> Telephone service requires separately purchased contract with a telephone service provider with coverage in your service area.
- <sup>5</sup> Wireless access point required and is not included. Availability of public wireless access points limited. Wireless Internet use may require separately purchased Internet service contract.

## HP iPAQ Pocket PC features Windows Mobile™ software

For more information on HP iPAQ Pocket PC, visit our website at http://www.hp.com/go/iPAQ

©Copyright 2007 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft, Windows, and the Windows Logo are U.S. registered trademarks of Microsoft Corporation. Intel and the Intel inside logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the U.S. and other countries.

